



MoEEE

MoE - Exit Exam

Back

Question 1

Not yet
answered

Marked out of
1.00

[Flag question](#)

A horizontal member of stair is known as:

- ☐ a. Rise
- ☐ b. Tread
- ☐ c. Step
- ☐ d. Riser

Time left 2:29:29

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90

C2

Cotm 2011 → Samvod

NOAH: 2334-exam code



MoEEE

MoE - Exit Exam

Construction Technology and Management

Back

Question 2

Not yet answered

Marked out of 1.00

Flag question

A current ratio of less than one means:

- ☐ a. Fixed Assets > Current Assets
- ☐ b. Current Assets < Current Liabilities
- ☐ c. Share Capital > Current Assets
- ☐ d. Current Liabilities < Current Assets

Previous question

Time left 2:27:32

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

Back

Question 3

Not yet answered

Marked out of 1.00

Flag question

A steep raised element of a roadway that provides drainage control, roadway edge delineation, right-of-way reduction and delineation of pedestrian walkways is called:

- ☐ a. Curbs
- ☐ b. Guardrails
- ☐ c. Pavement Crowns
- ☐ d. Shoulders

Previous question

Time left 2:25:59

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81

Construction Technology and Management

Back

Time left 2:22:10

Question 5

Not yet answered

Marked out of 1.00

 Flag question

A worker is carrying reinforcing bars of diameter 20 mm, measuring between 3 m and 4 m, on his bicycle. The bars were projecting about 1.5 m–2 m on both sides longitudinally. While taking a turn at roundabout, it hit two pedestrians causing scratches to both of them. What is the principal cause of this accident?

- ☐ a. Unsafe condition
- ☐ b. The cause is beyond the control of the site
- ☐ c. A combination of unsafe act and unsafe condition
- ☐ d. Unsafe act

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81

Construction Technology and Management

Back

Time left 2:21:46

Question 4

Answer saved

Marked out of 1.00

[Flag question](#)

A trench 1 m wide and 3 m deep is excavated and the walls are secured with appropriately driven steel sheets. Workers walking on the heap of earth removed from the trench slip and fall into the trench, causing one of them to have a fractured hand. What is the principal cause of this accident?

- ☐ a. The cause is beyond the control of the site
- ☐ b. Unsafe condition
- ☐ c. Unsafe act
- ☒ d. A combination of unsafe act and unsafe condition

[Clear my choice](#)

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81

Construction Technology and Management

Back

Question 6

Not yet answered

Marked out of 1.00

[Flag question](#)

Among the documents forming a contract document, the priority of BOQs, specifications and drawings while making interpretations in case if any ambiguities among them shall generally be:

- ☐ a. The specification, the priced BOQ and the drawings
- ☐ b. The priced BOQ, the specifications and the drawings
- ☐ c. The drawings, the specification and the priced BOQ
- ☐ d. The specifications, the drawings and the priced BOQ

Previous question

Time left 2:16:26

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

Back

Time left 1:43:41

Question 7

Not yet answered

Marked out of 1.00

[Flag question](#)

Among the following which one is not an objective for the construction of the dam?

- ☐ a. Providing irrigational facilities
- ☐ b. Generation of hydropower energy
- ☐ c. Providing water supply for domestic and industrial purposes
- ☐ d. To make sure rains occur periodically

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Exam Center:

Hawassa University

Department:

Construction Technology and Management

Back

Time left 1:42:37

Question 8

Not yet answered

Marked out of 1.00

Flag question

Among the following who is not interested in financial statement of a company?

- ☐ a. Competitors
- ☐ b. Previous employees
- ☐ c. Regulatory authorities
- ☐ d. Financial institutions

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72

Construction Technology and Management

Back

Time left 1:41:46

Question 9

Not yet
answered

Marked out of
1.00

[Flag question](#)

Among the following, which one is not the advantage of preventive maintenance over corrective maintenance?

- ☐ a. Health and safety of the user can be improved
- ☐ b. Maintenance can be planned ahead
- ☐ c. High downtime
- ☐ d. Maintenance costs can be reduced by avoiding the cost of consequential damage

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72

Construction Technology and Management

Back

Time left 1:40:02

Question 10

Not yet answered

Marked out of 1.00

[Flag question](#)

Among the following, which one is not the benefit of Building Information Modeling (BIM)?

- ☐ a. It cannot be used for creating as-built documentation for existing buildings
- ☐ b. It helps to eliminate inefficiencies of the construction process
- ☐ c. It helps to integrate schedule and cost data with the analysis and design process
- ☐ d. The data-rich model can be used throughout the life cycle of a building

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72



Enrollment type:

University ID:

tecn/0897711

Exam Center:

Hawassa University

Department:

Construction Technology and Management

Back

Time left 1:39:00

Question 11

Not yet answered

Marked out of 1.00

Flag question

As one of the following factor increases, the project cash flow is affected positively:

- ☐ a. Amount of profit margin
- ☐ b. Retention amount
- ☐ c. Payment certification period
- ☐ d. Under-measurement

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72



Enrollment type:

University ID:

tecn/0897711

Exam Center:

Hawassa University

Department:

Construction Technology and Management

Back

Time left 1:38:13

Question 12

Not yet answered

Marked out of 1.00

Flag question

As per Ethiopian road administration, a terrain with hilly or foothill country where the slopes generally rise and fall moderately and where occasional steep slopes are encountered is classified as:

- ☐ a. Rolling
- ☐ b. Escarpment
- ☐ c. Flat
- ☐ d. Mountainous

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72

Construction Technology and Management

Back

Time left 1:36:57

Question 13

Not yet
answered

Marked out of
1.00

[Flag question](#)

Carelessness is the cause of an accident that can be attributed to:

- ☐ a. Planning
- ☐ b. Supervision
- ☐ c. Individual employee
- ☐ d. Execution of work

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72

Construction Technology and Management

Back

Time left 1:35:35

Question 14

Not yet answered

Marked out of 1.00

[Flag question](#)

For 21.6 cm thick and 100 sq. m concrete floor slab, if the mix proportion is 1:2:3, how many quintals of cement will be required? Assume 1 bag of cement is 0.036 m³.

- ☐ a. 50
- ☐ b. 100
- ☐ c. 16.67
- ☐ d. 36

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72

Construction Technology and Management

Back

Time left 2:19:35

Question 15

Answer saved

Marked out of 1.00

[Flag question](#)

From the following compaction equipment, which one is generally not suitable for use on cohesion-less granular materials?

- ☐ a. Sheep foot Rollers
- ☐ b. Smooth wheel rollers
- ☐ c. Pneumatic Rubber-Tired Rollers
- ☐ d. Smooth-drum vibratory compactors

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72

Construction Technology and Management

Back

Question 16

Answer saved

Marked out of 1.00

[Flag question](#)

Given the network diagram below, what's the critical path?

- ☐ a. Start-A-B-C-End
- ☐ b. Start-E-F-G-End
- ☐ c. Start-A-D-G-End
- ☐ d. Start-E-D-C-End

Time left 2:19:22

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72

Construction Technology and Management

Back

Question 17

Answer saved

Marked out of 1.00

 Remove flag

Given the portion of the network diagram in the right, what's the EF of activity F?

- ☐ a. 45
- ☐ b. 32
- ☐ c. 61
- ☐ d. 53

Previous question

Time left 2:19:10

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

Back

Question 18

Not yet answered

Marked out of 1.00

[Flag question](#)

Hydraulic jump depends upon:

- ☐ a. Volumetric changes
- ☐ b. Initial fluid speed
- ☐ c. Temperature
- ☐ d. Pressure

Time left 2:18:44

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 19**Not yet
answeredMarked out of
1.00[Flag question](#)

If the moments induced by slenderness effects weaken a column appreciably, it is referred to as:

- ☐ a. Axially loaded column
- ☐ b. Braced column
- ☐ c. Short column
- ☐ d. Long column

[Previous question](#)

Time left 2:18:02

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Picture



Basic Information

Full Name: SAMUEL TAMIRAT

Institution: Hawassa University

Enrollment Type:

University ID: Tech/0897/11

Exam Center: Hawassa University

Department:

Construction Technology and Management

[Back](#)**Question 20**

Not yet answered

Marked out of 1.00

[Flag question](#)

In a staircase the continuous set of steps between floors and/or landing is known as:

- ☐ a. Tread
- ☐ b. Going
- ☐ c. Flight
- ☐ d. Landing

Time left 2:17:08

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 21**Not yet
answeredMarked out of
1.00[Flag question](#)

In bulk excavation the items on the BoQ differ based on their depth with a multiple of 1.5m, such as up to 1.5m, up to 3.0m and up to 4.5m. Which one of the following is necessarily true for such categorization?

- ☐ a. For ease of calculation
- ☐ b. Nature of the soil varies
- ☐ c. It is the trend
- ☐ d. The productivity varies

[Previous question](#)

Time left 2:15:04

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 22**Not yet
answeredMarked out of
1.00[Flag question](#)

In plain areas, the irrigation canals are usually aligned along:

- ☐ a. Ridge lines
- ☐ b. Across the contours
- ☐ c. Valley lines
- ☐ d. Contour lines

[Previous question](#)

Time left 2:11:30

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 23**

Not yet answered

Marked out of 1.00

[Flag question](#)

In reinforced rectangular beams, if concrete reaches its maximum design strength before steel reaches its maximum design strength (f_{yd}), this type of failure is called:

- ☐ a. Balanced failure
- ☐ b. Shear failure
- ☐ c. Compression failure
- ☐ d. Tension failure

[Previous question](#)

Time left 2:10:56

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 24**

Not yet answered

Marked out of 1.00

[Flag question](#)

In using wood for construction, knots are considered as:

- ☐ a. A strong point in the timber
- ☐ b. Grains
- ☐ c. There is no need to consider their effects
- ☐ d. Defects

[Previous question](#)

Time left 2:09:48

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 25**

Not yet answered

Marked out of 1.00

[Flag question](#)

In which all courses of a pavement are either unbound or bound with a bituminous binder is called:

- ☐ a. Rigid composite pavement
- ☐ b. Flexible composite pavement
- ☐ c. Rigid pavement
- ☐ d. Flexible pavement

[Previous question](#)

Time left 2:08:29

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 26**

Not yet answered

Marked out of 1.00

[Flag question](#)

In which details of the survey are covered roughly but not accurately in route survey is called:

- ☐ a. Reconnaissance survey
- ☐ b. Detailed survey
- ☐ c. Map study
- ☐ d. Desk study

[Previous question](#)

Time left 2:06:30

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 27**Not yet
answeredMarked out of
1.00[Flag question](#)

In which of the following areas the precautions should be mostly taken for drainage?

- ☐ a. Water logged areas
- ☐ b. Semi dry areas
- ☐ c. Dry areas
- ☐ d. Desert areas

Time left 2:05:19

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 28**Not yet
answeredMarked out of
1.00[Flag question](#)

In your construction project if you have a maximum of 4 crews for a specific activity and the Forman's utilization factor is 0.5 for that specific work, how many Forman are required for that specific activity?

- ☐ a. 4
- ☐ b. 8
- ☐ c. 1
- ☐ d. 2

[Previous question](#)

Time left 2:04:18

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 29**

Not yet answered

Marked out of 1.00

[Flag question](#)

Net working capital means:

- ☐ a. Fixed assets—fixed liabilities
- ☐ b. Current assets—non-tangible assets
- ☐ c. Current assets—current liabilities
- ☐ d. Current assets—fixed liabilities

Time left 2:02:23

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 30**Not yet
answeredMarked out of
1.00[Flag question](#)

One of the following does not affect construction project price determination.

- ☐ a. Tender evaluation
- ☐ b. Location of the project
- ☐ c. Labor productivity forecasts
- ☐ d. Size of the project

[Previous question](#)

Time left 2:00:08

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 31**Not yet
answeredMarked out of
1.00[Flag question](#)

One of the following imparts mechanical energy into materials in order to improve their load carrying ability?

- ☐ a. Loader
- ☐ b. Roller
- ☐ c. Grader
- ☐ d. Dozer

[Previous question](#)

Time left 1:58:44

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 32**Not yet
answeredMarked out of
1.00[Flag question](#)

One of the following is not the purpose of specification:

- ☐ a. It indicates the work schedule
- ☐ b. It specifies the expected workmanship quality
- ☐ c. It is used as a project management tool
- ☐ d. It specifies the method of measurement

[Previous question](#)

Time left 1:57:38

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Enrollment type:

University ID:

tecn/0897711

Exam Center:

Hawassa University

Department:

Construction Technology and Management

[Back](#)**Question 33**Not yet
answeredMarked out of
1.00[Flag question](#)

One of the following is the maximum distance through which excavated material may be transported without the added cost above the unit bid price in highway project:

- ☐ a. Haulage
- ☐ b. Free Haul
- ☐ c. Under haul
- ☐ d. Overhaul

Time left 1:55:19

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 34**Not yet
answeredMarked out of
1.00[Flag question](#)

The amount of compaction applied by equipment over a ground cannot be controlled by one of the following?

- ☐ a. By the weight of the operator
- ☐ b. The number of passes of compaction equipment
- ☐ c. The speed of the compaction equipment
- ☐ d. The choice of compaction equipment

[Previous question](#)

Time left 1:54:27

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 35**

Answer saved

Marked out of
1.00[Flag question](#)

The defects like pot holes, corrugation, rutting can be rectified by:

- ☐ a. Chemical treatment
- ☐ b. Dragging
- ☐ c. Trenching
- ☐ d. Grading

[Previous question](#)

Time left 1:50:56

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 36**Not yet
answeredMarked out of
1.00[Flag question](#)

The fine aggregates are having a size less than:

- ☐ a. 75 microns
- ☐ b. 4.75mm
- ☐ c. 2.36 mm
- ☐ d. 5 mm

[Previous question](#)

Time left 1:50:37

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 37**Not yet
answeredMarked out of
1.00[Flag question](#)

The force opposing movement of an equipment up a frictionless slope is called:

- ☐ a. Total resistance
- ☐ b. Friction resistance
- ☐ c. Rolling resistance
- ☐ d. Grade resistance

Time left 1:49:32

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 38**

Not yet answered

Marked out of 1.00

[Flag question](#)

The minimum depth of boreholes for shallow foundation for buildings is:

- ☐ a. 3m
- ☐ b. 5 m
- ☐ c. 7 m
- ☐ d. 10 m

Time left 1:48:21

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 39**

Not yet answered

Marked out of 1.00

[Flag question](#)

The property of cement by which it doesn't expand is called:

- ☐ a. Soundness
- ☐ b. Consistency
- ☐ c. Setting time
- ☐ d. Fineness

[Previous question](#)

Time left 1:47:55

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

[Back](#)**Question 40**Not yet
answeredMarked out of
1.00[Flag question](#)

The raising of the centerline of the roadway above the elevation of the pavement edges in a sufficient way to provide adequate surface drainage whilst not being so great as to make steering difficult is called:

- ☐ a. Pavement Crowns
- ☐ b. Curbs
- ☐ c. Medians
- ☐ d. Shoulders

[Previous question](#)

Time left 1:46:57

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9



MoEEE

MoE - Exit Exam

Enrollment type:

University ID:

Iecn/0897711

Exam Center:

Hawassa University

Department:

Construction Technology and Management

[Back](#)**Question 41**Not yet
answeredMarked out of
1.00[Flag question](#)

The safety valve of a dam is its :

- ☐ a. Drainage gallery
- ☐ b. Spillway
- ☐ c. Inspection gallery
- ☐ d. Outlet sluices

Time left 1:45:32

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 42**Not yet
answeredMarked out of
1.00[Flag question](#)

The water sanitation project manager has determined the risks associated with handling certain chemicals are too high. He has decided to allow someone else to complete this portion of the project, and so has outsourced the handling and installation of the chemicals and filter equipment to an experienced contractor. This is an example of which of the following?

- ☐ a. Acceptance of risk
- ☐ b. Mitigation of risk
- ☐ c. Risk transference
- ☐ d. Avoidance of risk

[Previous question](#)

Time left 1:45:04

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Enrollment type:

University ID:

tecn/0897711

Exam Center:

Hawassa University

Department:

Construction Technology and Management

[Back](#)**Question 43**Not yet
answeredMarked out of
1.00[Flag question](#)

Thear reinforcement in reinforced concrete is provided to resist:

- ☐ a. Diagonal compression
- ☐ b. Horizontal shear
- ☐ c. Diagonal tension
- ☐ d. Vertical shear

Time left 1:42:35

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72



MoEEE

MoE - Exit Exam

[Back](#)**Question 44**

Answer saved

Marked out of 1.00

[Flag question](#)

There was leakage from the undercarriage. To identify the location of leakage, the operator opened the engine cover and started to look for the leakage point in the radiator. The machine was in running condition. The operator inserted his right hand and got struck with the moving fan blade. He received cut injury on his right-hand finger requiring specialist medical treatment. What is the principal cause of this accident?

- ☐ a. The cause is beyond the control of the site
- ☐ b. Unsafe act
- ☐ c. A combination of unsafe act and unsafe condition
- ☐ d. Unsafe condition

[Previous question](#)

Time left 1:38:20

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

[Back](#)**Question 45**Not yet
answeredMarked out of
1.00[Flag question](#)

What is the actual bucket load in bank cubic meters for a loader bucket whose heaped capacity is 3.5 m^3 if the type of material being handled has 25% swell factor.

- ☐ a. 2.8 m^3
- ☐ b. 14 m^3
- ☐ c. 0.875 m^3
- ☐ d. 2.625 m^3

[Previous question](#)

Time left 1:36:57

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Back

Question 46

Not yet
answered

Marked out of
1.00

Flag question

What is the difference between Precedence Diagram (PDM) and Arrow Diagram (ADM) in a project scheduling?

- ☐ a. PDM can use dummy activity while ADM cannot.
- ☐ b. ADM places activities on arrows while PDM places activities on nodes.
- ☐ c. ADM hosts activities on nodes while PDM hosts activities on arrows.
- ☐ d. ADM is also known as AOA while PDM is also known as PERT.

Previous question

Time left 1:36:49

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 47**Not yet
answeredMarked out of
1.00[Flag question](#)

What is the first test to be done for determining any property of cement?

- ☐ a. Soundness
- ☐ b. Consistency
- ☐ c. Fineness
- ☐ d. Setting time

[Previous question](#)

Time left 1:34:56

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 48**Not yet
answeredMarked out of
1.00[Flag question](#)

When does a soil sample may be regarded as well graded?

- ☐ a. If it has excess amount of certain size particles
- ☐ b. If it has good representation of particles of all size
- ☐ c. If it has optimum amount of certain size particles
- ☐ d. If it has most number of particles of same size

Time left 1:34:18

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 49**Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following classification of door is based on types of material used?

- ☐ a. Battened and ledged doors
- ☐ b. Swing doors
- ☐ c. Glazed doors
- ☐ d. Louvered doors

Time left 1:33:24

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 50**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which of the following classification of door is based on working operation?

- ☐ a. Swing doors
- ☐ b. Battened and ledged doors
- ☐ c. Louvered doors
- ☐ d. Glazed doors

[Previous question](#)

Time left 1:32:50

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 51**Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following is correct about project scheduling software?

- ☐ a. Software may not be much useful during planning phase of projects.
- ☐ b. Project management software may give wrong results because of the speed with which it performs the forward and backward pass calculations.
- ☐ c. More customized reports are possible in MS Project when compared to Primavera.
- ☐ d. Resource leveling function can easily be done using project management software.

[Previous question](#)

Time left 1:30:57

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 52**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which of the following is not correct about the advantage of concrete structure?

- ☐ a. Concrete system allows the designer to combine the architectural and structural functions.
- ☐ b. Concrete has a good fire resistance capacity and it need less fire proofing
- ☐ c. If the concrete structure is built in high quality, then it requires less maintenance
- ☐ d. Concrete has high tensile strength which makes it to withstand cracks easily

[Previous question](#)

Time left 1:29:57

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 53**

Answer saved

Marked out of 1.00

[Flag question](#)

Which of the following is not necessarily the criterion to be considered in choosing construction materials at design stage?

- ☐ a. Cost of the material
- ☐ b. Availability of the material
- ☐ c. Energy used for the production of the material
- ☐ d. Availability of skilled manpower for the work

[Previous question](#)

Time left 1:25:55

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 54**Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following is not the result of improper alignment of road?

- ☐ a. Increase in maintenance cost
- ☐ b. Increase in accidents
- ☐ c. Increase in population
- ☐ d. Increase in construction cost

[Previous question](#)

Time left 1:25:36

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 55**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which of the following is not the use of concrete cover to reinforcement in R.C.C?

- ☐ a. To bond the reinforcement to the concrete
- ☐ b. An adequate fire resistance
- ☐ c. To protect the concrete against rusting
- ☐ d. The protection of the steel against corrosion

Time left 1:25:13

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 56**Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following is the advantage of bar chart over network diagrams?

- ☐ a. There is way of knowing logical interdependency of activities using bar chart
- ☐ b. Bar charts are an excellent tool for visual representation of the plan of the project
- ☐ c. Effect of delay in an activity can be easily assessed from bar charts
- ☐ d. The criticality of an activity be easily assessed from bar charts

[Previous question](#)

Time left 1:22:28

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 57**Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following is the process of removing and controlling excess surface and sub soil water within the roadway?

- ☐ a. Highway Engineering
- ☐ b. Highway drainage
- ☐ c. Highway finance
- ☐ d. Highway maintenance

[Previous question](#)

Time left 1:20:13

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Enrollment type:

University ID:

Iecn/0897711

Exam Center:

Hawassa University

Department:

Construction Technology and Management

[Back](#)**Question 58**Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following material cannot be excavated by a dragline?

- ☐ a. Soft rock
- ☐ b. Black cotton soil
- ☐ c. Clay
- ☐ d. Stiff material

Time left 1:19:20

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 59**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which of the following statement is correct about retaining walls

- ☐ a. Gravity walls are more economical than cantilever walls
- ☐ b. Backfill should be preferably of cohesive material
- ☐ c. Tension develops at the base of the retaining wall when the resultant strikes outside the middle-third
- ☐ d. Rankine's theory can always be used for the determination of lateral pressure on cantilever walls

[Previous question](#)

Time left 1:18:47

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 60**Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following statement is incorrect about construction scheduling

- ☐ a. Gantt chart can't identify critical activities
- ☐ b. PERT is an acronym for Project Evaluation and Review Technique.
- ☐ c. Gantt chart is more effective than network diagram for presenting project schedules to the company management
- ☐ d. In activity on arrow(AOA) type of network diagram, the length of arrow has relation to its time duration

[Previous question](#)

Time left 1:15:11

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 61**Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following test is not used for evaluation of the swelling potential of expansive soils by single index method?

- ☐ a. Free swell tests
- ☐ b. Standard proctor test
- ☐ c. Atterberg limits test
- ☐ d. Colloid content tests

[Previous question](#)

Time left 1:14:52

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 62**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which one is the correct order at the initial stage of claim administration?

- ☐ a. Claim notification, claim submittal, claim preparation
- ☐ b. Claim submittal, claim preparation, claim notification
- ☐ c. Claim preparation, claim notification, claim submittal
- ☐ d. Claim notification, claim preparation, claim submittal

[Previous question](#)

Time left 1:13:53

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 63**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one is the function of Lining of irrigation channels :

- ☐ a. Increases channel cross section
- ☐ b. Increased chances of breaching
- ☐ c. Increases command area
- ☐ d. Increases water logging

[Previous question](#)

Time left 1:12:47

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 64**

Answer saved

Marked out of
1.00[Flag question](#)

Which one is very critical about gravity dams?

- ☐ a. Strength of the masonry used
- ☐ b. Strength of the rock foundation
- ☐ c. Strength of the concrete used
- ☐ d. The type of water stored in the reservoir

[Previous question](#)

Time left 1:06:10

[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 65**

Answer saved

Marked out of 1.00

[Flag question](#)

Which one of the following belongs to maintaining safety?

- ☐ a. Traffic management
- ☐ b. Hygienic work conditions
- ☐ c. Work hour limitations
- ☐ d. Drug and alcohol screening

[Previous question](#)

Time left 1:07:37

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 66**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following document is prepared and submitted by contractor?

- ☐ a. Quality assurance plan
- ☐ b. Specification
- ☐ c. Bid document
- ☐ d. Quality control plan

[Previous question](#)

Time left 1:07:28

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

[Back](#)**Question 67**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following doesn't affect concrete workability?

- ☐ a. Shape of aggregate
- ☐ b. Strength of Aggregates
- ☐ c. Grading of Aggregates
- ☐ d. Water content

[Previous question](#)

Time left 1:07:02

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

[Back](#)**Question 68**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following estimation method is not used at initial stage of project life cycle?

- ☐ a. Detailed
- ☐ b. Budget
- ☐ c. Order of magnitude
- ☐ d. Preliminary

[Previous question](#)

Time left 1:05:14

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 69**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is a recommended procedure of work from quality perspective?

- ☐ a. Door and window fixing, Wall and ceiling plastering, Screed work, Painting
- ☐ b. Screed work, Wall and ceiling plastering, Door and window fixing, Painting
- ☐ c. Wall and ceiling plastering, Screed work, Door and window fixing, Painting
- ☐ d. Wall and ceiling plastering, Door and window fixing, Screed work, Painting

[Previous question](#)

Time left 1:03:52

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 70**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is correct about planning and scheduling technique?

- ☐ a. CPM deals with probabilistic network
- ☐ b. CPM has triple time estimate
- ☐ c. PERT is probabilistic approach
- ☐ d. PERT is deterministic approach

[Previous question](#)

Time left 1:01:28

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 71**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is different from the other?

- ☐ a. Post – Qualification
- ☐ b. Competitive tendering
- ☐ c. Two Staged
- ☐ d. Pre – Qualification

[Previous question](#)

Time left 0:59:32

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 72**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is different in measurement units?

- ☐ a. Glazing
- ☐ b. Plastering
- ☐ c. HCB work
- ☐ d. Stone work

[Previous question](#)

Time left 0:57:55

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 73**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is different?

- ☐ a. Time off for union activities
- ☐ b. Temporary work stoppage due material shortage
- ☐ c. Strikes
- ☐ d. Time for instruction

[Previous question](#)

Time left 0:57:29

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 74**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is incorrect about building floor?

- ☐ a. Suspended floors rely on the natural ground for support
- ☐ b. It has to provide the correct type of surface to receive the chosen floor finish
- ☐ c. Provide resistance to unacceptable heat loss through the floor
- ☐ d. It provides a level surface with sufficient strength to support the imposed loads

[Previous question](#)

Time left 0:56:17

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 75**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is incorrect about cement?

- ☐ a. Cement should be stacked on a dry board platform
- ☐ b. Four months old cement should be classified as aged
- ☐ c. Cement production results in environmental pollution
- ☐ d. Shelf life of cement is one year

[Previous question](#)

Time left 0:53:28

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 76**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is incorrect about good construction working drawing?

- ☐ a. The written descriptions should be as detail as possible
- ☐ b. Should be well dimensioned
- ☐ c. Should be drawn to scale
- ☐ d. Shouldn't be unnecessarily congested

[Previous question](#)

Time left 0:52:45

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 77**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is most commonly used criterion to evaluate public projects?

- ☐ a. Benefit to cost ratio
- ☐ b. Present worth comparisons
- ☐ c. Annual cost and worth comparisons
- ☐ d. Internal rate of return method

[Previous question](#)

Time left 0:52:13

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 78**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not advantage of precast concrete?

- ☐ a. It is time efficient
- ☐ b. Ensures high quality
- ☐ c. Less formwork usage
- ☐ d. Accommodation for last minute change

[Previous question](#)

Time left 0:49:47

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 79**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not commonly used as a requirement for choosing building stones?

- ☐ a. Durability
- ☐ b. Hardness
- ☐ c. Strength
- ☐ d. Heritage value

[Previous question](#)

Time left 0:48:47

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 80**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not expected attribute of performance indicators?

- ☐ a. Measurable
- ☐ b. Dependent
- ☐ c. Reasonable
- ☐ d. Objectively verifiable

[Previous question](#)

Time left 0:48:11

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 81**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not necessarily true about pre-bid meeting?

- ☐ a. Potential bidders can ask questions in an open forum
- ☐ b. Minutes of the pre-bid meeting should be forwarded to the potential bidders
- ☐ c. All potential bidders should meet separately with the client
- ☐ d. Pre-bid meeting is a good way to make sure bidders are treated fairly

[Previous question](#)

Time left 0:46:01

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 82**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not the major factors affecting the design and performance of pavements?

- ☐ a. Traffic loading
- ☐ b. Materials
- ☐ c. Population
- ☐ d. Environment

[Previous question](#)

Time left 0:44:30

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Back

Question 83

Not yet
answered

Marked out of
1.00

Flag question

Which one of the following is not the purposes of a contract:

- ☐ a. To bind conditions between or among the parties agree to procure works
- ☐ b. To clearly show the Rights and Obligations of performances from the contracting parties
- ☐ c. To clearly show the Terms and Conditions of contracts the parties agree with
- ☐ d. To clearly show remedial measures in cases for performances

Previous question

Time left 0:44:10

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

[Back](#)**Question 84**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not the role of construction site supervisor?

- ☐ a. Rejecting work which is not within contractual quality
- ☐ b. Inspection of the workmanship
- ☐ c. Varying the role of contracting parties indicated in the contract terms
- ☐ d. Preparation of a report

[Previous question](#)

Time left 0:43:37

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Back

Question 85

Not yet
answered

Marked out of
1.00

Flag question

Which one of the following is the common procedure in electrical installation work in building construction?

- ☐ a. Wiring, Conducting, Fitting installation, Testing
- ☐ b. Fitting installation, Conducting, Wiring, Testing
- ☐ c. Conducting, Wiring, Fitting installation, Testing
- ☐ d. Conducting, Fitting installation, Wiring, Testing

Previous question

Time left 0:42:13

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 86**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is the correct order of steps in brick production?

- ☐ a. Clay preparation, Molding, Burning, Drying
- ☐ b. Drying, Clay preparation, Molding, Burning
- ☐ c. Clay preparation, Molding, Drying, Burning
- ☐ d. Clay preparation, Drying, Molding, Burning

[Previous question](#)

Time left 0:41:26

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

[Back](#)**Question 88**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following parameter is not necessarily part of site record?

- ☐ a. Weather condition
- ☐ b. Daily progress of the work
- ☐ c. Daily manpower availability
- ☐ d. Name of available professional

[Previous question](#)

Time left 0:39:59

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 87**

Answer saved

Marked out of 1.00

[Flag question](#)

Which one of the following is the main difference between dry and wet process of cement production?

- ☐ a. Magnitude of temperature used in the burning process
- ☐ b. Preparation of slurry in wet process
- ☐ c. Difference in the water content within the clinker
- ☐ d. Difference in the packaging methods used

[Previous question](#)

Time left 0:39:35

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

[Back](#)**Question 89**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following parameter is not necessarily to be checked in concrete work?

- ☐ a. Tightness of the formwork joints
- ☐ b. Size of the gauge boxes
- ☐ c. Availability of crane
- ☐ d. Quality of the aggregate

[Previous question](#)

Time left 0:38:28

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 90**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following properties of soil is not obtained from disturbed samples?

- ☐ a. Grain size
- ☐ b. Plastic characteristics
- ☐ c. Compressibility
- ☐ d. Specific gravity

[Previous question](#)

Time left 0:37:55

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 91**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following property of concrete is different from the other?

- ☐ a. Creep
- ☐ b. Durability
- ☐ c. Shrinkage
- ☐ d. Segregation

Time left 0:37:18

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

[Back](#)**Question 92**

Answer saved

Marked out of
1.00[Flag question](#)

Which one of the following provides the least accurate in estimating?

- ☐ a. Definitive estimate
- ☐ b. Rough order of magnitude
- ☐ c. Budget estimate
- ☐ d. Work Breakdown Structure estimate

[Previous question](#)

Time left 0:35:41

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 93**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following should be the first step in marking points for excavation?

- ☐ a. Fix wooden pegs and profile board around the site to be excavated
- ☐ b. Mark the inside and outside line of excavation
- ☐ c. Mark the center line of the walls and columns
- ☐ d. Establish reference points

[Previous question](#)

Time left 0:35:33

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

[Back](#)**Question 94**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following statement is incorrect with regard to shallow foundations?

- ☐ a. The strap footings are useful when the two columns are closely spaced
- ☐ b. The critical section for bending moment in case of spread footing of a monolithic column is at the face of the column
- ☐ c. A trapezoidal footing is required when the column near the property line is heavier than the interior columns
- ☐ d. A spread footing is provided for an isolated column

[Previous question](#)

Time left 0:34:22

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

[Back](#)**Question 95**Not yet
answeredMarked out of
1.00[Flag question](#)

Which technique is not commonly used to align the timing of activities with available resources?

- ☐ a. Resource optimization
- ☐ b. Critical Path Method
- ☐ c. Resource Smoothing
- ☐ d. Resource Leveling

[Previous question](#)

Time left 0:32:48

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 96**Not yet
answeredMarked out of
1.00[Flag question](#)

You are the project manager for XYZ construction project. You are about to create the cost estimates for the project. Which input to this process will help you the most?

- ☐ a. Requirements document
- ☐ b. Project scope
- ☐ c. Work Breakdown Structure
- ☐ d. Parametric modeling

[Previous question](#)

Time left 0:32:12

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Construction Technology and Management

[Back](#)**Question 97**Not yet
answeredMarked out of
1.00[Flag question](#)

You are the project manager of the PQR Project. This project requires a chemical engineer for seven months of the project although there are no available chemical engineers within your department. This is an example of which of the following?

- ☐ a. Staffing requirements
- ☐ b. Organizational interfaces
- ☒ c. Resource constraints
- ☐ d. Contractor requirements

[Clear my choice](#)[Previous question](#)

Time left 0:30:12

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

[Back](#)**Question 98**Not yet
answeredMarked out of
1.00[Flag question](#)

You are the project manager of the RST Project. This project is very similar to the ACT Project which you have completed earlier. What method can you do to expedite the process of organization planning?

- ☐ a. Use the project team structure of the ACT Project on the RST Project.
- ☐ b. Use the project team of the ACT Project on the RST Project.
- ☐ c. Use the roles and responsibilities definitions of the ACT Project on the RST Project.
- ☐ d. Use the project plan of the ACT Project on the RST Project.

[Previous question](#)

Time left 0:30:03

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

[Back](#)**Question 99**Not yet
answeredMarked out of
1.00[Flag question](#)

You are working on a construction project with a Schedule Performance Index (SPI) of 0.72 and a Cost Performance Index (CPI) of 1.1. Which of the following BEST describes your project performance?

- ☐ a. Your project is ahead of schedule and under budget.
- ☐ b. Your project is behind schedule and over budget.
- ☐ c. Your project is ahead of schedule and over budget.
- ☐ d. Your project is behind schedule and under budget.

[Previous question](#)

Time left 0:28:14

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Question 100Not yet
answeredMarked out of
1.00

Flag question

You have taken over as a project manager on a highway construction project, and the execution is already under way. Your client tells you that moving forward; all asphalt should be laid down with a 12cm thickness. The scope statement and the WBS call for 10cm thick asphalt. What is the best course of action?

- ☐ a. Look for a cheaper supplier so the cost impact is minimized
- ☐ b. Tell the client that the work is already under way, so you cannot accommodate his request
- ☐ c. Tell your team to accommodate the request immediately
- ☐ d. Refuse to alter the plans until the change is formally communicated

[Previous question](#)

Time left 0:24:24

[Finish exam ...](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								