

Info link University College Hawassa Campus

Department of B. management Stat for management II

Exit Model Exam.

Time allowed 2hr

Name ----- ID. ----- Section -----

Instruction :- Choose the correct answer for the given alternatives

- ☐ 1. Choose the correct option regarding the sampling method?
- A. the sample is the population's part
 - B. it helps in determining sampling error
 - C. sampling saves money, time, and energy
 - D. all these options are correct
- ☐ 2. What do we say to all units aggregate that's about a study?
- A. Sample B. Unit C. Universe or population D. frame
- ☐ 3. What do you understand by sampling cases?
- A. Sampling of newspapers, people, and television programs, etc.
 - B. the researcher's briefcase
 - C. by using sampling frame for sampling
 - D. identifying and finding the people who are suitable for the research
- ☐ 4. Regression modeling is a statistical framework for developing a mathematical equation that describes how
- A. One explanatory and one or more response variables are related
 - B. several explanatory and several response variables response are related
 - C. One response and one or more explanatory variables are related
 - D. All of these are correct.
- ☐ 5. In regression analysis, the variable that is being predicted is the
- A. response, or dependent, variable
 - B. independent variable
 - C. intervening variable
 - D. is usually x
- ☐ 6. A statement made about a population for testing purpose is called?
- A Statistic B Hypothesis C Level of Significance D Test-Statistic
- ☐ 7. The rejection probability of Null Hypothesis when it is true is called as?

- A. Level of Confidence B. Level of Significance
C. Level of Margin D. Level of Rejection

8. If the Critical region is evenly distributed then the test is referred as?

- A. Two tailed B. One tailed C. Three tailed D. Zero tailed

9. Which of the following is defined as the rule or formula to test a Null Hypothesis?

- A. Test statistic B. Population statistic
C. Variance statistic D. Null statistic

10. Consider a hypothesis where H_0 where $H_0 = 23$ against H_1 where $H_1 < 23$. The test is?

- A. Right tailed B. Left tailed C. Center tailed D. Cross tailed

11. Type 1 error occurs when?

- A. We reject H_0 if it is True B. We reject H_0 if it is False
C. We accept H_0 if it is True D. We accept H_0 if it is False

12. If a hypothesis is rejected at the 0.025 level of significance, it:

- A. Must Be Rejected At Any Level
B. Must Be Rejected At The 0.01 Level
C. Must Not Be Rejected At The 0.01 Level
D. May Or May Not Be Rejected At The 0.01 Level

13. If we do not reject the null hypothesis, we conclude that:

- A. there is enough statistical evidence to infer that the alternative hypothesis is true
B. there is not enough statistical evidence to infer that the alternative hypothesis is true
C. there is enough statistical evidence to infer that the null hypothesis is true
D. None of the above

14. The purpose of hypothesis testing is to:

- A. test how far the mean of a sample is from zero
B. determine whether a statistical result is significant
C. determine the appropriate value of the significance level
D. derive the standard error of the data

15. One of the members of the population is known as the

- A. Data B. family C. element D. group

16. What refers to elements from where you choose the samples for the research?

- A. infinite population B. finite population C. sampling population D. target population

17. If we have to sample the population, it's partitioned into units. Those are known to be as?

- A. sampling units B. sampling gap C. sampling frame D. sampling error

18. What do we call the population value?

A. Statistic B. Parameter C. Data D. variable

19. Which of these are the steps in the sampling process_____?

- A. choosing the sampling frame B. defining the target population
C. identifying and selecting the method of sample D. all of these

20. What do we call sample value?

- A. Variable B. Parameter C. Data D. statistic

21. What do you understand by probability sampling?

- A. univariate analysis B. bi-variate analysis
C. multiple choices D. random sampling

22. What do we call a complete and proper survey of a population?

- A. Report B. Census C. Sample D. none of these

23. Out of these, which is not a probability sampling?

- A. cluster sampling B. stratified sampling
C. quota sampling D. simple random sampling

24. . We call judgmental sampling?

- A. extensive sampling B. convenience sampling
C. cluster sampling D. purposive sampling

25. Out of the mentioned options, which is not a non-probability sampling?

- A. judgmental sampling B. Cluster sampling
C. Extensive sampling D. Convenience sampling

26. What do we say to that sampling that's for a non-zero selection chance?

- A. probability sampling B. quota sampling

C. extensive sampling

D. non-probability sampling

27. When the available population is _____, we use a stratified sample.

A. too small

B. very large

C. homogeneous

D. heterogeneous

28. Out of the given options, which will need the biggest sample size?

A. systematic sampling

B. proportional stratified sampling

C. cluster sampling

D. simple random sampling

29. We use non-probability sampling with the aim of__.

A. pilot studies

B. qualitative research

C. exploratory research

D. all the mentioned options

30. Which of these is an example of probability sampling?

A. lottery method

B. quota sampling

C. purposive sampling

D. judgmental sampling

31. The error of sampling is found only in

A. quota survey

B. any survey

C. census survey

D. sample survey

32. We find a non-sampling error in____

A. sample survey

B. census survey

C. none of the mentioned options

D. all of the mentioned options

33. Out of these strata, which of the sample population is separated into various strata, and the sample of one is taken from some other strata?

A. snowball sampling

B. census sampling

C. quota sampling

D. stratified sampling

34. One of the most useful samplings is random sampling due to the?

- A. the nature is economically
- B. this is a more accurate method reasonably in comparison to others
- C. it's free from investigators' personal biases
- D. all of the mentioned options

35. There are several advantages of sampling because__.'

- A. sampling saves energy, money, and time in the collection of data
- B. sampling help in lessening the data volume
- C. help in getting higher accuracy if there is a homogeneous population
- D. all the above-mentioned options

36. Out of these, which needs the small size sample to see its efficiency?

- A. quota sampling
- B. cluster sampling
- C. simple random sampling
- D. none of these

37. with the increase in sample size, the error also_____

- A. decreases
- B. increases
- C. remains same
- D. all of the above

38. When we do sampling in qualitative research, is it similar to the sampling in quantitative research?

- A. purposive sampling
- B. probability sampling
- C. all of these
- D. none of these

39. The sampling that is based on probability, that is equal, is known as____

- A. stratified sampling
- B. simple random sampling
- C. probability sampling
- D. quota sampling

40. A survey was done among the friends, class, and neighbors to know their preference for a particular brand of cold drink. This is an example of_____.

A. judgment sampling

B. cluster sampling

C. convenience sampling

D. stratified sampling

41. In regression, the equation that describes how the response variable (y) is related to the explanatory variable (x) is:

A. the correlation model

B. the regression model

C. used to compute the correlation coefficient

D. none of these alternatives is correct.

42. Out of these mentioned sampling methods, name the one that's a probability method?

A. Assignment

B. Judgment

C. quota

D. simple random

43. Out of the mentioned, which is not a type of non-probability sampling?

A. Quota

B. stratified random sampling

C. none of the above-mentioned options

D. All

44. The correlation coefficient is used to determine:

A. A specific value of the y-variable given a specific value of the x-variable

B. A specific value of the x-variable given a specific value of the y-variable

C. The strength of the relationship between the x and y variables

D. None of these

45. Out of these, which of the sampling is based on equal probability?

A. none sampling

B. stratified sampling

C. information

D. simple random sampling

46. What do we call the difference between the parameter value that is being estimated and the expected value of that statistic?

A. sampling error

B. non-sampling error

C. standard error

D. bias

47. The increase in the size of the sample affects sample error by_____.

A. reducing the sampling error

B. increasing the error of sample

C. all of these options are correct

D. All

48. What do we call the difference between the parameter and the statistic?

A. Probability B. non-random C. random D. sampling error

49. The probability of selecting an item in probability sampling from the population is known and is:

A. non zero B. equal to 3 C. equal to 1 D. none of these

50. The distribution that is formed by all possible values of a statistics is known as:

A. normal distribution B. hyper geometric distribution
C. binomial distribution D. sampling distribution