



MoEEP

Computer Science

Back

Question 87

Answer saved

Marked out of 1.00

Flag question

What is the term used to describe a blueprint for creating objects in OOP?

- ☐ a. Method
- ☐ b. Instance
- ☐ c. Object
- ☒ d. Class

Clear my choice

Previous page



MoEEP

Computer Science

Back

Question 89

Answer saved

Marked out of 1.00

Flag question

In knowledge Representation (KR) how we do represent "how to drive a car"?

- ☐ a. Transition knowledge
- ☐ b. Information Knowledge
- ☐ c. Declarative knowledge
- ☒ d. Procedural knowledge

Clear my choice

Previous page

Time left 1:41

DELL

Question 90

Answer saved

Marked out of 1.00

Flag question

Which one of the following is not a step in merge sort algorithm?

- ☐ a. Analyze
- ☒ b. Conquer
- ☐ c. Divide
- ☐ d. Combine

Clear my choice

Previous page



MoEEP

Computer Science

Back

Question 93

Answer saved

Marked out of 1.00

Flag question

Which among the following measures how strongly the elements within a module are related?

- ☐ a. cohesion
- ☐ b. inheritance
- ☒ c. aggregation
- ☐ d. coupling

Clear my choice

Previous page



MoEEP

Computer Science

Back

Question 94

Answer saved

Marked out of 1.00

Flag question

Which of the following access control services determines what a subject can do?

- ☐ a. Authorization
- ☐ b. Accountability
- ☐ c. Audit
- ☒ d. Authentication

Clear my choice

Previous page



MoEEP

Question 95

Answer saved

Marked out of 1.00

Flag question

What is the purpose of the switch statement in C++?

- ☒ a. To define a loop that repeats until a condition is false
- ☐ b. To execute a block of code repeatedly
- ☐ c. To declare and define functions
- ☐ d. To select one of many code blocks to be executed

Clear my choice

Previous page

< > ↺

 MoEEP
back

Time left 1:40:52 Hide

Question 96
Answer saved
Marked out of 1.00
Flag question

If an optimal solution can be created for a problem by constructing optimal solutions for its sub-problems, the problem possesses _____ property.

- ☒ a. Optimal substructure
- ☐ b. Memoization
- ☐ c. Overlapping sub-problems
- ☐ d. Greedy

Clear my choice

Previous page Next page

Computer Science Mid Exit Exam 2017 (page 98 of 100) | MoEEP

< > ↺

 MoEEP
back

Question 98
Answer saved
Marked out of 1.00
Flag question

One of the following Key ideas wrongly **matched** in object-oriented?

- ☒ a. Attribute- description of objects in a class.
- ☐ b. Object - usually a person, place or thing.
- ☐ c. Method - an action performed by an object.
- ☐ d. Class - does hold any values of the object's attributes.

Clear my choice

Previous page



MoEEP

Computer Science

Back

Time left 1:40:24

Hide

Question 99

Answer saved

Marked out of 1.00

Flag question

Which type of database replication offers the highest level of data consistency but may introduce higher latency in distributed systems?

- ☐ a. Semi-synchronous replication
- ☐ b. Synchronous replication
- ☐ c. Asynchronous replication
- ☒ d. Multi-master replication

Clear my choice

Previous page

Next page

DELL

Back

Question 100

Answer saved

Marked out of 1.00

Flag question

What does ACID stand for in database transactions?

- ☒ a. Atomicity, Consistency, Integrity, Durability
- ☐ b. Advanced Constraints for Improved Data
- ☐ c. Automated Control of Inconsistent Data
- ☐ d. All Columns Indexed and Defined

Clear my choice

Previous page

Computer Science

Time left 2:01:00

Hide

Question 1

Answer saved

Marked out of

1.00

Flag question

Select incorrect statement about Database languages?

- ☐ a. Data-manipulation language (DML) Retrieval of information stored in the database.
- ☒ b. Data-definition language (DDL) to specify the database schema.
- ☐ c. Data-manipulation language (DML) is a language that enables users to access or manipulate data as organized by the appropriate data model.
- ☐ d. Data-definition languages (DDL) specify Modification of information stored in the database.

Clear my choice

Next page



MoEEP

Computer Science

Back

Question 2

Answer saved

Marked out of 1.00

Flag question

Which OOP principle emphasizes the separation of concerns by dividing a program into smaller, manageable parts?

- ☐ a. Abstraction
- ☒ b. Encapsulation
- ☐ c. Modularity
- ☐ d. Inheritance

Clear my choice

Next page

Previous page

Exam

1	2
10	11
19	20
28	29
37	38
46	47
55	56
64	65
73	74
82	83

MoEEP

Time left 2:00:43

Hide

A grammar has the following productions: $A \rightarrow aB \mid bA \mid bBa$ $B \rightarrow bB \mid cA \mid b$ Which one of the following strings is in the language generated by the grammar?

- ☐ a. bcbbbcabbcbba
- ☐ b. bbbcbbbbcbab
- ☐ c. acbcbbbbcbaba
- ☒ d. abbcabbcbbbbcbaca

Clear my choice

Next page

< > ↺

MoEEP

Time left

Question 4

Answer saved

Marked out of 1.00

Flag question

Which SQL command is used to retrieve data from a database?

- ☒ a. SELECT
- ☐ b. DELETE
- ☐ c. UPDATE
- ☐ d. INSERT

Clear my choice

Previous page



MoEEP

Computer Science

Back

Question 6

Answer saved

Marked out of
1.00

Flag question

Which of the following is **not** a principle of OOP?

- ☐ a. Inheritance
- ☐ b. Encapsulation
- ☐ c. Abstraction
- ☒ d. Concurrency

Clear my choice

Previous page



MoEEP

Computer Science

Back

Question 5

Answer saved

Marked out of
1.00

Flag question

How does AI contribute to the study of human behavior and cognition?

- ☐ a. By limiting its scope to deterministic algorithms.
- ☒ b. By disregarding human behavior as irrelevant to AI research.
- ☐ c. By providing insights through analyzing vast amounts of behavioral data.
- ☐ d. By relying solely on philosophical theories of consciousness.

Clear my choice

Previous page

Computer Science

[Back](#)

Time left 2:00

Question 7

Answer saved

Marked out of
1.00[Flag question](#)

Is the process of arranging the elements of a particular data structure in some logical order?

- ☒ a. Insertion
- ☐ b. Sorting
- ☐ c. Merging
- ☐ d. Traversing

[Clear my choice](#)[Previous page](#)

Computer Science

[Back](#)

Time left

Question 8

Answer saved

Marked out of
1.00[Flag question](#)

Everything is a/an _____ in HTML DOM?

- ☐ a. Attribute
- ☐ b. Node
- ☐ c. Element
- ☒ d. Array

[Clear my choice](#)[Previous page](#)



MoEEP

Computer Science

Back

Time left 1:59:54

Question 10

Answer saved

Marked out of
1.00

Flag question

Which one of the following is a correct statement?

- ☐ a. Pushdown automata and FSA have the same power
- ☐ b. Regular expression is more powerful than FSA
- ☒ c. Turing machine is the least powerful automata
- ☐ d. Deterministic FSA and Nondeterministic FSA are equivalent

Clear my choice

Previous page



Computer Science mid exam 2017 (page 9 of 100) | MoEEP



MoEEP

Question 9

Answer saved

Marked out of
1.00

Flag question

What does DOM stand for in HTML?

- ☒ a. Document Object Model
- ☐ b. Document Oriented Model
- ☐ c. Document OnLoad Model
- ☐ d. Document Oriented Management

Clear my choice

Previous page



MoEEP

Computer Science

Back

Time left 1:59

Question 11

Answer saved

Marked out of 1.00

Flag question

Which one of the following is not a principle of system administration?

- ☒ a. Request-based
- ☐ b. Automation
- ☐ c. Communication
- ☐ d. Simplicity

Clear my choice

Previous page



MoEEP

Time left

Question 12

Answer saved

Marked out of 1.00

Flag question

The data structure used in the standard implementation of Depth First Search is ____.

- ☐ a. Queue
- ☒ b. Linked List
- ☐ c. Stack
- ☐ d. Array

Clear my choice

Previous page



DELL

Computer Science

Back

Time left 1:59:32

Hide

Question 14

Answer saved

Marked out of 1.00

Flag question

Which of the following is a correct statement?

- ☒ a. System protection is a process of disconnecting the system from any communication
- ☐ b. Vulnerability is a flaw in the system's design that may be exploited by attackers
- ☐ c. System attack is set of activities that may expose the system for possible dangers
- ☐ d. System threat is a state which exposes the system for possible attacks

Clear my choice

Next page

Previous page

Exam navig

1	2	3
10	11	12
19	20	21
28	29	30
37	38	39
46	47	48
55	56	57
64	65	66
73	74	75
82	83	84

Computer Science

Back

Time left 1:59:39

Hide

Question 13

Answer saved

Marked out of 1.00

Flag question

Which one of the following property of a graph represents the number of derivation steps needed to generate a valid string?

- ☐ a. Degree of the vertex
- ☒ b. Parent vertex
- ☐ c. Path of a vertex from the root
- ☐ d. Root of the graph



Clear my choice

Next page

Previous page

Exam

1	2	3
10	11	12
19	20	21
28	29	30
37	38	39
46	47	48
55	56	57
64	65	66



Computer Science

Back

Time left: 1:59:05

Question 17

Answer saved

Marked out of 1.00

Flag question

One of the following is not a category of networks?

- ☐ a. Wide Area Networks
- ☐ b. Large Area Networks
- ☒ c. Metropolitan Area Networks
- ☐ d. Local Area Networks

Clear my choice

Previous page

Next page

Question 18

Answer saved

Marked out of 1.00

Flag question

Time left: 1:59:00

Hide

One of the following is **not** the main advantage of multiprogramming?

- ☐ a. Copying one's programs or data; using system resources (CPU, memory, disk space, peripherals) without proper accounting.
- ☒ b. Attempts to increase CPU utilization by always having something for the CPU to execute.
- ☐ c. Makes efficient use of the CPU by overlapping the demands for the CPU and its I/O devices from various users.
- ☐ d. The CPU switches from program to program, running each for tens or hundreds of milliseconds. This provides economical interactive use of a system.

Clear my choice

Previous page

Next page

Computer Science

Back

Time left 1:58:52

Hide

Question 19

Answer saved

Marked out of 1.00

Flag question

Which one of the following statements is true?

- ☐ a. The transport layer in OSI model is connection oriented and connectionless
- ☐ b. The transport layer in TCP/IP model is connection oriented only
- ☐ c. OSI model provides clear distinction between services, interfaces and protocols while TCP/IP model doesn't
- ☒ d. TCP/IP model has seven layers while OSI model has four.

Clear my choice

Previous page

Next page



MoEEP

Question 20

Answer saved

Marked out of 1.00



Flag question


In PHP, which function initiates a session?

- ☐ a. session_start()
- ☒ b. s_start()
- ☐ c. start()
- ☐ d. session_str()

Clear my choice

Previous page





Computer Science

ack

Time left 1:56:54 Hide

Question 25

Answer saved

Marked out of 1.00

Flag question

What is the name of a grammar in which all attributes of the grammar symbols are synthesized attributes and some form of inherited attributes?

- ☒ a. L-attributed grammar
- ☐ b. S-attributed grammar
- ☐ c. M-attributed grammar
- ☐ d. I-attributed grammar

Clear my choice

Next page

Previous page

Computer Science

Back

Time left 1:56:34

Hide

Question 26

Answer saved

Marked out of 1.00

Flag question

Which objective of modern operating systems involves protecting the system and its resources from unauthorized access and malicious attacks?

- ☒ a. Providing a user-friendly interface
- ☐ b. Ensuring security and protection
- ☐ c. Enhancing system performance
- ☐ d. Maximizing hardware utilization

Clear my choice

Next page

Previous page

Computer Science Mid Exit Exam 2017 (page 27 of 100) | MoEEP



MoEEP

Computer Science

Back

Time left 1:56:23

Hide

Question 27

Answer saved

Marked out of 1.00

Flag question



Brute-force attacks are used most often against which types of access control?

- ☐ a. Passwords and Smart Cards
- ☒ b. Biometrics and smart cards
- ☐ c. Biometrics and Passwords
- ☐ d. Passwords and Personal Identification Number

Clear my choice

Next page

Previous page



Computer Science

Back

Time left 1:55:47

Hide

Question 30

Answer saved

Marked out of 1.00

Flag question

Which of the following is **not** a characteristic of NoSQL databases?

- ☐ a. Strict schema enforcement
- ☐ b. High availability
- ☒ c. Scalability
- ☐ d. Flexibility in data models

Clear my choice

Previous page

Next page

Computer Science

Back

Time left 1:55:2

Question 31

Answer saved



Marked out of 1.00



Flag question

What is the postfix expression for the given infix $(2+3)*(4+5)$ notation?

- ☐ a. $23+45+*$
- ☐ b. $234*+5+$
- ☒ c. $2+3*4+5$
- ☐ d. $2+34*+$

Clear my choice







MoEEP

Computer Science

Back

Question 35

Answer saved

Marked out of
1.00

Flag question

Previous page



In asymmetric cryptography, the message is encrypted using _____.



- ☐ a. Receiver's public key
- ☐ b. Sender's private key
- ☐ c. Receiver's private key
- ☒ d. Sender's public key

Clear my choice



DELL







MoEEP

Time left 1:54:09

Question 40

Answer saved

Marked out of 1.00

Flag question

Which one of the following is a correct statement?

- ☐ a. Code optimization can only be done after the actual code is generated
- ☒ b. Code optimization can only be done before the actual code is generated
- ☐ c. Code optimization cannot be done before the actual code is generated
- ☐ d. Code optimization can be done on the intermediate code

Clear my choice

Previous page



MoEEP

Time left 1:54:09

Question 41

Answer saved

Marked out of 1.00



Flag question

One of the following is an example of Deduction Reasoning?

- ☐ a. The grass has been wet every time it has rained. Thus, when it rains, the grass gets wet.
- ☐ b. When it rains, the grass gets wet. The grass is wet, it must have rained.
- ☒ c. When it rains, the grass gets wet. The grass is wet. It rains.
- ☐ d. When it rains, the grass gets wet. It rains. Thus the grass is wet.

Clear my choice

Previous page





Computer Science

Back

Time left 1:53

Question 44

Answer saved

Marked out of 1.00

Flag question

What is the primary purpose of a variable in computer programming?

- ☐ a. To execute conditional statements
- ☐ b. To store and manipulate data
- ☒ c. To create graphical user interfaces (GUIs)
- ☐ d. To define functions

Clear my choice

Previous page



Computer Science

Back

Time left

Question 46

Answer saved

Marked out of 1.00



Flag question



Which one of the following commands is used to test reachability of hosts?

- ☐ a. Ping
- ☐ b. Tcpdump
- ☒ c. Netstat
- ☐ d. Traceroute

Clear my choice

Previous page







MoEEP

Computer Science

Back

Time left 1:53:12

Question 51

Answer saved

Marked out of 1.00

Flag question

When an input will be accepted by a Turing Machine?

- ☐ a. If it reaches any state and has no possible move for an input symbol
- ☐ b. If the machine enters into an infinite loop
- ☒ c. If the machine consumes all the input symbols in one of the states
- ☐ d. If the machine halts in a final state

Clear my choice

Previous page

DELL

Back

Question 52

Answer saved

Marked out of 1.00

Flag question

Time left 1:52:54

Hide

You are the administrator of an active directory domain. A user complains to you that he is unable to change his password. No other users have this issue. What is the most likely cause of the problem?

- ☐ a. He is not a member of the domain
- ☐ b. He is a member of the Administrators group
- ☒ c. Insufficient login credentials
- ☐ d. The property "User cannot change password" has been enabled when it was created

Clear my choice

Previous page

Next page

DELL



MoEEP

Question 53

Answer saved

Marked out of 1.00

Flag question

Time left 1:52:48

Which of the following is Uninformed (Blind) Search?

- ☐ a. Heuristic Functions
- ☐ b. Hill climbing
- ☒ c. Greedy search
- ☐ d. Breadth-first search (BFS)

Clear my choice

Previous page



MoEEP

Computer Science

Back

Question 55

Answer saved

Marked out of 1.00

Flag question

Time left 1:52:48

Which one of the following is not used to determine the CPU state at the end of the execute cycle?

- ☐ a. The content of all processor registers
- ☒ b. The content of the data bus
- ☐ c. The content of certain status conditions
- ☐ d. The content of the program counter

Clear my choice

Previous page



MoEEP

Time left 1:52:43

Question 54

Answer saved

Marked out of 1.00

Flag question

What is the purpose of a loop in computer programming?

- ☐ a. To define conditional statements
- ☐ b. To execute a block of code repeatedly
- ☒ c. To create user interfaces
- ☐ d. To declare variables

Clear my choice

Previous page



MoEEP

Computer Science

Back

Time left 1:52:30

Question 56

Answer saved

Marked out of 1.00

Flag question

_____ is an operation of in which each letter of a plaintext changes its position but retains its identity in cryptographic algorithms.

- ☐ a. Block cipher
- ☒ b. Transposition
- ☐ c. Substitution
- ☐ d. Mono-alphabetic

Clear my choice

Previous page



Time left 1:52:17

Hide

Question 57

Answer saved

Marked out of 1.00

Flag question

The set of rules that govern all aspect of data communication between computers on a network are referred as _____.

- ☐ a. Syntax
- ☐ b. Protocol
- ☐ c. Access methods
- ☒ d. Language

Clear my choice

Next page

Previous page

Computer Science

Back

Time left 1:52:09

Hide

Question 58

Answer saved

Marked out of 1.00

Flag question

Which of the following is **true** statement?

- ☐ a. Cohesion is a measure of functional strength of a module.
- ☒ b. A functionally dependent module has minimal interaction with other modules.
- ☐ c. A module having high cohesion and low coupling is said to be functionally dependent of other modules.
- ☐ d. A module having low cohesion and high coupling is said to be functionally independent of other modules.

Clear my choice

Next page

Previous page



Computer Science

Back

Time left 1:51:52

Hide

Question 59

Answer saved

Marked out of 1.00

Flag question

Which ACID property ensures that a transaction either completes in its entirety or has no effect at all?

- ☐ a. Atomicity
- ☐ b. Durability
- ☐ c. Isolation
- ☒ d. Consistency

Clear my choice

Next page

Previous page



Computer Science

Back

Time left 1:51:50

Hide

Question 59

Answer saved

Marked out of 1.00

Flag question



Which ACID property ensures that a transaction either completes in its entirety or has no effect at all?



- ☐ a. Atomicity
- ☐ b. Durability
- ☐ c. Isolation
- ☒ d. Consistency

Clear my choice

Next page

Previous page





Computer Science

[Back](#)

Time left 1

Question 64

Answer saved

Marked out of
1.00 Flag question

How does AI contribute to gaining insight into human intelligence?

- ☐ a. By analyzing large datasets to uncover patterns and correlations
- ☐ b. By disregarding the complexities of human cognition.
- ☐ c. By replicating human cognitive processes exactly
- ☒ d. By relying solely on predetermined rules and algorithms

[Clear my choice](#)[Previous page](#)

Computer Science

[Back](#)**Question 65**

Answer saved

Marked out of
1.00 Flag question

What is the name given to built-in functions in assembly code?

- ☐ a. Register
- ☐ b. Func
- ☒ c. Cache
- ☐ d. Mnemonics

[Clear my choice](#)



MoEEP

Computer Science

Back

Time left 1:45:35

Question 66

Answer saved

Marked out of 1.00

Flag question

Which one is correct about RISC computers?

- ☐ a. RISC uses extensive addressing capabilities for memory operations
- ☐ b. RISC use complex and efficient machine instructions when compared to CISC
- ☐ c. RISC are with few numbers of registers when compared to CISC
- ☒ d. RISC is with hardwired control unit with pipelining processing

Clear my choice

Previous page



MoEEP

Computer Science

Back

Time left

Question 67

Answer saved

Marked out of 1.00

Flag question

What is the main advantage of using references (&) in C++ compared to pointers?

- ☒ a. References are more memory-efficient
- ☐ b. References can be dynamically allocated
- ☐ c. References can access arbitrary memory locations
- ☐ d. References cannot be null

Clear my choice

Previous page



MoEEP

Computer Science

Back

Time

Question 69

Answer saved

Marked out of 1.00

Flag question

Which one of the following is the lowest level in computer architecture?

- ☐ a. Hardware
- ☐ b. Assembly language
- ☒ c. Machine language
- ☐ d. High-level language

Clear my choice

Previous page



MoEEP

Time left 1:4

Question 68

Answer saved

Marked out of 1.00

Flag question

What is the term used to describe the ability of an object to take on multiple forms in OOP?

- ☐ a. Inheritance
- ☒ b. Abstraction
- ☐ c. Encapsulation
- ☐ d. Polymorphism

Clear my choice

Previous page

Computer Science

[Back](#)

Time left 1:45:13

[Hide](#)**Question 70**

Answer saved

Marked out of 1.00

[Flag question](#)

Which programming paradigm emphasizes breaking down problems into smaller, reusable components known as functions or procedures?

- ☐ a. Imperative programming
- ☐ b. Procedural programming
- ☐ c. Functional programming
- ☒ d. Object-oriented programming

[Clear my choice](#)[Next page](#)[Previous page](#)

Computer Science

[Back](#)

Time left 1:45:09

[Hide](#)**Question 71**

Answer saved

Marked out of 1.00

[Flag question](#)

Which scheduling algorithm ensures that each process gets an equal share of the CPU time?

- ☐ a. Round Robin (RR)
- ☐ b. Priority Scheduling
- ☐ c. First-Come, First-Served (FCFS)
- ☒ d. Shortest Job Next (SJN)

[Clear my choice](#)[Next page](#)[Previous page](#)



MoEEP

Computer Science

Back

Time left 1:45:04

Hide

Question 72

Answer saved

Marked out of 1.00

Flag question

Which data structure allows deleting data elements from front and inserting at rear?

- ☐ a. Queues
- ☐ b. Deques
- ☒ c. Stacks
- ☐ d. Binary search tree

Clear my choice

Next page

Previous page



MoEEP

Computer Science

Back

Time left 1:44:59

Hide

Question 73

Answer saved

Marked out of 1.00

Flag question

In which network topology does every node on the network is connected through a central device called hub or switch?

- ☐ a. Mesh
- ☒ b. Bus
- ☐ c. Ring
- ☐ d. Star

Clear my choice

Next page

Previous page



Computer Science

Back

Time left 1:44:55

Hide

Question 74

Answer saved

Marked out of 1.00

Flag question

In PHP, _____ are predefined variables that are accessible throughout your script.

- ☒ a. Superglobals
- ☐ b. Reserved variables
- ☐ c. Predefined variables
- ☐ d. Global variables

Clear my choice

Next page

Previous page



Question 75

Answer saved

Marked out of 1.00

Flag question

What is a foreign key in a relational database?

- ☒ a. A key used for indexing primary keys
- ☐ b. A key used for accessing external data sources
- ☐ c. A field in one table that refers to the primary key in another table
- ☐ d. A key used for encryption purposes

Clear my choice

Next page

Previous page



MoEEP

Computer Science

Back

Time left 1:44:47

Hide

Question 76

Answer saved

Marked out of 1.00

Flag question

Which one of the following is not unique for every computer in the network?

- ☐ a. MAC address
- ☒ b. Subnet mask
- ☐ c. IP-v4 address
- ☐ d. IP-v6 address

Clear my choice

Next page

Previous page

Computer Science

Back

Question 77

Answer saved

Marked out of 1.00

Flag question

What is the primary objective of reinforcement learning in artificial intelligence?

- ☐ a. To categorize data into predefined classes or clusters
- ☐ b. To mimic human decision-making processes
- ☒ c. To identify patterns and correlations in data
- ☐ d. To maximize cumulative reward through sequential decision-making

Clear my choice

Previous page

Question 78

Answer saved

Marked out of
1.00

Flag question

One of the following is not Properties of an algorithm?

- ☐ a. Correct
- ☐ b. Finite
- ☐ c. Ambiguity
- ☒ d. Input and Output

Clear my choice

Previous page

Computer Science

Back

Question 79

Answer saved

Marked out of
1.00

Flag question

Polynomial addition is implemented using which data structure?

- ☐ a. Queue
- ☐ b. Trees
- ☐ c. Stack
- ☒ d. Linked List

Clear my choice

Previous page

Computer Science

Back

Question 80

Answer saved

Marked out of
1.00

Flag question

What is the minimum number of stacks required by a PSA?

- ☐ a. 1
- ☐ b. 0
- ☒ c. 3
- ☐ d. 2

Clear my choice

Previous page

Question 81

Answer saved

Marked out of
1.00

Flag question

What does the term "algorithm" refer to in the context of computer programming?

- ☐ a. A programming language syntax
- ☒ b. A set of rules or instructions for solving a problem
- ☐ c. A function that performs a specific task
- ☐ d. A variable that holds a single piece of data

Clear my choice

Previous page

DELL

Computer Science

[Back](#)

Time left 1:42:57

Question 82

Answer saved

Marked out of 1.00

[Flag question](#)

What is the term used to describe the collection of information stored in the database at a particular moment?

- ☒ a. foreign key
- ☐ b. an instance
- ☐ c. primary key
- ☐ d. schema

[Clear my choice](#)[Previous page](#)

DELL



MOEEP

Question 83

Answer saved

Marked out of 1.00

[Flag question](#)

Which of the following describes the static structure of a system?

- ☒ a. Use case diagram
- ☐ b. Class diagram
- ☐ c. Sequence diagram
- ☐ d. Activity diagram

[Clear my choice](#)[Previous page](#)



MoEEP

Question 84

Answer saved

Marked out of 1.00

Flag question

What are the factors to be considered when planning a software development effort?

- ☐ a. people, problem, product, portability
- ☒ b. performance, problem, product, planning
- ☐ c. people, problem, product, process
- ☐ d. people, problem, productivity, performance

Clear my choice

Previous page



MoEEP

Computer Science

ck

Question 85

Answer saved

Marked out of

Flag question

In signal communication, the absolute value of the highest intensity of the signal proportional to the energy it carries is referred as ____.

- ☐ a. Peak-amplitude
- ☐ b. Frequency
- ☐ c. Period
- ☒ d. Attenuation

Clear my choice

Time left 1:42:30

Wide

Previous page

Next page

Computer Science

[Back](#)

Time left 1:42:22

[Hide](#)**Question 86**

Answer saved

Marked out of 1.00

[Flag question](#)

What is the regular expression for the set of strings that start with ab and end with bba over the alphabet set (a, b)?

- ☐ a. $ab(a^*+b^*)bba$
- ☐ b. $ab(ab)^*bba$
- ☒ c. $ab(a+b)^*bba$
- ☐ d. aba^*b^*bba

[Clear my choice](#)[Previous page](#)[Next page](#)**Question 88**

Answer saved

Marked out of 1.00

[Flag question](#)

Which one of the following class of running time functions is the best?

- ☒ a. Logarithmic
- ☐ b. Exponential
- ☐ c. Linear
- ☐ d. Polynomial

[Clear my choice](#)[Previous page](#)