

MILKI HEALTH SCIENCE TUTORIAL CENTER



0910 69 0594
0911 05 8885

TAJAAJILA KENNINU

- ✓ **Barnoota Dabalataa Kennu**
- ✓ **Exit Exam/ COC'f isin qopheessuu**
- ✓ **Leenjiwwan gaggabaaboo kennuu fi kkf**



Teessoon: Magaalaa Naqamtee
Gamoo OSSA Darbii 3^{ffaa}

(A) Contract Law

(B) Criminal Law

(C) Public Law

(D) Tort Law

73. A 28-year-old female patient was admitted to a medical ward with a diagnosis of DKA. The patient selected a treatment option that is best for her after being informed about all treatment options. After five days of treatment, the patient progressed well and was discharged. However, since she has no money to pay, she is kept in the ward till the hospital manager will come and decide.

What is the most likely encountered disrespect to the patient?

(A) Abandonment of care

(C) Non consented care

(B) Detention in facility

(D) No dignified care

74. A 34-year-old nurse encountered a patient suffering from cardiac arrest on the street. He tried to manage the patient. However, the patient died while he is giving CPR. The victim's family prosecuted the nurse in court.

What is the most likely law that handles such case?

(A) Criminal law

(C) Statute of limitations

(B) Common law

(D) Good samaritan statutes

82. A nurse working in an adult emergency OPD observed six individuals who developed hepatitis A disease. The incubation periods for each affected persons were 29, 31, 24, 29, 30, and 25 days.

Calculate the mode of hepatitis A incubation period in this scenario?

- (A) 28 (B) 27 (C) 31 (D) 29

83. A nurse working in a hospital measures the time (in hours) a patient spent in the hospital from getting card until completion of their service and departure to their home. Finally, the nurse presents the data in graphs.

What is the most appropriate data presentation to be used by the nurse?

- (A) Pie chart
(B) Bar graph
(C) Histogram
(D) Stacked bar chart

84. A nurse is working in district X with the catchment population of 45,000. Out of this, 600 were women in child bearing age and from them 240 have given live birth. 12 infants have died within 28 days of birth and 24 died before they celebrate their first birthday in 2010.

What is the neonatal mortality rate in this finding?

- (A) 20 neonates died per 1000 live births

What is the most likely interpretation of the population pyramid?

- (A) There is fluctuations of fertility
- (B) There is age-selective migration
- (C) There is a large proportion of productive age
- (D) There is a good economic state of the community

75. A nurse was working in a district with catchment population of 30,000. That year, there were 600 women in child bearing age and from them, 240 gave live birth and 12 infants died within 28 days of birth and 24 died before they celebrate their 1st birthday.

What is the infant mortality rate in this scenario?

- | | |
|--|---|
| (A) 20 infants died per 1000 live births | (C) 50 infants died per 1000 live births |
| (B) 24 infants died per 1000 live births | (D) 100 infants died per 1000 live births |

76. A nurse participated in a curriculum development of nursing specialty with other nursing professionals who came from different institutions. The curriculum development team decided that final exam, mid exam, quiz, individual and group assignments with presentation are the mechanism by which the instructor of a specific course should use to decide the students grade level.

feedback of the report. Finally, the matron designed a new plan based on the

What is the most likely principle of management used by the matron?

- (A) Division of labor
- (B) Management by objective
- (C) Learning from experience
- (D) Management by exception

62. A matron nurse of a hospital assigns some of the activities to one of the ward head nurses to control, coordinate the work, and give feedbacks. However, the matron repeatedly dictates the ward head nurse not to solve problems on her own.

What is the **MISSED** characteristic of effective delegation by the matron?

- (A) Not taking back delegated tasks
- (B) Giving the autonomy and freedom
- (C) Training and developing subordinates
- (D) Following up by visiting subordinates

In a health center, conflict arisen between OPD case team staffs on the issue of managing patients with COVID-19 infection. However a head of the health center wants to resolve the conflict by considering assertiveness and cooperation between parties.

What is the

- (A) Iodine deficiency
- (B) Calcium deficiency

(D) Iron foliate deficiency

80. A prison administrator in a *woreda* wrote a letter to a health office requesting for health professional to inspect the prison facility. A nurse was assigned to inspect, and she found out that overcrowded living condition, shortage of water and bedding and prevalent cases of relapsing fever were the most common problems at the prison.

What is most likely mechanism of solving the health problems of the prison?

- (A) Treating the sick
- (B) Latrine construction
- (C) Proper waste disposal
- (D) Delousing of the prisoners

81. A nurse works as a nutrition expertise in a health center. In the catchment area of the health center, many mothers were not feeding their children properly because they are busy in their day-to-day activities. Therefore, the nurse wants to assess the nutritional status of the children by measuring the physical dimensions and gross composition of the children's body.

- (A) It is the nurses' professional responsibility
- (B) Nursing director is compassionate person and planned to help all patients in distress
- (C) It is the nurses' professional responsibility to give dignified care for all human beings
- (D) Nursing director intended to decrease the possible family's complaint after patient death

97. A hospital nursing director has his own daily and weekly evaluation of nursing services with the hospital nursing supervisors. During their supervision and evaluation, they identified many gaps. The nursing performance was found to be below the expected. Few diploma nurses were performing advanced nursing procedures, beyond their scope. Generally, the nursing director and supervisors concluded that the nursing services in the hospital are below the expected implying the need for a training.

What is the most appropriate training area needed for this hospital nursing staffs?

- (A) Standard of practice
- (B) Attitude and perception
- (C) Nursing code of ethics
- (D) Nursing knowledge and skill

98. A 23-year-old pregnant client came to a health center for ANC follow up. She complained perineal pain. There were two nurses and two examination beds in one ANC room. The two

SUBJECT CODE: 01

BOOKLET CODE: 011

17

67. A male nurse in the operating room mentors 4th year graduating nurses and teaches the students about different zones in the operation room. He explained about the area where sterile procedures are carried out and masks are required to supplement surgical attire.

- What is the most likely zone in the operation room the nurse explained about?
- (A) Semi-restricted Area
 - (B) Unrestricted Area
 - (C) Restricted Area
 - (D) Sterile area

68. A 19-year-old female client was brought to an emergency care unit after exposure to cyanide containing by-product. The nurse initiated emergency nursing assessment to do possible interventions.

- What is the most likely common clinical manifestation the nurse may get from this patient?
- (A) High blood pressure and cyanotic
 - (B) Tachycardia and tachypnea
 - (C) Bradypnea and bradycardic
 - (D) Cyanosis and dizziness

69. A 57-year-old woman was presented to surgical emergency unit with diagnosis of multiple ribs fracture. Assessment findings showed a paradoxical chest-wall movement with inspiration and expiration.

- What is the priority nursing intervention next to immobilization?
- (A) Administering anti pain
 - (B) Monitor signs of respiratory infection
 - (C) Instructing the lie on the affected side
 - (D) Instructing the patient to take deep breaths

70. A 68-year-old man with a history of bronchiectasis is admitted for newly diagnosed heart failure. He reports that he is able to breathe easily only in a sitting position. The attending physician ordered chest physiotherapy and postural drainage.

What is the priority nursing diagnosis for this patient?

- (A) Anxiety
- (B) Activity intolerance
- (C) Ineffective airway clearance
- (D) Impaired physical comfort

71. A 25-year-old female patient was admitted to orthopedic inpatient unit with a diagnosis of dislocation at the left lower extremity. The surgeon performed immobilization and reduction to stabilize the patient and handover to the nurse for follow up.

What is the most likely instruction the nurse should notify the patient?

- (A) Do not flex the hip
- (B) Reduce range of motion
- (C) Reporting abnormal sensation
- (D) Keep the knees apart at all times

60. The ministry of Health certified a referral hospital in the title of the excellent infection prevention performance of the year. During the review, the ministry found best experience of nurses in following series of related actions that must be taken to prevent infection.

What was the most likely standing plan used by the hospital?

- (A) Rules
- (B) Policies
- (C) Programs
- (D) Procedures

61. The human resource department of a primary hospital prepared a document that consisted job description, position description and hiring specification of a vacant job and posted it on the organizational display board for the applicants.

What is the most likely human resource management activity used by the department?

- (A) Staffing
- (B) Selection
- (C) Orientation
- (D) Recruitment

62. A health manager at general hospital wants to decide on effectiveness of previous staff hiring procedures and plans to motivate the staff with better achievement. During the process of implementing the motivation plan, the manager wants to use benchmark to increase salary for those staff who fulfilled their duty as expected.

What is the most work performance data to be used by the manager?

- (A) Performance appraisal
- (B) Organizational analysis
- (C) Compensation record
- (D) Operational analysis

63. In a primary hospital, nurses who are working in different wards attend nursing morning session. During the session, the achievement of a nurse was presented in form of sharing for the others as "the nurse frequently updates himself and uses his time and medical supplies properly to give nursing care for the patients".

What is the most appropriate concept of management used by the nurse?

- (A) Efficiency
- (B) Information
- (C) Effectiveness
- (D) Work Relations

64. A newly appointed matron influenced the working habits of his colleagues in all nursing care provision areas by organizing all nurses to follow harmonized standard nursing procedures and approaches suitable to the hospital. As a result, the hospital won the annual hospital service award in the country by ranking first.

What is the most likely leadership character exhibited by the matron?

- (A) Copying
- (B) Imitation
- (C) Innovation
- (D) Maintenance

60. The ministry of Health certified a referral hospital in the title of the excellent infection prevention performance of the year. During the review, the ministry found best experience of nurses in following series of related actions that must be taken to prevent infection.

What was the most likely standing plan used by the hospital?

- (A) Rules
- (B) Policies
- (C) Programs
- (D) Procedures

61. The human resource department of a primary hospital prepared a document that consisted job description, position description and hiring specification of a vacant job and posted it on the organizational display board for the applicants.

What is the most likely human resource management activity used by the department?

- (A) Staffing
- (B) Selection
- (C) Orientation
- (D) Recruitment

62. A health manager at general hospital wants to decide on effectiveness of previous staff hiring procedures and plans to motivate the staff with better achievement. During the process of implementing the motivation plan, the manager wants to use benchmark to increase salary for those staff who fulfilled their duty as expected.

What is the most work performance data to be used by the manager?

- (A) Performance appraisal
- (B) Organizational analysis
- (C) Compensation record
- (D) Operational analysis

63. In a primary hospital, nurses who are working in different wards attend nursing morning session. During the session, the achievement of a nurse was presented in form of sharing for the others as "the nurse frequently updates himself and uses his time and medical supplies properly to give nursing care for the patients".

What is the most appropriate concept of management used by the nurse?

- (A) Efficiency
- (B) Information
- (C) Effectiveness
- (D) Work Relations

64. A newly appointed matron influenced the working habits of his colleagues in all nursing care provision areas by organizing all nurses to follow harmonized standard nursing procedures and approaches suitable to the hospital. As a result, the hospital won the annual hospital service award in the country by ranking first.

What is the most likely leadership character exhibited by the matron?

- (A) Copying
- (B) Imitation
- (C) Innovation
- (D) Maintenance

65. A matron nurse has conducted supervision in the inpatient wards of a tertiary hospital and identified the level of performance standards, communicated with staff members, reviewed activities quarterly and made correction on resource mobilization. In due process, the matron nurse received complaints about his inability to bring change and make use subordinates' expertise knowledge.

What is the most likely supervisory role missed by the matron?

- (A) Provide performance feedback to staffs
- (B) Periodic assessment of staffs performance
- (C) Work with the staff to deliver quality service
- (D) Identify standards of good performance to staffs

66. A zonal health administration monitoring and evaluation team plans to perform controlling activities in the HIV free generation project. On the process, the team wants to know the number of nurses trained on ART and VCT to plan the next training in the project implementation area.

What is the most likely monitoring result level to be used by the team?

- (A) Input
- (B) Process
- (C) Output
- (D) Outcome

67. A researcher observed that work site injuries are the common problem among workers in metal manufacturing industry. He plans to conduct research to identify the magnitude and factors associated with work site injuries among these industry workers.

What is the most likely type of study design appropriate for this study?

- (A) Cohort
- (B) Ecological
- (C) Case control
- (D) Cross sectional

68. A researcher needs to assess the proportion of alcohol drinking at high school level students. He selected male secondary school students only in order to determine the proportion.

What is the most likely type of error committed by the researcher?

- (A) Random error
- (B) Sampling error
- (C) Non-systematic error
- (D) Non-sampling error

69. A nurse researcher wants to conduct study on access to safe water supply at household level in district X. The nurse took 500 households from 10,000 households and he used systematic sampling technique to select his sample population. The 4th household was selected as first randomly.

What is the most likely consecutive sample households included in the research?

- (A) 4, 6, 8, 12
- (B) 4, 24, 44, 64
- (C) 4, 30, 56, 82
- (D) 4, 504, 1004, 1504

13. A nurse planned to give health education to a mother of a seven year-old-child who with a disease called juvenile idiopathic arthritis.

What is the most appropriate advice the nurse could give to the mother?

- (A) Restrict from fatty foods during severe form of illness
- (B) Restrict from exercise during moderate form of illness
- (C) Restrict from protein foods during severe form of illness
- (D) Avoid systemic steroids during moderate form of illness

39. A 72-year-old patient came to a medical unit with complaints of sudden onset of visual hemiparesis, confusion, trouble speaking, and impaired mobility. Assessment findings showed history of poorly controlled hypertension. The physician in charge of the patient stroke and put the patient on oxygen.

What is the initial treatment option for this patient?

(A) Anti-platelet

(B) Thrombolytic

(C) Anti-hypertensive

(D) Analgesics treatment

9. A child is brought to an emergency department with dislodged fragment of toy part in the airway. He has violent paroxysms of coughing and choking accompanied by new onset wheezing, intercostal muscle retraction and cyanosis. His respiratory rate is 62/min and pulse rate is 100/min.

What is the most likely actual nursing diagnosis that needs priority for this child?

- (A) Impaired gas exchange
(B) Ineffective airway clearance
(C) Ineffective breathing pattern
(D) Impaired spontaneous ventilation
10. An unconscious seven-year-old child has sustained multiple body injury secondary to vehicle accident. The child was brought to hospital by bystanders and a nurse in charge suspected neck and back injury.

What is the initial step that the nurse should do for this child?

- (A) Perform jaw thrust
(B) Clear secretions from throat
(C) Inspect mouth and remove foreign body
(D) Check the airway by looking for chest movements
11. A preschool-age child with previous history of childhood asthma was brought to pediatric emergency unit. The child has a manifestation of peak expiratory flow 30%, oxygen saturation 78% and loud wheezing throughout inhalation and exhalation.

What is the actual nursing diagnosis that needs priority for this child?

- (A) Impaired gas exchange
(B) Ineffective airway clearance
(C) Ineffective breathing pattern
(D) Impaired spontaneous ventilation
12. A nine-year-old child was brought to a pediatric OPD with complaints of diarrhea, bilious and projectile vomiting. On examination, there was low grade fever.

What is the most likely diagnosis of this child?

- (A) Intussusceptions
(B) Pyloric stenosis
(C) Intestinal volvulus
(D) Hirschsprung disease
13. A nurse planned to give health education to a mother of a seven year-old-child who with a disease called juvenile idiopathic arthritis.

What is the most appropriate advice the nurse could give to the mother?

- (A) Restrict from fatty foods during severe form of illness
(B) Restrict from exercise during moderate form of illness
(C) Restrict from protein foods during severe form of illness
(D) Avoid systemic steroids during moderate form of illness

BOOKLET CODE: 011

62. A 79-year-old man with some known cardiac and respiratory problems is admitted at a hospital. On assessment, he had crackles. Although he repeatedly attempts to cough and expectorate, he is too weak to remove the sputum. The nurse decides for postural drainage

- (C) Increase sputum amount
- (D) Increase temperature

What typical condition can alert the nurse to stop doing the procedure for this client?

- (A) Greenish color for the sputum
- (B) Increase distress

63. An Emergency physician tried an endo-tracheal intubation for a 23-year-old female patient presented with apnea. After unsuccessful trial of intubation, he transferred her to emergency operating theatre for tracheotomy.

For what patient problem is this most likely indicative?

- (A) Upper airway obstruction
- (B) Lower airway obstruction
- (C) Laryngeal cancer
- (D) Vocal cord injury

64. A 35-year-old female patient was admitted to a gynecologic inpatient unit with the diagnosis of fistula. The gynecologist planned to do surgical intervention and requested the newly assigned nurses to prepare appropriate surgical equipments for this procedure.

What is the most likely category of equipment that should be prepared for this procedure?

- (A) Probing and dilating
- (B) Grasping and clamping
- (C) Cutting and dissecting
- (D) Exposing and retracting

65. A 55-year-old woman is scheduled to have a surgery on her lower abdomen for an inguinal hernia. The surgeon told that anesthetizing her lower body part is enough to perform the procedure safely. The Anesthetist decides to anesthetize the whole body part just below to the anesthesia injection site.

What kind of anesthesia is most appropriate in this case?

- (A) Spinal and epidural blocks
- (B) General anesthesia
- (C) Local anesthesia
- (D) Nerve blocks

66. A nurse performs the patient risk assessment and provides an intraoperative care for a patient undergoing laparotomy under general anesthesia.

What is the most likely complication that makes the patient most at risk?

- (A) Vomiting and nausea
- (B) Peripheral edema
- (C) Atelectasis
- (D) Anemia

What is the most likely additional assessment finding?

- (A) Foul-smelling greasy stools
- (B) Pale greasy bloody diarrhea

- (C) Pale stools
- (D) Prolonged watery stools

74. A 16-year-old female patient visits her doctor with a complaint of cough and headache of three days duration. On history, she has sudden onset fever, runny nose, myalgia, chills and sore throat. The cough is severe and protracted.

What is the priority nursing diagnosis for this patient?

- (A) Acute pain
- (B) Hyperthermia

- (C) Impaired comfort
- (D) Impaired skin integrity

about the mode of transmission

BOOKLET CODE: 011

62. A 79-year-old man with some known cardiac and respiratory problems is admitted at a hospital. On assessment, he had crackles. Although he repeatedly attempts to cough and expectorate, he is too weak to remove the sputum. The nurse decides for postural drainage

- What typical condition can alert the nurse to stop doing the procedure for this client?
- (A) Greenish color for the sputum
 - (B) Increase distress
 - (C) Increase sputum amount
 - (D) Increase temperature

63. An Emergency physician tried an endo-tracheal intubation for a 23-year-old female patient presented with apnea. After unsuccessful trial of intubation, he transferred her to emergency operating theatre for tracheotomy.

- For what patient problem is this most likely indicative?
- (A) Upper airway obstruction
 - (B) Lower airway obstruction
 - (C) Laryngeal cancer
 - (D) Vocal cord injury

64. A 35-year-old female patient was admitted to a gynecologic inpatient unit with the diagnosis of fistula. The gynecologist planned to do surgical intervention and requested the newly assigned nurses to prepare appropriate surgical equipments for this procedure.

- What is the most likely category of equipment that should be prepared for this procedure?
- (A) Probing and dilating
 - (B) Grasping and clamping
 - (C) Cutting and dissecting
 - (D) Exposing and retracting

65. A 55-year-old woman is scheduled to have a surgery on her lower abdomen for an inguinal hernia. The surgeon told that anesthetizing her lower body part is enough to perform the procedure safely. The Anesthetist decides to anesthetize the whole body part just below to the anesthesia injection site.

- What kind of anesthesia is most appropriate in this case?
- (A) Spinal and epidural blocks
 - (B) General anesthesia
 - (C) Local anesthesia
 - (D) Nerve blocks

66. A nurse performs the patient risk assessment and provides an intraoperative care for a patient undergoing laparotomy under general anesthesia.

- What is the most likely complication that makes the patient most at risk?
- (A) Vomiting and nausea
 - (B) Peripheral edema
 - (C) Atelectasis
 - (D) Anemia

(D) Serum FSH level

6. A 30-year-old mother was admitted to gynecology ward with vesico-vaginal fistula secondary to obstructed labor. The mother gave birth at home before 2 months. She is scheduled for fistula repair after a week.

What is the most appropriate nursing intervention for this mother?

- (A) Emotional support
- (B) Insert catheter in the bladder
- (C) Maintain patient on clear liquids
- (D) Encourage frequent sitz baths

7. An 18-year-old lady came to a gynecology OPD with a complaint of abdominal distension for one month. She has abdominal swelling, and dull like abdominal pain. On examination, liver is enlarged, firm and nodular. The imaging result showed that the tumor is unilateral, solid, more than 10 cm in diameter which has originated from the primitive yolk sack.

What is the most likely diagnosis of this woman?

- (A) Dysgerminoma tumor
- (B) Choriocarcinoma tumor
- (C) Immature teratoma tumor
- (D) Endodermal sinus tumor

8. A 26-year-old non-pregnant woman came to a hospital with complaints of inter-menstrual and post-coital vaginal bleeding for three months. CT scan investigation result showed a cervical tumor which involves lower third of the vagina, without extension to the pelvic wall. She was diagnosed for stage II.

What is the most likely manifestation that corresponds to this stage?

- (A) Dry and itchy vaginal orifice
- (B) Adnexal excitation tenderness
- (C) Offensive and watery vaginal discharge
- (D) Excessive fluid accumulation in culdosa-sac

A researcher wanted to conduct the psychosocial behaviour of homosexual groups. Which sampling techniques will be most appropriate?

- ☐ a. Snow ball sampling
- ☐ b. Judgmental sampling
- ☐ c. Accidental sampling
- ☐ d. Quota sampling

1, A female client with hypothyroidism (myxedema) is receiving levothyroxine (Synthroid), 25 mcg P.O. daily. Which finding should nurse Hans recognize as an adverse drug effect?


A. Dysuria

B. Leg cramps

C. Tachycardia

D. Blurred vision

👍 11:23 PM



Guideline G.hospitaal

7. A 67-year-old male client has been complaining of sleeping more, increased urination, anorexia, weakness, irritability, depression, and bone pain that interferes with her going outdoors. Based on these assessment findings, Nurse Richard would suspect which of the following disorders?

- A. Diabetes mellitus
- B. Diabetes insipidus
- C. Hypoparathyroidism
- D. Hyperparathyroidism

A neonate, who was diagnosed with neonatal sepsis, was admitted in a hospital. The nurse in charge examined the baby and the findings showed central cyanosis, chest indrawing, tachycardia and tachypnea. What is the most likely nursing diagnosis of this case?

- ☐ a. Ineffective breathing pattern
- ☐ b. Ineffective tissue perfusion
- ☐ c. Ineffective airway clearance
- ☐ d. High risk for hypoventilation

19. a 60 year old man who had been smoking a pack of cigarettes daily for the last twenty years presented with one year history of increasing dyspnea on exertion and accumulation dry cough. Chest examination reveals hyper resonance all over the lungs and decreased breath sounds.

Which of the following is most likely diagnosis?

- A, Bronchiectasis
- B, Asthma
- C, Emphysema
- D, chronic bronchitis



Milki health science tutorial center



+251910690594, +251911058885

Tajaajiloota nuti kenninu



Barnoota dabalataa kennuu
Exit Exam'f/ COCf isin qopheessuu.
Leenjiwwan gaggabaaboo kennuu fi K.K.F.



Teessoo: Magaalaa Naqamtee, Gamoo OSSA, Darbii 3ffaa

BOOKLET CODE: 012

6

SUBJECT CODE: 012

22. A one-week-old neonate is brought to a hospital with complaints of poor feeding, cough and difficulty of breathing during feeding of three days duration. The neonate has pulse rate of 130/min, respirations of 58/min, central cyanosis while crying and systolic ejection murmur over second and third inter-costal spaces.

What is the most likely nursing diagnosis of this neonate?

- (A) Activity intolerance
- (B) Decreased cardiac output
- (C) Ineffective airway clearance
- (D) Ineffective breathing pattern

23. A preterm newborn was admitted to a neonatal ICU. The neonate was given IV Ampicillin and Gentamycin, IV fluid and kept in kangaroo mother care. After two days of admission, the neonate has body temperature of 35.5°C.

What is the most likely next step management of this neonate?

- (A) Changing the drug
- (B) Providing additional IV glucose
- (C) Performing further investigations
- (D) Putting the neonate under radiant warmer

24. A four-hour-old very preterm neonate, who is born through caesarean section, had body temperature of 35.6°C. The neonate was placed nearby its unconscious mother since birth after covering with blanket in a room temperature of 26°C.

What is the most likely cause of the neonate's condition?

- (A) Lack of feeding
- (B) Low room temperature
- (C) Lack of sufficient covering clothes
- (D) Lack of skin-to-skin contact with the mother

25. A five-year-old child was brought to a health center for follow up after two days of appointment. The child was classified as pneumonia in the first visit and managed accordingly with IMNCI guideline. In the current visit, the nurse suspected severe pneumonia.

What is the most likely finding to confirm the nurse's suspicion?

- (A) Stridor
- (B) Wheezing
- (C) Fast breathing
- (D) Chest indrawing



KLET CODE: 012

SUBJECT CODE: 02

26. A two-year-old child is brought to a health center with a complaint of diarrhea. On examination, the child has sunken eyes. The nurse classifies the child as severe persistent diarrhea according to IMNCI.

What is the most likely finding to confirm the classification?

- (A) Drinks eagerly and thirsty with five days duration of diarrhea
- (B) Skin pinch goes back very slowly with 12 days duration of diarrhea
- (C) Skin pinch goes back very slowly and >14 days duration of diarrhea
- (D) Not able to drink or drink poorly with five days duration of diarrhea

27. A 40-year-old mother who was on PMTCT program came with her 45-day-old baby for routine vaccination. The mother asked the nurse about how she is going to feed her baby.

What is the most appropriate counseling to be given to this mother?

- (A) Exclusive breast feeding for six months
- (B) Exclusive cow's milk feeding for six months
- (C) Exclusive formula feeding for six months
- (D) Expressed heat-treated breast milk for six months

28. A 12-day-old neonate was brought to a health center for follow up after two days of appointment. The neonate was classified as jaundice in the first visit and managed accordingly with IMNCI guideline. In the current visit, the nurse suspected severe jaundice.

What is the most likely finding to confirm the nurse's suspicion?

- (A) Skin and eyes are yellow
- (B) Palm and sole are yellow
- (C) High serum bilirubin level
- (D) High conjugated bilirubin level

29. A 16-year-old boy, who was previously treated for pulmonary TB, came back to TB clinic after a year with cough. Laboratory investigation showed smear and Gene X-pert positive.

What is the most likely case definition of this client?

- (A) New
- (B) Relapse
- (C) Treatment failure
- (D) Treatment after loss to follow-up

30. A known HIV positive woman gave birth at 37 completed weeks of gestation. The baby weighed 3200gm and the 5-minute APGAR score was 10.

What is the most appropriate care to be given to this baby immediately after birth?

- (A) Give first line ARTs
- (B) Initiate artificial feeding
- (C) Give Cotrimoxazole prophylaxis
- (D) Give post exposure prophylaxis



SKLET CODE: 012

5

SUBJECT CODE: 02

18. A five-month-old infant is on formula feeding due to poor breast milk production by the mother. On assessment, the infant is found to have severe wasting with weight-for-height <3Z score.

What is the most appropriate nursing intervention for this infant?

- (A) Start feeding with F-75
- (B) Start feeding with diluted F-100
- (C) Use supplementary sucking feeding
- (D) Give vitamin A 100,000IU at admission

19. A nurse found that the body temperature of a preterm neonate born at 33 weeks of gestation was 36.1°C at two hours of birth. The neonate was born through SVD and was placed nearby the mother with the head and body covered.

What is the most likely initial nursing intervention for this neonate?

- (A) Adjust the room temperature
- (B) Cover the neonate with extra clothes
- (C) Place the neonate under radiant warmer
- (D) Place the neonate skin-to-skin with the mother

20. A term newborn that was unable to breathe at birth secondary to meconium aspiration was resuscitated. After 15 minutes of resuscitation, the neonate started to breathe weakly and irregularly and was kept on Continuous Positive Airway Pressure Ventilation (CPAP).

What is the most likely nursing diagnosis of this neonate?

- (A) Risk for ineffective airway clearance
- (B) Risk for infection
- (C) Risk for impaired spontaneous ventilation
- (D) Risk for sudden infant death syndrome

21. A five-day-old neonate is brought to a hospital with complaints of poor feeding and irritability of two days duration. The mother noticed yellowish discoloration on the neonate's skin since the second date of birth. The neonate also had one episode of convulsion. Body temperature was 36.7°C on examination. Indirect bilirubin level of 27 mg/dl was identified on laboratory investigation.

What is the most likely complication in this neonate?

- (A) Hyperpyrexia
- (B) Seizure disorder
- (C) Encephalopathy
- (D) Severe hypoglycemia

BOOKLET CODE: 012

20

SUBJECT CODE: 01

85. A nurse, who is working in a teaching hospital which has 1000 health workers, wants to know the health burden of common cold among health workers in the hospital in a month. On the first and second day, the nurse investigates 10 and 38 health workers, respectively, who had common cold. There is no change on the number of residents who had common cold over the month.

What is the prevalence rate of common cold among health workers over a month?

- (A) 1.0% (B) 1.8% (C) 4.8% (D) 3.8%

86. A researcher conducted a study on risk factors of acute appendicitis among patients in a hospital. The finding indicated that 40 had history of urinary tract infection from 160 who developed acute appendicitis and 12 had history of urinary tract infection from 320 individuals who were healthy.

What is the most likely interpretation of association in this research?

- (A) Urinary tract infection not risk factor for acute appendicitis
(B) Acute appendicitis is the risk factor for urinary tract infection
(C) Acute appendicitis is not risk factor for urinary tract infection
(D) Urinary tract infection is the risk factor for acute appendicitis

87. A nurse who is working in a district wants to educate the community about how to treat water by using locally available materials. On the course, the nurse prepares all the necessary material needed for water treatment. During teaching session, every participant was able to see and practice the water treatment process.

What is the most likely teaching method used by this nurse?

- (A) Drama (B) Lecture (C) Brainstorming (D) Demonstration

88. A nurse who is a member of medicine and health sciences college in Ethiopian University wants to develop a new curriculum. During the process, curriculum development team involves MOH to review whether the curriculum is based on the national health professionals' quality standards.

What is the most appropriate type of curriculum evaluation used by the team?

- (A) Internal evaluation (C) Formative evaluation
(B) External evaluation (D) Summative evaluation



BOOKLET CODE: 01

4. A woman came to a health center with a complaint of prolonged, excessive, and irregular menses after six months of taking IUCD contraception. She also has cramp and pain during menses in addition to premenstrual syndrome.

What is the priority intervention for this woman?

- (A) Remove the IUCD and appoint her after seven days
- (B) Assess for any medical condition
- (C) Change the contraceptive
- (D) Counsel and support

5. A woman with her husband came to a gynecologic OPD with a complaint of inability to conceive for three years. She has regular menstrual period and never used any kind of contraception. A nurse planned to investigate the cause for their complaint.

What is the initial laboratory investigation to be requested?

- (A) DNA assays
- (B) Semen analysis
- (C) Antibody studies
- (D) Sperm penetration assay

6. A 17-week pregnant woman came to ANC clinic with a complaint of slight vaginal bleeding. She also has lower abdominal cramp and backache. On physical examination: her blood pressure is 110/60 mmHg and pulse rate is 76/minute, and she has mild uterine contraction, closed cervix and intact membrane.

What is the most likely diagnosis of the woman's condition?

- (A) Incomplete abortion
- (B) Inevitable abortion
- (C) Threaten abortion
- (D) Complete abortion

7. A 16-year-old postpartum mother came with a complaint of urinary incontinence after six days of delivery. She is distressed and frustrated with the condition. Her blood pressure is 90/70 mmHg, pulse rate is 82/min and temperature is 37.9°C. Pelvic examination findings suggest vesico-vaginal fistula.

What is the priority nursing diagnosis for this mother?

- (A) Hypotension
- (B) Hyperthermia
- (C) Knowledge deficient
- (D) Disturbed body image





ST CODE: 011

15

SUBJECT CODE: 01

A 23-year-old male patient was admitted to a surgical emergency unit after he sustained a motor vehicle accident. The patient has history of Stage-II heart failure and he was on cardiac glycosides and ACEIs. On neurologic examination, his GCS is 2/15.

What positioning is recommended for this patient?

- (A) Prone
- (B) Supine
- (C) Lateral
- (D) Semi-Fowlers

60. A nurse was caring for a 27-year-old female patient who is hypotensive secondary to extensive bleeding during surgery. Physical examination revealed that her blood pressure is 90/50 mmHg, pulse rate is 140/min, respirations are 22/min, and temperature is 34 °C.

What type of parenteral fluid is the most appropriate for this patient?

- (A) Colloid total parenteral solution
- (B) Hypotonic D₅W + 1/2 NaCl
- (C) Hypertonic 3% saline
- (D) Isotonic ringier lactate

61. A 32-year-old male patient was admitted to an isolation room of a hospital for the diagnosis of pulmonary tuberculosis. A nurse caring for the patient noted that the patient seems angry and understood that his reaction was a normal response to isolation.

What is the most appropriate nursing intervention for this patient?

- (A) Explain the reasons for the procedures and provide meaningful stimulation
- (B) Reduce the level of precautions to keep the patient from becoming angry
- (C) Limit family visits to reduce the risk of spreading the infection
- (D) Provide a dark, quiet room to calm the patient

62. A nurse discontinued a peripherally inserted venous line and removed the tape from a 45-year-old patient admitted to an intensive care unit. The tape was jagged at the end.



What is the most likely complication?

- (A) Infiltration
- (B) Air embolism
- (C) Catheter breakage
- (D) Toxicity caused by a vesicant

63. A nurse was performing wound care for a 65-year-old patient with HIV/AIDS. The nurse returns the used equipment into the appropriate room for instrument processing and infection prevention.

What is the most appropriate procedural step that the nurse should use?

- (A) Cleansing, decontamination, and then sterilization
- (B) Cleansing, sterilization, and then decontamination
- (C) Decontamination, cleansing, and then sterilization
- (D) Sterilization, cleansing, and then decontamination





BOOKLET CODE: 912

18

SUBJECT CODE:

75. A nurse working in a health center has life and death issue in court at 3:00 pm. While the nurse is leaving the health center, a mother with her sick child comes looking for help. The child is in severing distress and will die if aggressive management is not given.

What principle of professionalism is most likely challenged in this case?

- (A) Accountability
- (B) Altruism
- (C) Excellence
- (D) Humanism

76. A nurse observed medication administration error made by his friend working in medical ward. Due to this, the patient developed minor complication and treated.

What is the first thing the nurse must do?

- (A) Confront his friend
- (B) Report to the nurse director
- (C) Follow secretly and supervise
- (D) Report to the legal judiciary body

77. A 28-year-old patient came to a health center suspecting that he might have STI. During discussion with the nurse, he was afraid of telling what he feels. The nurse while waiting for answer, waited with silence and look at the eye of the patient.

What question most likely open door for a discussion for this case?

- (A) Are you in pain?
- (B) Tell me about your family?
- (C) Tell me about your pain?
- (D) Tell me what you want to talk about?

78. A 32-year-old female, newly diagnosed with HIV was referred to the ART clinic for counseling. On assessment, she seems hopeless and anxious. The nurse explores the need and condition of the client through proper counseling.

What is the most appropriate initial step for nurse's action?

- (A) Establish guideline of communication
- (B) Accept the client as a whole individual
- (C) Plan interview at appropriate time
- (D) Ensure privacy and confidentiality

79. A nurse researcher wants to conduct a study on "Factors contributing to high prenatal mortality at selected health institutions of district X". He tried to read and summarize pertained information from different books, published articles and health reported about the problem.

What is the most likely activity of the researcher?

- (A) Write research problem
- (B) Develop research objective
- (C) Synthesis literature review
- (D) Write rational of the research





CODE: 011

17

SUBJECT CODE: 01

A nurse, who is caring for a 19-year-old patient at a surgical ward, has redressed the patient's wound and then planned to administer a medication for the patient.

What is the most appropriate next step that the nurse should follow?

- (A) Remove gloves and administer the medication
- (B) Leave the gloves and administer the medication
- (C) Give the medication later to prevent removal of the gloves
- (D) Remove gloves and wash hands before administering medication

69. A 40-year-old male had ingested a corrosive poison when presenting at a health center. The nurse suspected that the patient ingested strong acid and immediately gave him a milk to drink as an emergency management.

For which condition this patient is at greatest risk?

- (A) Gastritis
- (B) Pneumonia
- (C) Lymphangitis
- (D) Tuberculosis

70. A 65-year-old female patient was admitted to a medical inpatient unit with the diagnosis of heart failure. Three days after admission, the patient developed severe headache and dysphagia. On assessment, the patient has positive Chvostek's sign, seizure, and positive Trousseau's sign.

What is the most likely diagnosis of the patient?

- (A) Hypocalcaemia
- (B) Hypercalcemia
- (C) Hypokalemia
- (D) Hyperkalemia

71. A 22-year-old mentally unstable patient was brought to an emergency department after ingestion of excessive dose of Aspirin. The patient complains of blurring of vision. On assessment, the patient was restless, has temperature of 38.7 °C, pulse rate of 78/min, respirations of 32/min and blood pressure of 110/70 mmHg.

What is the priority nursing diagnosis in this case?

- (A) Hyperthermia related to ingestion of poison
- (B) Risk for injury related to ingestion of poison
- (C) Impaired gas exchange related to central poisoning
- (D) Impaired sensory function related to central poisoning

IER/AAU/N-1

MoH/EHPLE-Nursing 2013/2021





BOOKLET CODE: 012

16

SUBJECT CODE: 012

66. A nurse student came to Ethiopia from Europe for student exchange program in one of the Ethiopian university. During the first visit of the Ministry of Health (MOH), the nurse wants to know the general health strategies of the nation. The communication officer of MOH explained that major parts of decision making, organization, capacity building, planning, implementation and monitoring is transferred to the regions with clear definition of roles.

What is the most likely health care policy strategy explained for the nurse?

- (A) Democratization
- (B) Decentralization

- (C) Community participation
- (D) Inter-sectorial collaboration

67. A Zonal health administration wants to increase utilization of health insurance in all the *woredas*. During the course of their activities, members of the public asked to have a scheme which does not rely much on local or national social solidarity and stable formal labor markets.

What is the most likely health insurance scheme to be recommended in this scenario?

- (A) Social Health Insurance
- (B) Individual Health Insurance

- (C) Voluntary Health Insurance
- (D) Community-Based Health Insurance

68. A nurse working as manager of a project agreed with a funding organization to assess the immediate observable effects that leads to the successfulness of a program which was implemented a year before in the implementation area.

What is the most appropriate evaluation type for this scenario?

- (A) Process evaluation
- (B) Impact evaluation

- (C) Formative evaluation
- (D) Summative evaluation

69. A 28-year-old female patient was admitted to a medical ward with the diagnosis of hepatitis B. After nurse's counseling, the patient agreed to share her information to her family.

What ethical principle applied by the nurse?

- (A) Advocacy
- (B) Privacy

- (C) Confidentiality
- (D) Informed Consent

70. In a cardiac center of a hospital, more than 5000 children and other cardiac patients are on waiting list for cardiac surgery because of resource scarcity. Along with solving the budget constraint and training of health professionals, the hospital management team decided to give service in their order of visit.

What is the most appropriate principle applied in this context?

- (A) Justice
- (B) Autonomy

- (C) Beneficence
- (D) Nonmaleficence

MoH/EHPLE-Nursing 2013/2021

IER/AAU/N-II



8. A 35-year-old female patient came to a hospital with complaint of recurrent bronchial asthma. The patient angrily asked the nurse, 'why it become recurrent?'.
What is the most appropriate answer for the patient's concern?

(A) Intolerance of medication
(B) Poor medication adherence
(C) Low potency of the medication
(D) Difficult to avoid triggering agents

9. A 40-year-old HIV positive woman came to ART clinic with complaint of intense itching. On physical examination, the patient had firm papules with variable stages of development on her trunk and face.
What is the most likely explanation for these findings?

(A) Cellulitis
(B) Prurigo
(C) Herpes simplex
(D) Molluscum contagiosum

10. A 27-year-old male patient was linked to ART clinic to start HAART from TB clinic. The patient was on anti-TB treatment and his CD4 count is 500cells/mm³.
What is the most preferred drug regimen for this patient?

(A) TDF + 3TC + EFV
(B) AZT + 3TC + EFV
(C) TDF + 3TC + NVP
(D) TDF + 3TC + DTG

11. A 34-year-old male patient came to ENT clinic with purulent discharge in the right ear after foreign body removed two months ago. The nurse examined his middle ear using otoscope to assess the conditions of tympanic membrane.
What could be the most likely assessment finding of this patient?

(A) Red and inflamed
(B) Perforation and cholesteatoma
(C) Appear dull and has air bubbles
(D) Pearly gray and bulged to outside

12. A 36-year-old man underwent middle ear surgery for the management of chronic otitis media. After surgery, the duty nurse prepared a teaching plan about postoperative instructions for the patient.
What is the most appropriate instruction the nurse should develop?

(A) Avoid physical exercise 2 to 3 weeks after surgery
(B) Tinnitus sensation is normal up to 5 weeks after surgery
(C) Take soft and non seasoned meals 1 to 4 weeks after surgery
(D) Sneeze and cough with the mouth open 2-3 weeks after surgery

26. A 29-year-old male patient came to an emergency room with complaints of general lower abdominal pain. Later on, the pain was more localized to right lower quadrant with nausea and vomiting. Then, the surgeon made diagnosis of appendicitis and scheduled for surgery.

What is the most likely surgical complication that may happen in this patient?

- (A) Dehydration
- (B) Septicemia
- (C) Severe bleeding
- (D) Abdominal abscess

27. A 23-year-old male patient came to an emergency department with complaints of low-grade fever and epigastric pain progresses to right lower quadrant. On abdominal examination, the nurse identified local tenderness and positive Rovsing's sign.

What would be the priority nursing intervention for this patient?

- (A) Perform frequent palpation of the abdomen
- (B) Administer analgesics with caution
- (C) Administer laxatives or enemas
- (D) Maintain NG tube patency

28. A 24-year-old patient came to a hospital with complaints of anorexia, heartburn after eating, nausea and vomiting. After thorough assessment and physical examination, the nurse diagnosed that the patient had autoimmune chronic gastritis.

Which additional manifestation led the nurse for this conclusion?

- (A) Anemia
- (B) Dehydration
- (C) Epigastric pain
- (D) Blood vomiting

29. A 67-year-old male patient came to adult OPD with complaints of abdominal pain, sensation of incomplete emptying and intestinal rumbling of one month duration. He was taking narcotic drug, antacids with aluminum preparation and low amount of fluid & fiber. The nurse prepared to administer cleansing enema.

What is the most likely indication to decide this procedure?

- (A) Psychotic disorders
- (B) Neurologic disorder
- (C) Orthopedic disorders
- (D) Chronic constipation

30. A nurse was taking care of a 34-year-old woman who was diagnosed with acute gastritis secondary to stress. The nurse prepared a nursing care plan of patient's outcome after nursing intervention.

What is the most appropriate patient outcome predicted by the nurse?

- (A) Report feeling less anxiety
- (B) Eat scheduled meals regularly
- (C) Take medications as prescribed
- (D) Avoid irritating foods and beverages

BOOKLET CODE: 012

SUBJECT CODE: 02

71. A nurse is taking care of patients coming to an emergency unit all the day without rest. A mother with her sick child came at the end of the day looking for help. The nurse told her to wait for the night shift nurse who will come just in few moments. However the mother is begging him to help her sick child who is crying. After three minutes, the shift nurse arrived and managed the child and reassured the mother.

What is the most likely threat of compassion for the nurse in the day shift?

- (A) Compassion fatigue
- (B) Health facility context
- (C) Stress and burnout
- (D) Unbalanced focus

72. A 32-year-old female patient who is diagnosed with cholelithiasis was admitted to a medical ward. A nurse in charge while preparing the patient for surgery inserts urinary catheter in the ward without screen. The patient complained that her privacy was violated but the nurse denied the action.

What is the most likely law used to charge the nurse?

- (A) Contract Law
- (B) Criminal Law
- (C) Public Law
- (D) Tort Law

73. A 28-year-old female patient was admitted to a medical ward with a diagnosis of DKA. The patient selected a treatment option that is best for her after being informed about all treatment options. After five days of treatment, the patient progressed well and was discharged. However, since she has no money to pay, she is kept in the ward till the hospital manager will come and decide.

What is the most likely encountered disrespect to the patient?

- (A) Abandonment of care
- (B) Detention in facility
- (C) Non consented care
- (D) No dignified care

74. A 34-year-old nurse encountered a patient suffering from cardiac arrest on the street. He tried to manage the patient. However, the patient died while he is giving CPR. The victim's family prosecuted the nurse in court.

What is the most likely law that handles such case?

- (A) Criminal law
- (B) Common law
- (C) Statute of limitations
- (D) Good samaritan statutes

MoH/EHPLE-Nursing 2013/2021

IER/AAU/N-II



BOOKLET CODE: 012

11

SUBJECT CODE: 02

45. A 16-year-old schizophrenic patient was admitted to a hospital because of risk of harming others. He believes as if everyone's gestures and comments were directed at him. These symptoms have been seen for the last six weeks. He was treated for the same episode before three years.

What is the most important finding that supports the diagnosis of the patient?

- (A) Presence of referential delusions
- (B) Symptoms in the last six weeks
- (C) History of the same episode
- (D) Risk of harming others

46. A 17-year-old boy was brought to a hospital, reporting elevated mood, inflated self-worth, easily distractibility and flight of ideas nearly every day. He is still functioning well and current symptoms do not necessitate hospitalization. He has no past history of mental illness.

What is the least required duration to diagnose his problem?

- (A) One week
- (B) One month
- (C) Six months
- (D) One day but < four days

47. A 40-year-old man who is on antidepressant was admitted to a hospital following alcohol intoxication. After supportive treatment, he reports to the nurse that he usually drinks too much for the last 10 years in order to forget life stressors.

What is the priority nursing diagnosis for this patient?

- (A) Ineffective coping related to knowledge deficit
- (B) Risk of delirium tremens related to hospitalization
- (C) Frequent hospitalization secondary to poor adherence
- (D) Non adherence to treatment regimen secondary to knowledge deficit

48. A 26-year-old business manager came to a clinic complaining of persistent inability to speak in front of people. This results in repeated failure to win projects to sustain his company. The problem lasted six years and he usually delegates other person in those situations.

What is the best psychological approach to manage his problem?

- (A) Help him in uncovering and analyzing unconscious conflicts
- (B) Expose him to the phobic situation for as long as they can tolerate
- (C) Help him actively confront the phobic situation with the help of therapist
- (D) Expose him serially to a predetermined list of anxiety-provoking situation





SKLET CODE: 012

5

SUBJECT CODE: 02

18. A five-month-old infant is on formula feeding due to poor breast milk production by the mother. On assessment, the infant is found to have severe wasting with weight-for-height <3Z score.

What is the most appropriate nursing intervention for this infant?

- (A) Start feeding with F-75
- (B) Start feeding with diluted F-100
- (C) Use supplementary sucking feeding
- (D) Give vitamin A 100,000IU at admission

19. A nurse found that the body temperature of a preterm neonate born at 33 weeks of gestation was 36.1°C at two hours of birth. The neonate was born through SVD and was placed nearby the mother with the head and body covered.

What is the most likely initial nursing intervention for this neonate?

- (A) Adjust the room temperature
- (B) Cover the neonate with extra clothes
- (C) Place the neonate under radiant warmer
- (D) Place the neonate skin-to-skin with the mother

20. A term newborn that was unable to breathe at birth secondary to meconium aspiration was resuscitated. After 15 minutes of resuscitation, the neonate started to breathe weakly and irregularly and was kept on Continuous Positive Airway Pressure Ventilation (CPAP).

What is the most likely nursing diagnosis of this neonate?

- (A) Risk for ineffective airway clearance
- (B) Risk for infection
- (C) Risk for impaired spontaneous ventilation
- (D) Risk for sudden infant death syndrome

21. A five-day-old neonate is brought to a hospital with complaints of poor feeding and irritability of two days duration. The mother noticed yellowish discoloration on the neonate's skin since the second date of birth. The neonate also had one episode of convulsion. Body temperature was 36.7°C on examination. Indirect bilirubin level of 27 mg/dl was identified on laboratory investigation.

What is the most likely complication in this neonate?

- (A) Hyperpyrexia
- (B) Seizure disorder
- (C) Encephalopathy
- (D) Severe hypoglycemia





Milki health science tutorial center



+251910690594, +251911058885

Tajaajiloota nuti kenninu



Barnoota dabalataa kennuu
Exit Exam'f/ COCf isin qopheessuu.
Leenjiwwan gaggabaaboo kennuu fi K.K.F.



Teessoo: Magaalaa Naqamtee, Gamoo OSSA, Darbii 3ffaa