

1 Of the following one is type of analytic study?

- A. a.
Case series
- B. b.
Case control study
- C. c.
Correlational study
- D. d.
Ecological study

Ans.b. Case control study

2 The primary health care strategy began in Ethiopia in the year:

- A. a.
1988s
- B. b.
1980s
- C. c.
1987s
- D. d.
1985s

Ans. b. 1980s

3 A 36 years old G-3P-2 mother is presented with complaint of vaginal bleeding of 5 hours duration. She doesn't remember her LNMP, but claims to be amenorrheic for the past 8 months. She doesn't have early milestone at all. After Obstetrical U/S was done the patient had been admitted for conservative management till the pregnancy gets term. Which one of the following fetal biometry measurements decides the right time for termination?

Question 15Answer

- A. a.
 $AC \geq 30\text{cm}$
- B. b.
 $FL \geq 9.2\text{cm}$
- C. c.
 $\text{Weight} \geq 2.5\text{ kg}$
- D. d.
 $BPD \geq 7.2\text{ cm}$

Ans. c. Weight $\geq 2.5\text{ kg}$

4 Which one of the following is true regarding Risk Factors of Stroke?

- A. a.
African American is more susceptible than Asians.
- B. b.
Heredity predisposition is not common in Stroke.
- C. c.
Females are more susceptible than males.
- D. d.
Hypertension and DM are non-modifiable risk factors.

Ans. **a. African American is more susceptible than Asians.**

- 5 Characteristic of an individual, population, or environment which is subject to measurement and can be used to describe one or more aspects of the health of an individual or population. Which of the following statement best summarizes?

- A. a.
Census
- B. b.
Indicator
- C. c.
Health system
- D. d.
Health indicator

Ans. **d. Health indicator**

- 6 Which of the following is direct human health effect of global warming?

Question 18Answer

- A. a.
Malnutrition
- B. b.
Vector born disease
- C. c.
Heat stroke
- D. d.
Water born disease

Ans. **c. Heat stroke**

- 7 Which one of the following CSF parameter is not suggestive of acute bacterial meningitis?

Question 19Answer

- A. a.
Elevated protein level
- B. b.
Elevated WBC count

- C. c.
Reduced glucose level
- D. d.
Elevated glucose level

Ans. d. Elevated glucose level

8 One of the following is used to measure the number of existing cases in a population?
Question 20Answer

- A. a.
Prevalence rate
- B. b.
Attack rate
- C. c.
Risk rate
- D. d.
Incidence rate

Ans. a. Prevalence rate

9 A 47 years old man presented with fever, pleuritic chest pain, cachexia, finger clubbing and discharging sinus was also detected and based on investigation Chest film shows fluid level. What is the appropriate diagnosis?

Question 21Answer

- A. a.
Anal Fissure
- B. b.
Hemorrhoids
- C. c.
Lung Abscess
- D. d.
Colorectal carcinoma

Ans. c. Lung Abscess

10 Which one of following levels of disease prevention indicates to avoid the emergence and establishment of the social, economic, and cultural patterns of living that are known to contribute to an elevated risk of disease?

Question 22Answer

- A. a.
Tertiary
- B. b.
Primary
- C. c.
Primordial

- D. d.
Secondary

Ans. c. Primordial

- 11 Promotion of good health through primary and secondary prevention of nutrition related illness in the population and conducting studies on the relationship between dietary intake and disease at community level. What this scenario illustrates?

Question 23Answer

- A. a.
Nutritional Assessment
B. b.
Human Nutrition
C. c.
Dietetics
D. d.
Public health nutrition

Ans. d. Public health nutrition

- 12 Which one of the following qualitative research statements primarily describe Thematic data Analysis?

Question 24Answer

- A. a.
More depth and provide broader understandings
B. b.
Themes are identified with focus on the way the theme is treated or presented and the frequency of its occurrence
C. c.
Focus on frequency of occurrence of various categories or codes
D. d.
The analysis is then linked to outside variables such as the gender

Ans. b. Themes are identified with focus on the way the theme is treated or presented and the frequency of its occurrence

- 13 A 29 years old female with GDM at 38 weeks gestation has a fetal estimated weight of 4.2 kg. What is the best mode of delivery?

Question 25Answer

- A. a.
Trial of labor
B. b.
Expectant management until 40 weeks
C. c.
Cesarean section

- D. d.
Induction of labor

Ans. c. Cesarean section

- 14 A 30 years G-3, P-2 mother who's GA from reliable LNMP was 36wk come for ANC follow up, up on Leopold examination, her fundal height measures 32 weeks. Which presentation is the most likely for this mother?

Question 26Answer

- A. a.
Shoulder presentation
B. b.
Compound presentation
C. c.
Breech presentation
D. d.
Face presentation

Ans. c. Breech presentation

- 15 Which one of the following hormone is primarily responsible for maintaining the uterine lining during pregnancy?

Question 27Answer

- A. a.
Progesterone
B. b.
Estrogen
C. c.
Prolactin
D. d.
Oxytocin

Ans. a. Progesterone

- 16 In conducting research process which one is first step in data management perspective?

Question 28Answer

- A. a.
Data analysis
B. b.
Data summarization
C. c.
Variable classification
D. d.
Data collection

Ans. d. Data collection

17 Which one of the following INAPPROPRIATELY defines the clinical history of an adult surgical patient?

- A. a.
Previous Admissions
- B. b.
Past illness
- C. c.
Head circumference
- D. d.
Chief complaints

Ans. **c. Head circumference**

18 A 60-year-old man with chest pain undergoes serial cardiac enzyme tests. Which enzyme is most specific and remains elevated for the longest duration following myocardial infarction?

Question 30Answer

- A. a.
Troponin I
- B. b.
Myoglobin
- C. c.
CK-MB
- D. d.
AST

Ans. **a. Troponin I**

19 Which of following organ plays important role to increase in size during pregnancy?

- A. a.
Kidneys
- B. b.
Spleen
- C. c.
Liver
- D. d.
Heart

ans. **a. Kidneys**

20 A 39 years-old pregnant woman presents to the GEOPD, whose GA from reliable LNMP is 34 weeks; she developed sudden onset of abdominal pain and vaginal bleeding. She reports no trauma but told that the bleeding started suddenly and is dark red. On examination, her abdomen is tender, and she has signs of fetal distress on fetal

monitoring. Based on the given scenario what is the most likely diagnosis?

Question 32Answer

- A. a.
Ectopic pregnancy
- B. b.
Uterine rupture
- C. c.
Placental abruption
- D. d.
Placenta previa

Ans. **c. Placental abruption**

- 21 Which of the following diagnosis best summarizes the pathologic cause that can be grouped into obstruction, inflammation, hemorrhage, infarction or perforation?

Question 33Answer

- A. a.
Abdominal Wall Hernias
- B. b.
Acute abdomen
- C. c.
Benign Prostatic Hyperplasia
- D. d.
Upper Airway Obstruction

Ans. **b. Acute abdomen**

- 22 The main function of forming health team in a community based on:

- A. a.
Security based
- B. b.
Professional need based
- C. c.
Program based
- D. d.
Community need based

Ans. **d. Community need based**

- 23 In epidemiology the characteristic of information that deals with the truth of information with which it is presented is?

Question 35Answer

- A. a.
Availability
- B. b.
Accuracy

- C. c.
Accessibility
- D. d.
Reliability

Ans. **b. Accuracy**

- 24 A 20 hour old neonate presented with a yellowish discoloration of the eye and skin. She was born from a 28 year old para II mother who had no ANC follow up. On investigation maternal blood group is B- and a neonate is O+ and on CBC- Hemoglobin was 7mg/dl and the total Bilirubin 20mg/dl. Evaluating the patient result, what will be the possible cause of Yellowish discoloration in this newborn?

Question 36Answer

- A. a.
RH incompatibility
- B. b.
Hereditary Hemolytic anemia
- C. c.
ABO incompatibility
- D. d.
Neonatal sepsis

Ans. **c. ABO incompatibility**

- 25 Which one of the following health care insurance scheme is widely applied in Ethiopia from others?

Question 37Answer

- A. a.
Government based health insurance
- B. b.
Social health insurance
- C. c.
Community based health insurance
- D. d.
Private health insurance

Ans **c. Community based health insurance**

- 26 Of the following water associated disease one is indirectly related to scarcity of water?

Question 38Answer

- A. a.
Typhus fever
- B. b.
Cholera
- C. c.
Typhoid fever

- D. d.
Ascariasis

Ans. **a. Typhus fever**

- 27 Thirty-two years old G4P3 mother whose GA from reliable LNMP is 37W5D, developed with gush of fluid of 12hrs prior to presentation and she has previous history of C/S scar Which one of the following is appropriate management of this mother?

Question 39Answer

- A. a.
Wait for spontaneous onset of labor for at least 24 hrs. Pyridoxine
B. b.
Admit and start antibiotics with steroids Antiemetic
C. c.
Start Induction and put on antibiotics
D. d.
Prepare for emergency C/S delivery

Ans. **d. Prepare for emergency C/S delivery**

- 28 A 55 year old male patient visited your health center developed 20 breaths per minute which shows tachypnea. Which type of physical examination was performed to know this condition?

Question 40Answer

- A. a.
Auscultation
B. b.
Inspection
C. c.
Palpation
D. d.
Percussion

Ans. **b. Inspection**

- 29 Which one of the following predisposing factors that affecting individual behavior and expressed by faith and trust is?

Question 41Answer

- A. a.
Knowledge
B. b.
Perception
C. c.
Belief
D. d.
Attitude

Ans. **c. Belief**

- 30 A patient presents with wheezing and diminished breath sounds on auscultation. What does this likely indicate?

Question 42Answer

- A. a.
Accumulation of fluid in the lungs
- B. b.
Normal respiratory function
- C. c.
Healthy lung elasticity
- D. d.
Inflammation in the airways or potential obstructive

Ans. **d. Inflammation in the airways or potential obstructive**

- 31 Which of the following describes clean surgical wound?

Question 43Answer

- A. a.
Surgical repair of Hernia
- B. b.
Surgical operation in which there is uncontrolled spillage from a viscous
- C. c.
Surgical operation in which Hollow viscous is entered but controlled
- D. d.
Infection rate of 7.5%

- 32 Which one of the following physical findings indicate normal heart sounds?

Question 44Answer

- A. a.
Regular Rhythm with no abnormal sounds
- B. b.
Presence on systolic murmur
- C. c.
Audible gallop sounds
- D. d.
Irregular beats

Ans. **a. Regular Rhythm with no abnormal sounds**

- 33 A 2 year old male toddler presented to pediatrics emergency with abnormal body movement characterized by flexion and extension of both upper and lower extremity with up rolling of the eye and drooling of saliva of 3 minute duration. He also has history of high grade fever of five days duration. On physical examination he is conscious and had nuchal rigidity and kerning sign positive. Which investigation is the most important to diagnose this child?

Question 45Answer

- A. a.
Blood film
- B. b.
Head CT-Scan
- C. c.
Complete Blood Count
- D. d.
Cerebrospinal fluid analysis

Ans. d. Cerebrospinal fluid analysis

34 Government's involvement in the health sector differs from country to country reflecting economic considerations, cultural differences and the history of health care financing in the countries involved. which of the following clearly indicated that governments are the major actors in the health care market?

Question 46Answer

- A. a.
Governments are Consumer rationality and consumer sovereignty
- B. b.
Governments regulate the health care industries/markets
- C. c.
Governments are irresponsible in spending accounts for a substantial portion of all health care spending
- D. d.
Governments are responsible high degree of competition among suppliers

Ans. b. Governments regulate the health care industries/markets

35 A 70-year-old woman with a history of long-standing hypertension presents with progressive shortness of breath, orthopnea, and bilateral lower limb edema. On examination, there's a displaced apex beat and a third heart sound (S3). Analyzing the history what will be the most likely diagnosis?

Question 47Answer

- A. a.
Left-sided heart failure
- B. b.
Pericardial effusion
- C. c.
Acute myocardial infarction
- D. d.
Pulmonary embolism

Ans. a. Left-sided heart failure

36 Which type of statement illustrates summarization in Individual and Collective Responsibility for Health and the strategies of primary health care?

- A. a.
Total coverage with essential health care
- B. b.
Integrated systems
- C. c.
Attention of overall economic development
- D. d.
Personal responsibility for their own and their families' health

Ans. a. Total coverage with essential health care

- 37 Which one of the following is an INAPPROPRIATE step in conducting simple random sampling?
- A. a.
Use random number generator
 - B. b.
Select every Kth unit after that first number
 - C. c.
Make a list
 - D. d.
Assign sequential number

Ans. b. Select every Kth unit after that first number

- 38 Which one of the following is different from the others?
- Question 50Answer
- A. a.
Polyps
 - B. b.
Adenomyosis
 - C. c.
Fibroids
 - D. d.
Ovulatory dysfunction

ans. d. Ovulatory dysfunction

- 39 Which one of the following is correct about use of statistics in public health and medicine?
- Question 51Answer
- A. a.
Resource allocation for health care uses Vital statistics
 - B. b.
Age of a child is continuous variable
 - C. c.
Blood pressure data that taken from adult patient is discrete variable

- D. d.
Statistics data are mathematically correct

Ans. **a. Resource allocation for health care uses Vital statistics**

- 40 A 35-year-old male is found unconscious at the scene of a motorcycle accident. He has a helmet on, but it is loose and dislodged. The most important initial step in managing this patient is?
- A. a.
Start CPR
- B. b.
Check for a pulse
- C. c.
Open the airway
- D. d.
Remove the helmet

Ans. **c. Open the airway**

- 41 Suppose you have a patient with sign and symptom of meningitis who presented within 30min duration. Then you planned to start antibiotics and steroids. The best time you suggest starting steroid in this patient and the benefit of starting steroid respectively:
- A. a.
1hr before antibiotics and prevent hearing loss
- B. b.
1hr after antibiotics and prevent mental retardation
- C. c.
1hr before antibiotics and prevent epilepsy
- D. d.
1hr After antibiotics and prevent visual loss

Ans. **a. 1hr before antibiotics and prevent hearing loss**

- 42 Which of the following statements best summarizes the notion of bad air, breathing in certain areas was proposed to cause disease, such as air around swamps, marshes and air at night times was thought to cause an array of diseases e.g., smoking, environmental pollution?
- A. a.
The punitive theory
- B. b.
The miasmatic theory
- C. c.
The demonic theory
- D. d.
Theory of four humors

Ans. **b. The miasmatic theory**

- 43 When appraising the Sexual and reproductive rights which one describes the right to be free from traditional practices and harmful to health?

Question 55Answer

- A. a.
The right to be free from torture and ill-treatment
- B. b.
The right to health care and health protection
- C. c.
The right to freedom of thought
- D. d.
The right to liberty and security of the person

Ans. **a. The right to be free from torture and ill-treatment**

- 44 A woreda health officer assessed whether rewards are equitably distributed within an organization, when calculated the ratio of their efforts to the rewards they received and compared them to the ratio they believe exist for others in similar situations, based on this scenario what type of theory was conducted?

Question 56Answer

- A. a.
Alderfer's ERG theory
- B. b.
Reinforcement theory
- C. c.
Equity theory
- D. d.
Expectancy theory

Ans. **c. Equity theory**

- 45 Which of the following statement is an INAPPROPRIATE type of data collection methods?

- A. a.
Bias
- B. b.
Observation
- C. c.
Self-administered questionnaire
- D. d.
Focus Group Discussions (FGD)

Ans. **a. Bias**

46 Which one of the following statements primarily shows major symptoms for which the patient is seeking care or advice?

Question 58Answer

- A. a.
History of present illness
- B. b.
Chief complaints
- C. c.
Previous Admissions
- D. d.
History Of Past illness

Ans. **b. Chief complaints**

47 The World Health Organization (WHO) indicator of health which measures probability of a child born in a specific year dying before one year is:

Question 59Answer

- A. a.
Child Mortality Rate
- B. b.
Infant Mortality Rate
- C. c.
Under-one Mortality Rate
- D. d.
Neonatal Mortality Rate

Ans. **b. Infant Mortality Rate**

48 Which type of hernia is most common in women?

Question 60Answer

- A. a.
Femoral hernia
- B. b.
Umbilical hernia
- C. c.
Inguinal hernia
- D. d.
Hiatal hernia

Ans. **a. Femoral hernia**

49 A patient presents with a deep cut on his arm. What is the initial step in management of this patient?

Question 61Answer

- A. a.
Giving Antipain Medication

- B. b.
Securing Hemostasis
- C. c.
Assessing for motor power
- D. d.
Securing IV line

Ans. **b. Securing Hemostasis**

50 Consider the following data, which consists of white blood counts taken on admission from all patients at a small hospital on a given day: 7, 35, 5, 9, 8, 3, 10, 12, 8. Find the value of the median for the given data set?

Question 62 Answer

- A. a.
21
- B. b.
27
- C. c.
25
- D. d.
23

This Question has error

To find the median of the given data set (7, 35, 5, 9, 8, 3, 10, 12, 8), we first arrange the numbers in ascending order:

3, 5, 7, 8, 8, 9, 10, 12, 35

Since there are 9 values in the data set (an odd number), the median will be the middle value, which is the 5th number.

Thus, the median is:

Median = 8

It looks like the answer options provided do not include the correct median value of 8. Please check the available options or the data set itself.

51 One of the following is odd with the concern of nutrition becomes an important and greatly matters in Ethiopia?

Question 63 Answer

- A. a.
High micronutrient food production in a community
- B. b.
The presence of greater number of under-five malnutrition

- C. c.
The emergence and recurrence of infectious disease including HIV/AIDS
- D. d.
Observed intergenerational impact of malnutrition including emerging chronic illness

Ans. **a. High micronutrient food production in a community**

- 52 A 32-years-old pregnant woman presents to the GEOPD, whose GA from reliable LNMP is 34 weeks; she is presented with sudden-onset of abdominal pain and vaginal bleeding. She reports no trauma but notes that the bleeding started suddenly and is dark red. On examination, her abdomen is tender, and she has signs of fetal distress on fetal monitoring. Based on above case, what is the most likely diagnosis?

Question 64Answer

- A. a.
Ectopic pregnancy
- B. b.
Placenta previa
- C. c.
Uterine rupture.
- D. d.
Placental abruption

Ans. **d. Placental abruption**

Which one of the following is true about properties of probabilities of event A and B?

- A. a.
If two events are mutually exclusive, then $\Pr(A \text{ or } B) = \Pr(A) + \Pr(B)$
- B. b.
If two events are mutually exclusive, then $\Pr(A \text{ or } B) = \Pr(A) \Pr(B)$
- C. c.
If an event is certain not to occur, its probability less than 0
- D. d.
Probabilities are integers

Ans. **a. If two events are mutually exclusive, then $\Pr(A \text{ or } B) = \Pr(A) + \Pr(B)$**

- 53 Which one of the following is true about properties of probabilities of event A and B?

Question 65Answer

- A. a.
If two events are mutually exclusive, then $\Pr(A \text{ or } B) = \Pr(A) + \Pr(B)$
- B. b.
If two events are mutually exclusive, then $\Pr(A \text{ or } B) = \Pr(A) \Pr(B)$
- C. c.
If an event is certain not to occur, its probability less than 0

- D. d.
Probabilities are integers

Ans. **a. If two events are mutually exclusive, then $\Pr(A \text{ or } B) = \Pr(A) + \Pr(B)$**

54 Which one of following causes of maternal death accounts highest globally from others?

Question 66Answer

- A. a.
Sepsis
B. b.
Haemorrhage
C. c.
Anaemia
D. d.
Hypertensive disorders

Ans. **b. Haemorrhage**

55 A 35 years old male patient has history of foreign body aspiration, infection or trauma can be elicited and his conditions are characterized by noisy breathing, suprasternal retraction, and tachycardia and he also develops cyanosis. What is the most likely diagnosis?

Question 67Answer

- A. a.
Upper Airway Obstruction
B. b.
Pneumothorax
C. c.
Chest injuries
D. d.
Hemothorax

Ans. **a. Upper Airway Obstruction**

56 Four years old girl presents with a swollen and painful left knee. Synovial fluid analysis shows a white blood cell count of 50,000 cells/ μL with a predominance of neutrophils. What is the most likely diagnosis?

Question 68Answer

- A. a.
Juvenile idiopathic arthritis
B. b.
Reactive arthritis
C. c.
Gout
D. d.
Septic arthritis

Ans. **d. Septic arthritis**

57 To provide quality maternal health services by safe motherhood at health center which one is basic emergency obstetric care?

Question 69Answer

- A. a.
Obstetric Surgery
- B. b.
Parenteral antibiotics
- C. c.
Blood transfusion
- D. d.
Anesthesia

Ans.: **b. Parenteral antibiotics**

58 What is the primary aim of secondary prevention of acute rheumatic fever?

Question 70Answer

- A. a.
To shorten the clinical course of the disease
- B. b.
To treat group A β -hemolytic streptococcus
- C. c.
To reduce the transmission of rheumatic fever
- D. d.
To prevent the rheumatic recurrence

Ans. **d. To prevent the rheumatic recurrence**

59 Which of the following statements best summarizes definition of health research?

Question 71Answer

- A. a.
It is a systematic collection, analysis and interpretation of data to solve a health problem
- B. b.
It is a systematic collection, analysis and interpretation of data to generate new knowledge
- C. c.
collection, organization, analysis, summarization and interpretation of numerical data
- D. d.
The application of statistical methods to the fields of biological and medical sciences

Ans. **b. It is a systematic collection, analysis and interpretation of data to generate new knowledge**

- 60 A 65-year-old male presents to the clinic with progressive difficulty swallowing, especially with solid foods and later on for both solid and liquid. He also complains of significant weight loss and loss of appetite. Considering the patient's history what will be the most likely diagnosis?

Question 72Answer

- A. a.
Achalasia
- B. b.
Gastroesophageal reflux disease
- C. c.
Esophageal stricture
- D. d.
Esophageal cancer

ans. **d. Esophageal cancer**

- 61 Which hormone is primarily responsible for maintaining the uterine lining during pregnancy?

Question 73Answer

- A. a.
Progesterone
- B. b.
Prolactin
- C. c.
Estrogen
- D. d.
Oxytocin

Ans. **a. Progesterone**

- 62 Which of the following is not complication of peptic ulcer disease (PUD)?

Question 74Answer

- A. a.
Perforation and hemorrhage
- B. b.
Gastric TB
- C. c.
Gastric outlet Obstruction
- D. d.
Gastric cancer

Ans. **b. Gastric TB**

- 63 Based on history of environmental Health in Ethiopia, The Ministry of the Interior had a Proclamation and Legal Notices to exercise sanitation (urine handling, refuse and excreta

management, street sweeping) was conducted by the time of?

Question 75Answer

- A. a.
1908
- B. b.
1942 – 1943
- C. c.
1947
- D. d.
1995

ans, **b. 1942 – 1943**

64 Which of the following is INAPPROPRIATELY matches with a common feature of Nephritic syndrome?

- A. a.
Hematuria
- B. b.
Hypertension
- C. c.
Nephrotic range proteinuria
- D. d.
RBC casts

Ans. **c. Nephrotic range proteinuria**

65 The director of a heart disease prevention program makes decisions about interventions that affect the same health outcome for instance, two interventions to improve hypertension screening. Which of the following economic evaluation method was described?

Question 77Answer

- A. a.
Economic Impact Analysis
- B. b.
Programmatic Cost Analysis
- C. c.
Benefit-Cost Analysis
- D. d.
Cost Effectiveness Analysis

Ans. **d. Cost Effectiveness Analysis**

66 Health professional recording malaria cases in a hospital and he wants to use diagrammatic representation. Which one of the following types of graphs is best for his data?

Question 78Answer

- A. a.
Scatter plot
- B. b.
Bar graph
- C. c.
Line graph
- D. d.
Pie chart

Ans. **b. Bar graph**

67 A one year old known cardiac patient with VSD on follow up presented with a compliant of high grade intermittent fever of three days duration. You want to rule out infective endocarditis in this child, so which two investigations are important to consider infective endocarditis as a major criterion?

Question 79Answer

- A. a.
C-reactive protein and ESR
- B. b.
Blood Culture and Echocardiography
- C. c.
Chest x ray and Echocardiography
- D. d.
Echocardiography and CBC

Ans. **b. Blood Culture and Echocardiography**

68 The concept of health economics that describes the individuals extra quantity of health care demanded, resulting from the care provided by insurance is:

Question 80Answer

- A. a.
Moral hazard
- B. b.
Asymmetric information
- C. c.
Adverse selection
- D. d.
Supplier induced demand

Ans. **a. Moral hazard**

69 Which of the following laboratory studies may aid in the differentiation between severe preeclampsia and acute fatty liver? Question 81Answer

- A. Creatinine
- B. Platelet count

C. Glucose level

D. Transaminases

70 Which one of the following is an indication for immediate cesarean section? Question

- a. Recurrent variable deceleration
- b. Tachysystole of >8/10'
- c. Tachycardia

d. IUFD

71 Which of the following is water that is free at all times from any harmful substances whether that consists of pathogenic microorganisms or toxic chemicals?

a. Safe water

- b. Potable water
- c. Palatable water
- d. Adequate water

72 A physician suspects congestive heart failure in a patient presenting with shortness of breath. Which one of the following diagnostic tests is appropriate?

a. Electrocardiogram (ECG)

b. Echocardiogram

- c. MRI chest x ray
- d. Chest x ray

73 Which one of the following is correct about Active immunization?

- a. Provide temporary protection
- b. Protection is produced by individuals
- c. Natural as observed after natural infections

d. Inducing immunity artificially by either vaccination/toxoid

74 A physician tested a patient suspected of appendicitis. What is the most appropriate physical examination for this patient?

- a. Murphy's sign
- b. Babinski sign

c. MC Burney's point

d. Cullen's sign

75 A 5 years old female preschool child was brought to the pediatric emergency unit with a complaint of high-grade fever of 2 days duration with associated poor appetite, pain

during swallowing and cough: On physical examination her axillary temperature is 39.1°C, has erythematous enlarged tonsils with visible whitish exudate and tender cervical lymphadenopathy. Which of the following is NOT a criterion for diagnosis of bacterial acute tonsillopharyngitis in this patient?

- a. Temperature 39.1°C
- b. Cough**
- c. Age
- d. Tender cervical lymph nodes

76 The population of interest, to which the investigators would like to generalize the results of the study, and from which a representative sample is to be drawn. what is the most appropriate type of sampling?

- a. Study population
- b. Source population**
- c. Sampling population
- d. Study unit

77 Which one of the statements is INAPPROPRIATE on the importance of screening program for diseases prevention and control?

- a. To alter the natural course of disease for a better outcome for individuals affected.
- b. To treat pregnancy, delivery & abortion complications, and infertility**
- c. Protect society from contagious disease
- d. To fair allocation of resources

78 Which one of the following is the most common side effect of methotrexate?

- a. Anaphylactoid reaction
- b. Pulmonary damage
- c. Myelosuppression**
- d. Transient liver dysfunction

79 The consequence of unintended pregnancy that results in social impact to women is:

- a. Isolation**
- b. Substance abuse
- c. Low self-care
- d. Poor mental health

80 Which type of surgical site infection involves infection of the fascia?

- a. Organ space infection
- b. Systemic infection
- c. Superficial Surgical Site Infection
- d. Deep Surgical Site Infection**

- 81 At what age does a child develop pincer grasp and can throw object which make the child at risk for foreign body aspiration?
- a. 2 year
 - b. 5 month
 - c. 7 Month
 - d. 12 month**
- 82 Which one of the following statements primarily describe Ecology applicable to disease prevention and control of air pollution in Dilution?
- a. Substitute electric power in place of fossil fuels
 - b. Maintenance of green belt b/n & around the industries, and maintains air quality**
 - c. Collection & disposal of wastes
 - d. Use of solar energy & hydraulic operations for industrial purposes should be encouraged
- 83 A 40-year-old man presents with fever, cough, night sweats, and weight loss. Chest X-ray reveals right upper lobe cavitation. He tests positive for HIV, and his CD4 count is 150 cells/ μ L. What is the most likely causative organism?
- a. Pneumocystis jirovecii
 - b. Cryptococcus neoformans
 - c. Streptococcus pneumoniae
 - d. Mycobacterium tuberculosis**
- 84 Twenty years old G-2, P-1 lady, at term presented to labor ward with the complaint of pushing down pain of 5 hours duration. She also complains gush of fluid of the same duration. On PV examination; cervix dilated 5cm, Effacement 100%. One of fetal feet is palpated on examination through cervical OS. what is the most likely delivery Performed?
- a. Frank breech
 - b. Complete breech
 - c. Compound
 - d. Footling**
- 85 A patient presented with jaundice pale stool and dark urine, laboratory findings reveal elevated alkaline phosphatase and bilirubin level. what is the most likely diagnosis?
- a. Cholestasis**
 - b. Hemolytic anemia
 - c. Hepatitis
 - d. Cirrhosis

- 86 One of the following describes something about how spreads out the values of the variable are in data distribution?
- a. Location
 - b. Modality
 - c. Dispersion**
 - d. Skewness
- 87 Which of the following is not a component of pentavalent vaccine?
- a. Pertussis
 - b. Haemophilus influenzae type B (Hib)
 - c. Tetanus
 - d. Pneumococcal**
- 88 A 55-year-old patient with a history of foreign body aspiration presents with tachycardia and cyanosis, the physician ordered to tilt patient's head down and slap the patient sharply across the back for immediate lifesaving measures. What is this intervention most likely?
- a. Lung Abscess
 - b. Upper Airway Obstruction management**
 - c. Cardiopulmonary Resuscitation management
 - d. Amputations management
- 89 Which of the following is correct about mycobacterium Tubercle bacilli?
- Question 1Answer
- A. a. Obligate anaerobes
 - B. b. Acid fast
 - C. c. Motile
 - D. d. Spore forming

ans. **b. Acid fast**

- 90 The critical period in nutritional intervention of life cycle opens during the age of:
- Question 2Answer

- A. Two years
- B. One year
- C. Five years

D. Nine months

The correct answer is:

d. Nine months

91. The management function which focuses on coordination, division and control of tasks is:
Question 3Answer

A. Staffing

B. Planning

C. Directing

D. Organizing

The correct answer is:

d. Organizing

92. Which one of the following is the commonest cause of secondary hypertension?
Question 4Answer

A. Renal and Reno vascular causes

B. Drugs and toxins

C. Hyperaldosteronism

D. Endocrine disorders

The correct answer is:

a. Renal and Reno vascular causes

93. An ignorant mother having female child admitted to ward whose care-giver didn't know child's age and you want to assess his developmental age. She is able to sit alone unsupported, and tries to crawl and stand by holding furniture. He recognizes that's objects are permanent and developed stranger anxiety. What could be his minimum developmental age?
Question 5Answer

A. 12 months

B. 15 months

C. 6 months

D. 10 months

The correct answer is:

d. 10 months

94. The correct practice of washing of utensils in food and drink establishments is:

Question 6Answer

A. Washing then sanitizing

B. Sanitizing, rinsing then washing

C. Washing, rinsing then sanitizing

D. Rinsing, washing then sanitizing

The correct answer is:

c. Washing, rinsing then sanitizing

95. A Medical director tries to make a regular supervision to know the care which the patients are getting and he gave the clients smile face by knowing all obstacles they meet. What kind of intervention he made?

Question 7Answer

A. To keep their sanitation

B. To diagnosis the disease

C. To give a treatment

D. Compassionate respectful care

The correct answer is:

d. Compassionate respectful care

96. Which of the following is INAPPROPRIATE as major criteria for diagnosis of childhood asthma?

Question 8Answer

- A. Physician diagnosed allergic rhinitis
- B. Physician diagnosed atopic dermatitis
- C. Airway allergens
- D. Family history of asthma

The correct answer is:

c. Airway allergens

97. Which of the following mostly related to selective primary health care approach?
Question 9Answer

- A. Effectiveness in values
- B. Community based approach
- C. Sector Wide Approaches
- D. Promotes equity

The correct answer is:

b. Community based approach

98. Which of the following mostly related to selective primary health care approach?
Question 9Answer

- A. Effectiveness in values
- B. Community based approach
- C. Sector Wide Approaches
- D. Promotes equity

The correct answer is:

b. Community based approach

98. Which of the following mostly related to selective primary health care approach?
Question 9Answer

- A. Effectiveness in values

B. Community based approach

C. Sector Wide Approaches

D. Promotes equity

The correct answer is:

b. Community based approach

99. Which one of the following statements is INAPPROPRIATE for management of malnutrition?

Question 10Answer

A. To treat complications and reduce case fatality

B. To prevent relapse and future deterioration, through education of the parents

C. Increasing or developing edema

D. To achieve rapid regeneration of tissues and cure of malnutrition

The correct answer is:

c. Increasing or developing edema

100. Which one of the following factors INAPPROPRIATELY provide the rationale or motivation for the behaviour to occur?

Question 13Answer

A. Knowledge

B. Time

C. Beliefs

D. Attitudes

The correct answer is:

b. Time