

	Department of Software Engineering Wollo University and Addis Ababa Science and Technology University		
Exit Exam Mock			

Multiple Choice

1. The address of the next instruction to be executed by the current process is provided by_____

A. Process Stack
 B. CPU Register
 C. Process Heap
 D. Instruction Pipe
 E. Program Counter

2. Which of the following functions typically needs to be implemented inside the Trusted Computing Base (TCB) for building a secure operating system?

i. Process context switch
 ii. Read a file from the disk
 iii. Listen to music
 iv. Get the GPS coordinates of a smartphone

Select the correct option(s):

A. i
 B. i and ii
 C. ii and iii
 D. iii and iv

3. Under what conditions may mutual exclusion not be sufficient to ensure correct operation when it comes to sharable resources?

i. When there is a single shared resource and multiple concurrent access requests are made.
 ii. When there are multiple shared resources and only one concurrent access request is made.
 iii. When multiple shared resources require atomic updates.
 iv. When shareable resources are accessed sequentially.

A. i and iii
 B. ii and iv
 C. i and ii
 D. iii and iv
 E. ii and iii

4. One needs a good practical example of a “producer-consumer” type problem from among the following.
- I. A multithreaded audio server, where a thread writes digitized sound into a circular buffer and another thread reads it over to a web page.
 - II. A printer spooler where files are spooled onto the printer queue, to be taken and printed by the printer driver.
 - III. A shared database updated by simultaneous queries.

Which of the following is/are true of such a good practical example?

- A. Only (I)
 - B. Only (II)
 - C. Both (I) and (II)
 - D. Both (I) and (III)
 - E. All are true
5. In Short-Job-First Scheduling, if the next CPU bursts of two processes are the same ____ scheduling is used to break the tie?
- A. Shortest-Job-First Scheduling
 - B. First-Come, First-Served Scheduling
 - C. Priority Scheduling
 - D. Round-Robin Scheduling
6. For short-term schedulers which of the following is/are true?
- I. Selects from among the processes that are ready to execute and allocates the CPU to one of them
 - II. Selects the processes from the mass-storage device and loads them into memory for execution
 - III. The short-term scheduler must select a new process for the CPU frequently
 - IV. The short-term scheduler executes much less frequently
- A. I only
 - B. II and III only
 - C. I, II, and IV only
 - D. I and III only

7. Which one of the following best describes the effectiveness of the Spiral model in managing complex software projects compared to other software development lifecycle models?
- A. The Spiral model is highly effective in managing complex software projects due to its iterative nature, which allows for early identification and mitigation of risks.
 - B. The Spiral model is less effective than other software development lifecycle models in managing complex software projects because it lacks a clear and defined structure.
 - C. The Spiral model is equally effective as other software development lifecycle models in managing complex software projects, as it emphasizes risk analysis and flexible development.
 - D. The effectiveness of the Spiral model in managing complex software projects depends on the specific project requirements and team capabilities.
8. You are a developer working on a software project using version control. You have made some changes to the code and want to ensure that your changes do not conflict with the work of other team members. Which action should you take?
- A. Commit your changes directly to the main branch.
 - B. Merge your changes with the main branch without reviewing.
 - C. Create a new branch for your changes and submit a pull request for review.
 - D. Share your changes via email with the team.
9. It is known that we may have different software process models, which of the following activities are common to all software process models?
- A. Coding, Testing, Maintenance
 - B. Requirement gathering, analysis and validation
 - C. Risk assessment, validation, maintenance
 - D. Specification, development, validation, evolution
10. A Company sign an agreement with XYZ Software Company that automate finance, human resource, customer service, purchasing process in the company and every year expected to deploy a working system, which software development methodology can best suite?
- A. RAD model

- B. Incremental model
- C. Spiral model
- D. V-shape model

11. With a Negotiation pattern, which of the following is NOT true? (Understanding, Analysis)

- A. The client agent can propose a service
- B. The service agent can offer a service in response to a client agent proposal
- C. The client agent can request a service
- D. The service agent can offer a service in response to a client agent request

12. Which of the following is an ethical responsibility of software engineers in relation to user data privacy?

- A. Selling user data to third-party companies for profit
- B. Implementing robust security measures to protect user data
- C. Sharing user data without consent
- D. Using user data for targeted advertising without permission

13. What is the purpose of a robots.txt file on a website?

- A. To display a site map to users
- B. To prevent search engines from indexing certain pages
- C. To store user login credentials securely
- D. To track user behavior on the website

14. Which of the following is a benefit of using a content delivery network (CDN) for web assets?

- A. Increased server load
- B. Slower website performance
- C. Improved content delivery speed
- D. Decreased security

15. Which of the following is NOT a valid HTTP status code?

- A. 200 OK

- B. 404 Not Found
- C. 503 Service Unavailable
- D. 300 Multiple Choices

16. Which of the following is NOT a valid data type in JavaScript?

- A. String
- B. Boolean
- C. Integer
- D. Object

17. What is the purpose of a CDN (Content Delivery Network) in web development?

- A. To test website performance on different devices
- B. To optimize website content for search engines
- C. To distribute web assets across multiple servers for faster delivery
- D. To secure website data from unauthorized access

18. What is the role of a cookie in web development?

- A. To secure database connections
- B. To store user preferences and session information
- C. To compress images for faster loading
- D. To validate form submissions on the client side

19. Which of the following HTTP methods is typically used for retrieving data from a server?

- A. POST
- B. PUT
- C. DELETE
- D. GET

20. What is the purpose of a session in web development?

- A. To store data persistently on the client- side
- B. To manage user interactions across multiple web pages
- C. To cache website content for faster loading times
- D. To encrypt data transmitted over the internet

21. What is the purpose of RESTful APIs in web development?
- A. To provide secure login functionality
 - B. To enable communication between different systems over HTTP
 - C. To create visually appealing user interfaces
 - D. To optimize database queries
22. Which GSM security feature is responsible for ensuring the confidentiality of user data during transmission?
- A. Authentication
 - B. Ciphering
 - C. Key management
 - D. Registration
23. In GSM security, what role does the Equipment Identity Register (EIR) play?
- A. Managing network resources
 - B. Authenticating mobile devices
 - C. Storing subscriber information
 - D. Identifying stolen or unauthorized mobile devices
24. What should be considered when planning for offline functionality in a mobile application?
- A. Device diversity
 - B. Cross-platform compatibility
 - C. Integration with device features
 - D. Local data storage and synchronization mechanisms
25. What is the benefit of using cross-platform development frameworks in mobile application development?
- A. Enhanced user experience
 - B. Streamlined development for multiple platforms
 - C. Improved security measures
 - D. Efficient local data storage

26. Universal Mobile Telecommunications System (UMTS) is commonly associated with which generation of mobile communication technology?

- A. 3G
- B. 2G
- C. 4G
- D. 5G

27. What is the primary objective of the Facade design pattern in software architecture?

- A. To define a one-to-many dependency between objects, ensuring that changes in one object automatically trigger updates in others.
- B. To provide a unified interface to a set of interfaces in a subsystem, simplifying complex system interactions.
- C. To ensure that only one instance of a class is created and provide a global point of access to it.
- D. To encapsulate a request as an object, thereby allowing for parameterization of clients with queues, requests, and operations.

28. When designing the architecture for a distributed system, which factor should be carefully considered to minimize latency and improve performance?

- A. Scalability
- B) Redundancy
- C) Network Topology
- D) Security

29. What is the purpose of the Observer pattern in software design?

- A. To provide a centralized point of access for a set of related interfaces or methods.
- B. To define a dependency between objects so that when one object changes state, all its dependents are notified and updated automatically.
- C. To ensure that only one instance of a class is created and provide a global point of access to it.
- D. To convert one interface into another that a client expects.

30. Which architectural style would be most appropriate for a system that needs to support a large number of concurrent users with minimal server-side state?

- A. Monolithic Architecture
- B. Microservices Architecture
- C. Client-Server Architecture
- D. Layered Architecture

31. Which of the following architectural styles is characterized by dividing a system into smaller, independent services that communicate through lightweight protocols?

- A) Layered architecture
- B) Microservices architecture
- C) Client-server architecture
- D) Component-based architecture

32. Which of the following is a true statement?

- A. In software testing life cycle re-testing is the process of identifying the cause of failure, finding and removing the fault that caused failure.
- B. Testing planning is only used for mobile application testing ---
- C. The ISO 9000 standards are once produced and cannot be updated forever.
- D. The approach a tester looks into the code and performs the testing is known as white box testing.

33. What do you feel if you are a member of a big project and work as a tester and quality controller with other software tester and quality assurance team?

- A. Prefer to work independently for completing your tasks on time.
- B. Open to discuss different ideas and perspectives with the team
- C. Focus on receiving recognition for your work
- D. Staying updated on latest testing and quality assurance techniques is essential when directly required for a specific project
- E. Transfer the task to a less experienced team member if you face a challenging software bug.

34. Among of International Organization for Standardization (ISO) quality assurance standards the one that applies in Software Engineering discipline is _____
- A. ISO 9000
 - B. ISO 9001
 - C. ISO 9003
 - D. ISO 9004
35. Assume that FDRE Ministry of Education Information Communication Technology Directorate planned 30 test cases for Universities' One Card System, and the number of escaped test cases are 8, what is the effectiveness of this test case design?
- A. 73.3%
 - B. 78.9%
 - C. 12.9%
 - D. 26.7%
36. Black-box testing focuses finding errors in which of the following?
- A. System GUI errors
 - B. System incorrect or missing functions
 - C. System performance errors
 - D. All
37. When implementing a support vector machine, what is the role of the kernel function?
- A. To increase the dimensionality of the data
 - B. To determine the number of support vectors
 - C. To compute the model's accuracy
 - D. To transform the data to a higher-dimensional space for better separation

38. What is the purpose of feature scaling in machine learning?

- A. To increase the size of the feature space
- B. To make all features have the same scale
- C. To introduce non-linearity into the model
- D. To reduce the dimensionality of the dataset

39. Assume the following

```
x_train, x_test,y_train,y_test=train_test_split(X,Y,random_state=24,test_size=0.2)
```

identify false statements?

- A. random_state helps to reproduce the same train test split each time you run the code
- B. The random_state helps us to set random number for shuffling before splitting our dataset
- C. train_test_split class should be imported from sklearn.model_selection library, otherwise will not work
- D. It is best practice to give either test_size or train_size while splitting , otherwise the system will use the default 75% for training and 25% testing
- E. Assume X is our features, and Y is the label, then we can exchange the order in the code

40. The purpose of the activation function in a neural network is?

- A. To compute the gradient during backpropagation
- B. To determine the learning rate of the network
- C. To initialize the weights of the network
- D. To introduce non-linearity into the network

41. One is not grouped under non-Linear type of classification machine learning algorithm.

- A. Support vector machine
- B. K-Nearest Neighbors
- C. Decision Tree

D. Naïve Bayes

42. Given the network address of 192.168.1.0/27, which of the following is correct?

- A. It provides 8 subnets, with each 30 hosts.
- B. It provides 4 subnets, with each 64 hosts.
- C. It provides 8 subnets, with each 32 hosts.
- D. It provides 32 subnets, with each 8 hosts.

43. How many subnets can be formed using the network address 193.169.10.10/30?

- A. 32
- B. 8
- C. 64
- D. 24

44. A variant of Transmission Control Protocol that selectively retransmits only the lost packets during transmission is_____.

- A. TCPReno
- B. TCPSACK
- C. TCP/IP
- D. None

45. How many subnets and hosts can the network address of 172.16.0.0/19 provide?

- A. 7 subnets and 2046 hosts each
- B. 8 subnets and 2046 hosts each
- C. 7 subnets and 30 hosts each
- D. 8 subnets and 8190 hosts each

46. _____ is responsible for converting the higher-level protocol addresses to physical Network Addresses.

- A. Address Resolution Protocol (ARP)
- B. Reverse Address Resolution Protocol (RARP)
- C. Bootstrap Protocol (BOOTP)
- D. Internet Control Message Protocol (ICMP)

47. Which error detection method involves adding a checksum to data frames to detect errors during transmission?

- A. Cut-Through
- B. Cyclic redundancy check (CRC)
- C. Parity bit
- D. Fragment-Free

48. Consider the following pseudocode that uses a stack. What is output for input "AASTU"?

```
declare a stack of characters
while ( there are more characters in the word to read )
{
    read a character
    push the character on the stack
}
while ( the stack is not empty )
{
    pop a character off the stack
    write the character to the screen
}
```

- A. AASTU
- B. AASTUAASTU
- C. UTSAA**
- D. UTSAAAASTU

49. A hash table of length 10 uses open addressing with hash function $h(k)=k \bmod 10$, and linear probing. After inserting 6 values into an empty hash table, the table is as shown below. Which one of the following choices gives a possible order in which the key values could have been inserted in the table?

0	
1	
2	42
3	23
4	34
5	52
6	46
7	33
8	
9	

- A. 46, 42, 34, 52, 23, 33
- B. 34, 42, 23, 52, 33, 46
- C. 46, 34, 42, 23, 52, 33
- D. 42, 46, 33, 23, 34, 52

50. What is the advantage of a hash table as a data structure?

- A. Easy to implement
- B. Faster access of data
- C. Exhibit good locality of reference
- D. Very efficient for less number of entries

51. A data structure in which elements can be inserted or deleted at/from both ends but not in the middle is?

- A. Priority queue
- B. Dequeue
- C. Circular queue
- D. Queue

52. Which of the following sorting algorithms can be used to sort a random linked list with minimum time complexity?

- A. Insertion Sort
- B. Quick Sort
- C. Heap Sort
- D. Merge Sort

53. A program P reads in 500 integers in the range $[0 \dots 100]$ representing the scores of 500 students. It then prints the frequency of each score above 50. What would be the best way for P to store the frequencies?
- A. An array of 50 numbers
 - B. An array of 100 numbers
 - C. An array of 500 numbers
 - D. A dynamically allocated array of 550 numbers

Consider the following code to answer questions **54 to 56**.

```
double mark [5] = {75.5, 90.0, 67.6, 83.3, 10.2};  
// Assume the address of mark [0] is 1024  
double *p;  
p = mark; // Assume the address of p is 1064
```

54. The value of $*(mark + 3)$ is

- A. Error
- B. 67.6
- C. 83.3
- D. 1048

55. The value of $p + 1$ is

- A. Error
- B. 75.5
- C. 90.0
- D. 1032

56. The value of mark is

- A. Error
- B. 1032
- C. 1024
- D. None

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 15 of 3

57. A company needs a program to manage inventory in a warehouse. The program must track item quantities, update stock levels, and generate reports on stock movement. Select the most appropriate sequence of steps and program-implementation techniques you would employ to address this warehouse inventory management problem:

- A. Requirement identification, data-types selection, algorithm design, writing modular program, documentation, Testing and debugging.
- B. Requirement Analysis, algorithm design, writing modular program, data-types selection, documentation, Testing and debugging.
- C. Requirement identification, algorithm design, data-types selection, writing modular program, testing and debugging, documentation.
- D. Requirement Analysis, documentation, algorithm design, writing modular program, data-types selection, Testing and debugging.

58. Cultivating a mindset of continuous learning and self-education is crucial for a computer programmer's success. Identify the option that does not align with effective strategies for engaging in continuous learning as a programmer.

- A. Having a large network on professional media like LinkedIn
- B. Attending programming webinars and workshops
- C. Participating in online programming communities
- D. Taking short-term and long-term training programs

59. While you are developing an application you encountered error that block your program execution. To solve this issue, you signed up to be a member of programming communities and you continue to learn more technical concepts. This a one strategy of

- A. Professional development to solve problems
- B. Engagement in continue learning for professional growth
- C. Improving programming skills and expand networking
- D. Creating network with like minds and grow professionally

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 16 of 3

60. How does using user-defined data types contribute to modular programming?

- A. It simplifies code debugging and maintainability.
- B. It enhances the code reusability
- C. It increases the program execution speed
- D. It eliminates the need for writing comments

61. A static data member is initialized with a value

- A. Within the class definition.
- B. Outside the class definition
- C. When the program is executed
- D. Never

62. What is the output of the following program?

```
#include <iostream>
using namespace std;
int main()
{
    int a = 9;
    int & aref = a;
    a++;
    cout << "The value of a is " << aref;
    return 0;
}
```

- A. 9
- B. 10
- C.11
- D. Error

63. Identify a function declaration using default arguments correctly.

- A. int smallest (int x, int y =3, int z=2)
- B. int smallest (int x=3, int y =2, int z)
- C. int smallest (int x=3, int y, int z=2)
- D. int smallest (int x, int y, int z)

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 17 of 3

64. Which of the following is FALSE about references in C++
- A. A reference must be initialized when declared
 - B. Once a reference is created, it cannot be later made to reference another object; it cannot be reset
 - C. References cannot be NULL
 - D. References cannot refer to a constant value
65. Which of the following security measures is the most effective in protecting a database from unauthorized access?
- A. Implementing strong password policies for database users
 - B. Regularly backing up the database and storing backups in a secure location
 - C. Encrypting sensitive data stored in the database
 - D. Implementing access control mechanisms and role-based permissions
66. Which of the following scenarios best describes the concept of database normalization?
- A. Combining multiple tables into a single table to improve performance
 - B. Breaking down a large table into smaller tables to reduce redundancy and improve data integrity
 - C. Encrypting sensitive data to protect it from unauthorized access
 - D. Optimizing query execution plans to improve database performance.
67. Which database model is best suited for representing unstructured or semi-structured data, such as documents or JSON objects?
- A. Relational database model
 - B. Hierarchical database model
 - C. Object-oriented database model
 - D. Document-oriented database model
68. The database management system can be considered as the collection of _____ that enables us to create and maintain the database.
- A. Translators
 - B. Programs

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 18 of 3

C. Keys

D. Language activity

69. Which of the following refers collection of the information stored in a database at a specific time?

A. Independence

B. Instance of the database

C. Schema

D. Data domain

70. Which one of the following is commonly used to define the overall design of the database?

A. Application program

B. Data definition language

C. Schema

D. Source code

71. What is the fundamental purpose of information security?

A. To prevent unauthorized access to data

B. To enhance system performance

C. To create user-friendly interfaces

D. To improve network speed

72. Suppose a company experiences a data breach. Analyze the potential consequences for the organization, considering factors such as reputation damage, financial losses, and regulatory fines.

A. Reputation damage can lead to customer attrition.

B. Financial losses may result from legal fees and compensation.

C. Regulatory fines can be substantial for noncompliance.

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 19 of 3

D. All of the above

73. As a software developer, how would you incorporate secure coding practices into your software development process?

- A. Regularly update software libraries.
- B. Perform code reviews for security vulnerabilities.
- C. Use encryption for sensitive data.
- D. All of the above

74. Define software security.

- A) Protecting software from viruses.
- B) Ensuring software runs smoothly.
- C. Securing information and system resources
- D) Enhancing user experience.

75. Compare and contrast software security with broader cybersecurity. What are the key differences between the two?

- A) Software security focuses on securing individual programs.
- B) Cybersecurity encompasses protection for networks, systems, and programs.
- C. Neither A nor B.
- D. Both A and B

76. Which feature supports the reusability and extensibility of classes _____

- A. Inheritance
- B. Polymorphism
- C. Overloading
- D. All of the above

77. In which case is mandatory to provide a deconstructed in a class?

- A. Class for which two or more than two objects will be created
- B. Almost in every class

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 20 of 3

- C. Class for which copy constructor
- D. Class whose objects will be created dynamically

78. Identify the incorrect constructor type.

- A. Friend constructor
- B. Default constructor
- C. Parameterized constructor
- D. Copy constructor

79. On what basis is it determined, when a variable comes into existence in memory?

- A. Data type
- B. Storage class
- C. Scope
- D. All of the above

80. What will happen on execution of the following code ?

```
Class base
{
}; class derived: protected base
{
};
```

- A. It will not compile as the class body of the base class is not defined
- B. It will not compile as the class body of the derived class is not defined
- C. It will compile successfully
- D. The compilation of the above code is dependent upon the type of data provided to it

81. Which of the following statement is false?

- A. Knowledge is needed for intelligent machines to do its work.
- B. It is easy to capture knowledge.
- C. There are so many means to capture and represent knowledge
- D. All the Above E. Non

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 21 of 3

82. The recognize-act-cycle is a characteristic of_____

- A. Frame-based representation
- B. Semantic representation
- C. Rule-based representation
- D. Production rules

Ans. D

83. if $P \rightarrow R$ is true whenever $P \rightarrow Q$ is true, and $Q \rightarrow R$, then this rule refers to_____

- A. Modus Ponens
- B. Resolution
- C. Disjunctive Syllogism
- D. Hypothetical Syllogism

84. Which of the following is not the capability of an expert system?

- A. Problem-solving
- B. Predicting results
- C. Refining their knowledge
- D. Justifying solutions

85. The searching space complexity of Depth First search for number of nodes b and maximum depth m is:

- A. $O(bm)$
- B. $O(bm)$
- C. $O(2bm)$
- D. $O(b+m)$

86. The requirements document describes_____

- A. The services and functions which the system should provide.
- B. The constraints under which the system must operate.
- C. Information about the application domain of the system
- D. All

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 22 of 3

E. None of the above

87. Which of the following is not one of the context-free questions that would be used during project inception?

- A. What will be the economic benefit from a good solution?
- B. Who is behind the request for work?
- C. Who will pay for the work?
- D. Who will use the solution?

88. Which of following is not a UML diagram used creating a system analysis model?

- A. Activity diagram
- B. Class diagram
- C. Dataflow diagram
- D. State diagram

89. Define Agile scrum methodology.

- A. Project management that emphasizes incremental progress
- B. Project management that emphasizes decremental progress
- C. Project management that emphasizes neutral progress
- D. Project management that emphasizes no progress

90. If every requirement can be checked by a cost-effective process, the SRS is called?

- A. Verifiable
- B. Traceable
- C. Complete
- D. Modifiable

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 23 of 3

91. Of the many tasks/activities in Software Project Management, _____ can optionally be relegated to a priori umbrella exercise such as strategic planning.

- A. Project Planning
- B. Project Execution & Monitoring
- C. Project Control
- D. Project Feasibility Study

92. _____ is the task of software project management where corrective actions are taken when there are deviations from the initial plan (Understanding).

- A. Project Planning
- B. Project Execution & Monitoring
- C. Project Control
- D. Project

93. One of the best ways to avoid frustration during the software development process is to

- A. Give team members more control over process and technical decisions
- B. Give team members less control over process and technical decisions.
- C. Hide bad news from the project team members until things improve.
- D. Reward programmers based on their productivity.

94. Identify the sub-process of process improvement

- A. Process introduction
- B. Process analysis
- C. De-processification
- D. Process distribution

95. Effective software project management focuses on

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 24 of 3

- A. people, performance, payoff, product
- B. people, product, performance, process
- C. people, product, process, project
- D. people, process, payoff, product

96. Taute Maintenance Model involves how many changes?

- A. Six
- B. Seven
- C. Eight
- D. Nine

97. Which category of software maintenance is used for the modification of software that matches changes in the ever-changing environment?

- A. Corrective
- B. Adaptive
- C. Perfective
- D. Preventive

98. Which of the following is true about refactoring?

- A. It can be applied to any programming language.
- B. It changes the functions of the program itself.
- C. Most basic editing environments do not support it.
- D. It is an unrefined approach to modernization.
- E. It can increase the cost of adding new features.

99. Which of the following is an advantage of Incremental Reengineering?

- A. The components of the system are produced faster.
- B. It is easier to trace errors since the new components are clearly identified.
- C. The customer can see the progress and quickly identify any lost functionality.

	Wollo University and ADDIS ABABA SCIENCE & TECHNOLOGY UNIVERSITY	Document No.	
MOCK EXIT EXAM		Issue No.	Page No. Page 25 of 3

- D. Changes to the old system can be easier to deal with.
- E. All are correct.

100. Which technique is applied to ensure the continued evolution of legacy systems?

- A. Forward engineering
- B. Reverse Engineering
- C. Reengineering
- D. Reverse Engineering and Reengineering

-----**The End!** -----