

Software Engineering

Time left 0:46:57

Select the fundamental issue that may not be considered by the software architects during the architectural design process?

- ☐ a. Which architectural organization is best for delivering the functional requirements?
- ☐ b. How to decompose structural components into sub components
- ☐ c. How the system will be distributed across a number of cores or processors
- ☒ d. Which architectural patterns or styles to use

[Clear my choice](#)

[Next question](#)

Exam Nav

1

2

10

11

19

20

28

29

37

38

46

47

55

56

64

65

73

74

Time left 0:38:43

Which of the following describes a set of standards and an associated network protocol that allow establishing a secure channel between a local and a remote computer?

- ☐ a. Secure socket layer (SSL)
- ☒ b. Secure Shell (SSH)
- ☐ c. Authentication, Authorization and Accounting (AAA)
- ☐ d. Simple Network Management Protocol (SNMP)

[Clear my choice](#)

[Next question](#)

Exam

1	2
10	11
19	20
28	29
37	38
46	47
55	56
64	65
73	74

Answer saved

Marked out of
1.00

Flag question

- ☒ a. It has all the information about an application
- ☐ b. It is an executable file of the application
- ☐ c. It has the information about activities in an application
- ☐ d. It has information about layout in an application

[Clear my choice](#)

[Previous question](#)

Time left 0:41:59

A techniques for generating plans with conditionals and loops are almost identical to those for generating programs from logical specifications is called__

- ☒ a. Automatic programming
- ☐ b. Automatic monitoring
- ☐ c. Automatic recursive
- ☐ d. Automatic learning

[Clear my choice](#)

[Next question](#)

Which one of the following is not among the characterizing features of database approach?

- ☒ a. Application-data dependency
- ☐ b. Sharing of data
- ☐ c. Self-describing
- ☐ d. Data abstraction

[Clear my choice](#)

When a process is in a "Blocked" state waiting for some Input-Output services and after the service is completed, it will go to a state known as:

- ☐ a. Suspended
- ☐ b. Terminated
- ☐ c. Running
- ☒ d. Ready

[Clear my choice](#)

[Next question](#)

Given the following layered architecture, which ordering relation is correct and didn't encountered any architectural erosion? Assume there are four layers: A, B, C and D.

A
B
C
D

- ☐ a. (A,B)
- ☐ b. (D,A)
- ☒ c. (A,C)
- ☐ d. (C,B)

Clear my choice

Time left 1:04:23

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

Next question

Assume there is Class_A which is extended by Class_B and Class_C. Class_A is declared as **abstract**, and also contains an **abstract** method called **welcome**; this method takes no parameters, and returns a String. Which of the following definitions of Class_B will NOT cause a compiler error based on above scenario?

☐ a.

```
public class Class_B extends Class_A
{
    public void welcome(String str)
    {
    }
}
```

☒ b.

```
public class Class_B extends Class_A
{
    public int welcome()
    {
        int x = 10;
        return x;
    }
}
```


Select the wrong statement regarding traceability in software development projects.

- ☐ a. Traceability shows the dependency among two or more requirements if any
- ☐ b. Requirements should be linked to the respective stakeholder who generated them
- ☐ c. Every design element(component) should be linked back to the requirement
- ☒ d. Traceability traces the overall cost and schedule of every activity in the requirement

[Clear my choice](#)

Time left 1:04:45

Which software model would you apply for businesses operating in a changing environment where the initial requirements may inevitably change due to some internal and external factors?

- ☒ a. Agile development method
- ☐ b. Spiral model
- ☐ c. Water fall model
- ☐ d. Code and run

[Clear my choice](#)

Next question

What is the time complexity of below function

```
Public void function (int n) {
    for (int i = 0; i < n; i++)
        for (int j = i; j < i*i; j++)
            if (j % i == 0) {
                for (int k = 0; k < j; k++)
                    printf("%d * ");
            }
}
```

- ☒ a. $O(n^2)$
- ☐ b. $O(n \log n)$
- ☐ c. $O(n^7)$
- ☐ d. $O(n^5)$

[Clear my choice](#)

Time left 0:53:58

Which of the following is a process of selecting program paths in such a manner that certain branches (i.e., outgoing edges of nodes) of a control flow graph are covered by the execution of those paths?

- ☒ a. Branch coverage
- ☐ b. Branch expansion
- ☐ c. Branch control
- ☐ d. Branch boundary

[Clear my choice](#)

Assume that there is a Pet family from which Pets like Dog and Cat share behavior from. Every Pet family has a name. However, the pet families have some specific behaviors that are exhibited by only particular Pets. For instance, only Dogs can fetch something while both cats and dogs can speak. Which of the following object oriented design principle would be suitable for this case?

- ☐ a. Information hiding
- ☐ b. Encapsulation
- ☐ c. Polymorphism
- ☒ d. Inheritance

[Clear my choice](#)

Time left 1:04:45

Which software model would you apply for businesses operating in a changing environment where the initial requirements may inevitably change due to some internal and external factors?

- ☒ a. Agile development method
- ☐ b. Spiral model
- ☐ c. Water fall model
- ☐ d. Code and run

[Clear my choice](#)

Next question

Which one of the following is an appropriate sequence that depicts the model development process in data mining ?

- ☒ a. Model Training, Model Testing, Model Evaluation, Model Deployment
- ☐ b. Model Evaluation, Model Training , Model Testing, Model Deployment
- ☐ c. Model Training, Model Testing, Model Deployment, Model Evaluation
- ☐ d. Model Training, Model Evaluation, Model Testing, Model Deployment

[Clear my choice](#)


```
public int welcome(int y)
{
    int x = 2 * y;
    return x;
}
```

- ☐ d. `public class Class_B extends Class_A`
- ```
{
 public String whatObjectAmI()
 {
 return "I am a class B object";
 }
}
```

[Clear my choice](#)



1

d

of

tion

Which parameter is used to assess and evaluate software architectures?

- ☐ a. Responsiveness of the architectures
- ☐ b. Durability of the architecture
- ☒ c. Architectural quality attributes
- ☐ d. Number of components in the architecture

[Clear my choice](#)

question



Question 3

Answer saved

Marked out of

Flag question

What we use to pass the data between activities in Android?

- ☐ a. Broadcast receiver
- ☐ b. PostgreSQL Database
- ☒ c. Intent
- ☐ d. Content Provider

[Clear my choice](#)

[Previous question](#)





## Question 4

Answer saved

Marked out of  
1.00

Flag question

The following UML design shows Student class. Assume that the attributes have declared as private and the methods as public. The get methods return the value of the attributes and the calculateAge() returns the Student age. Which of the following would not raise an error when you run this program?

**Student***name* : String*department* : String*phone* : String*age* : int

Student(String, String, String, int)

SetDept(String)

getName() : String

getDept() : String

getYearOfBirth() : int

calculateAge():int

- ☒ a. Student st1 = new Student ("John", "SE", "0913222222", 20);
- ☐ b. st1 Student = new Student ("John", "CS", "02085332455", 23);
- ☐ c. Student st1 = new Student ("John", "IT", "2000");
- ☐ d. Student st1 = new Student ("John", "CS", "0913222222", "25");

Clear my choice

Finish exam

100



ENG

10:26 PM



## Question 5

Answer saved

Marked out of  
1.00

Flag question

What will be the output of the following code snippet? itex

```
<script type="text/javascript" language="javascript">
```

```
 var a = "exitexam";
```

```
 var result = a.substring(2, 6);
```

```
 document.write(result);
```

```
</script>
```

- ☐ a. texam
- ☐ b. xite
- ☒ c. itex
- ☐ d. xitex

[Clear my choice](#)



on 6

saved

out of

question

Which of the following is wrong regarding interface?

- ☐ a. Like a class, an interface is a reference data type
- ☒ b. Interface abstract methods are accessed using interface instances
- ☐ c. Interface includes abstract methods
- ☐ d. One class can implement multiple interfaces

[Clear my choice](#)



## Question 8

Answer saved

Marked out of

10

Flag question

For the schema HOTEL (Hotel\_id: integer, Hotel\_Name: string, Sub\_city: string), which SQL statement correctly inserts tuples to HOTEL relation. (Assume Hotel\_id is primary key)

- ☐ a. INSERT INTO HOTEL(Hotel\_id,Hotel\_Name,Sub\_city) Values('Hilton','Yeka')
- ☐ b. INSERT INTO HOTEL(Hotel\_id,Hotel\_Name,Sub\_city) Values (1,'Hilton','Yeka')
- ☒ c. INSERT INTO HOTEL(1,'Hilton','Yeka')
- ☐ d. INSERT Values INTO HOTEL(Hotel\_id,Hotel\_Name,Sub\_city) Values(1,'Hilton','Yeka')

[Clear my choice](#)



Question 10

Answer saved

Marked out of  
1.00

Flag question

Which of the following shows the five stages in Tuckman's model of team development, in sequential order?

- ☐ a. forming, storming, performing, norming, and adjourning
- ☐ b. norming, forming, storming, performing, and adjourning
- ☐ c. storming, forming, norming, performing, and adjourning
- ☒ d. forming, storming, norming, performing, and adjourning

[Clear my choice](#)

[Previous question](#)



Time left 0:54:25

Which statement is correct about the differences between functional and non-functional requirements?

- ☐ a. Unlike functional requirement, nonfunctional requirements are stable
- ☐ b. Both are the same most of the time and only vary under certain contexts
- ☐ c. Functional requirements are decided by the customer while non-functional requirements are decided by developers
- ☒ d. Functional requirements are the services the system provide while non-functional requirements are constraints on the services or functions offered by the system

[Clear my choice](#)

[Next question](#)



Time left 0:53:47

If the estimate for total discounted benefits for a project is Birr 120,000 and total discounted cost is Birr 100,000, what is the estimated return on investment (ROI) percentage?

- ☒ a. 20%
- ☐ b. 12%
- ☐ c. 30%
- ☐ d. 10%

[Clear my choice](#)

[Next question](#)



## Question 14

Never saved

Marked out of

Flag question

A queue in which the item most recently added is always the first one out refers to:

- ☒ a. LIFO queue
- ☐ b. FIFO queue
- ☐ c. Real time queue
- ☐ d. Priority queue

[Clear my choice](#)



Back

Question 17

Answer saved

Marked out of  
1.00

Flag question

A firewall is used in a system connected to a wide area network to

- ☐ a. Fire spreading via network through cables
- ☐ b. Avoid spreading of fire in the network
- ☒ c. Stop unauthorized access by hackers
- ☐ d. Scanning for viruses in various files

[Clear my choice](#)



Back

Question 18

Answer saved

Marked out of  
1.00

🚩 Flag question

The permission -rwxr-r- represented in octal expression will be:

- ☐ a. 766
- ☐ b. 700
- ☒ c. 744
- ☐ d. 755

[Clear my choice](#)



Back

Time left

Question 19

Answer saved

Marked out of  
1.00

Flag question

Which of the following is the correct order of packet data unit as data moved in the OSI reference model from bottom to top?

- ☐ a. Segment, packet, frame, bit
- ☐ b. Segment, frame, packet, bit
- ☒ c. Bit, frame, packet, segment
- ☐ d. Bit, packet, frame, segment

[Clear my choice](#)

Previous question

Next



Which of the following statement is true regarding triple DES?

- ☐ a. 192-bit keys on 64-bit blocks of plain text
- ☐ b. Uses 128-bit blocks of plain text and 92-bit keys and apply DES algorithm thrice.
- ☐ c. Works with 192-bit blocks of plain text and applies DES algorithm once.
- ☒ d. Functioning on 64-bit blocks of plain text and 56-bit keys by applying DES algorithm for three rounds.

[Clear my choice](#)



An HTTP request message always contains \_\_\_\_\_.

- ☐ a. a status line, a header, and a body
- ☐ b. a header only
- ☐ c. a header and a body
- ☒ d. a request line and a header

[Clear my choice](#)



Question 23

Not saved

1 out of 1

g question

Which of the following refers to unauthorized disclosure of information?

- ☐ a. Authorization
- ☐ b. Authentication
- ☐ c. Integrity
- ☒ d. Confidentiality

[Clear my choice](#)

[Previous question](#)



24

aved

ut of

uestion

Anything that can perceive its environment through sensory and acts upon environment through effectors

- ☒ a. Agent
- ☐ b. Expert System
- ☐ c. Intelligence
- ☐ d. API

[Clear my choice](#)



Time left 0:52:04

Question 26

Not saved

1 out of 1

question

Which of the following statement is not addressing the banker's algorithm?

- ☒ a. The banker's algorithm considers each request before it occurs ,
- ☐ b. It is an extension of the deadlock detection algorithm
- ☐ c. It is modeled on the way a small-town banker might deal with a group of customers to whom she/he has granted lines of credit
- ☐ d. It is scheduling algorithm

[Clear my choice](#)

Previous question

[Next question](#)



Time left 0:51:58

An informed search algorithm that provides exponential time complexity in the worst-case scenario and guarantees optimality when searching a solution refers to:

- ☐ a. A\* Search
- ☐ b. Greedy Best-First Search
- ☐ c. Uniform Cost Search
- ☒ d. Iterative Deepening A\* Search

[Clear my choice](#)

[Next question](#)



28

saved

out of

question

Which principle states that 80% of the problems can be fixed with 20% of the entire effort?

- ☒ a. Pareto principle
- ☐ b. Parametric principle
- ☐ c. Pairwise principle
- ☐ d. Partition principle

[Clear my choice](#)

as question



Back

Question 30

Answer saved

Marked out of  
1.00

🚩 Flag question

Which method has the same name as that of its class?

- ☐ a. delete
- ☐ b. class
- ☒ c. constructor
- ☐ d. finalize

[Clear my choice](#)

Previous question



Back

## Question 31

Answer saved

Marked out of  
1.00

Flag question

Within OAuth, what component validates the user's identity?

- ☒ a. Authorization Server
- ☐ b. Resource Server
- ☐ c. Browser
- ☐ d. Client

[Clear my choice](#)



Back

## Question 31

Answer saved

Marked out of  
1.00

Flag question

Within OAuth, what component validates the user's identity?

- ☒ a. Authorization Server
- ☐ b. Resource Server
- ☐ c. Browser
- ☐ d. Client

[Clear my choice](#)



## Question 32

Answer saved

Marked out of  
1.00

Flag question

The result of the following program after running will be:

```
class PrintResult
{
 public static void main(String args[])
 {
 int arr[] = {3, 4, 5, 5, 7};
 for (int i = 0; i < arr.length - 2; ++i)
 {
 System.out.println(arr[i] + " ");
 }
 }
}
```

- ☐ a. 3 4
- ☒ b. 3 4 5
- ☐ c. 3 4 5 6 7
- ☐ d. 3 4 5 6

Clear my choice



# Software Engineering

Back

Time left 0:50:38

Question 33

Answer saved

Marked out of  
1.00

Flag question

While optimizing our relation, if we found that no multivalued attributes and no partial dependencies exist in a relation then the relation is in what normal form?

- ☐ a. 1NF
- ☐ b. 3NF
- ☐ c. 4NF
- ☒ d. 2NF

[Clear my choice](#)

Previous question

Next question



# Software Engineering

Back

Time left 0:50:38

Question 33

Answer saved

Marked out of  
1.00

Flag question

While optimizing our relation, if we found that no multivalued attributes and no partial dependencies exist in a relation then the relation is in what normal form?

- ☐ a. 1NF
- ☐ b. 3NF
- ☐ c. 4NF
- ☒ d. 2NF

[Clear my choice](#)

[Previous question](#)

[Next question](#)



## Question 35

Answer saved

Marked out of

1.00

Flag question

Which one of the following is the correct identifier in c++?

- ☐ a. 7variable
- ☐ b. 7VARIABLE
- ☐ c. \$variable
- ☒ d. variable\_1234

[Clear my choice](#)



## Question 35

Answer saved

Marked out of

1.00

Flag question

Which one of the following is the correct identifier in c++?

- ☐ a. 7variable
- ☐ b. 7VARIABLE
- ☐ c. \$variable
- ☒ d. variable\_1234

[Clear my choice](#)



Back

Question 36

Answer saved

Marked out of  
1.00

Flag question

Which of the following is true about abstract class?

- ☐ a. Cannot be inherited
- ☐ b. is mechanism of encapsulation
- ☒ c. cannot be instantiated
- ☐ d. Can contain both abstract and non-abstract methods

[Clear my choice](#)

[Previous question](#)



Back

Question 36

Answer saved

Marked out of  
1.00

Flag question

Which of the following is true about abstract class?

- ☐ a. Cannot be inherited
- ☐ b. is mechanism of encapsulation
- ☒ c. cannot be instantiated
- ☐ d. Can contain both abstract and non-abstract methods

[Clear my choice](#)

Previous question



37

aved

ut of

uestion

In software risk management, accepting risk happening but don not do anything is known as:

- ☐ a. Risk transfer
- ☒ b. Risk Retention
- ☐ c. Risk avoidance
- ☐ d. Risk Reduction

[Clear my choice](#)

us question



Time left 0:45

Question 39

Not saved

1 out of 10

Question

"The system architecture should be designed using fine-grain, self-contained components. Producers of data should be separated from consumers and shared data structures should be avoided". For which requirement this architecture description applies?

- ☐ a. Availability
- ☒ b. Maintainability
- ☐ c. Performance
- ☐ d. Security

[Clear my choice](#)

[Previous question](#)

[Next question](#)



**Question 40**

Answer saved

Marked out of  
1.00

🚩 Flag question

Which slogan is against the agile method philosophy?

- ☒ a. Following a plan over responding to changes
- ☐ b. Individuals and interactions over processes and tools
- ☐ c. Customer collaboration over contract negotiation
- ☐ d. Working software over comprehensive documentation

[Clear my choice](#)

[Previous question](#)



Question 41

Answer saved

Marked out of  
1.00

Flag question

APK stands for:

- ☒ a. Android Package Kit
- ☐ b. Android Platform Kit
- ☐ c. Android Phone Kit
- ☐ d. Android Page Kit

[Clear my choice](#)

[Previous question](#)



Question 42

Answer saved

Marked out of  
1.00

Flag question

Which statement describes the main goal of software testing as part of the quality assurance process?

- ☐ a. To achieve project timelines and deadlines.
- ☐ b. To generate software requirement and design documentation.
- ☒ c. To guarantee that the software meets the specified requirements.
- ☐ d. To monitor the entire SDLC.

[Clear my choice](#)

[Previous question](#)



Back

Question 43

Answer saved

Marked out of  
1.00

Flag question

The correct structure of the for loop statement is:

- ☐ a. for(initialization; condition)
- ☐ b. for(increment/decrement; initialization; condition)
- ☐ c. for(condition, initialization, increment/decrement)
- ☒ d. for(initialization; condition; increment/decrement)

[Clear my choice](#)

Previous question



Back

Question 44

Answer saved

Marked out of  
1.00

Flag question

Which one of the following is not true regarding algorithm development during problem solving?

- ☐ a. Should be developed by considering the platforms on which it runs
- ☐ b. Is step wise logical description of how to solve the problem
- ☒ c. Is developed considering the details of the programming language
- ☐ d. Is equivalent to the programming language code

[Clear my choice](#)

[Previous question](#)



Time left 0:48:37

What would be the most likely consequence if every software stakeholder were rushing to be approved for their requirements without discussing with other stakeholders?

- ☐ a. Attains the project schedule
- ☐ b. Results in excess requirement
- ☒ c. Leads to conflicting requirement
- ☐ d. Requirements become unambiguous

[Clear my choice](#)

[Next question](#)



Back

Question 46

Answer saved

Marked out of  
1.00

Flag question

Which of the following is true regarding model development in machine learning?

- ☐ a. Much focus should be given to test data than training data
- ☐ b. Training with large dataset boosts model performance
- ☐ c. Test set and training set should have fifty-fifty overlap
- ☒ d. Proportion of data set for training should be less than the test set

[Clear my choice](#)

[Previous question](#)



## Question 47

Answer saved

Marked out of  
1.00

Flag question

All layout classes are subclasses of which of the following?

- ☐ a. `android.view.RelativeLayout`
- ☐ b. `android.view.Layout`
- ☒ c. `android.view.ViewGroup`
- ☐ d. `android.view.Widget`

[Clear my choice](#)[Previous question](#)



## Question 48

Answer saved

Marked out of  
1.00

Flag question

What will be the output for the following code if you enter 4 and 3 for b and e respectively:

```
#include <iostream>
using namespace std;
int main()
{
 int b,e,r=1;
 cout << "Enter b and e";
 cin >> b >> e;
 for(int i=1; i<=e; i++)
 {
 r=r*b;
 }
 cout << r;
 return 0;
}
```

- ☐ a. 81
- ☐ b. 12
- ☒ c. 64
- ☐ d. 256

|     |    |    |
|-----|----|----|
| 1   | 2  | 3  |
| 10  | 11 | 12 |
| 19  | 20 | 21 |
| 28  | 29 | 30 |
| 37  | 38 | 39 |
| 46  | 47 | 48 |
| 55  | 56 | 57 |
| 64  | 65 | 66 |
| 73  | 74 | 75 |
| 82  | 83 | 84 |
| 91  | 92 | 93 |
| 100 |    |    |



## Question 49

Answer saved

Marked out of  
1.00

Flag question

Which of the following is not a valid host address within the network 172.17.128.0/21 ?

- ☒ a. 172.17.128.1/21
- ☐ b. 172.17.135.255 /21
- ☐ c. 172.17.128.255/21
- ☐ d. 172.17.135.0 /21

[Clear my choice](#)[Previous question](#)



Back

Question 50

Answer saved

Marked out of 1.00

Flag question

Which of the following is the correct sequence that will be followed during software evolution process?

- ☐ a. Change request, release planning, change implementation, impact analysis, system release
- ☐ b. Impact analysis, Change request, change implementation, release planning, system release
- ☒ c. Change request, impact analysis, change implementation, release planning, system release
- ☐ d. Change request, impact analysis, release planning, change implementation, system release

[Clear my choice](#)

[Previous question](#)



Back

**Question 51**

Answer saved

Marked out of  
1.00

🚩 Flag question

Identify the lowest layer of Android architecture.

- ☒ a. Linux Kernel
- ☐ b. Database
- ☐ c. Application Framework
- ☐ d. Application

[Clear my choice](#)

[Previous question](#)



Back

Question 52

Answer saved

Marked out of  
1.00

Flag question

Which of the following is true regarding the use of switches and hubs for network connectivity in the network?

- ☐ a. Switches do not forward broadcasts
- ☐ b. Switches increase the number of collision domains in the network
- ☒ c. Switches take less time to process frames than hubs take
- ☐ d. Hubs can filter frames

[Clear my choice](#)

[Previous question](#)



Select the one that is not correct related to generalization in system modeling.

- ☐ a. In generalization, the attributes and operations associated with higher-level classes are also associated with the lower-level classes
- ☐ b. Common information will be maintained in one place
- ☐ c. Facilitate easy modification of data
- ☒ d. The higher-level classes are more specific than the lower-level classes by adding specific attributes and operations

[Clear my choice](#)

[Next question](#)



Question 54

Answer saved

Marked out of  
1.00

Flag question

A set of processes management which is waiting for a resource that is owned by another process refers to:

- ☒ a. Deadlock
- ☐ b. Preemption
- ☐ c. Overloading
- ☐ d. Queuing

[Clear my choice](#)

[Previous question](#)



Back

Question 55

Answer saved

Marked out of  
1.00

Flag question

"Database is a logically coherent collection of data with some inherent meaning" describes that

- ☐ a. all attributes of the entity should be related
- ☒ b. there should be one primary key attribute
- ☐ c. the entity should be physical object
- ☐ d. number of attributes should be limited

[Clear my choice](#)

[Previous question](#)



# Software Engineering

Question 57

Never saved

Marked out of

Flag question

Previous question

Time left 0:46:47

Which of the following is a resource optimization techniques in which start and finish dates are adjusted based on resource constraints with the goal of balancing the demand for resources with the available supply?

- ☐ a. Responsibility assignment matrix
- ☐ b. Resource smoothing
- ☒ c. Resource leveling
- ☐ d. Resource grouping

[Clear my choice](#)

[Next question](#)

## Exam Navigation

|    |    |    |    |    |
|----|----|----|----|----|
| 1  | 2  | 3  | 4  | 5  |
| 10 | 11 | 12 | 13 | 14 |
| 19 | 20 | 21 | 22 | 23 |
| 28 | 29 | 30 | 31 | 32 |
| 37 | 38 | 39 | 40 | 41 |
| 46 | 47 | 48 | 49 | 50 |
| 55 | 56 | 57 | 58 | 59 |
| 64 | 65 | 66 | 67 | 68 |
| 73 | 74 | 75 | 76 | 77 |
| 82 | 83 | 84 | 85 | 86 |



Question 58

Not saved

Marked out of 1.00

Flag question

Previous question

Time left 0:46:35

Business people always remodel their business by closely studying their customers' purchasing habits over the course of their purchase history. Accordingly, a salesperson at Markato shop noticed that people who always buy shoes will also buy socks with probability of 0.75 and hence decided to put shoes and socks side by side for ease of accessibility. Which big data analytics technique could this salesperson could employ?

- ☐ a. Regression modeling
- ☐ b. Clustering algorithm
- ☐ c. Predictive modeling
- ☒ d. Association rule

Clear my choice

Next question

Exam Navigation

|    |    |    |    |    |    |
|----|----|----|----|----|----|
| 1  | 2  | 3  | 4  | 5  | 6  |
| 10 | 11 | 12 | 13 | 14 | 15 |
| 19 | 20 | 21 | 22 | 23 | 24 |
| 28 | 29 | 30 | 31 | 32 | 33 |
| 37 | 38 | 39 | 40 | 41 | 42 |
| 46 | 47 | 48 | 49 | 50 | 51 |
| 55 | 56 | 57 | 58 | 59 | 60 |
| 64 | 65 | 66 | 67 | 68 | 69 |
| 73 | 74 | 75 | 76 | 77 | 78 |
| 82 | 83 | 84 | 85 | 86 | 87 |





## Question 60

Answer saved

Marked out of  
1.00

Flag question

Which of the following is among benefits provided with access control lists (ACLs) implementation for software security based applications?

- ☐ a. ACLs monitor the number of bytes and packets.
- ☐ b. ACLs provide high network availability.
- ☐ c. Virus detection.
- ☒ d. ACLs classify and organize network traffic.

[Clear my choice](#)[Previous question](#)[Next question](#)



**Question 61**

Answer saved

Marked out of  
1.00

 Flag question

Default method while submitting a form is

- ☒ a. Post method
- ☐ b. Get method
- ☐ c. Put method
- ☐ d. Set method

[Clear my choice](#)

[Previous question](#)



Back

## Question 62

Answer saved

Marked out of  
1.00

Flag question

The process that generates activities such as project schedule, cost estimations and work breakdown structures is described as:

- ☐ a. Project Initiating
- ☐ b. Project Executing
- ☐ c. Project Closing
- ☒ d. Project Planning

[Clear my choice](#)

[Previous question](#)



## Question 63

Answer saved

Marked out of  
1.00

Flag question

Given the following fragment of code, how many tests are required for 100% decision coverage?

```
if width > length
 then biggest_dimension = width
 if height > width
 then biggest_dimension = height
 end_if
 end_if
else biggest_dimension = length
 if height > length
 then biggest_dimension = height
 end_if
end_if
```

- ☐ a. 6
- ☐ b. 4
- ☒ c. 2
- ☐ d. 3

[Clear my choice](#)



Back

Question 64

Answer saved

Marked out of  
1.00

Flag question

How can we select an element with a specific class in CSS?

- ☐ a. ^
- ☐ b. ~
- ☐ c. #
- ☒ d. .

Clear my choice

Previous question



tion 65

er saved

ed out of

g question

Select an activity that suits in the fundamental test process which includes evaluation of the testability of the requirements and system?

- ☐ a. Test analysis and design
- ☒ b. Test analysis and requirements
- ☐ c. Test analysis and Implementation
- ☐ d. Test analysis and planning

[Clear my choice](#)

[Previous question](#)



Which one of the following is an appropriate sequence of database design processes?

- ☐ a. Logical database design, Enterprise data modeling, Physical database design, Database implementation
- ☐ b. Enterprise data modeling, Logical database design, Database implementation, Physical database design
- ☒ c. Enterprise data modeling, Logical database design, Physical database design, Database implementation
- ☐ d. Logical database design, Enterprise data modeling, Physical database design, Database implementation

[Clear my choice](#)



Question 67

Not saved

1 out of 10

Flag question

Which one of the following is not among the purposes of software testing?

- ☐ a. Identifying shortcomings
- ☐ b. Improving product acceptance
- ☐ c. Enhancing reliability
- ☒ d. Requesting more design and implementation time

[Clear my choice](#)

[Previous question](#)



# Software Engineering

Time left 0:43:21

Which software process model will you use if you want to deliver different functionalities (modules) of the software product that have different priority at different time?

- ☒ a. Incremental model
- ☐ b. Spiral model
- ☐ c. Waterfall model
- ☐ d. Linear model

[Clear my choice](#)

[Next question](#)

Exam Na

1

2

10

11

19

20

28

29

37

38

46

47

55

56

64

65

73

74



Question 69

Answer saved

Marked out of  
1.00

🚩 Flag question

What is the time complexity for the following code snippets?

```
function someFunction (n)
 for (var i=0;i<n*10;i++) {
 console.log (n) ;
 }
}
```

- ☐ a.  $O(n^2)$
- ☐ b.  $O(\log n)$
- ☐ c.  $O(\log 2n)$
- ☒ d.  $O(n)$

Clear my choice



Question 71

Never saved

Marked out of

Flag question

Which activity comes last in fundamental program development in c++ ?

- ☐ a. Memory allocation for variables
- ☒ b. Linking
- ☐ c. Compiling program
- ☐ d. Writing program

[Clear my choice](#)

[Previous question](#)



## Question 72

Answer saved

Marked out of

0

Flag question

Which design pattern is used to restore the state of an object to its previous state?

- ☐ a. Visitor pattern
- ☒ b. Memento pattern
- ☐ c. Observer pattern
- ☐ d. Iterator pattern

[Clear my choice](#)



on 74

r saved

d out of

g question

What component hides the distinction or boundaries between various microservices from end-client application?

- ☐ a. A layered system
- ☒ b. API gateway
- ☐ c. API proxy
- ☐ d. API logging

[Clear my choice](#)

[Previous question](#)



Which of the following statement is not true statement regarding project life cycle?

- ☐ a. In agile life cycle the project scope is generally determined early in the project life cycle, but time and cost estimates are routinely modified
- ☐ b. In a waterfall life cycle, the project scope, time, and cost are determined in the early phases of the life cycle
- ☒ c. In agile life cycles, the project scope cannot be outlined and agreed before the start of iteration.
- ☐ d. In an incremental life cycle, the deliverable is produced through a series of iterations that successively add functionality within a predetermined time frame

[Clear my choice](#)

[Next question](#)



**Question 78**

Answer saved

Marked out of  
1.00

🚩 Flag question

What is an activity in android?

- ☐ a. android class used to configure the android application
- ☐ b. It is an intent
- ☐ c. android package file holding all the packages used
- ☒ d. A single screen in an application with supporting java code

[Clear my choice](#)

[Previous question](#)



Question 79

Answer saved

Marked out of

1

Flag question

Which of the following is not an approach used by IT security specialists to enhance the security level of the network?

- ☐ a. Use of Intrusion detection system
- ☒ b. Use of Wana cry protocol
- ☐ c. Use of physical security
- ☐ d. Use of Intrusion prevention system

[Clear my choice](#)[Previous question](#)[Next question](#)



80

aved

ut of

question

As a software tester, when do you implement configuration management procedures?

- ☒ a. During test planning
- ☐ b. During test closing
- ☐ c. During test execution
- ☐ d. During test initiation

[Clear my choice](#)



Question 81

Never saved

100% out of 100

Flag question

Identify the one that comes first in data mining process

- ☐ a. Data cleaning
- ☐ b. Data integration
- ☒ c. Business understanding
- ☐ d. Data selection

Clear my choice



**Question 82**

Answer saved

Marked out of  
1.00

Flag question

A TCP/IP layer which is responsible for addressing, path selection and routing refers:

- ☐ a. Application Layer
- ☒ b. Internet Layer
- ☐ c. Transport Layer
- ☐ d. Network Access Layer

[Clear my choice](#)



83

aved

out of

uestion

Which of the following analysis mechanism defines the input for which the algorithm takes the least time (fastest time to complete)?

- ☐ a. Worst case
- ☒ b. Best case
- ☐ c. Standard Case
- ☐ d. Average case

[Clear my choice](#)

us question



Time left 0:40:06

Which learning algorithm is usually applied to data that does not contain any label information, so we do not know what the right output should be?

- ☐ a. Transfer learning
- ☐ b. Supervised learning
- ☒ c. Unsupervised learning
- ☐ d. Reinforcement learning

[Clear my choice](#)[Next question](#)

Exam Na

1

2

10

11

19

20

28

29

37

38

46

47

55

56

64

65

73

74

82

83

on 84

r saved

d out of

g question

[Previous question](#)



Question 85

Answer saved

Marked out of 1.00

Flag question

Depending on the organization of the elements which of the following approach is a non-linear data structure?

- ☐ a. Queues
- ☐ b. Stack
- ☒ c. Tree
- ☐ d. Linked-list

[Clear my choice](#)[Previous question](#)[Next question](#)



Back

## Question 86

Answer saved

Marked out of  
1.00

Flag question

Which one of the following can be among possible sources of unstructured data?

- ☐ a. Apple Employee database
- ☐ b. RDBMS systems
- ☐ c. Registrar student database
- ☒ d. Google search engine

[Clear my choice](#)



Select the one that is not related with the purpose of properly documenting software architectures

- ☐ a. For Stakeholder communication
- ☐ b. To easily figure out the source code flow
- ☐ c. For critical system design decisions
- ☒ d. to know how the system is organized and interoperate

[Clear my choice](#)



One of the following statement is correct about Artificial Intelligence (AI)?

- ☐ a. It refers to the development of machines that can only perform physical tasks.
- ☐ b. It refers to the development of machines that can only perform simple, repetitive tasks.
- ☐ c. It refers to the development of machines that can perform tasks only in a controlled laboratory setting.
- ☒ d. It refers to the development of machines that can perform tasks that typically require human intelligence.

[Clear my choice](#)



Time left 0:38:52

Given a situation two hosts attempt on a half-duplex Ethernet LAN to send data concurrently, resulting in a collision and subsequent to this collision, what will the hosts do?

- ☐ a. The jam signal indicates that the collision has been cleared
- ☐ b. An electrical pulse indicates that the collision has cleared
- ☒ c. The hosts will attempt to resume transmission after a time delay has expired
- ☐ d. The router on the segment will signal that the collision has cleared

[Clear my choice](#)[Next question](#)

## Exam Navigation

|    |    |    |
|----|----|----|
| 1  | 2  | 3  |
| 10 | 11 | 12 |
| 19 | 20 | 21 |
| 28 | 29 | 30 |
| 37 | 38 | 39 |
| 46 | 47 | 48 |
| 55 | 56 | 57 |
| 64 | 65 | 66 |
| 73 | 74 | 75 |



Back

Question 92

Answer saved

Marked out of  
1.00

Flag question

Identify the design principle that does not apply to software systems

- ☐ a. design should be traceable to the analysis model
- ☐ b. design should be structured to accommodate change
- ☐ c. design should exhibit uniformity and integration
- ☒ d. design should be reinventing the wheel from scratch

[Clear my choice](#)

[Previous question](#)



Back

Time left 0:38:29

Question 93

Answer saved

Marked out of  
1.00

Flag question

You are required to write a program that iteratively takes 50 numbers from user input and adds them up only if the numbers are positive and skips if not. Which control structure best fits this scenario?

- ☐ a. break
- ☒ b. continue
- ☐ c. for
- ☐ d. jump

[Clear my choice](#)

[Previous question](#)

[Next question](#)



Question 94

Answer saved

Marked out of

1

Flag question

Which of the following UML element is wrongly applied?

- ☐ a. Class diagram shows the object classes in a system and their relation
- ☒ b. Activity diagram shows how the system reacts to internal and external events
- ☐ c. Use case diagram represents an interaction with the system
- ☐ d. Sequence diagram shows the sequence of interactions required to complete some operation

[Clear my choice](#)

[Previous question](#)[Next question](#)



Question 95

Answer saved

Marked out of

10

Flag question

A memory management policy that decisions must be made as to which page or pages are to be supplanted when a memory is full is known as:

- ☐ a. Cleaning policy
- ☐ b. Load policy
- ☒ c. Replacement policy
- ☐ d. Fetch policy

[Clear my choice](#)[Next question](#)[Previous question](#)



Time left 0:37:49

Assume that you are assigned to design a dormitory management database. A dormitory is located on some building and has attributes specified as DORM (DormID, floornumber) and DormID is a primary key. Based on university's rule, six students can be assigned to one dorm. Students can be tracked with attributes STUDENT (IdNo, Name, Department) and IdNo is primary key. Based on this scenario description, which of the following SQL statement is correct to establish relationship between DORM and STUDENT assuming DormID is foreign key?

- ☐ a. FOREIGN KEY (DormID) REFERENCES DORM(DormID) ;
- ☐ b. STUDENT table is a referenced relation
- ☒ c. FOREIGN KEY (DormID) REFERENCED BY DORM(DormID) ;
- ☐ d. DORM table is a referencing relation

[Clear my choice](#)[Next question](#)

## Exam Navigation

|    |    |    |    |
|----|----|----|----|
| 1  | 2  | 3  | 4  |
| 10 | 11 | 12 | 13 |
| 19 | 20 | 21 | 22 |
| 28 | 29 | 30 | 31 |
| 37 | 38 | 39 | 40 |
| 46 | 47 | 48 | 49 |
| 55 | 56 | 57 | 58 |
| 64 | 65 | 66 | 67 |
| 73 | 74 | 75 | 76 |
| 82 | 83 | 84 | 85 |



Which one of the following statements is wrong regarding try....catch construct?

- ☐ a. When exception occurs, the execution of try block is interrupted
- ☐ b. The execution control is moved to catch block after exception occur in try block
- ☐ c. The catch block is used to handle exceptions that occur in try block
- ☒ d. The catch block is executed once regardless of exceptions in try block

[Clear my choice](#)



Question 99

Not saved

Marked out of

1

Flag question

Which of the following is not the function of Cross-over UTP cable?

- ☐ a. To connect switch to switch
- ☐ b. To connect pc to pc
- ☒ c. To connect router to pc
- ☐ d. To connect switch to pc

[Clear my choice](#)

[Previous question](#)



Question 100

Not saved

1 out of 100

Flag question

Who is responsible for documenting faults found during the software development process?

- ☒ a. Tester
- ☐ b. Developer
- ☐ c. Scrum master
- ☐ d. Requirement engineer

[Clear my choice](#)

[Previous question](#)