




Program: BSc in Software Engineering

Exam Type: Mock Exit Exam

Exam Item: Multiple Choice

Number of Questions: 100

Time Allowed: 3:00hrs

St.Name: _____

IDNo: _____

May 31, 2024

Jimma University

Instruction: Choose the best answer from the given alternative

1. Which type of AI agent can improve its performance over time by learning from experience?
 - A. Simple reflex Agent
 - B. Utility-based Agent
 - C. Model-based Agent
 - D. Learning Agent

ANSWER: D

2. Which of the following searching algorithm guarantees to finding the optimal solution (lowest cost path) if it exists.
 - A. Depth-First Search (DFS)
 - B. Breadth-First Search (BFS)
 - C. Uniform Cost Search (UCS)
 - D. Iterative Deepening Search (IDS)

ANSWER: C

3. Compared to ***Breadth-First Search (BFS)***, ***Depth-First Search (DFS)*** is generally-----
 - A. More likely to find the shortest path to the goal.
 - B. More space-efficient for large search spaces.
 - C. Less likely to get stuck in dead ends.
 - D. Guaranteed to find a solution if one exists, even in infinite search spaces.

ANSWER: B

4. Suppose we are taking an entity, Abel. Abel is a Software Developer as a profession, and his age is 26, his weight is 70KG, his height is 1.75 cm, he lives in city Jimma, and the country is Ethiopia. Which knowledge representation technique would be most appropriate for this scenario?
 - A. Logical Representation.
 - B. Semantic Network.
 - C. Frame Representation.
 - D. Production Rules.

ANSWER: C

5. Suppose you are applying for a competitive job on Apple Company. The company uses an AI system to evaluate applications and select candidates for interviews. How do you feel about this?
- A. AI cannot objectively assess skills and qualifications.
 - B. AI might overlook unique strengths or experiences for candidates
 - C. The impersonal nature of AI removes the human touch from the process.
 - D. AI could eliminate unconscious bias in the selection process.

Answer: B

6. Which of the following is an EXAMPLE of supervised learning?
- A. A robot learning to walk
 - B. Finding the most important features in a dataset
 - C. Predicting the price of a house
 - D. Learning to play a game of chess

ANSWER: C

7. What is the name of the technique used to deal with overfitting in machine learning models?
- A. Underfitting
 - B. Regularization
 - C. Feature Engineering
 - D. Cross-validation

ANSWER: B

8. Which supervised learning algorithm is particularly well-suited for dealing with textual data and is based on probability theory?
- A. Regression
 - B. k-Nearest Neighbors (k-NN)
 - C. Naive Bayes
 - D. Support Vector Machines (SVM)

ANSWER: C

9. ABC Company has website traffic data and wants to identify groups of users with similar browsing behavior. Which unsupervised learning technique would be best suited for this task?
- A. K-Means Clustering
 - B. Decision Trees
 - C. Naive Bayes
 - D. Random Forest

ANSWER: A

10. Suppose you are trained a machine learning model and achieved good performance on the training dataset. But, you are not sure how well it will perform on unseen data. What evaluation technique can help you check how well the model generalizes to unseen data?
- A. K-Fold Cross-Validation
 - B. Confusion Matrix
 - C. Hyperparameter Tuning
 - D. Bootstrapping

ANSWER: A

11. Which of the following network device used for managing a network security?
- A. Firewall
 - B. Router
 - C. Switch
 - D. Transparent Bridge

ANSWER: A

12. Which of the following transmission media is best suited for high-speed, long-distance communication?
- A. Coaxial Cable
 - B. Twisted Pair Cable
 - C. Satellite
 - D. Fiber Optic

ANSWER: D

13. What benefit does DHCP provides for a given network?

- A. Hosts always have the same IP address and are therefore always reachable.
- B. DHCP allows users to refer to locations by a name rather than an IP address.
- C. Hosts can connect to the network and get an IP address without manual configuration.
- D. Duplicate addresses cannot occur on a network that issues dynamic addresses using DHCP and has static assignments.

ANSWER: C

14. What method can be used by two computers to ensure that packets are not dropped because too much data is being sent too quickly?

- A. Encapsulation
- B. Flow control
- C. Access method
- D. Response timeout

ANSWER: B

15. Which two flags in the TCP header are used in a TCP three-way handshake to establish connectivity between two network devices?

- A. ACK and FIN
- B. PSH and RST
- C. SYN and ACK
- D. SYN and URG

ANSWER: C

16. When is UDP preferred to TCP?

- A. When a client sends a segment to a server
- B. When all the data must be fully received before any part of it is considered useful
- C. When an application can tolerate some loss of data during transmission
- D. When segments must arrive in a very specific sequence to be processed successfully

ANSWER: C

17. Which of the following key is the first key used to identify one and only one instance of an entity uniquely?

- A. Candidate Key
- B. Primary key
- C. Super Key
- D. Foreign key

ANSWER: B

18. Which of the following principles of database design ensures that changes made to one aspect of the database do not impact other aspects of the database?

- A. Data Normalization
- B. Data Independence
- C. Entity-Relationship Model
- D. Data Consistency

ANSWER: B

19. An entity set that does not have sufficient attributes to form a primary key is a_____

- A. A. Strong entity set.
- B. Simple entity set.
- C. Weak entity set
- D. Primary entity set

ANSWER: C

20. Which of the following is the most efficient way to update a specific customer's email address in the "customers" table?

- A. Update all records and then change the desired one again.
- B. Use the UPDATE statement with a WHERE clause to filter the specific customer.
- C. Delete the customer record and insert a new one with the updated email.
- D. Manually edit the data file where the table is stored

ANSWER: B

21. Suppose you want to insert a new record into the Orders table with the following values: OrderID (110), CustomerID (01), OrderDate (2024-06-01), and TotalAmount (200.00). Which SQL statement would achieve this?

- A. SELECT * FROM Orders WHERE OrderID = 110;
- B. ALTER TABLE Orders ADD COLUMN ProductID INT;
- C. INSERT INTO Orders (OrderID, CustomerID, OrderDate, TotalAmount) VALUES (110, 01, '2024-06-01', 200.00);
- D. INSERT INTO Orders = OrderID, CustomerID, OrderDate, TotalAmount VALUES (110, 01, '2024-06-01', 200.00);

ANSWER: C

22. A company experiences a data breach where customer information is leaked. The first priority for the Software security team should be to:

- A. Update all company passwords.
- B. Notify customers about the breach immediately.
- C. Implement new data encryption protocols.
- D. Identify the source of the breach and contain the threat.

ANSWER: D

23. One of the following is not the challenge which programmers face due to Multicore or multiprocessor systems while designing system or application programs.

- A. Dividing activities
- B. Balance
- C. Data splitting
- D. Data independency

ANSWER: D

24. What are the necessary conditions that must be present for a deadlock to occur in a system?

- A. Mutual exclusion, hold and wait, no preemption, circular wait
- B. No mutual exclusion, hold and wait, preemption, circular wait
- C. Mutual exclusion, no hold and wait, no preemption, no circular wait
- D. Mutual exclusion, hold and wait, preemption, circular wait

ANSWER: A

25. Imagine you have a real-time system with strict deadlines for tasks. When choosing a CPU scheduling algorithm, which of the following would be MOST suitable for guaranteeing timely task completion?

- A. First Come First Served (FCFS)
- B. Shortest Job First (SJF)
- C. Priority Scheduling
- D. Round Robin

ANSWER: C

26. How can file management issues such as file corruption impact system reliability?

- A. File corruption can lead to data loss and system crashes
- B. File corruption has no impact on system reliability
- C. File corruption can improve system performance
- D. File corruption only affects memory management, not file management

ANSWER: A

27. What is the purpose of disk scheduling algorithms in managing I/O operations in a modern operating system?

- A. To prevent deadlock situations
- B. To optimize disk access and reduce latency
- C. To allocate memory resources efficiently
- D. To manage file permissions and access control

ANSWER: B

28. What role does access control play in maintaining the security of an operating system?

- A. It ensures that only authorized users can access system resources
- B. It prevents memory leaks and buffer overflows
- C. It optimizes disk access and reduces latency
- D. It manages file permissions and directory structures

ANSWER: A

29. What is a key characteristic of ransomware?

- A. It spreads through email attachments
- B. It encrypts files and demands payment for decryption
- C. It deletes system files to cause disruption
- D. It hides within legitimate software to avoid detection

ANSWER: B

30. Which term refers to a software security mechanism that blocks unauthorized access to a network?

- A. Router
- B. Switch
- C. Hub
- D. Firewall

ANSWER: D

31. Which of the following is a common method of cryptographic attack?

- A. Ciphertext-only attack
- B. Known-plaintext attack
- C. Chosen-plaintext attack
- D. Brute force attack

ANSWER: D

32. Which cryptographic technique is used to transform plaintext into unreadable ciphertext?

- A. Hashing
- B. Symmetric encryption
- C. Asymmetric encryption
- D. Digital signatures

ANSWER: B

33. In a public-key system using RSA, you intercept the ciphertext $C = 9$ sent to a user whose public key is $e = 7$, $n = 55$. What is the plaintext M ?

- A. 40
- B. 23
- C. 44
- D. 55

ANSWER: C

34. What is the first step in the program development process?

- A. Coding
- B. Problem definition
- C. Testing
- D. Deployment

ANSWER: B

35. What is the value of 'e'? Assume that all variables are properly declared.

```
int a = 3;  
int b = 4;  
c = (a % b) * 6;  
d = c / b;  
e = (a + b + c + d) / 4;
```

- A. 10
- B. 4
- C. 7
- D. 0

ANSWER: C

36. Which control statement is suitable for situations where a block of code needs to be executed at least once?

- A. While loop
- B. for loop
- C. do-while loop
- D. switch statement

ANSWER: C

37. Which of the following is a valid IDENTIFIER in c++?

- A. Abc7_4
- B. ABC_4!fa
- C. A\$_C_45fa
- D. 6AbCD

ANSWER: A

38. Which of the following is the correct syntax to read the single character to console in the C++ language?

- A. get(ch)
- B. Scanf(ch)
- C. Read ch()
- D. Getline vh()

ANSWER: A

39. What will be the output of the following C++ code?

```
char str[] = "password";  
if(strcmp(str, "password")){  
    cout<<"Valid"; }  
else {  
    cout<<"Invalid";  
}
```

- A. Run-time Error
- B. Valid
- C. Invalid
- D. No output

ANSWER: C

40. How many times does the following loop execute?

```
for(int i=20; i >= 0; i-=3)  
    cout<<i;
```

- A. 20
- B. 17
- C. 6
- D. 7

ANSWER: D

41. An e-commerce website needs a program to manage shopping carts. Users can add items with quantities to their cart, update quantities, remove items, and calculate the total cost. Which concept is most important for managing items in the cart?

- A. Functions
- B. Loops
- C. Objects
- D. Inheritance

ANSWER: C

42. A Software company needs to create secure passwords for users. The password should be a random combination of **letters**, **numbers**, and **symbols** with a specified length. Which function would be most helpful for generating random characters?

- A. A sorting function.
- B. A string concatenation function.
- C. A random number generator function.
- D. A file I/O function.

ANSWER: C

43. During testing, you encounter an error where images are not loading correctly on user profiles. What debugging technique would be most helpful in isolating the cause?

- A. Rewriting the entire image loading code section.
- B. Consulting online forums for similar errors without any specific analysis.
- C. Ignoring the error and hoping it resolves itself in the future.
- D. Using print statements to track variable values at different stages of the image loading process.

ANSWER: D

44. Assume that a lot of self-learning platforms are available at your company and you are facing with a programming challenge to finishing the task in time due to programming constraints. What action should you take first?

- A. Ask a colleague for help immediately.
- B. Search online forums and documentation for solutions to similar problems.
- C. Wait for someone else to fix the problem for you.
- D. Give up and move on to a different task.

ANSWER: B

45. Which data structure is best suited for representing a ***SOCIAL NETWORK*** where users can follow each other?

- A. Array
- B. Stack LIFO
- C. Graph
- D. Linked List

ANSWER: C

46. What is the time complexity of the following code below?

```
int sumer() {  
    int sum = 0;  
    for (int i = 1; i <= n; i++){  
        for (int j = 1; j <= n; j++){  
            sum = sum + i + j;  
        }  
    }  
    return res;  
}
```

- A. $O(n^2)$
- B. $O(n)$
- C. $O(\log_2 n)$
- D. $O(1)$

ANSWER: A

47. Which of the following data structures allows for efficient insertion and deletion at any position within the structure?

- A. Stack LIFO
- B. Queue FIFO
- C. Array
- D. Linked List

ANSWER: D

48. What is the main difference between time complexity and space complexity of an algorithm?
- A. Time complexity is related to errors, while space complexity is related to performance.
 - B. Time complexity measures execution time, while space complexity measures memory usage.
 - C. Time complexity deals with user input, while space complexity deals with output.
 - D. Time complexity is always higher than space complexity.

ANSWER: B

49. What is the theoretical time complexity of searching for an element in a sorted array using binary search?
- A. Constant time ($O(1)$)
 - B. Logarithmic time ($O(\log n)$)
 - C. Linear time ($O(n)$)
 - D. Quadratic time ($O(n^2)$)

ANSWER: B

50. Imagine you are creating a program to simulate a traffic light intersection. Cars arrive from different directions and *need to wait for their turn to proceed*. The program should manage light cycles and car movement. Which data structure would be most appropriate to model the waiting cars?
- A. Stack LIFO
 - B. Queue
 - C. Binary Search Tree
 - D. Hash Table

ANSWER: B

51. Which of the following concepts in object-oriented programming allows a class to define behaviors that are shared by all objects of the same class?
- A. Method
 - B. Constructor
 - C. Instance variable
 - D. Static variable

ANSWER: A

52. What is the concept of **ENCAPSULATION** in OOP designed to achieve?

- A. Protect an object's internal data from unauthorized access.
- B. Allow objects to communicate freely with any other object
- C. Simplify the user interface for the program.
- D. Completely rewrite the behavior of a parent class.

ANSWER: A

53. Your program encounters an error while trying to read data from a file containing animal information. What concept can help manage this error?

- A. Inheritance
- B. Encapsulation
- C. Polymorphism
- D. Exception Handling

ANSWER: D

54. In the following below code snippet. What is the benefit of subclass **Square** inheriting from superclass **Rectangle**?

```
public class Rectangle{
    private int w;
    Private h;
    public Rectangle(int w, int h){
        this w=w;
        this h=h;
    }
    public int getArea() {
        return w*h;
    }
}
public class Square extends Rectangle
    public Square(int side) {
        Super(side,side);
    }
}
```

- A. Faster program execution
- B. Improved memory management
- C. Simplify the user interface for the code.
- D. Code reusability

ANSWER: D

55. Which of the following GUI components is primarily used to display non-editable text on the screen?

- A. JButton
- B. JTextField
- C. JLabel
- D. Menu

ANSWER: C

56. Which of the following best describes the role of a software project manager in stakeholder management?

- A. Ensuring that all stakeholders have equal influence over project decisions
- B. Identifying stakeholder needs and expectations and managing their involvement to ensure project success
- C. Limiting stakeholder involvement to reduce project complexity
- D. Delegating stakeholder communication to team members to focus on technical tasks

Answer: B

57. Which project management tool is specifically designed to track project progress and identify potential delays through a visual representation of tasks over time?

- A. Gantt Chart
- B. Work Breakdown Structure (WBS)
- C. Risk Register
- D. Project Charter

Answer: A.

58. Consider the table below. What is the critical path for the following Work Breakdown Structure (WBS)?

No.	Task Name	Dependency	Duration
1	A	-	30 days
2	B	A	60 "
3	C	A	45 "
4	D	B	60 "
5	E	B	60 "
6	F	C	15 "
7	G	E	30 "
8	H	D,F,G	0

- A. ABEGH B. ACFHG C. ABDHG D. ACDHG

Answer: A.

59. Which of the following techniques is most effective for managing and controlling changes in software project requirements?

- A. Regular team meetings
- B. Strict adherence to the initial project plan
- C. Integrated Change Control Process
- D. Informal communication with stakeholders

Answer: C.

60. What is the primary purpose of using Earned Value Management (EVM) in project management?

- A. To manage project risks
- B. To control project scope changes
- C. To measure project performance and progress using an integrated schedule and budget
- D. To allocate resources efficiently

Answer: C.

61. Which of the following is a key benefit of implementing Behavior-Driven Development (BDD) in modern software testing processes?

- A. It reduces the need for user acceptance testing (UAT)
- B. It ensures that the software's functionality is tested against business requirements using plain language scenarios
- C. It eliminates the need for integration testing
- D. It allows testing to be performed without any requirements documentation

Answer: B.

62. In modern software testing, which approach is characterized by short development cycles, frequent releases, and automated testing to ensure that new code does not break existing functionality?

- A. Waterfall Testing
- B. Regression Testing
- C. Agile Testing
- D. Smoke Testing

Answer: C.

63. When designing test cases, which approach ensures that all possible paths through a given part of the software are tested at least once?

- A. Boundary Value Analysis
- B. Equivalence Partitioning
- C. Path Testing
- D. Random Testing

Answer: C.

64. Which of the following techniques is most effective in identifying potential risks during the early phases of a software project?

- A. SWOT Analysis
- B. Delphi Technique
- C. Brainstorming
- D. Monte Carlo Simulation

Answer: B. Delphi Technique

65. Which risk response strategy involves transferring the impact of a risk to a third party, such as through insurance or outsourcing?

- A. Risk Mitigation
- B. Risk Acceptance
- C. Risk Transference
- D. Risk Avoidance

Answer: C.

66. What is the **PRIMARY** purpose of software architecture in a software development project?

- A. To define the specific programming language and coding techniques used.
- B. To define the high-level structure, components, and interactions within a software system.
- C. To write detailed instructions for each line of code developers need to write.
- D. To create the user interface design and layout for the software.

Answer: B

67. In which of the architecture pattern multiple components access data through a common data store?

- A. Layered architecture pattern
- B. Shared data pattern
- C. Client-server pattern
- D. Multi-tier pattern

Answer: B

68. Which category of client-server architecture contains all kinds of settings?

- A. 3-tier architecture
- B. 2 tier architecture
- C. 1-tier architecture
- D. N-tier architecture

Answer: C.

69. When identifying stakeholders for a large-scale software system, which of the following should **NOT** be considered?

- A. End-users who will interact with the system.
- B. Developers who will build and maintain the system
- C. Investors who are financially backing the project.
- D. Regulatory bodies that may have compliance requirements.

Answer: B.

70. Among the phases given below of the waterfall model which phase takes the longest time?

- A. Integrating phase
- B. Analysis and requirement phase**
- C. Testing phase
- D. Maintenance

Answer: B

71. Which of the following is NOT a typical activity performed during requirement engineering?

- A. Gathering requirements from stakeholders
- B. Designing the user interface
- C. Analyzing and documenting requirements
- D. Prioritizing requirements

Answer: D

72. What is a common challenge faced during requirement engineering?

- A. Writing code in a specific programming language
- B. Difficulty in understanding user needs
- C. Choosing the right development tools
- D. Integrating the software with existing systems

Answer: B

73. How can you improve the clarity and conciseness of a requirements document?

- A. Use technical jargon and complex sentence structures.
- B. Clearly define acronyms and avoid unnecessary repetition.
- C. Include lengthy background information on the project.
- D. Organize requirements in a random and unstructured manner.

Answer: B

74. Which of the following is NOT typically included in a Non-Functional Requirements Document (NFRD)?

- A. Security requirements (e.g., data encryption)
- B. User interface (UI) design specifications
- C. Performance requirements (e.g., response time)
- D. Availability requirements (e.g., uptime)

Answer: B

75. When managing changes to software requirements, what should be the primary focus?

- A. Minimizing the number of changes requested by stakeholders
- B. Ensuring a smooth development process even if it means compromising on requirements.
- C. Balancing the need for change with maintaining project scope, budget, and timeline.
- D. Prioritizing developer preferences over stakeholder needs when evaluating changes.

Answer: C

76. How do you communicate between two Activities in Android?

- A. Using a message queue
- B. Using an AsyncTask
- C. Using a ContentProvider
- D. Using an Intent

Answer: D

77. What is the purpose of an IntentFilter in Android?

- A. To specify the exact component to be executed
- B. To launch a new task
- C. To declare the permissions required to use a component
- D. To define the types of actions or data that a component can handle .

Answer: D

78. When does the onResume() method get called in an Android Activity?

- A. When the Activity is destroyed
- B. When the Activity is first created
- C. When the Activity is stopped and then restarted
- D. When the Activity is paused and then resumed

Answer: D

79. How many manifest files one can find in an android application?

- A. 2
- B. 3
- C. 1
- D. as per the application

Answer: C

80. Which of the following is true about the following line of code:

```
button.setOnClickListener({ })
```

- A. It only saves changes in a text field.
- B. It sets the number of clicks the user presses to run the application.
- C. The system executes the code you write in setOnClickListener({ }) after the user presses the button.
- D. It sets the time and date of run process.

Answer: C

81. Consider the following JavaScript statements.

```
var sentence = "Life is precious!!"; // Sample text
```

```
var pattern = /\d+/g // Matches all instances of one or more digits
```

In order to check if the pattern matches with the string represented by a variable sentence, the statement is _____

- A. sentence==pattern
- B. pattern.test(text)
- C. sentence.test(pattern)
- D. pattern.test(sentence)

ANSWER: D.

82. Which of the following CSS style properties are inherited, meaning they are transmitted from parent to child elements?

- A. Borders style
- B. Colors style
- C. Margins style
- D. Height style

ANSWER: B

83. What is the purpose of using relative and absolute paths in hyperlinking?

- A. To specify the location of the linked page
- B. To control the size and position of the linked element
- C. To define the background color of the linked element
- D. To add interactivity to the linked element

ANSWER: A

84. What is the purpose of using the box-sizing property in CSS?
- A. To control the layout of table elements
 - B. To specify the position of an element
 - C. To control the size of an element including padding and border
 - D. To create rounded corners on elements

ANSWER: C

85. What does the ID selector do?
- A. Apply the style to a specific element
 - B. Apply the style to all the elements
 - C. Apply the style to a group of elements
 - D. Apply the style to elements of the same type

ANSWER: C

86. Given the following PHP code, when does the cookie expire?

```
setcookie ("username", "light", time()+3600);
```

- A. After 3600 minutes
- B. After 3 days
- C. Expired 60 minutes ago already
- D. After 1 hour

ANSWER: D

87. Among the given statements, which statement is correct?

- A. JavaScript enables the segregation of a web page's layout and styles.
- B. HTML attributes enable the incorporation of interactivity into your website.
- C. HTML enables you to organize the contents of a webpage.
- D. JavaScript cannot alter the content or attributes of HTML elements.

ANSWER: C

88. What is the correct HTML for inserting an image?

- A. ``
- B. `<img alt="MyImage" image.gif /img>`
- C. `<image src="image.gif" alt="MyImage">`
- D. `<img href="image.gif" alt="MyImage">`

ANSWER: A

89. What is the purpose of hyperlinking to an email address in HTML?

- A. To display the email address as a clickable link
- B. To open the default email client with a new message
- C. To redirect the user to a different web page
- D. To send an email directly from the web page

ANSWER: B

90. Which of the following most widely used software mistakes that occurred during the coding phase?

- A. Defects
- B. Failures
- C. Errors
- D. Bugs

Answer: D

91. How is the fix backlog defined in terms of workload for software maintenance?

- A. A count of reported problems at the end of each week
- B. The rate at which fixes become available
- C. A count of reported problems remaining at the end of each month
- D. A trend chart of defect arrivals

ANSWER: B

92. What is the purpose of Maintenance Metrics in software development?

- A. To increase the number of reported issues
- B. To evaluate the performance of development teams
- C. To track, analyze, and improve maintenance processes
- D. To ignore the impact of maintenance activities

ANSWER: B

93. What is a challenge related to the legal factor in software reuse?

- A. Technical complexity
- B. Economic viability
- C. Proprietary and copyright issues
- D. Managerial resistance

ANSWER: C

94. Which activity is NOT typically part of the re-engineering process?

- A. Source code translation
- B. Reverse engineering
- C. Program modularization
- D. Data re-engineering

ANSWER: A

95. Which software model helps in analyzing the risk?

- A. Waterfall model
- B. Prototype Model
- C. Incremental Model
- D. Spiral Model

ANSWER: D

96. Which of the following is NOT a core principle of good software design?

- A. Modularization
- B. Reusability
- C. Redundancy
- D. Cohesion

ANSWER: C

97. Which software engineering practice focuses on identifying and mitigating potential risks during the development process?

- A. Version control
- B. Risk management
- C. User interface design
- D. Deployment planning

ANSWER: B

98. Which one of the following activity like planning, resource allocation, and risk assessment are crucial throughout the SDLC but not exclusive to any one stage.

- A. Coding
- B. Testing
- C. Project management
- D. Design

ANSWER: C

99. A software developer has completed coding a new feature for a project. Before integrating it with the main codebase, what is the MOST important step to ensure quality?

- A. Deploying the code directly to the production environment for testing.
- B. Reviewing the code for potential errors and adherence to coding standards.
- C. Writing extensive user documentation for the new feature.
- D. Updating marketing materials to showcase the new feature.

ANSWER: B

100. Which of the following is NOT a benefit of a well-defined software process?

- A. Reduced communication among team members
- B. Improved risk management
- C. Minimized errors and defects
- D. Increased predictability of project outcomes

ANSWER: A