

Nursing comprehensive morning session1 2018 exit exam

<https://t.me/examtakers>

Join @alluexams

Credit <https://t.me/Comprehensivenursfile>

1 Which of the following is a disclosure method used during rehabilitation care of a child with HIV?

- A. DS2: introducing the words HIV, CD4 and viral load
- B. DS1: the young body soldiers that keep you healthy
- C. DS3: childhood words that are not attacking your bodies
- D. DS4: the body soldiers that keep you healthy

2 A 29-year-old male with known major depressive disorder comes to the hospital with persistent symptoms of depression and diminished interest in all activity. Which of the following clearly indicates the need for hospitalization?

- A. Suicidal attempt
- B. Mood swing
- C. Availability of support
- D. Functional impairment

3 While the nurse was performing assessment for a client who has advanced cirrhosis with worsening hepatic encephalopathy, which assessment finding is NOT expected by the nurse?

- A. Change in orientation
- B. Coarse tremor of wrist and fingers
- C. Fruity/breathing odor
- D. Pale conjunctivae

4 A 5-day-old infant is brought by the mother to the health center after the mother experienced premature rupture of membranes. The infant presents with failure to suck, decreased level of consciousness, and depressed neonatal reflexes. Determine the most possible diagnosis of this infant."

- A. Sepsis
- B. Birth asphyxia
- C. Pneumonia
- D. Meningitis

5 A 17-year-old student gradually develops fear of going to school, unable to leave home because of the crowded conditions in the school and on the street. She visits the hospital and is diagnosed with agoraphobia. What is the priority management for her condition?

- A. Psychotherapy
- B. Relaxation training
- C. Systematic desensitization
- D. Pharmacotherapy

6 A man has developed intrusive memories, nightmares, avoidance, guilt, and depression after two weeks of a fatal car accident. What is the most likely actual nursing diagnosis that can be formulated from these findings?

- A. Mood instability related to depression
- B. Loss of memory related to trauma
- C. Anxiety related to loss of sleep
- D. Stress related to trauma

7 Which statement most accurately describes a cardiac catheterization procedure?

- a. Requires general anesthesia
- b. A noninvasive procedure
- c. Retrieves part of the heart muscle, which is sent for laboratory testing
- d. Visualizes the heart by injecting radiopaque dye into the vessels

8 , diabetic patient presents with diabetic ketoacidosis. The blood glucose of the patient is 400 mg/dL and a nurse was preparing IV fluids for administration. Which appropriate nursing intervention has to be implemented first?

- a. Administer an IV infusion of 0.9% sodium chloride.
- b. Administer an IV infusion of 0.9% sodium chloride with glucose added.
- c. Administer an IV infusion of regular insulin at 0.1 U/kg/hr.
- d. Administer an IV infusion of 0.45% sodium chloride.

9. When can we say the principle of curriculum organization is applied effectively?

- a. Present difficult concepts first
- b. Work from what learners already know
- c. Present abstract before concrete concepts
- d. Introduce new material first

10. Binders are bandages made for specific body parts. Which of the following is the specific application area of T-binder?

- a. Perineal
- b. Scalp of the head
- c. Abdomen
- d. Under axilla

11. Mr. X is a 45-year-old patient who experienced an electric burn while he was painting the wall of his house. He was taken to the emergency outpatient department and the nurse found that 50% of the total body surface area was burned. The patient's weight was 60 kg. How much fluid does this patient need for resuscitation in the first 8 hours?

- A 6655ml
- B 6000ml
- C 6560ml
- D 6650ml

12. A patient with septic arthritis was complaining of pain with joint movement. What is the immediate and appropriate nursing response to this patient?

- a. Restrict fluid intake
- b. Avoid antibiotics
- c. Keep the patient flat on the bed
- d. Encourage deep breathing and cough

14. A patient with liver cirrhosis presents with confusion and asterix (flapping tremor). What condition is this likely indicating?

- A. Hepatic encephalopathy
- B. Ascites
- C. Portal hypertension
- D. Gallstone pancreatitis

15. The nurse observes visible muscle contraction, but the contraction is insufficient to produce any joint movement. Based on the grading of range of motion, how should this finding be classified?

- A. Good
- B. Fair
- C. Poor
- D. Trace

16. A mother with Eclampsia received loading dose of Magnesium sulfate and have the seizure and continue recurrent occur seizure. What is the next step?

- A. Stop medication
- B. Give Diazepam
- C. Continue magnesium sulfate loading dose
- D. Start antibiotics

17. A pregnant mother with nausea vomiting and vaginal bleeding. She is diagnosed a molar pregnancy

What is the management of this?

- A. Methotrexate
- B. Hysterectomy
- C. Suction curettage
- D. Chemotherapy

18. A 2 years old grabs a hand full of cake setting on the table and stuffs it in his mouth. What is characteristics of child?

- A. Superego
- B. Id
- C. Uncouncious mind
- D. Ego

19. A 78-year-old patient, was admitted to the medical unit with complaints of increasing difficulty of walking and frequent near falls at home over the past 6 months. He has a 5-year history of Parkinson's disease, managed with levodopa. What is the priority nursing diagnosis of this patient?

- A Risk for Injury
- B Self-Care Deficit
- C Impaired Physical Mobility
- D Impaired Verbal Communication

20. A male client is admitted with a cervical spine injury after motor cycle accident. When planning this client's care, the nurse should assign highest priority to which nursing diagnosis?

- A Impaired physical mobility
- B Ineffective breathing pattern
- C Self-care deficient
- D Distrusted Sensory preception

21 During neurologic examination, the nurse ask the 67 years old patient to stand with his feet together and arm at his side with his eyes closed. Then meanwhile a patient start to sway and moves feet further apart. This finding is best reflect?

- A Ataxia
- B Lack of coordination
- C Romberg test
- D Risk for injury

22 Respecting a patient's right to make their own healthcare decisions refers to:

- A. Beneficence
- B. Justice
- C. Nonmaleficence
- D. Autonomy

23. A 45 year old male known congestive heart failure patient is admitted to medical ward after exacerbation of edema and the electrolyte profile shows hyperkalemia. Which of the following diuretics should not be given for this patient?

- A Furosemide
- B Hydrochlorothiazide
- C Spironolactone
- D Chlorothiazide

24. A 12-year-old child presents with headaches and epistaxis. On exam, upper limb BP is 150/95 mmHg, and lower limb BP is 90/60 mmHg. Femoral pulses are weak. What is the most likely condition of this child?

- A Essential HTN
- B Renal artery stenosis
- C Coarctation of the aorta
- D Patent ductus arteriosus

25 Mitta who is 16 months old weigh 11kg and has axillary temperature of 37.0c. Her mother said that she had discharge coming from her ear for the last 5-6 days. Mitta does not have any danger signs, has no cough or difficult breathing, and has no diarrhoea and fever, but the health worker saw pus draining from the ear. He did not feel any tender swelling behind either ear. What is Mitta's classification for ear problem?

- A Mastoiditis
- B Acute ear infection
- C Chronic ear infection
- D No ear infection

26, When we can say the principle of curriculum organization is applied effectively?

- A, . Present difficult concepts first
- b. Work from what learners already know
- C Present abstract before concrete concepts
- d. introduce new material first

27 A diabetic patient present with diabetic ketoacidosis. The blood glucose of the patient is 400mg/dL and a nurse was preparing fluids for administration. Which appropriate nursing intervention has to be implemented first?

- A. Administer an IV infusion of 0.9% sodium chloride
- b. Administer IV infusion of 0.9% sodium chloride with glucose added
- C, Administer an IN infusion of regular insulin at 0.3 unit/ kg/hr
- D. Administer an I infusion of 0,45% sodium chloride

28, While the nurse was performing assessment for client who has advanced cirrhosis with worsening hepatic encephalopathy, which assessment finding is NOT expected by the nurse?

Hag

A Change in orientation

B, tremor of wrist and fingers

C, fruity breathing odour

D. Pale conjunctiva

29, Which statement most accurately describes a cardiac catheterization procedure?

a, Requires general anesthesia

b, A non-invasive procedure

C, retrieve part of the heart muscle, which is sent for laboratory testing

D. Visualizes the heart by injecting radiopaque dye into the vessels

30, A man has developed intrusive memones, nightmares avoidance of guilt and depression after two weeks fatal car accident what the most Likely actual nursing diagnosis can be formulated from these findings?

A, mood instability related to depression

B, loss of memory related to trauma

C, Arodety related to loss of sleep

D, Stress related to trauma

31. Which anthropometric measurement is used to assess stunting?

A. Height-for-age

B. Weight-for-length

C. Weight-for-height

D. Weight-for-age

32, what is the management approach of patient with risk group c (target organ disease like DM) and BP 130/90 mm hg

A, drug therapy

B, No treatment only reassurance

C, emergency management

D, life style modifications for six months

33. A 30-week pregnant woman comes to the health center with sudden painless bright red vaginal bleeding. She denies abdominal pain, and the uterus is soft and non-tender. The fetal heart rate is normal. What is the most likely cause of the bleeding?

A. Placental abruption

B. Placenta previa

C. Vasa previa

D. Abortion

34. A person has a Body Mass Index (BMI) of 17.2kg/m^2 . How is this BMI classified?

A. Underweight

B. Obesity

C. Overweight

D. Normal weight

35, A pregnant mother with nausea, vomiting and vaginal bleeding. She is diagnosed a molar pregnancy What is the management of this?

A. Methotrexate.

B. Hysterectomy

C. . Suction curettage

D. .chemotherapy

36, what is the priority nursing diagnosis for a patient with Parkinson's disease?

A. Fatigue

B. Disturbed breathing pattern

C. Activity intolerance

D. Risk for injury

37, mother with eclampsia received the loading dose of magnesium sulfate but continues to have recurrent seizures. What is the next step?

Options:

A. Stop medication

B. Give Diazepam

- C. Continue magnesium sulfate loading dose
- D. Start antibiotics

38, nurse inserts an NGT. How is the correct length measured before insertion?

- A. Nose to umbilicus
- B. Ear to stomach
- C. Tip of nose → earlobe → xiphoid process
- D. Mouth → sternum

39, The nurse observes visible muscle contraction, but the contraction is insufficient to produce any joint movement. Based on the grading of range of motion, how should this finding be classified!

- A. Good
- B. Fair
- C. Poor
- D. Trace

40, A 2 years old grabs a hand full of cake setting on the table and stuffs it in his mouth. What is characteristics of child?

- A. Superego
- B. Id
- C. Unconscious mind
- D. Ego

Nursing channel to be credited

<https://t.me/Comprehensivenursfile>

Join @alluexams on telegram