

Contents

Computer Programming	2
Object Oriented Programming	4
Design and analysis of algorithm	6
Data structure and algorithm	8
Database SYSTEM	10
Software engineering	13
Web Programming	15
Artificial intelligence	17
Automata and complexity theory	19
Compiler Design	21
Computer security	23
Data communication and computer networking	25
Network and system admin	27
Operating System	29
Computer architecture and Organization	31

COMPUTER PROGRAMMING

1. Assume that `p`, `x`, `y`, and `z` are `int` variables with `x = 1`, `y = 10`, `z = -3`. Which of the following is true after the following statement is executed? `p = (x++ * y--) + ++z;`

- a. `p = 22`
- b. `p = 17`
- c. `p = 8`
- c. `p = 16`

The correct answer is: D. `p = 8`

2. What will happen in the following C++ code snippet? `int a = 100, b = 200; int *p = &a, *q = &b; p = q;`

- a. `p` now points to `b`
- b. `a` is assigned to `b`
- c. `b` is assigned to `a`
- d. `q` now points to `a`

The correct answer is: `p` now points to `b`

3. Which of the following best describes the statement “C++ is a case sensitive programming language”?

- a. All variables in C++ are identifiers
- b. Every C++ statement should include the header file `iostream.h`
- c. `ExitExam` and `exitExam` are distinct in C++
- d. Every statement in C++ ends with semicolon

The correct answer is: `ExitExam` and `exitExam` are distinct in C++

4. Which of the following is true about the statement `a=b;`

- a. The value of **a** and **b** are equal
- b. The value of **b** is assigned to variable `a` and the later change on variable `b` will affect the value of variable **a**
- c. The value of variable **a** is assigned to variable **b** and the value of variable **b** is assigned to variable **a**
- d. The value of **b** is assigned to variable **a** and the later change on variable **b** will not affect the value of variable **a**

The correct answer is: The value of `b` is assigned to variable `a` and the later change on variable `b` will not affect the value of variable `a`

5. Which one of the following is true statement about an algorithm?

- a. Ambiguous steps are allowed in an algorithm.
- b. Complex problems cannot have an algorithm.
- c. An algorithm may not have a beginning and an end.
- d. An algorithm should take finite amount of time to compute.

The correct answer is: An algorithm should take finite amount of time to compute.

6. Which of the following will NOT increase an integer variable "i" by 1?

- a. `i+=1;`
- b. `i=i+1;` E. `++i;`
- c. `i=i+i;`
- d. `i++;`

The correct answer is: C. `i=i+i;`

7. What will happen in the following C++ code snippet?

```
int a = 100, b = 200;  
int *p = &a, *q = &b;  
p = q;
```

- a. p now points to b
- b. b is assigned to a
- c. a is assigned to b
- d. q now points to a

The correct answer is: p now points to b

OBJECT ORIENTED PROGRAMMING

8. Given three classes A, B and C, where class C is derived from class B, which is derived from class A. If those classes are public classes and found in different package, then a class C object can access

- a. Any data in C and Only Protected and public data in A and B.
- b. Protected, default and public data only in C and B.
- c. Any data in C and only public data in A and B.
- d. Protected, default and public data only in C.

The correct answer is: Any data in C and Only Protected and public data in A and B.

9. If the method is not static; how to invoke in the java programming language?

- a. Methodname()
- b. Classname.methodname()
- c. Objectname.methodname()
- d. Variablename.methodname

The correct answer is: Objectname.methodname()

10. Which of the following statement is correct, when an overridden method is called from within a subclass?

- a. The Compiler will choose randomly the method to be executed
- b. It will always refer to the version of that method defined by the subclass
- c. Compile time error will occur
- d. It will always refer to the version of that method defined by the superclass

The correct answer is: It will always refer to the version of that method defined by the subclass

11. Which of the following statements not true?

- a. A private member of a class cannot be accessed by the methods of the same class
- b. A public member of a class can be accessed in all the packages
- c. A private member of a class cannot be accessed from its derived class
- d. A protected member of a class can be accessed from its derived class.

The correct answer is: A private member of a class cannot be accessed by the methods of the same class

12. _____ is one of the basic principles of object oriented programming that use one object in multiple forms.

- a. Inheritance
- b. Interface
- c. Encapsulation
- d. None of the above

The correct answer is: None of the above

13. Consider the program:

```
public class Student {  
    int id;  
    int section;  
    void display(){  
        System.out.println("ID : " + id);  
        System.out.println("Section : " + section);}  
    public static void main(String[] args){  
        /*Create an object*/ } }
```

Which of the following is a correct way to create an object in the main method of the above program?

- A. Student stud = Student (3983,20);
- B. Student stud;
- C. Student stud=new Student ();
- D. Student stud =new Student (3983,2);

The correct answer is: Student stud=new Student ();

DESIGN AND ANALYSIS OF ALGORITHM

14. Suppose we want to determine the efficiency of the algorithm, then how we can measure the space factor

- a. To count the maximum memory required by the algorithm
- b. To count the average memory required by the algorithm
- c. To count the minimum memory required by the algorithm
- d. To count the maximum disk space needed by the algorithm

The correct answer is: To count the maximum memory required by the algorithm

15. Two main measures for the efficiency of an algorithm are

- a. Processor and memory
- b. Data and space
- c. Complexity and capacity
- d. Time and space

The correct answer is: Time and space

16. What is the best time complexity we can achieve to precompute all-pairs shortest paths in a weighted graph?

- a. $O(n^2)$
- b. $O(n^3)$
- c. $O(n)$
- d. $O(n^4)$

The correct answer is: $O(n^3)$

17. What is the time complexity of optimal binary search tree?

- a. $O(n)$
- b. $O(n^2)$
- c. $O(\log n)$
- d. $O(n!)$

The correct answer is: $O(\log n)$

18. Which of the following is the space complexity of a recursive algorithm with n levels of recursion and $O(1)$ space complexity in each level?

- a. $O(n^2)$
- b. $O(n)$
- c. $O(1)$
- d. $O(\log n)$

The correct answer is: $O(\log n)$

19. Which of the following is the best case time complexity of linear search algorithm?

- a. $O(n^2)$
- b. $O(n)$
- c. $O(1)$
- d. $O(\log n)$

The correct answer is: $O(1)$

20. If the elements '1', '2', '3' and '4' are inserted in a queue, what would be order for the removal?

- a. 4321
- b. 3241
- c. 1234
- c. None of the above

The correct answer is: 1234

DATA STRUCTURE AND ALGORITHM

21. What is the disadvantage of array data structure?

- a. The amount of memory to be allocated should be known beforehand.
- b. Elements of an array can be accessed in constant time.
- c. Elements are stored in contiguous memory blocks.
- d. Multiple other data structures can be implemented using arrays.

The correct answer is: The amount of memory to be allocated should be known beforehand.

22. What is the maximum number of swaps that can be performed in the Selection Sort algorithm?

- a. $n - 1$
- b. 1
- c. n
- d. $n - 2$

The correct answer is: $n - 1$

23. What would be the time complexity if user tries to insert the element at the end of the linked list (head pointer is known)?

- a. $O(1)$
- b. $O(n \log n)$
- c. $c.O$
- d. $O(\log n)$

The correct answer is: O

24. Which data structure is required to convert the infix to prefix notation?

- a. Stack
- b. Queue
- c. Binary tree
- d. Linked list

The correct answer is: Stack

25. Which one of the following is the process of inserting an element in the stack?

- a. Insert
- b. Add
- c. Push
- d. None of the above

The correct answer is: Push

26. Which of the following is a Divide and Conquer algorithm?

- a. Merge Sort
- b. Heap Sort
- c. Selection Sort
- d. Bubble Sort

The correct answer is: Merge Sort

DATABASE SYSTEM

27.-----is a collection of multiple logically related database distributed over a computer network.

- a. Data Fragmentation
- b. Distributed Database
- c. Data Allocation
- d. Data Replication

The correct answer is: Distributed Database

28. Means that a transaction must execute exactly once completely or not at all.

- a. Consistency
- b. Durability
- c. Isolation
- d. Atomicity

The correct answer is: Atomicity

29. A language that used to formulate the schema of database structure is_____.

- a. Data Manipulation language
- b. Data Definition Language
- c. Transaction Control Language
- d. Data Control Language

The correct answer is: Data Definition Language

30. A table can have only one

- a. Unique Key
- b. Candidate key
- c. Primary key
- d. Foreign key

The correct answer is: Primary key

31. Checkpoints are a part of

- a. Recovery measures
- b. Concurrency measures
- c. Authorization measures
- d. Security measures

The correct answer is: Recovery measures

32. When the values in one or more attributes being used as a foreign key must exist there must be a corresponding primary key value in another table in the database, we have created _____

- a. Domain Integrity constraint
- b. Referential Integrity Constraint
- c. Transitive Dependency
- d. Entity Integrity Constraints

The correct answer is: Referential Integrity Constraint

33. Which of the following is not a feature of DBMS?

- a. Support ACID Property
- b. Single-user Access only
- c. High Level of Security
- d. Minimum Duplication and Redundancy of Data

The correct answer is: Single-user Access only

34. Which of the following is not a function of the database?

- a. Analyzing code
- b. Provide Backup and recovery
- c. Manipulating data
- d. Managing stored data

The correct answer is: Analyzing code

35. Which of the following is not a recovery technique?

- a. ARIES Algorithm
- b. Two-phase commit
- c. Immediate update
- d. Deferred update

The correct answer is: Two-phase commit

36. Which of the following is not true about OODBMS (object-oriented database management system).

- a. The key concepts is objects
- b. The object is persistent
- c. The key concept is relation
- d. Object Identity is unchangeable

The correct answer is: The key concept is relation

37. Which of the following techniques of query optimization is uses ordering of the operation?

- a. Sematic Query
- b. Heuristic- based
- c. Cost estimation
- d. Exhaustive search

The correct answer is: Heuristic- based

38. Which of the following relationship is matched correctly with appropriate example of MANY TO-ONE?

- a. [Building – Location]
- b. [Employee – Department]
- c. [Hospital – Patient]
- d. [Author – Book]

The correct answer is: [Employee – Department]

SOFTWARE ENGINEERING

39. During system design system decomposition is influenced by all except _____

- a. Coupling
- b. System's functionality
- c. Cohesion
- d. Users thinking

The correct answer is: Users thinking

40. The functional model is represented graphically with ———

- a. Use case diagram
- b. State transition diagram
- c. Class diagram
- d. Object diagram

The correct answer is: Use case diagram

41. Which of the following concept of software engineering is false statement.

- a. System Analysis Focuses on the user's view of the system
- b. Design focuses on the developer point of view.
- c. Result of system analysis is a model that includes a subsystem decomposition
- d. Requirements elicitation focus only on the user's view of the system.

The correct answer is: Result of system analysis is a model that includes a subsystem decomposition

42. Which of the following heuristics is not used to identify Entity objects

- a. Real-world entities
- b. Real-world activities
- c. Forms
- d. Data sources

The correct answer is: Forms

43. “Consider a system where, a heat sensor detects an intrusion and alerts the security company.” What kind of a requirement the system is providing?

- a. Functional Requirement
- b. Non-Functional
- c. Constraints
- d. Known Requirement

The correct answer is: Functional Requirement

44. which one of the following is used to Identifying Actors

- a. What kind of dependencies are exist among use cases.
- b. What information does the actor access?
- c. Which user groups execute the system’s main functions?
- d. What are the tasks that the actor wants the system to perform?

The correct answer is: Which user groups execute the system’s main functions?

WEB PROGRAMMING

45. In PHP, which function is used to establish a secure connection to a MySQL database using SSL encryption?

- a. mysqli_ssl_connect()
- b. pdo_connect_ssl()
- c. mysql_ssl_connect()
- d. secure_connect()

The correct answer is: mysqli_ssl_connect()

46. Which JavaScript function is used to display a dialog box with an alert message?

- a. console.log()
- b. confirm()
- c. alert()
- d. prompt()

The correct answer is: alert()

47. Which JavaScript method is used to select an HTML element by its ID?

- a. getElementById()
- b. getElementsByTagName()
- c. getElementByName()
- d. getElementByClass()

The correct answer is: getElementById()

48. Which language is used to add interactivity and dynamic behavior to a web page?

- a. HTML
- b. PHP
- c. CSS
- d. JavaScript

The correct answer is: JavaScript

49. Which of the following languages is primarily responsible for defining the structure and content of a web page?

- a. HTML
- b. JavaScript
- c. PHP
- d. CSS

The correct answer is: HTML

50. Which PHP function is used to check if a file or directory exists?

- a. file_exists()
- b. file_exists_check()
- c. is_file()
- d. file_check()

The correct answer is: file_exists()

51. Which PHP function is used to retrieve the number of rows affected by an SQL query?

- a. num_rows()
- b. row_count()
- c. get_affected_rows()
- d. affected_rows()

The correct answer is: affected_rows()

52. Which PHP superglobal array is used to retrieve information about the server and execution environment?

- a. \$_POST
- b. \$_SESSION
- c. \$_GET
- d. \$_SERVER

The correct answer is: \$_SERVER

53. Which PHP superglobal array is used to retrieve data sent from an HTML form using the POST method?

- a. \$_REQUEST
- b. \$_GET
- c. \$_POST
- d. \$_SERVER

The correct answer is: \$_POST

ARTIFICIAL INTELLIGENCE

54. An agent type which has condition-action rule and memory to remind the current state of the world and its evolution is called

- a. Simple reflex
- b. Model based reflex
- c. Goal based
- d. Utility based

The correct answer is: Model based reflex

55. Assume that you are employed as a machine learning expert at the Ministry of Education (MoE). Which machine learning technique you would apply for the task of describing the existing higher education institutions as first generation, second generation and third generation.

- a. Reinforcement Learning
- b. Regression
- c. Classification
- d. Clustering

The correct answer is: Clustering

56. Consider the definition of AI: “The effort to design and implement intelligent software that solves problems by identifying best action sequence to achieve the desired goal” can be views AI as

- a. A system that acts humanly
- b. A system that thinks humanly
- c. A system that acts rationally
- d. A system that thinks rationally

The correct answer is: A system that acts rationally

57. What is completeness of search algorithms?

- a. If there is a difference between the quality of goal states, the agent will find the best one
- b. An estimate of how much information the algorithm needs to store for finding a solution
- c. An estimate of how many search steps it takes to find a solution
- d. Provided that a solution exists, the algorithm will find it

The correct answer is: Provided that a solution exists, the algorithm will find it

58. Which one of the view of defining AI concerned with thought processing

- a. Viewing AI as a system which has complete autonomous
- b. Viewing AI as a system that think either humanly or think rationally
- c. Viewing AI as a system that act either humanly or think rationally
- d. Viewing AI as a system that act omnisciently to its environment

The correct answer is: Viewing AI as a system that think either humanly or think rationally

59. Which one of the following statement is false

- a. Turing test is a mechanism to validate AI system that act humanly
- b. Validating AI system that act rationally can be made by its performance
- c. Validating AI system that thinks humanly is impossible
- d. Validating AI system that think rationally can be made by using its reasoning logic

The correct answer is: Validating AI system that thinks humanly is impossible

AUTOMATA AND COMPLEXITY THEORY

60. A context free Grammar is called ambiguous if there exists a string that can have?

- a. only one parse tree
- b. no parse tree
- c. Partial parse tree
- d. more than one parse tree

The correct answer is: more than one parse tree

61. A context free grammar with production rules: $S \rightarrow aS / \epsilon$ is equivalent to the regular expression

- a. a^*
- b. $(a+b)^*$
- c. $a(a+b)^*$
- d. a^+

The correct answer is: a^*

62. A push down automaton employs _____ data structure.

- a. Linked List
- b. Stack
- c. Hash Table
- d. Queue

The correct answer is: Stack

63. Which of the following Machine is Equivalent for Regular grammar?

- a. Push down automata
- b. Linear bounded automata
- c. Finite state automata
- d. Turing Machine

The correct answer is: Finite state automata

64. Given a context free grammar $G = \{V, \Sigma, P, S\}$ and production $P: a \rightarrow b$. Which one of the following is true?

- a. $a \in (V + \Sigma)$
- b. $a \in V$
- c. $a \in (V + \Sigma)^*$
- d. $b \in (V + \Sigma)^*$

The correct answer is: $b \in (V + \Sigma)^*$

65. Given a finite automata below, what will be the regular expression that correctly represents the language accepted by it.

- A. $(a+b)ab(ab+bb+aa^*(a+b)ab)^*$
- B. $a^*ab(ab+bb+aa^*(a+b)ab)^*$
- C. $a^*(a+b)ab(ab+bb+aa^*(a+b)ab)$
- D. $(aa^*(a+b)ab)^*$

The correct answer is: $(a+b)ab(ab+bb+aa^*(a+b)ab)^*$

COMPILER DESIGN

66. Identify the technique used to replace run-time computations with compile-time computations?

- a. Peephole optimization
- b. Constant folding
- c. Invariant computation
- d. Code hoisting

The correct answer is: Constant folding

67. In which does the compiler translate the source code?

- a. Binary code
- b. Executable code
- c. Both a and b
- d. Machine code

The correct answer is: Both a and b

68. Through which type of grammar can synthesized attributes be simulated?

- a. Ambiguous grammar
- b. LR grammar
- c. LL grammar
- d. None

The correct answer is: LR grammar

69. What is the regular expression for an Identifier?

- a. Letter(letter+ | digit*)*
- b. Letter(letter | digit)+
- c. Letter(letter | digit)*
- d. Letter(letter_digit)*

The correct answer is: Letter(letter | digit)*

70. What is the process of finding a parse tree for a string of tokens called?

- a. Recognizing
- b. Parsing
- c. Tokenizing
- d. Analyzing

The correct answer is: Parsing

71. What is the action of parsing the source program into proper syntactic classes?

- a. Interpretation analysis
- b. Lexical analysis
- c. Syntax analysis
- d. General syntax analysis

The correct answer is: Lexical analysis

COMPUTER SECURITY

72. All are properties of the integrity goal of a computer system, except

- a. Integrity can be compromised by Deception
- b. Integrity can be compromised by Disclosure
- c. Ensures there was an authorized modification
- d. Keep resources from active attacks

The correct answer is: Integrity can be compromised by Disclosure

73. Assume, you went to the Ethiopian airport to catch a flight and told the airport personnel your name. For sure, they would ask you some questions like your passport number and your reservation ticket number for some proof of your identity. Then what do we call this process?

- a. Authentication
- b. Authorization
- c. Access control
- d. All

The correct answer is: Authentication

74. Assume, you went to the nearby commercial bank's automatic teller machine (ATM) to withdraw money. You inserted your ATM card into the machine, and the machine asked you to enter your personal identification number (PIN). Then, when you type your password, someone intercepts your ATM card number, and which of your security goals is compromised?

- a. Integrity
- b. Authorization
- c. Confidentiality
- d. Availability

The correct answer is: Confidentiality

75. Which attack can be used for monitoring children's activity?

- a. Spyware
- b. Ransomwares
- c. Worms
- d. Adware

The correct answer is: Spyware

76. _____ is a type of data link layer attack in TCP/IP protocol stack

- a. ARP spoofing
- b. DNS spoofing
- c. SYNC-FLOOD attack
- d. All except c

The correct answer is: All except c

77. Which one of the following statements is true about worms and Viruses

- a. Worms requires a host to spread while viruses doesn't require
- b. Worms requires a user action for replicate while viruses doesn't require
- c. Virus requires a host to spread while Worms doesn't require
- d. Worms spreading speed is slower than Virus Spreading speed

The correct answer is: Virus requires a host to spread while Worms doesn't require

DATA COMMUNICATION AND COMPUTER NETWORKING

78. What is the bit pattern for the first octet of a class –B network address?

- a. 110XXXXX
- b. 1110XXXXX
- c. 10XXXXXX
- d. 0XXXXXXX

The correct answer is: 10XXXXXX

79. Which OSI model layer is responsible for flow control?

- a. Application Layer
- b. Transport Layer
- c. Session Layer
- d. Presentation Layer

The correct answer is: Transport Layer

80. Which of the following networking device is used in physical layer?

- a. Bridge
- b. Router
- c. Switch
- d. Hub

The correct answer is: Hub

81. Assuming that Company VWX has main site and remote site. The main site has three LANs with LAN 1 has 100 hosts, LAN 2 has 60 hosts, and LAN 3 has 29 hosts. The remote site has two LANs, each with 100 hosts. The network uses private addresses. The Internet service provider assigned the company the network 200.100.50.2/26.vThe remote site uses the network prefix 192.168.10.0/24. **What subnets and masks can you use for the LANs at the remote site and conserve address space?**

- A. 192.168.10.0/25 and 192.168.10.128/25
- B. 192.168.10.0/30 and 192.168.10.128/30
- C. 192.168.10.64/26 and 192.168.10.192/26
- D. 192.168.10.32/28 and 192.168.10.64/28

The correct answer is: 192.168.10.0/25 and 192.168.10.128/25

82. The main site uses the network prefix 192.168.15.0/24. What subnets and masks can you use to provide sufficient addresses for LANs at the main site and conserve address space?

- A. 192.168.15.0/25 for LAN 1, 192.168.15.128/26 for LAN 2, and 192.168.15.192/27 for LAN 3
- B. 192.168.15.0/26 for LAN 1, 192.168.15.128/26 for LAN 2, and 172.15.192.0/29 for LAN 3
- C. 192.168.15.0/27 for LAN 1, 192.168.15.128/26 for LAN 2, and 172.15.192.0/25 for LAN 3
- D. 192.168.15.0/100 for LAN 1, 192.168.15.128/60 for LAN 2, and 172.15.192.0/29 for LAN 3

The correct answer is: v192.168.15.0/25 for LAN 1, 192.168.15.128/26 for LAN 2, and 192.168.15.192/27 for LAN

83. Which network and mask would you use for the WAN link to save the most address space?

- A. 192.168.11.240/27
- B. 192.168.11.240/28
- C. 192.168.11.240/29
- D. 192.168.11.240/30

The correct answer is: 192.168.11.240/28

NETWORK AND SYSTEM ADMIN

84. In DNS concept the process of getting IP address by using its hostname is called: _____

- a. Forward resolution
- b. Backward resolution
- c. Binding
- d. Resolving

The correct answer is: Forward resolution

85. Let's assume that you know the domain name of Face Book server, but you don't know its IP address. So which network troubleshooting tool you use to get its IP address?

- a. Nslookup
- b. Ping command
- c. Traceroute
- d. Netstat

The correct answer is: Netstat

86. Where/when Network administrator should have to use the concept of Network Address translation? Network admin should use NAT where: -

- a. Default gateway of LAN isn't configured
- b. Global IP address is used in the LAN
- c. He/she don't know type of IP address used in the LAN
- d. Private IP address is used in the LAN

The correct answer is: Private IP address is used in the LAN

87. Where/When we can use DHCP Services? It is recommended to use DHCP when: -

- a. There are small number of network users
- b. Network admin went to use same end devices for specific purpose
- c. Number of devices in the network are very complex
- d. All are correct

The correct answer is: Number of devices in the network are very complex

88. Which of the following server type is used to store, process, and respond to the client request for webpages via http/https protocols

- a. Http Server
- b. Web Server
- c. FTP server
- d. DNS Server

The correct answer is: Web Server

89. _____ is a network security device that monitors incoming and outgoing network traffic.

- a. Proxy
- b. Firewall
- c. Gateway
- d. Router

The correct answer is: Firewall

OPERATING SYSTEM

90. A process can be terminated due to:

- a. killed by another process
- b. normal exit
- c. all of the mentioned
- d. fatal error

The correct answer is: all of the mentioned

91. To access the services of operating system, the interface is provided by the:

- a. library
- b. system calls
- c. assembly instructions
- d. API

The correct answer is: system calls

92. Which module gives control of the CPU to the process selected by the short-term scheduler?

- a. Interrupt
- b. Dispatcher
- c. Scheduler
- d. none of the mentioned

The correct answer is: Dispatcher

93. Which of the following condition is required for deadlock to be possible?

- a. mutual exclusion
- b. all of the mentioned
- c. a process may hold allocated resources while awaiting assignment of other resources
- d. no resource can be forcibly removed from a process holding it

The correct answer is: all of the mentioned

94. Which scheduling algorithm allocates the CPU first to the process that requests the CPU first?

- a. first-come, first-served scheduling
- b. priority scheduling
- c. shortest job scheduling
- d. none of the mentioned

The correct answer is: first-come, first-served scheduling

95. Which one of the following is not true?

- a. kernel is the first part of operating system to load into memory during booting
- b. kernel is made of various modules which cannot be loaded in running operating system
- c. kernel is the program that constitutes the central core of the operating system
- d. kernel remains in the memory during the entire computer session

The correct answer is: kernel is made of various modules which cannot be loaded in running operating system

COMPUTER ARCHITECTURE AND ORGANIZATION

96. A processor performing fetch or decoding of different instruction during the execution of another instruction is called _____

- a. Super-scaling
- b. None of the above
- c. Parallel Computation
- d. Pipe-lining

The correct answer is: Pipe-lining

97. An instruction that will jump to the next instruction if the condition is met

- a. Branch instruction
- b. Return instruction
- c. Skip instruction
- d. Jump instruction

The correct answer is: Skip instruction

98. An interrupt that is caused by register overflow, attempt to divide by zero, an invalid operation code, stack overflow can be?

- a. None of the above
- b. Software interrupt
- c. External interrupt
- d. Internal interrupt

The correct answer is: Internal interrupt

99. Computer address bus is

- a. Unidirectional
- b. None of the above
- c. Multidirectional
- d. Bidirectional

The correct answer is: Unidirectional

100. The simplest way to organize a computer is to have one processor register and an instruction code format with two parts. The first part specifies the operation to be performed and the second specifies .

- a. address
- b. output
- c. Input
- d. operand

The correct answer is: address

101. Which of the following computer memory is fastest?

- a. RAM
- b. Register
- c. None of the above
- d. Hard disk

The correct answer is: Register