



MoEEE

MoE - Exit Exam

Question 16

Not yet
answeredMarked out of
1.00[Flag question](#)

Time left 2:21:30

Assume you have an interface called *Payable* as follows

```
public interface Payable{  
    double getPaymentAmount();  
}
```

If you have another class *Invoice* that implements this interface and `getQuantity()` and `getPricePerItem()` methods that returns quantity and price per item, which of the following is the correct implementation?

- ☐ a. `public abstract class Invoice implements Payable{
 public double getPaymentAmount (){
 return getQuantity() * getPricePerItem();
 }
}`
- ☐ b. `public class Invoice implements Payable{
 public double getPaymentAmount (){
 return getQuantity() * getPricePerItem();
 }
}`
- ☐ c. `public class Invoice implements Payable{
 public getPaymentAmount (){
 return getQuantity() * getPricePerItem();
 }
}`

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish attempt ...](#)