

The commercial cultivation, production, processing and marketing of vegetable crops is called?

- ☐ a. Olericulture
- ☐ b. Floriculture
- ☐ c. Arboriculture
- ☐ d. Pomology

Answer: Olericulture.

The ratio of the water stored in the root zone of a crop, to the water actually delivered to the crop in the field, is known as;

- ☐ a. Water conveyance efficiency
- ☐ b. Water application efficiency
- ☐ c. Water scarcity index
- ☐ d. Water use efficiency

Answer: Water use efficiency.

Which of the following is NOT considered as the basic assumption of ANOVA?

- ☐ a. Normality
- ☐ b. Independence of experimental error
- ☐ c. Randomness
- ☐ d. Additivity

Answer: Independence of experimental error.

Common method of potato planting method?

- ☐ a. Dibbing
- ☐ b. Ridge and furrowing
- ☐ c. Throwing
- ☐ d. Broadcasting

Answer: Ridge and furrowing.

Among the following, which one is wrong about integrated pest management?

- ☐ a. Science based
- ☐ b. Long lasting
- ☐ c. Coordinates different pest management approaches
- ☐ d. Helps in total kill of pests

Answer: Helps in total kill of pests.

Which one is different from the following alternatives?

- ☐ a. Potassium
- ☐ b. Phosphorus
- ☐ c. Iron
- ☐ d. Nitrogen

Answer: Iron

Which one of the following is an example of a quantitative trait?

- ☐ a. Plant height
- ☐ b. Disease resistance
- ☐ c. Flower color
- ☐ d. Plant shape

Answer: plant height

Which of the following is a form of asexual plant propagation?

- ☐ a. Selfing
- ☐ b. Grafting
- ☐ c. Hybridization
- ☐ d. Backcrossing

Answer: Grafting

For cereal crops that are grown for seed or grain, the most sensitive growth stage for moisture deficit is

- ☐ a. Maturity stage
- ☐ b. Vegetative stage
- ☐ c. Grain filling stage
- ☐ d. Flowering stage

Answer: Grain filling stage

Which of the following is an example of non-experimental research?

- ☐ a. Conducting surveys
- ☐ b. Implementing field trials
- ☐ c. Analyzing laboratory samples
- ☐ d. Testing new agricultural technologies

Answer: Conducting surveys.

The first chemical shown to have herbicidal activity is

- ☐ a. 2, 4-DB
- ☐ b. Bordeaux mixture
- ☐ c. 2, 4-D
- ☐ d. Paraquat

Answer: Bordeaux mixture

Bioagent for controlling *Parthenium hysterophorus* weed is

- ☐ a. *Chrysolira*
- ☐ b. Flea beetle
- ☐ c. *Zygogramma bicolorata*
- ☐ d. *Bactra verulata*

Answer: *Zygogramma bicolorata*.

Which type of nutrient loss is more prevalent in sandy soils?

- ☐ a. Gaseous loss
- ☐ b. Leaching
- ☐ c. Erosion
- ☐ d. Removal by crops

Answer: Leaching

Which mechanism of nutrient movement in soil is most dependent on a concentration gradient?

- ☐ a. Diffusion
- ☐ b. Mass flow
- ☐ c. Transpiration
- ☐ d. Root interception

Answer: Diffusion

Which of the following fruit crop is more adapted to frost?

- ☐ a. Peach
- ☐ b. Mango
- ☐ c. Banana
- ☐ d. Sweet orange

Answer: Peach

What happens to nutrient uptake when soil aeration decreases?

- ☐ a. Uptake decreases due to limited oxygen availability
- ☐ b. Uptake shifts from roots to foliage
- ☐ c. Uptake increases due to reduced transpiration
- ☐ d. Uptake remains unchanged

Answer: Uptake decreases due to limited oxygen availability.

What is the importance of data preparation in research?

- ☐ a. To select appropriate research tools
- ☐ b. To interpret research findings accurately
- ☐ c. To secure funding for research projects
- ☐ d. To identify research problems and questions

Answer: A document outlining a research project.

What is a research proposal?

- ☐ a. A presentation of research results
- ☐ b. A document containing research findings
- ☐ c. A statistical analysis of research data
- ☐ d. A document outlining a research project

Answer: A document outlining a research project.

The mode of action of Iproturon is

- ☐ a. Shoot inhibitor
- ☐ b. Root inhibitor
- ☐ c. Amino acid inhibition
- ☐ d. Photosynthesis inhibition

Answer: Photosynthesis inhibition.

The group of plants that require moderate amounts of water for their optimum growth and development can be classified as

- ☐ a. Hydrophytes
- ☐ b. Xerophytes
- ☐ c. Halophytes
- ☐ d. Mesophytes

Answer: Mesophytes.

Which of the following is wrong about preventive method of weed control?

- ☐ a. Proper cleaning of farm machinery
- ☐ b. Hand weeding and post emergence herbicide application
- ☐ c. Following legal and quarantine measures
- ☐ d. Using weed free crop seeds

Answer: Hand weeding and post-emergence herbicide application.

Which statement is wrong about characteristics of Onychophora?

- ☐ a. The body is soft, worm-like, and are terrestrial
- ☐ b. They have long, stumpy unjointed appendages
- ☐ c. They possess trachea as respiratory organs
- ☐ d. They have the connection link between the phylum Annelida and Arthropods

Answer: They have the connection link between the phylum Annelida and Arthropods.

All insects must communicate; when they want each other for reproduction purpose they:

- ☐ a. Avoid predation
- ☐ b. Survive the winter
- ☐ c. Locate food
- ☐ d. Find a mate

Answer: Find a mate.

Which one of the following factor increase respiration rate?

- ☐ a. Wounding of plant organs
- ☐ b. Low concentration of inorganic salts
- ☐ c. Too low temperature
- ☐ d. Increasing the concentration of CO₂

Answer: Increasing the concentration of CO₂.

Which one of the following is an example of cool crops?

- ☐ a. Tomato
- ☐ b. Lettuce
- ☐ c. Cauliflower
- ☐ d. Carrot

Answer: cauliflower

From the following which one is different from the other in terms of its Climacteric pattern?

- ☐ a. Orange
- ☐ b. Avocado
- ☐ c. Banana
- ☐ d. Mango

Answer: orange

One is common developmental response of plants to low water stress

- ☐ a. Increase production of promontory hormones
- ☐ b. Production of thick waxy cuticle
- ☐ c. Induce formation of Aerenchyma tissue
- ☐ d. Shoot elongation

Answer: Production of thick waxy cuticle.

In the physiological seed enhancement technique, the hydration level within the seeds is controlled to enhance the metabolic activity necessary for germination, but in which radicle emergence is prevented is known as

- ☐ a. Seed coating
- ☐ b. Seed priming
- ☐ c. Seed purification
- ☐ d. Seed scarification

Answer: Seed priming.

Which one of the following is NOT a wheat disease?

- ☐ a. Aphids
- ☐ b. Septoria leaf spot
- ☐ c. Stem rust
- ☐ d. Yellow leaf rust

Answer: Aphids.

Which principle of experimental design helps to reduce the effect of extraneous factors within an experiment?

- ☐ a. Replication
- ☐ b. Local control
- ☐ c. Randomization
- ☐ d. Treatment selection

Answer: Randomization.

Identify the index number that is useful in measuring the purchasing power of money:

- ☐ a. Fisher's Ideal
- ☐ b. Consumer Price
- ☐ c. Laspeyre's
- ☐ d. Paasche's

Answer: Fisher's Ideal.

The correct steps to write a literature review in research is:

- ☐ a. Evaluate & select literature->organize literature->Define Terms->locate source-> write
- ☐ b. Define Terms->locate source->evaluate & select literature-> write->organize literature
- ☐ c. Evaluate & select literature->organize literature-> locate source-> write->define terms
- ☐ d. Define Terms->locate source->evaluate & select literature->organize literature->write

Answer: Define Terms -> locate source -> evaluate & select literature -> organize literature -> write

For which irrigation method proper design, crop root zone depth, water use rate, wind, air temperature, and humidity are factors to be considered?

- ☐ a. Drip
- ☐ b. Furrow
- ☐ c. Sprinkler
- ☐ d. Border

Answer: sprinkler