

45. A 2 year child come to health facility with a complain of Respiratory distress and barking cough. He has intercostal retraction, cyanosis and O2 saturation is 86%.

What is the most likely diagnosis?

A. B. Asthma.

B. Bronchitis

C. Croup

D. Pneumonia

38. A 8 year baby come to hospital with a complain of fever, SOB and cough. His vital sign reading shows BP 85/50 mmhg, Temperature 37.2 oc and O2 80%.

What is the most priority nursing intervention?

A. Administering IV fluid

B. Clearing airway

C. Administering oxygen

D. Administering analgesics

40. A 42 year old COPD patient come to hospital with a complain of fever, cough and difficulty of breathing. He has stridor breathing sound. His vital sign was Bp 110/70mmhg, pulse 96 beat/min, Temperature 38.3 oc and O2 85%.

What is the most priority nursing intervention ?

A. Clear breath sound

B. Airway clearance

C. Oxygen administration

D. Improving tissue perfusion

1. The vaccine used for the prevention of cervical cancer is _

A. HPV.

B. IgG

C. Hepatitis B

D. BCG

2. What is the most potentially Dangerous Complication of chronic peritoneal dialysis.?

- A. Peritonitis.
- B. Abdominal pain
- C. Muscle cramps
- D. dyspnea

3. Which of the following function as First Referral Unit (FRUs)in India?

- A. Sub center
- B. Primary health centre
- C. Community health centre.
- D. Regional hospital

4. The average weight gain per week during later months of pregnancy is _

- A. 1.5 kg
- B. 1.0 kg
- C. 0.25 kg
- D. 0.5 kg.

5. A client's condition following cardiac catheterization is evaluated by palpating the pulse

- A. Above the catheter insertion
- B. At the insertion site
- C. Distal to the catheter insertion.
- D. In all extremities

6. Which of the following anti-tubercular drug is bacteriostatic-

- A. streptomycin
- B. ethambutol
- C. rifampicin
- D. INH

7. Normally by one year of age the birth weight of an infant should increase by _

- A. 1.5 times
- B. 2 times
- C. 3 times.
- D. 4 times

8. Specificity is the ability ofidentity-

- A. true positive
- B. true negative
- C. false positive
- D. false negative

9. A patient was in an automobile accident, sustained a head injury. Following admission to the hospital, a diagnosis of increased intracranial pressure was made. The nursing intervention appropriate in the care of patients is to _

- A. Encourage the intake of clear fluid
- B. Teach controlled coughing and deep breathing.
- C. Provide a quiet and bright environment
- D. Elevating the head 15 to 30 degree.

10. Which of the best method for removing of temporary hardness of water-

- A. sterilization
- B. boiling
- C. filtration

11. Involution of uterus is completed by _

- A. 6 weeks.
- B. 8 weeks
- C. 12 weeks
- D. 16 weeks

12. Strongest stimulus of lactation is by_

- A. PPH
- B. Sucking.
- C. Metoclopramide
- D. Bromocriptine

13. " Injection Anti-D " should be given following Rh(+)ve delivery within _

- A. 8 hours
- B. 72 hours
- C. 7 days
- D. 24 hours

14. Dyspnea associated with congestive heart failure is primarily due to-

- A. blockage of pulmonary artery by an embolus.
- B. accumulation of fluid in the interstitial space & alveoli of the lungs.
- C. blockage of bronchi by mucus secretion.
- D. compression of lungs by the dilated heart.

15. Territory level of prevention of diseases is related to-

- A. vaccination
- B. good nutrition
- C. rehabilitation
- D. good rest & sleep.

16 Placental bed blood circulation through-

- A. villi
- B. spiral artery
- C. chorionic membrane
- D. umbilical artery.

17. The danger of convulsion in a woman with preeclampsia ends-

- A. After labour begins
- B. after delivery occurs
- C. 24 hours postpartum
- D. 48 hours postpartum

18. All of the following are mosquito born disease except-

- A. malaria
- B. kala azar
- C. KTO
- D. dengue

19. Immunity by antibody formation during the course of a disease is-

- A. active natural immunity
- B. active artificial immunity
- C. passive natural Immunity
- D. passive natural immunity

20. Major route of transmission of hepatitis-A is-

- A. faeco-oral route
- B. parenteral route
- C sexual transmission
- D placental transmission.

21. The uterine blood flow at term-

- A. 50 ml/min
- B. 100-150 ml/min
- C. 350-375 ml/min
- D. 500-750 ml/min

22. A woman has been pushing effectively for 1 hour, a nurse should need at this time is to-

- A. change position frequently
- B. ambulate
- C. consume oral food & fluids.
- D. rest b/w contractions.

23. A patient need an intradermal injection for mantoux test, but he currently has bilateral forearm cast in place. which of the following would be the best alternative site-

- A. abdomen
- B. lateral upper arm
- C. medial upper arm
- D. antecubital space

24. Which is not a freeze dried vaccine is-

- A. BCG
- B. DPT
- C. measles
- D. yellow fever

25. Major cause of blindness in india is-

- A. glaucoma
- B. refractive error
- C. cornea blindness
- D. cataract

26. India accounts for nearly..... of the global incidence of tuberculosis-

- A. 50%
- B. 25%
- C. 33%
- D. 20%

27. Inadequate intake of which vitamin by the pregnant women may cause neural tube defects-

- A. niacin
- B. riboflavin
- C. folic acid
- D. thiamine

28. The safest method of termination of pregnancy before 12 weeks is -

- A. suction evacuation
- B. D&C
- C. laminaria tant
- D. prostaglandin

29. The principal features of kawashiorkor is -

- A. visible muscle wasting
- B. usually good appetite
- C. severe fat wasting
- D. Oedema in lower leg & face

30. The concept of MHW was given by-

- A. kartar singh committee
- B. shrivastva committee
- C. chada committee

31. A characteristic of infant & young children who have experienced maternal deprivation is -

- A. tendency toward overeating
- B. responsiveness to stimuli
- C. proneness to illness
- D. extreme activity

32. A skin infection that can be a sequela of a staphylococcus infection is -

A. herpes simplex

B. scabies

C. intertrigo

D. impetigo

33. Caput succedenum is -

A. birth mark

B. swelling on the face of the body

C. collection of fluid under scalp

D. swelling will not cross the suture line.

34. The reason for using the parenteral route to administer medication includes -

A. parenteral medication last longer than an oral medication

B. it is the least expensive method

C. it is easier to measure an accurate dose

D. the parenteral route allow more rapid absorption than the oral route

35. Which of the following is an appropriate nursing action when caring a patient a patient who has a radium implant for cancer of cervix-

A. restrict the visitors to 10 minutes stay

B. store urine in a lead-lined container

C. wear a lead apron when giving care

D. avoid giving IM injection to gluteal region

36. A patient's physics orders nuclear cardiography and makes an appointment for a thallium scan.

The purpose of injecting a radioisotope into the blood stream is to detect-

A. normal versus abnormal tissue

B. damage in area of the heart

C. ventricular function

D. myocardial scanning & perfusion

37. Protein are required for-

- A. weight reduction
- B. absorption of calcium
- C. maintenance of body tissue.
- D. synthesis of steroid hormone.

38. The enzyme release by the sperm which allow penetration of the ovum is-

- A. amylase
- B. hyaluronidase
- C. lipase
- D. trypsin

39. Total blood volume of a newborn at birth is-

- A. 80 ml/kg
- B. 100 ml/kg
- C. 125 ml/kg
- D. 150 ml/kg

40. A 20 months old is to receive isotype-P 240 ml IV in 6 hours. The drop factor of the minidropper is 60 drops/ml. The nurse should regulate the IV to run at-

- A. 36 drop/min
- B. 40 drop/min
- C. 32 drop/min
- D. 20 drop/min

41. When a patient is in liver failure, which of the following behavioral changes is the most important assessment is report-

- A. shortness of breath
- B. lethargy
- C. fatigue

D. nausea

42. Under IMNCI care is rendered to-

A. only newborn

B. under 5 children

C. 2 months to 5 year old children

D. age upto 2 months and 2 months to 5 year old children

43. Which of the following clinical finding indicates the patient is experiencing hypokalemia-

A. Edema

B. muscle spasm

C. kussmaul breathing

D. abdominal distention

44. Pain felt in calf muscle when the foot is dorsiflexed with the leg extended at the knee is called-

A. kernig's sign

B. spalding's sign

C. homan sign

D. goodell's sign

45. The population covered by a subcenters in plain area is-

A. 1000

B. 5000

C. 30000

D. 80000

46. The mean cardiac output of the foetus is-

A. 100 ml/kg/min

B. 225 ml/kg/min

C. 350 ml/kg/min

D. 415 ml/kg/min

47. A 20 year old male patient is admitted to the Hospital for a suspected brain tumor, while asseesing the patient, the nurse would keep in mind that the most reliable index of cerebral status is-

A. pulil response

B. deep tendon reflexes

C. muscle strength

D. level of consciousness

48. EPI include all vaccines except-

A. DPT

B. MMR

C. BCG

D. polio

49. Most appropriate age for early primary immunization against TB, DPT, polio, measles, & hepatitis-B is-

A . birth to 1 year

B. birth to 6 months

C. birth to 9 months

D. birth to 18 months

50. The first person becoming sick in an epidemic is called-

A. primary case

B. secondary case

C. contact case

D. index case

51. ART-DOTS linkage are being established at all-

A. health centers

B. ART centers under AIDS control progtamme

C. Hospital

D. TB centers

52. The immunity develop as a results of infection by pathogenic organisms is-

A. active immunity

B. passive immunity

C. natural immunity

D. acquired immunity

53. Normally newborn lose weight in first week of life-

A. 10 % of birth weight

B. 5 % of birth weight

C. 1 % of birth weight

D. 20 % of birth weight

54. Which of the following is a preparation of choice for a patient who has been admitted in emergency department with an open contaminated injury and no recent history of tetanus immunization-

A. DPT vaccine

B. tetanus toxoid

C. tetanus antitoxin

D. tetanus immunoglobulin.

55. BCG, measles, MMR, should be stored in-

A. 10 to 120* C

B. 20 to 250* C

C. 2 to 8* C

D. 15 to 200* C

56. The nurse will evaluate for the most significant complications in patients undergone chronic peritoneal dialysis , which is-

A . pulmonary embolism

B. hypotension

C. dyspnoea

D. peritonitis

57. Communicability of measles decline-

A. after onset of fever

B. during prodromal period

C. at the time of eruption

D. after appearance of rash

58. The physician has ordered a 24 hours urine specimen. after explaining the procedure to the patients, the nurse collects the first specimen, this specimen is then-

A. discarded then the collection began

B. saved as part of the 24 hours collection

C. tested, than discarded

D. placed in a separate container & later added to the collection.

59. Tertiary prevention is needed in which stage of the natural history of disease-

A. prepathogenesis

B. pathogenesis

C. prodromal

D. terminal

60. Strawberry spot vagina is seen in-

A. candida

B. trichomonas

C. CMV

D. herpes simplex

61. A non-stress test is prescribed for a pregnant mother and nurse about the procedure, the nurse tells the client that-

- A. the test is an invasive procedure and requires that an informed consent be signed
- B. the test will take about 2 hours and will require close monitoring for 2 hours after procedure is completed
- C. an ultrasound transducer that records fetal heart activity is secured over the abdomen where the fetal heart sound is heard most clearly.
- D. The fetus is challenged a stressed by uterine contraction to obtain the necessary information

62. The first dose of vitamin-A is given at the age of-

- A. 18 months
- B. 2 years
- C. 9 months
- D. 6 months

63. A way to promote trust with a patient is to-

- A. allow family members to visit whenever they want
- B. assure the patient that her doctor is excellent
- C. follow through when u say u will do something
- D. talk with her at length, about her life, likes & dislikes

64. Physiological anemia in pregnant women is a result of-

- A. poor dietary intake of iron
- B. increased erthropoiesis
- C. increased detoxification demands
- D. increased blood volume of women

65. A young patient who was hit by a car was fortunate because the level of his injury did not interrupt his respiratory function. The cord segment invoved with maintaining respiratory functions are-

- A. thoracic level 5 & 6
- B. thoracic level 2 & 3
- C. cervical level 7 & 8
- D. cervical level 3 & 4

66. When a patient's medical record is needed as evidence for a legal action, you are aware that the record is the property of-

- A. the patient
- B. the court
- C. the patient's lawyer
- D. the health care agency

67. Which of the clients would nurse identify as being at most risk for developing DIC-

- A. a 4th gravida delivered 8 hours ago & has lost 500 ml of blood
- B. a 2nd gravida diagnosed with dead fetus syndrome
- C. a primigravida with mild preeclampsia
- D. a primigravida who delivered a 3.5 kg baby 3 hours ago

68. the principle of risk approach is-

- A. something for all
- B. more for the needy
- C. all for some
- D. all for all

69. A patient has the diagnosis of left ventricular failure and a high pulmonary capillary wedge pressure (PCWP). The physician orders dopamine to improve ventricular function. The nurse will know the medication is working if the patient's-

- A. blood pressure rises
- B. blood pressure decreases
- C. cardiac index falls
- D. PCWP rises

70. A main objective of intensive IEC activities for leprosy programme is-

- A. cure of illness
- B. case identification
- C. reduction of stigma

D. eradication of disease

71. Promotion of infant & young child feeding practice is encompassed along with continuous of complementary feeding up to-

A. 1 year of life

B. 2 year of life

C. 3 year of life

D. 4 year of life

72. Thrombophlebitis is a common complication following vascular surgery. Which of the following sign indicates that a possible thrombus has occurred-

A. kernig's sign

B. hegar's sig

C. homan's sign

D. brudzindki's sign

73. During a retention catheter insertion or bladder irrigation, the nurse must use-

A. clean equipment & maintain surgical asepsis

B. sterile equipment & maintain medical asepsis

C. clean equipment & techniques

D. sterile equipment & wear sterile gloves

74. Saffron coloured meconium seen in-

A. post maturity

B. TB

C. breech

D. normal in appearance

75 The extra calories needed by a woman having singleton pregnancy-

A. 100 kcal

B. 200 kcal

C. 300 kcal

D. 500 kcal

76. Which of the following principle guided nurses priorities at a disaster cause by a collapse building in an earthquake-

A. haemorrhage necessitates immediate care to save most lives

B. those requiring minimal care are treated first so that they can help others

C. those with head injuries are treated first so that their care more complex

D. children should get highest priority because they have the greatest life expectancy

77. Mantoux test is done to diagnose-

A. malaria

B. filaria

C. tuberculosis

D. typhoid

78. A 45 year old patient Mrs. sunita devi has just been admitted to the Hospital for ab abdominal hysterectomy following a diagnosis of uterine cancer. Results of lab tests indicate that the patient's WBC is 9800/cumm.

The most appropriate intervention is to-

A. call the operating room & cancel the surgery

B. notify the surgeon immediately

C. take no action as this is a normal value

D. call the lab & have the test repeated

79. The result of mantoux test are read after-

A. 6 hours

B. 24 hours

C. 48 hours

D. 72 hours

80. Bitot's spot are due to the deficiency of-

A. vitamin-A

B. vitamin-B

C. vitamin-D

D. carbohydrate

81. Chikunguniya is a non-fatal. illness-

A. viral

B. bacterial

C. protozoa

D. plasmodium

82. following a liver biopsy, the highest priority assessment of the patient's conditions is to check for-

A. pulmonary edema

B. uneven respiratory pattern

C. haemorrhage

D. pain

83. The number of death per 1000 population per year in a given community is known as-

A. crude death rate

B. infant death rate

C. neonatal death rate

D. perinatal death rate

84. A pregnant woman in Labour room is attached to external electronic fetal monitor, nurse should do Initial assessment which of the following-

A. identify type of acceleration

B. assessing baseline FHR

C. determining frequency of the contractions

D. determining intensity of the contractions

85. A female patient Mrs. Seema Verma has a cesium needle implanted in her cervix. She asks the nurse if she may get out of bed to go to the bathroom.

The appropriate response is to tell her-

- A. she may not get out of the bed while the needle is implanted
- B. she may get out of bed with the nurse's help
- C. the nurse will have to get a physician order for her to get out of bed
- D. she must stay in bed, but she can move around to be more comfortable while the needle is implanted

86. Rice water stool is the typical sign of-

- A. cholera
- B. hepatitis-A
- C. hepatitis-B
- D. dysentery

87. The assessment finding that should be reported immediately should it develop in the patient with acute pancreatitis is-

- A. nausea & vomiting
- B. abdominal pain
- C. decreased bowel sound
- D. shortness of breath

88. A nurse is assessing a child for dehydration. The nurse determines that the child is moderately dehydrated if which of the symptoms is noted-

- A. flat fontanelle
- B. moist mucous membrane
- C. pale skin
- D. oliguria

89. The nurse knows that the most informative measurement for determining circulatory shock is-

- A. arterial blood pressure

B. CVP

C. pulmonary artery pressure

D. cardiac index

90. Which of the following is the appropriate nursing intervention for a patient with a terminal illness who is passing through the "acceptance stage"-

A. allowing the patient to cry

B. encouraging unrestricted visiting

C. explains the patient what is being done

D. begin around through not speaking

91. A female patient has a laparoscopic cholecystectomy this morning. She is now complaining of right shoulder pain. The nurse would explain to the patient this symptoms is-

A. common following this operation

B. expected after General anesthesia

C. unusual & Will be reported to the surgeon

D. indicative of a need to use the incentive spirometer

92. Which immunization produces a permanent scar-

A. DPT

B. BCG

C. Measles vaccination

D. hepatitis-B vaccination

93. To disinfect 20 litres of water, one should use a single chlorine tablet of-

A. 0.5 g

B. 1.5 g

C. 2.5 g

D. 3.5 g

94. Expenditure in health sector a public health is about. ...of the GDP-

A. 1%

B. 2%

C. 5%

D. 6%

95. Which of the following system is an Indian origin-

A. homeopathy

B. Siddha

C. unani-tibb

D. acupuncture

96. Normal crown-rump length at birth is-

A. 20-25 cms

B. 38-50 cms

C. 72-80 cms

D. 78-85 cms

97. Which of the following assessment indicates is extra cellular fluid loss-

A. distended jugular vein.

B. elevated haemocrate value

C. rapid thready pulse

D. increased serum sodium level

98. INH is prescribed for a 2 year old child with positive mantoux test. The nurse know the prescribed medicine should be given for-

A. 6 months

B. 9 month

C. 12 months

D. 18 months

1 which of the following cm is right side CHF

A organomegaly B orthopnea

C nausea D hematemesis

2 which of the is important for assessment of severe allergic reaction

A skin color

B blood pressure

C heart rate

D none

3 Action of the drug that is suspected effect than therapeutically

A side effect

B adverse effects

C allergic reaction

D therapeutic

4 which vaccine contradicted during pregnancy?

A rubella

B OPV

C measles

D influenza

5 which of the following is not link to CRC (compassionate respectful and caring)

A. Take pride in her or his profession

B. Consider the pt as a case

C. Respect pt and his/her family

D all

6 All of the following are CF of strangulation

A. tachycardia

B. Disappearance of abdominal pain

C .fever

D. Acidosis

7 clinical feature of bowel obstruction?

A. colicky abdominal pain

B. Abdominal distension

C. Diarrhea

D. vomiting

8 Clinical manifestation of bladder stone

A. pain on tests

B. Hematuria

C. Strangery

D none

9 All of the following are complications of pharyngo esophageal junction

A. Stroke

B. Ansta esophagitis

C. larngoesophitis

D A&C

10 which of the following complication of epiglottitis in neonate?

A. Larngomalacia

B. Asphyxia

C tonsillitis

D Pharyngitis

10 Which route of administration is best for adrenaline during severe anaphylactic shock?

- A. Im
- B. Iv
- C. Sc
- D all

11. Helen is working in adult OPD at that time, the patient came with sudden excessive vomiting. Helen immediately before assessing physical examination she took history. The pt says 6 episodes of projectile vomiting in previous history of gastric problem. In addition he had a history of drinking. Smoker and gastric problem. In the above scenario which one of the following is the best assessment of the nurse?

- A. Initial
- B. Focused
- C. Time lapsed
- D. Emergency

12. Correct order of wound dressing?

- A. Irrigate, cleans, debris and apply medication
- B cleans, irrigate, debriment and apply medication
- C debris, irrigate, cleans and apply medication
- D cleans, debris, irrigate and medication

13 w/c one of the following is the most important aspect of burn mgt in the first 24 hours

- A, wound dressing
- B, fluid Resuscitation
- C. Antibiotics
- D. none

14 All of the following events occur in proliferation phase of wound healing, except?

- A. Wound contract
- B. Collagen formation
- C. Epithelization
- D release of vasoactive substance

15 w/c of the following is true about physiological jaundice?

- A. Immature hepatic enzymes
- B. breast feeding
- C. Increasing Bilirubin production
- D none

16 w/c one of the following is true about CPR?

- A. 30 compression and 2 breath in adult
- B. 15 compression and 2 breath in adult
- C. 30 compression and 1 breath in adult
- D. 15 compression and 1 breath in pediatrics

17. A 27 years old adult patient said to nurse I have high blood glucose and have DM but it doesn't compromised my future vision and I can do everything. The above explanation of a patient describes

- A. Self perception and self concept pattern
- B. Coping stress mechanism pattern
- C. Role and relationship pattern
- D. Value belief pattern

18 In Hypotension w/c fluid is given?

- A. Dextrose 5%
- B. NS 3%
- C. NS
- D. RL

19 w/c one of the following is given in phase 1 treatment of severe malnourished?

- A. F75
- B. Iron
- C. Vitamin A
- D. Measles vaccine

20 w/c one of the following is not the part of nursing care plan?

- A. Overt data, but not previous record history
- B. potential nursing care
- C discharge with detail summary
- D A&B
- E. All

1. You are working in bedside patient clerks and your supervisor asks questions at the bed side.

You broths the answer through internet. What is the best way of responding to your teacher?

- A. Face to face written
- B. Face to face oral
- C.

2. Which of the following is true when phenobarbital and warfarin is used together?

- A. Increase warfarin toxicity
- B. Decrease phenobarbital oxicity
- C. Decrease warfarin toxicity, decrease bleeding
- D. Increase phenobarbital toxicity

3. For which of pharmaceuticals FEFO is strictly used?

- A. Contraceptive

B. Vaccines

C. Antibiotics

D. Medical equipments

4. You are working in the drug manufacturing company and prepares drugs of having trace metals and air sensitive formulation. Which of the following excipient(s) are used to formulate this drugs?

A. Chelating agent and preservative

B. Chelating agent and anti-oxidant

C. Chelating agent

D. Preservative

5. According to the biopharmaceutical classification system (BCS),d history and physical examination the physican decided to conduct surgery to the patient. But the patient was refused to sign a consent to under go surgery. Without the consent of the patient the physician conducted the surgery and the patient was died. Which right of the patient was violated?

A. Autonomy

B. Justice

C. Mal practice

D. Confidentiality

30. A para III, gravida IV mother was just delivered at health facility and she complains vaginal bleeding after delivery. when the nurse checks her ux, it was not in its place and the nurse notes/feel membrane slightly via PV.

What is the most priority nursing intervention ?

A. manual utrine Return

B. Bimanual utrine compression

C. Oxytocin IV infusion

D. Positioning the mother

31. A one day infant who is unable to breast feed with weight of 2.1kg comes to hospital and admitted NICU. what will be the total amount of maintenance given to him?

A. 189ml C. 144ml

B. 168ml D. 126ml

32. A Mother brought her 4 day infant with respiratory distress and secretion. The baby was admitted to NICU and he has severe fluid deficit. What is the most likely way of administering fluid to this infant?

A. breast feeding

B. feeding by tube

C. feeding by cup

D. giving IV fluids

33. ?? A 42-year-old man attends the GP reporting hearing loss. He reports sudden-onset right hearing loss that has remained continuous for the past three weeks. He notes that the day prior to this he hit his head with some force. Additionally, he mentions he has been experiencing some dizzy episodes over the same time frame. He goes onto have a pure-tone audiogram that demonstrates significant sensorineural hearing loss on the right side.

What is the most likely diagnosis?

A. Stroke

B. Benign paroxysmal positional vertigo (BPPV)

C. Meniere's disease

D. Subdural haemorrhage

34. A 8 year old child come to hospital with a complaint of fever, SOB and cough. The cough is aggravated during night.

What is the most likely diagnosis

A. Pneumonia

B. Bronchial asthma

C. Bronchitis

D. Empyema

35. ???A 47-year-old nurse presents to Hospital complaining of a poorly healing ulcer of her left second digit. The ulcer started a week ago and is painless.

The patient has tried using over the-counter antibacterial and hydrocortisone creams without improvement. She denies trauma to the hand.

The patient has a temperature of 38.4°C (101.1°F) and left-sided epitrochlear and axillary adenopathy. She has a 4-cm ulcer on the dorsal side of the left second digit covered by a black eschar and surrounded by an extensive amount of nonpitting edema.

Which of the following is the most likely diagnosis?

- a. Smallpox infection
- b. Cutaneous anthrax
- c. Cat-scratch disease
- d. Leprosy infection

36. A 23 year old primigravida mother delivered at health facility. After giving birth she complains vaginal bleeding, and a nurse in charge examined her found tear in her perineum which involves the anal spincture but not rectal mucosa.

What is the most likely stage of genital tear?

- A. Stage I
- B. Stage II
- C. Stage III
- D. Stage IV

37. A nurse working in x hospital collects instrumentes after procedure. What is the first stage of instrument processing that the nurse follows?

- A. Disinfection
- B. Decontamination
- C. Stralization
- D. HLD

38. A 8 year baby come to hospital with a complain of fever, SOB and cough. His vital sign reading shows BP 85/50 mmhg, Temperature 37.2 oc and O2 80%.

What is the most priority nursing intervention?

- A. Administering IV fluid
- B. Clearing airway
- C. Administering oxygen
- D. Administering analgesics

39. A 45 year old male patient come to health facilities with a complain of cough. He has thick tenacious secretion. His vital sign was Bp 90/60 mmhg, pulse 105 beat/min, Temperature 36.5 oc, and RR 22 breath/min.

What is the most priority nursing diagnosis ?

- A. Ineffective airway clearance
- B. Ineffective breathing pattern
- C. Impaired tissue perfusion
- D.?

40. A 42 year old COPD patient come to hospital with a complain of fever, cough and difficulty of breathing. He has stridor breathing sound. His vital sign was Bp 110/70mmhg, pulse 96 beat/min, Temperature 38.3 oc and O2 85%.

What is the most priority nursing intervention ?

- A. Clear breath sound
- B. Airway clearance
- C. Oxygen administration
- D. Improving tissue perfusion

41. Mr.x come to hospital with a complain of vague abdominal pain 3 days ago. The physician ordered cleansing enema. The nurse in charge assessed the patient vital sign as follows, Bp 160/90 mmhg, pulse rate 100 beat/min, Temperature 37.5 oc and RR 20 breath per min.

Which solution for cleansing enema most likely the nurse will use?

A. Soap solution

B. Normal saline

C. Tap water

D. Kcl solution

42. A 18 year old patient come to hospital with swelling over his lower extremity. When the nurse checks his lower extremity it has pitting type odema. His vital sign was Bp 80/50mmhg, pulse 96beat/min, temperature 37.8oc and Respiration 18 breath/min.

What is the most priority nursing intervention ?

A. Administering fluid

B. Administering diuretics

C. Elevation

D. Positioning

43. The color of nasal discharge during the infection of influenza virus is.

A. Clear.

B. Green.

C. Cloudy.

D. Black

44. Which one of the following is mostly looks the acute complications of common cold?

A. Pharyngitis.

B. Laryngitis.

C. Otitis media.

D. ????????

45. A 2 year child come to health facility with a complain of Respiratory distress and barking cough. He has intercostal retraction, caynosis and O2 saturation is 86%.

What is the most likely diagnosis?

A. B. Asthma.

B. Brocholitis

C. Croup

D. Pneumonia

Dracunculiasis (It is an infection caused by a parasite called the Guinea worm.)

