



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 2**

Not yet answered

Marked out of 1.00

[Flag question](#)

Size of large data files can be reduced to save storage disk space. Which algorithm is appropriate to reduce size of large files?

- ☒ a. Merge sort algorithm
- ☐ b. Huffman encoding algorithm
- ☐ c. Heap sort algorithm
- ☐ d. Prim's algorithm

[Clear my choice](#)

Time left 2:01:41

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81

Computer Science

[Back](#)**Question 2**Not yet
answeredMarked out of
1.00[Flag question](#)

Size of large data files can be reduced to save storage disk space. Which algorithm is appropriate to reduce size of large files?

- ☐ a. Merge sort algorithm
- ☐ b. Huffman encoding algorithm
- ☐ c. Heap sort algorithm
- ☐ d. Prim's algorithm

[Previous question](#)

Time left 2:01:56

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 1**Not yet
answeredMarked out of
1.00[Flag question](#)

A process is terminated by the operating system due to a reference to non-existing memory. Which one of the following best explains the process termination?

- ☐ a. Error exit
- ☐ b. Fatal exit
- ☐ c. Normal exit
- ☐ d. Terminated by another process

Time left 2:02:59

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 3**

Answer saved

Marked out of 1.00

[Flag question](#)

Which one of the following is asynchronous in message communication?

- ☐ a. Blocking send
- ☐ b. Blocking receive
- ☐ c. Direct message
- ☒ d. Non-block receive

[Clear my choice](#)

Time left 2:00:51

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90

[Back](#)**Question 5**Not yet
answeredMarked out of
1.00[Flag question](#)

Consider the following fragment of C++ code:

```
const int x = 8;  
const int y = 16;  
if(x > y)  
{  
    int z = x + y;  
}
```

For codes like the above one, which technique of code optimization is appropriate?

- ☐ a. Arithmetic simplification
- ☐ b. Compile time evaluation
- ☐ c. Code motion
- ☒ d. Dead code elimination

[Clear my choice](#)

Time left 1:59:40

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

[Back](#)**Question 5**Not yet
answeredMarked out of
1.00[Flag question](#)

Consider the following fragment of C++ code:

```
const int x = 8;  
const int y = 16;  
if(x > y)  
{  
    int z = x + y;  
}
```

For codes like the above one, which technique of code optimization is appropriate?

- ☐ a. Arithmetic simplification
- ☐ b. Compile time evaluation
- ☐ c. Code motion
- ☐ d. Dead code elimination

Time left 2:00:11

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

[Previous question](#)[Next question](#)



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)

Question 4

Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is true about functions in JavaScript?

- ☐ a. Function names can begin with digits
- ☒ b. There is no limit to the number of function parameters that a function may contain
- ☐ c. Function names can contain spaces
- ☐ d. Function names are not case-sensitive

[Clear my choice](#)[Previous question](#)

Time left 2:00:26

[Next question](#)

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 8**Not yet
answeredMarked out of
1.00[Flag question](#)

Which statement is true about pop() operation of Stack data structures?

- ☐ a. pop() inserts new element at the middle of stack
- ☐ b. pop() returns the end/top element but it doesn't delete that element
- ☒ c. pop() removes the end/top element from stack
- ☐ d. pop() inserts new element at the beginning/bottom of stack

[Clear my choice](#)[Previous question](#)

Time left 1:57:34

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 7**

Not yet answered

Marked out of 1.00

[Flag question](#)

In a tree data structure, if a node has no parent node, then the node is _____.

- ☐ a. External node
- ☒ b. Root node
- ☐ c. Internal node
- ☐ d. Parent node

[Clear my choice](#)

Time left 1:57:59

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 6**Not yet
answeredMarked out of
1.00[Flag question](#)

Suppose you have received a message from your friend but the message is scrambled for the sake of security. Your friend has used a program to encode messages into scrambled text. In order to read the message which program would you use?

- ☐ a. Secret key
- ☐ b. Decryption program
- ☐ c. Encryption program
- ☒ d. Ciphertext

[Clear my choice](#)

Time left 1:58:24

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 11**Not yet
answeredMarked out of
1.00[Flag question](#)

Which asymptotic notation describes average case analysis?

- ☒ a. $f(n) = \text{Big-Oh}$
- ☐ b. $f(n) = \Omega(\text{Big omega})$
- ☐ c. $f(n) = \text{little-}\omega(\text{little omega})$
- ☐ d. $f(n) = \theta(\text{thetha})$

[Clear my choice](#)[Previous question](#)

Time left 1:52:25

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoE - Exit Exam

MoEEE

Question 10Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not correct about transaction failure?

- ☐ a. Concurrency control enforcement avoids transaction failure
- ☒ b. Transactions fail if logical errors are detected
- ☐ c. Transactions fail if disk blocks lose their data
- ☐ d. Catastrophes can be cause of transaction failure

[Clear my choice](#)[Previous question](#)[Next question](#)

Time left 1:53:04

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam](#)



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 9**

Not yet answered

Marked out of 1.00

[Flag question](#)

Given the schemas:BOOK (Book_id, Title, Publisher_name) BOOK_AUTHOR (Book_id, Author_name) PUBLISHER (Name, Address, Phone) Which one of the following SQL is correct to delete the publisher named as 'XWZ' from the PUBLISHER table

- ☐ a. DELETE FROM PUBLISHER WHERE Address = 'XWZ'
- ☐ b. DELETE FROM PUBLISHER WHERE Name = 'XWZ'
- ☐ c. DELETE FROM BOOK_AUTHOR WHERE Address = 'XWZ'
- ☒ d. DELETE FROM BOOK WHERE Name = 'XWZ'

[Clear my choice](#)

Time left 1:56:27

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90

[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Computer Science

[Back](#)**Question 12**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which one of the following is not an example of scripting languages?

- ☐ a. Python
- ☐ b. Perl
- ☒ c. C++
- ☐ d. PHP

[Clear my choice](#)

Time left 1:52:09

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 15**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which one of the following is different from the other based on its role in computer network?

- ☐ a. Routers
- ☒ b. Network printer
- ☐ c. Hubs
- ☐ d. Wireless access point

[Clear my choice](#)[Previous question](#)[Next question](#)

Time left 1:50:20

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoE - Exit Exam

MoEEE

Question 14Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is false about project planning stage?

- ☐ a. Project planning is a one-time task in software development life cycle
- ☐ b. Risk analysis is done during project planning
- ☒ c. Cost estimation is done during project planning
- ☐ d. Preparing time schedule is done during project planning

[Clear my choice](#)[Previous question](#)[Next question](#)

Time left 1:51:05

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoE - Exit Exam

MoEEE

Question 13Not yet
answeredMarked out of
1.00[Flag question](#)What will be the output of the following JavaScript statement? `Math.sqrt(36)`

- ☐ a. 1
- ☒ b. 6
- ☐ c. 36
- ☐ d. 30

[Clear my choice](#)[Previous question](#)[Next question](#)

Time left 1:51:46

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoE - Exit Exam

MoEEE

Time left 1:48:29

Question 17

Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is a network architecture characteristics that states a network can expand quickly to address needs of new users and application without having impact on the services delivered to existing users.

- ☒ a. Scalability
☐ b. Fault tolerance
☐ c. Security
☐ d. Quality of service

[Clear my choice](#)[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam](#)



MoE - Exit Exam

MoEEE

Time left 1:48:38

Question 17

Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is a network architecture characteristics that states a network can expand quickly to address needs of new users and application without having impact on the services delivered to existing users.

- ☐ a. Scalability
- ☐ b. Fault tolerance
- ☐ c. Security
- ☒ d. Quality of service

[Clear my choice](#)[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam](#)



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 16**

Not yet answered

Marked out of 1.00

[Flag question](#)

Advancement of operating system is closely tied to computer architectures, therefore, has passed through different generations. Which one of the following generation and advancement is wrongly coupled?

- ☐ a. Fourth generation -> real time systems
- ☐ b. Third generation -> batch system
- ☐ c. First generation -> single user
- ☒ d. Second generation -> multiprogramming

[Clear my choice](#)

Time left 1:49:46

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoE - Exit Exam

MoEEE

Question 20Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is set of attributes that can be seen by a program and can have direct impact on the logical execution of a program.

- ☐ a. Arrangement
- ☐ b. Architecture
- ☐ c. Organization
- ☒ d. Flow control

[Clear my choice](#)

Time left 1:46:28

[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam](#)



MoE - Exit Exam

MoEEE

Computer Science

[Back](#)**Question 19**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which one of the following algorithms can be used to extract Minimum Spanning Tree from an input graph?

- ☒ a. Dijkstra's algorithm
- ☐ b. Merge sort algorithm
- ☐ c. Huffman encoding algorithm
- ☐ d. Prim's algorithm

[Clear my choice](#)

Time left 1:47:37

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoE - Exit Exam

MoEEE

DdLK

Question 18Not yet
answeredMarked out of
1.00[Flag question](#)Look at the following PHP line: `$list = array(20, 12, 23, 19, 18);` What is the index of data value 19?

- ☒ a. 3
- ☐ b. 2
- ☐ c. 0
- ☐ d. 1

[Clear my choice](#)

Time left 1:47:57

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

[Back](#)**Question 21**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which quantifier can be used for some portion of the universe?

- ☐ a. $\rightarrow$
- ☒ b. $\exists$
- ☐ c. $\forall$
- ☐ d. $\wedge$

[Clear my choice](#)[Previous question](#)

Time left 1:46:10

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoEEE

MoE - Exit Exam

Question 24Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not true about fan trap in Entity Relationship Diagram?

- ☐ a. It can be resolved by readjusting the model so that no one-to-many relationships fanning out from an entity
- ☐ b. It occurs when there is no pathway between related entities
- ☐ c. When there is ambiguous pathway between some entity occurrences in related entity types
- ☒ d. Highly likely exist when more than two one-to-many relationships fan out from an entity

[Clear my choice](#)

Time left 1:39:46

[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam](#)



MoEEE

MoE - Exit Exam

Question 23Not yet
answeredMarked out of
1.00[Flag question](#)

What is the output of the following C++ fragment code?

```
int a = 6, b = 8;
```

```
int x = 2, y = 4;
```

```
int c = (x > y ? (a--, x) : (b--, y));
```

```
cout<<"a= "<<a;
```

```
cout<<"    b= "<<b;
```

```
cout<<"    c= "<<c;
```

- ☒ a. a = 6 b = 7 c = 4
- ☐ b. a = 5 b = 7 c = 2
- ☐ c. a = 5 b = 8 c = 4
- ☐ d. a = 6 b = 8 c = 4

[Clear my choice](#)

Time left 1:42:55

[Previous question](#)[Next question](#)

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 16**

Not yet answered

Marked out of 1.00

[Flag question](#)

Advancement of operating system is closely tied to computer architectures, therefore, has passed through different generations. Which one of the following generation and advancement is wrongly coupled?

- ☐ a. Fourth generation -> real time systems
- ☐ b. Third generation -> batch system
- ☐ c. First generation-> single user
- ☒ d. Second generation -> multiprogramming

[Clear my choice](#)

Time left 1:49:46

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoE - Exit Exam

MoEEE

[Back](#)

Time left 1:38:27

Question 27

Not yet answered

Marked out of 1.00

[Flag question](#)

For an input graph, Depth First Traversal algorithm uses _____ data structure to traverse.

- ☒ a. Tree
- ☐ b. Stack
- ☐ c. Priority queue
- ☐ d. Queue

[Clear my choice](#)[Next question](#)[Previous question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

100



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 26**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which one of the following is a two-level cache having an internal and external caches?

- ☒ a. Multilevel cache
- ☐ b. Single level cache
- ☐ c. Split cache
- ☐ d. Unified cache

[Clear my choice](#)

Time left 1:38:42

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)

Question 25

Not yet answered

Marked out of 1.00

[Flag question](#)

Assume you have a universe of Key U. Which one is false statement regarding Direct Address table and Hash Table data structures?

- ☐ a. If universe U is very large, Hash table is better than Direct Address table
- ☐ b. Hash table allocates one separate memory slot for each key in the universe U
- ☒ c. There is one to one correspondence between keys in the universe U and memory slots in the Direct Address table
- ☐ d. Direct Address table doesn't use hash function to map keys

[Clear my choice](#)[Previous question](#)[Next question](#)

Time left 1:39:17

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 30**

Not yet answered

Marked out of 1.00

[Flag question](#)

Given input Alphabet $\Sigma = \{a, b, c, d\}$ and empty string λ . Then, which one of the following is equivalent to Σ^0 ??

- ☐ a. Σ^+
- ☐ b. Σ^*
- ☐ c. Σ
- ☒ d. $\{\lambda\}$

[Clear my choice](#)

Time left 1:36:32

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 29**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is true about java and javascript?

- ☒ a. Both are object oriented languages
- ☐ b. There are more features in javascript than java
- ☐ c. Javascript can be used in extremely sophisticated applications
- ☐ d. Javascript is compiled and interpreted in source code form

[Clear my choice](#)[Previous question](#)

Time left 1:37:03

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 28**Not yet
answeredMarked out of
1.00[Flag question](#)

Suppose you are administering a network and would like to know whether a computer in the upstairs is connected to the network or not. Therefore, which command would you use?

- ☐ a. nslookup
- ☐ b. traceroute
- ☒ c. ping
- ☐ d. DHCP discover

[Clear my choice](#)[Previous question](#)

Time left 1:37:35

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



Computer Science

[Back](#)**Question 31**

Not yet answered

Marked out of 1.00

[Flag question](#)

Suppose you have developed a self-driving car equipped with relevant sensors and camera that helps it to see the road and drive sensing traffic lights, pedestrians and signs. Its sensors are able to detect the environment but not all the aspects. Hence, in which environment is your car acting?

- ☐ a. Discrete
- ☐ b. Fully observable
- ☒ c. Partially observable
- ☐ d. Stochastic

[Clear my choice](#)

Time left 1:35:51

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoE - Exit Exam

MoEEE

[Back](#)**Question 34**Not yet
answeredMarked out of
1.00[Flag question](#)

Assume there is a line of patients waiting for a service from a clinic. Seriously sick patients should get service first.
Which data structure is the most appropriate for the given type of real world problem?

- ☐ a. Priority Queue
- ☐ b. Stack
- ☒ c. Tree
- ☐ d. Queue

[Clear my choice](#)[Previous question](#)

Time left 1:34:24

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

100



MoE - Exit Exam

MoEEE

[Back](#)**Question 33**Not yet
answeredMarked out of
1.00[Flag question](#)

58. Which network security issue shows the level of weakness in networks and devices?

- ☒ a. Vulnerability
- ☐ b. Treat
- ☐ c. Attack
- ☐ d. Availability

[Clear my choice](#)[Previous question](#)

Time left 1:34:55

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

[Back](#)**Question 32**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which one of the following is not a single level ordered index?

- ☐ a. Secondary index
- ☒ b. Multilevel index
- ☐ c. Clustering index
- ☐ d. Primary index

[Clear my choice](#)[Previous question](#)

Time left 1:35:22

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

100



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 37**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is a measure taken, to ensure information and information systems' availability, integrity, authentication and confidentiality?

- ☐ a. Wiretapping
- ☐ b. Interception
- ☒ c. Information security
- ☐ d. Information assurance

[Clear my choice](#)

Time left 1:32:25

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoE - Exit Exam

MoEEE

[Back](#)**Question 36**Not yet
answeredMarked out of
1.00[Flag question](#)

Which type of Turing machine has two tapes, one tape read-only and the other read-write tape?

- ☒ a. Multi-head Turing machine
- ☐ b. Multi-dimensional Turing machine
- ☐ c. Off-line Turing machine
- ☐ d. Non-deterministic Turing machine

[Clear my choice](#)[Previous question](#)

Time left 1:33:02

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99





MoE - Exit Exam

MoEEE

Question 35Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is false about arrays in C++?

- ☒ a. Size of an array should be constant at the time of array declaration
- ☐ b. We use [] square bracket at the time of array declaration
- ☐ c. We can access elements of arrays without using index number
- ☐ d. An array is a collection of similar data objects

[Clear my choice](#)

Time left 1:33:44

[Previous question](#)[Next question](#)

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 40**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is correct for the statement below? When two transactions that access the same database items have their operations interleaved in a way that makes the value of some database item incorrect"

- ☐ a. It is an incorrect summary problem
- ☐ b. It is a dirty read problem
- ☒ c. It is a lost update problem
- ☐ d. It is a temporary read problem

[Clear my choice](#)

Time left 1:27:52

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 39**Not yet
answeredMarked out of
1.00[Flag question](#)

At which layer of the OSI model devices such as bridges, switches and Network Interface cards are used?

- ☐ a. Physical layer
- ☒ b. Network layer
- ☐ c. Application layer
- ☐ d. Data link layer

[Clear my choice](#)[Previous question](#)

Time left 1:29:55

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 38**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which branch of study deals with whether a problem can be solved at all or not, regardless of the resources required?

- ☐ a. Automata theory
- ☐ b. Set theory
- ☒ c. Computability theory
- ☐ d. Complexity theory

[Clear my choice](#)

Time left 1:31:29

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 41**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which one of data updates best describes the following statement? "All modified data items in the cache is written either after transaction ends its execution or after a pre-determined number of transactions have concluded their execution"

- ☒ a. In-place update
- ☐ b. Immediate update
- ☐ c. Deferred update
- ☐ d. Shadow update

[Clear my choice](#)

Time left 1:27:07

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoE - Exit Exam

MoEEE

[Back](#)**Question 44**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is the smallest heading tag?

- ☐ a. <H4>
- ☒ b. <H6>
- ☐ c. <H1>
- ☐ d. <H3>

[Clear my choice](#)[Previous question](#)

Time left 1:23:34

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

[Back](#)**Question 43**Not yet
answeredMarked out of
1.00[Flag question](#)

Which statement is false about programming language generations?

- ☐ a. Assembly language should be translated to machine language before execution
- ☒ b. Assembly language is machine independent
- ☐ c. Fifth generation programming languages need very powerful hardware and software
- ☐ d. Machine language can be executed without translation

[Clear my choice](#)[Previous question](#)

Time left 1:23:50

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

[Back](#)**Question 42**Not yet
answeredMarked out of
1.00[Flag question](#)

What is the output of the following Java fragment code?

```
int[] list = new int[4];  
int sum = 0;  
for(int i = 0; i < list.length; i++)  
{  
    list[i] = i*3;  
    sum += list[i];  
}  
System.out.print(sum);
```

- ☐ a. 3
- ☐ b. 36
- ☒ c. 18
- ☐ d. 6

[Clear my choice](#)

Time left 1:24:49

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Previous question](#)[Next question](#)



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 47**Not yet
answeredMarked out of
1.00[Flag question](#)

Which concept refers to extending specialized classes from generalized classes in object-oriented programming?

- ☐ a. Overloading
- ☐ b. Data field Encapsulation
- ☐ c. Overriding
- ☒ d. Inheritance

[Clear my choice](#)

Time left 1:22:20

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
...	...	...	...	...	...	...	...	...



MoE - Exit Exam

MoEEE

Computer Science

[Back](#)**Question 46**

Not yet answered

Marked out of 1.00

[Flag question](#)

If you plan a software test to be done by clients to demonstrate that the system satisfies their requirements, which phase of software testing is appropriate?

- ☐ a. Unit testing
- ☐ b. System testing
- ☒ c. Acceptance testing
- ☐ d. Integration testing

[Clear my choice](#)

Time left 1:22:43

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 45**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following does not show non-functional requirement of software systems?

- ☐ a. Response time
- ☒ b. Displaying information
- ☐ c. Reliability
- ☐ d. Memory requirement

[Clear my choice](#)[Previous question](#)

Time left 1:23:10

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 50**

Not yet answered

Marked out of 1.00

[Flag question](#)

What does the program data independence in the database approach entails for?

- ☐ a. Both program and data are defined together
- ☐ b. The application may be affected when data changes
- ☐ c. Programs can create redundant data independently
- ☒ d. Data and applications are defined separately

[Clear my choice](#)

Time left 1:18:35

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90



MoE - Exit Exam

MoEEE

[Back](#)

Question 49

Not yet
answeredMarked out of
1.00[Flag question](#)

Let a Grammar $G = (\{S\}, \{a, b\}, S, P)$, where $\{S\}$ is set of variables, $\{a, b\}$ is set of terminal symbols, S is start variable and P is set of productions. Then which one of the following is not an element of the language (L) which is generated from G . Given:

 $P : S \rightarrow aSb,$ $S \rightarrow \lambda$

- ☐ a. λ
- ☒ b. a
- ☐ c. $aabb$
- ☐ d. ab

[Clear my choice](#)

Time left 1:19:20

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Question 48Not yet
answeredMarked out of
1.00[Flag question](#)

What is the output of the following fragment C++ code?

```
for(int n = 1; n <= 18; n = n + 2)
```

```
{
```

```
    if(n % 7 != 0)
```

```
        cout<<n<<" ";
```

```
    else
```

```
        break;
```

```
}
```

☐ a. 1 2 3 4 5 6

☐ b. 3 5 7

☐ c. 1 3 5 7 9 11 13 15 17

☒ d. 1 3 5

[Clear my choice](#)

Time left 1:20:18

[Previous question](#)[Next question](#)

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoE - Exit Exam

MoEEE

Time left 1:17:32

Question 51

Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is the whole thing that an agent has observed so far concerning the existing scenario in the environment.

- ☒ a. Knowledge
☐ b. Performance measure
☐ c. Action
☐ d. Perception

[Clear my choice](#)[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam](#)



MoE - Exit Exam

MoEEE

[Back](#)**Question 53**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is valid statement regarding PHP variables?

- ☐ a. \$test = "Computer;
- ☐ b. test = 5;
- ☐ c. \$test = "This is 'Computer science' ";
- ☒ d. \$test = 9.5

[Clear my choice](#)[Previous question](#)

Time left 1:15:43

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

100



MoE - Exit Exam

MoEEE

Question 52Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is a security service enforced to protect disclosure of information, which can be stored in file or being on transmission, from unauthorized entities?

- ☒ a. Authentication
☐ b. Integrity
☐ c. Availability
☐ d. Confidentiality

[Clear my choice](#)

Time left 1:16:08

[Previous question](#)[Next question](#)

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoE - Exit Exam

MoEEE

Question 52Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is a security service enforced to protect disclosure of information, which can be stored in file or being on transmission, from unauthorized entities?

- ☐ a. Authentication
- ☐ b. Integrity
- ☐ c. Availability
- ☒ d. Confidentiality

[Clear my choice](#)

Time left 1:16:30

[Previous question](#)[Next question](#)

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



Question 57

Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following computers can be most secured compared to the rest?

- ☐ a. A computer connected to the Internet and the latest anti-virus installed on it
- ☐ b. A computer connected to the Internet with the latest firewall system
- ☐ c. A computer connected to the Internet having strong intrusion detection
- ☒ d. A computer that is not connected to the Internet

[Clear my choice](#)

Time left 1:10:48

[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

[Back](#)**Question 55**Not yet
answeredMarked out of
1.00[Flag question](#)

Given input Alphabet $\Sigma = \{a, b, c, d\}$ and empty string λ . Then, which one of the following is true about Σ^* ?

- ☒ a. $\Sigma^* = \Sigma^+ U \{\lambda\}$
- ☐ b. $\Sigma^* = \Sigma^1 U \Sigma^2 U \Sigma^3 U \Sigma^4$
- ☐ c. $\Sigma^* = \{\lambda\}$
- ☐ d. $\Sigma^* = \Sigma^+$

[Clear my choice](#)[Previous question](#)[Next question](#)

Time left 1:13:59

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

Time left 1:14:33

Question 54

Not yet
answeredMarked out of
1.00[Flag question](#)

Assume you make modification to your software. Then you want to make sure that the modification has not had introduced new errors. Which software testing level is required?

- ☐ a. Static testing
- ☐ b. Beta testing
- ☐ c. Regression testing
- ☒ d. Dynamic testing

[Clear my choice](#)[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam](#)



MoE - Exit Exam

MoEEE

[Back](#)**Question 60**Not yet
answeredMarked out of
1.00[Flag question](#)

Which type of variable can be accessed through out our C++ program scope?

- ☒ a. Global
- ☐ b. Static
- ☐ c. Automatic
- ☐ d. Local

[Clear my choice](#)[Previous question](#)

Time left 1:06:24

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

100



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 59**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not correct about computer architecture and organization?

- ☐ a. An architecture can be used for long time encompassing different computer models
- ☐ b. Manufacturers offer computer with same architecture but different organization
- ☒ c. An organization can last for long time as an architecture does
- ☐ d. An architecture can remain for long time but its organization can change

[Clear my choice](#)

Time left 1:06:47

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 58**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is correct for the statement below? "A problem that occurs when one transaction updates a database item and then the transaction fails for some reason and the updated item is accessed by another transaction before it is changed back to its original value"

- ☒ a. It is a lost update problem
- ☐ b. It is an incorrect summary problem
- ☐ c. It is a temporary read problem
- ☐ d. It is dirty read

[Clear my choice](#)

Time left 1:08:37

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoE - Exit Exam

MoEEE

Question 61Not yet
answeredMarked out of
1.00[Flag question](#)

Among phases of compiling process, in which phase a sequence of characters are converted into a sequence of tokens?

- ☐ a. Code optimization
- ☐ b. Syntax analysis
- ☐ c. Semantic analysis
- ☒ d. Lexical analysis

[Clear my choice](#)

Time left 1:06:02

[Previous question](#)[Next question](#)

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoE - Exit Exam

DdLK

MoEEE

Question 63Not yet
answeredMarked out of
1.00[Flag question](#)

If you want to allow subclasses to access data fields or methods defined in the super-class, but not to allow non-subclasses to access these data fields and methods, which access modifier is appropriate?

- ☐ a. protected
- ☐ b. default
- ☐ c. public
- ☒ d. private

[Clear my choice](#)

Time left 1:04:28

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

DdLK

MoEEE

Question 63Not yet
answeredMarked out of
1.00[Flag question](#)

If you want to allow subclasses to access data fields or methods defined in the super-class, but not to allow non-subclasses to access these data fields and methods, which access modifier is appropriate?

- ☒ a. protected
☐ b. default
☐ c. public
☐ d. private

[Clear my choice](#)

Time left 1:04:44

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

[Back](#)**Question 62**Not yet
answeredMarked out of
1.00[Flag question](#)

What is the time complexity order of binary searching algorithm?

- ☐ a. $O(\log_2 n)$
- ☒ b. $O(n)$
- ☐ c. $O(1)$
- ☐ d. $O(n^3)$

[Clear my choice](#)[Previous question](#)

Time left 1:05:44

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

Time left 1:01:15

Question 66Not yet
answeredMarked out of
1.00[Flag question](#)

Which one is a method used to obtain the meaning of encrypted information without access to secret key?

- ☐ a. Encryption
- ☒ b. Decryption
- ☐ c. Crypto-analysis
- ☐ d. Cryptography

[Clear my choice](#)[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam](#)



MoE - Exit Exam

MoEEE

[Back](#)**Question 65**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is evaluating the degrees of success of an agent?

- ☒ a. Performance measure
- ☐ b. Action
- ☐ c. Perception
- ☐ d. Knowledge

[Clear my choice](#)[Previous question](#)

Time left 1:02:08

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

100



MoE - Exit Exam

MoEEE

[Back](#)**Question 64**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following lists of environments is the hardest for an agent?

- ☐ a. Deterministic, fully observable, static
- ☐ b. Partially observable, static, continuous
- ☒ c. Sequential, non-deterministic, dynamic
- ☐ d. Fully observable, sequential, deterministic

[Clear my choice](#)[Previous question](#)

Time left 1:02:27

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

[Back](#)**Question 70**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following registers hold the address of the next pair of instructions to be fetched from memory?

- ☐ a. Program counter
- ☐ b. Memory address register
- ☐ c. Memory buffer register
- ☒ d. Instruction buffer register

[Clear my choice](#)

Time left 0:57:23

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoE - Exit Exam

MoEEE

Question 68Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is correct way creating String object?

- ☒ a. `String m = new String("Exit Exam");`
- ☐ b. `String m = 'Computer Science';`
- ☐ c. `String m = new String('Technology');`
- ☐ d. `String m = 'H', 'e', 'l', 'l', 'o';`

[Clear my choice](#)

Time left 0:59:46

[Previous question](#)[Next question](#)

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoE - Exit Exam

MoEEE

[Back](#)**Question 67**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is false about String in Java?

- ☐ a. We can create a String object using array of characters
- ☐ b. In Java a string is treated as object
- ☐ c. Content of a string can be changed once the string is created
- ☒ d. We can create a String object using String literal

[Clear my choice](#)[Previous question](#)

Time left 1:00:30

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

[Back](#)**Question 71**Not yet
answeredMarked out of
1.00[Flag question](#)

Which asymptotic notation describes worst case analysis?

- ☐ a. $f(n) = \theta$ (thetha)
- ☐ b. $f(n) = \text{little-}\omega$ (little omega)
- ☒ c. $f(n) = \Omega$ (Big omega)
- ☐ d. $f(n) = \text{little-oh}$

[Clear my choice](#)[Previous question](#)

Time left 0:56:58

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoE - Exit Exam

MoEEE

Question 74Not yet
answeredMarked out of
1.00[Flag question](#)

What is the time complexity order of Quick sort algorithm?

- ☐ a. $O(n \log_2 n)$
- ☐ b. $O(2^n)$
- ☐ c. $O(n^2)$
- ☒ d. $O(n)$

[Clear my choice](#)

Time left 0:54:48

[Previous question](#)[Next question](#)

19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)

[Back](#)**Question 73**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not delimiter of PHP code?

- ☒ a. `<? ..... ?>`
- ☐ b. `<?php ..... ?>`
- ☐ c. `<script language="PHP"> ..... </script>`
- ☐ d. `<caption> ..... </caption>`

[Clear my choice](#)[Previous question](#)

Time left 0:55:29

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoE - Exit Exam

MoEEE

Question 72Not yet
answeredMarked out of
1.00[Flag question](#)

In which situation that using database management system (DBMS) becomes costly and not recommended to use it?

- ☒ a. In embedded systems having too small storage space
- ☐ b. In situation where more than one users should access the database
- ☐ c. To control redundancy
- ☐ d. To deny access to unauthorized users

[Clear my choice](#)

Time left 0:56:04

[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

Question 77Not yet
answeredMarked out of
1.00[Flag question](#)

What is the output of the following Java fragment code?

```
int n = 6, m = 15, p = 3;  
n -= m;  
n *= p;  
System.out.print(n);
```

- ☐ a. 3
- ☒ b. -27
- ☐ c. 24
- ☐ d. 27

[Clear my choice](#)[Previous question](#)[Next question](#)

Time left 0:52:29

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoE - Exit Exam

MoEEE

Question 76Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is true about frames in HTML?

- ☐ a. Frames are not difficult to handle for search engines
- ☐ b. Load on the server is not affected, if there are a large number of frames in a page
- ☒ c. Frames allow parts of the page to remain stationary while other parts scroll
- ☐ d. All browsers support frames

[Clear my choice](#)

Time left 0:53:25

[Previous question](#)[Next question](#)

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoE - Exit Exam

MoEEE

Question 75Not yet
answeredMarked out of
1.00[Flag question](#)

A database management system (DBMS) has_____ to control locks.

- ☐ a. Query optimizer
- ☒ b. Lock manager
- ☐ c. Lock table
- ☐ d. Query processor

[Clear my choice](#)

Time left 0:54:31

[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoEEE

MoE - Exit Exam

[Back](#)**Question 79**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not correct for the figure shown in Question 27?

- ☐ a. P2 cannot be executed until P1 finishes
- ☐ b. P1 is waiting for a resource held by P2
- ☒ c. P0 is waiting for a resource held by P1
- ☐ d. P3 cannot be executed until P4 finishes

[Clear my choice](#)[Previous question](#)

Time left 0:49:03

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoE - Exit Exam

MoEEE

[Back](#)**Question 79**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not correct for the figure shown in Question 27?

- ☐ a. P2 cannot be executed until P1 finishes
- ☐ b. P1 is waiting for a resource held by P2
- ☐ c. P0 is waiting for a resource held by P1
- ☐ d. P3 cannot be executed until P4 finishes

[Previous question](#)

Time left 0:50:22

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

Question 78Not yet
answeredMarked out of
1.00[Flag question](#)

A university owns a number of private local area and wide area networks, which are designed for an access by its academic staff, students and administrative workers. Which term best describes the University's network?

- ☒ a. Local Area Network
- ☐ b. Metropolitan Area Network
- ☐ c. The Internet
- ☐ d. Wide Area Network

[Clear my choice](#)

Time left 0:51:14

[Previous question](#)[Next question](#)

10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoEEE

MoE - Exit Exam

Computer Science


[Back](#)**Question 80**

Answer saved

Marked out of 1.00

[Flag question](#)

What is the purpose of an opcode that is as indicated in the figure below?



- ☐ a. It determines the operation to be done
- ☐ b. It holds the destination address of an operand
- ☐ c. It holds the next instruction reference
- ☒ d. It holds the source address of an operand

[Clear my choice](#)

Time left 0:47:34

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90

[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

[Back](#)**Question 83**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is correct about human role in system administration?

- ☐ a. System administrator is not expected to have skills and confidence
- ☐ b. It doesn't need organizational skills
- ☒ c. It requires patience, understanding and knowledge
- ☐ d. Ethics is not a requirement to manage computers

[Clear my choice](#)[Previous question](#)[Next question](#)

Time left 0:44:55

Exam Navigation

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

100



MoE - Exit Exam

MoEEE

[Back](#)**Question 82**Not yet
answeredMarked out of
1.00[Flag question](#)

Among the following, which one best describes a database management system (DBMS)?

- ☐ a. It can help users to manage computer's activity
- ☒ b. It is responsible for creating and maintaining a database
- ☐ c. It can assist process images
- ☐ d. It can assist you to process document

[Clear my choice](#)[Previous question](#)

Time left 0:46:37

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

[Back](#)**Question 81**

Not yet answered

Marked out of 1.00

[Flag question](#)What will be the output of the following JavaScript statement? `Math.floor(5.9)`

- ☐ a. 11.8
- ☒ b. 5
- ☐ c. 9
- ☐ d. 6

[Clear my choice](#)[Previous question](#)

Time left 0:47:14

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

100



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 86**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is responsible for separating some machines from the rest to shield them from possible attacks?

- ☒ a. Firewall
- ☐ b. Router
- ☐ c. Network operating system
- ☐ d. Switch

[Clear my choice](#)[Previous question](#)

Time left 0:41:09

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoE - Exit Exam

MoEEE

Time left 0:41:48

Question 85

Not yet
answeredMarked out of
1.00[Flag question](#)

What is the output of the following C++ fragment code?

int a, b;**a= 13;****b = 9;****while((20 && 0) && (a > b))****{**

cout<<"Plants are our life";

}

- ☐ a. It displays message "Plants are our life" 20 times
- ☐ b. It displays message "Plants are Our Life" 4 times
- ☐ c. It displays message "Plants are our life" infinitely
- ☒ d. No message will be displayed

[Clear my choice](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoE - Exit Exam

MoEEE

[Back](#)**Question 84**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not correct about threads?

- ☒ a. It is a group of processes
- ☐ b. Treads are the entities schedule for execution on the CPU
- ☐ c. Treads have program counters
- ☐ d. Treads have registers to hold its working memory

[Clear my choice](#)[Previous question](#)

Time left 0:43:25

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoEEE

MoE - Exit Exam

BACK

Question 89Not yet
answeredMarked out of
1.00[Flag question](#)

A computer expert would like to know the number of processes that are completed per hour to assess the performance of a machine. Therefore, which one of the following best describes the expert's assessment?

- ☐ a. Turnaround time
- ☒ b. System throughput
- ☐ c. Response time
- ☐ d. Waiting time

[Clear my choice](#)

Time left 0:38:26

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 88**Not yet
answeredMarked out of
1.00[Flag question](#)

Which network type is the largest as compared to the rest?

- ☐ a. Local Area Network
- ☐ b. Wide Area Network
- ☐ c. Metropolitan Area Network
- ☒ d. The Internet

[Clear my choice](#)[Previous question](#)

Time left 0:39:08

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
Q1	Q2	Q3	Q4	Q5	Q6	Q7	Q8	Q9



MoE - Exit Exam

MoEEE

[Back](#)**Question 87**Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following phases is done before semantic analysis phase of compiling process?

- ☐ a. Code generation
- ☒ b. Syntax analysis
- ☐ c. Code optimization
- ☐ d. Intermediate code generation

[Clear my choice](#)[Previous question](#)

Time left 0:40:02

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99



MoE - Exit Exam

MoEEE

[Back](#)**Question 90**Not yet
answeredMarked out of
1.00[Flag question](#)

Assume you have a weighted graph G with a set of vertices V and set of edges E . Which one of the following problem is an optimization problem on the graph?

- ☐ a. Traverse all vertices in graph G
- ☐ b. Is vertex $p \in V$ reachable from vertex $q \in V$ in graph G
- ☒ c. Find minimum spanning tree from graph G
- ☐ d. How many cycles are there in graph G

[Clear my choice](#)[Previous question](#)

Time left 0:36:50

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoE - Exit Exam

MoEEE

[Back](#)**Question 96**Not yet
answeredMarked out of
1.00[Flag question](#)

An interface that has multiple lines connecting input/output module and peripheral device and assures multiple bits to be transferred at the same time is:

- ☐ a. Serial interface
- ☐ b. One line interface
- ☐ c. Bus interface
- ☒ d. Parallel interface

[Clear my choice](#)[Previous question](#)

Time left 0:31:21

[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99

100



MoE - Exit Exam

MoEEE

Time left 0:32:34

Question 95

Not yet
answeredMarked out of
1.00[Flag question](#)

Which statement is false about universal hashing technique?

- ☐ a. Single fixed hash function technique is better than universal hashing technique in terms of collision reduction
- ☐ b. In universal hashing a hash function is selected randomly from set of hash functions for each key
- ☐ c. In universal hashing a hash function is selected from set of hash functions independent of keys.
- ☒ d. Universal hashing reduces the chance of data collision

[Clear my choice](#)[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								

[Finish exam ...](#)



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 98**

Not yet answered

Marked out of 1.00

[Flag question](#)

Which one of the following is a step in problem solving that lists the actions and states that the agent has to consider provided a goal?

- ☒ a. Problem formulation
- ☐ b. Execute
- ☐ c. Goal formulation
- ☐ d. Search

[Clear my choice](#)

Time left 0:29:24

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81



MoE - Exit Exam

MoEEE

Question 97Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is not correct about packet and circuit switching?

- ☐ a. In packets switching messages are sent in small blocks
- ☐ b. Packet switching is more efficient than circuit switching
- ☒ c. In Packet switching and end-to-end connection has to be established
- ☐ d. In circuit switching a channel is dedicatedly used

[Clear my choice](#)

Time left 0:30:05

[Previous question](#)[Next question](#)

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99
100								



MoEEE

MoE - Exit Exam

Computer Science

[Back](#)**Question 99**Not yet
answeredMarked out of
1.00[Flag question](#)

Linked list data structure is _____ type of data structure.

- ☐ a. Non-linear data structure
- ☒ b. Dynamic data structure
- ☐ c. Fixed size data structure
- ☐ d. Static data structure

[Clear my choice](#)

Time left 0:28:31

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90

[Back](#)**Question 100**Not yet
answeredMarked out of
1.00[Flag question](#)

Which deadlock prevention mechanisms don't require timestamp?

- ☐ a. No-wait
- ☐ b. Wound-wait
- ☒ c. Wait-wait
- ☐ d. Wait-die

[Clear my choice](#)[Previous question](#)

Time left 0:27:56

[Finish exam ...](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9
10	11	12	13	14	15	16	17	18
19	20	21	22	23	24	25	26	27
28	29	30	31	32	33	34	35	36
37	38	39	40	41	42	43	44	45
46	47	48	49	50	51	52	53	54
55	56	57	58	59	60	61	62	63
64	65	66	67	68	69	70	71	72
73	74	75	76	77	78	79	80	81
82	83	84	85	86	87	88	89	90
91	92	93	94	95	96	97	98	99