

Nursing

(Comprehensive) II

Exit Exam

Yekatit, 2018

Note: These answers were generated by AI. Please use them for practice and attempt to solve the questions yourself.

1. Which of the following is truly applied about Type I error during hypothesis testing?

- a. Rejecting false alternative hypothesis
- b. Rejecting true null hypothesis
- c. Rejecting true alternative hypothesis
- d. Failing to reject false null hypothesis

ans: b

2. A 7 weeks old male child was born to an HIV positive mother has negative DNA PCR test and he is currently feeding a breast of his mother. How interpret the status of the child based on IMNCI guideline?

- a. HIV exposed
- b. Unknown HIV status
- c. Stage 2 HIV infection
- d. HIV infected

ans: a

3. A 31years old primigravida was diagnosed gestational hypertension at 28 weeks of gestation. She presents at 32weeks with pain in abdomen. On examination: PR = 97, BP = 110/70 mmHg, hemoglobin 6 g/dl, P/A uterus is 32-34 weeks tonically contracted with fetal heart absent. P/V no bleeding seen. Differentiate the correct diagnosis of this mother?

- a. Concealed abruptio placentae
- b. Revealed placenta previa
- c. Concealed placenta previa
- d. Revealed abruptio placenta

ans: a

4. A manager in rural health center which performs planning that emphasizes the current situation of various organizational activities within a short time period and more specific with day to day activities.

- a. Strategic
- b. Allocation
- c. Operational
- d. Upper level

ans: c

5. A 23 years old female patient comes to the cardiac center for her follow up. She had incompetent valve. A nurse auscultates her murmur as Loud and slightly associated with a thrill. What is the patient's grade of murmur?

- a. 2
- b. 4
- c. 5
- d. 3

ans: b

6. A teacher wants to teach a 2nd year nursing students about female catheterization. Based on this situation, which one is the appropriate teaching method?

- a. Lecture
- b. Case study
- c. Demonstration
- d. Role play

ans: c

7. Which priority nursing intervention has to be given to the patient who was complaining difficulty of sleeping related to cough during the night time?

- a. Administering oxygen
- b. Administering antipsychotics
- c. Administering antitussive
- d. Administering anti-pain

ans: c

8. Which of the following neurotransmitter is mostly associated with mood disorder?

- a. Serotonin
- b. Dopamine
- c. Nor-epinephrine
- d. Nicotine

ans: a

9. Mr. K was working as a nurse director in general hospital. He invest more of his energy on both quality of service rendered to patient and the welfare of staffs of his unit. Which principle of management he was practicing?

- a. Middle of road management
- b. Team management
- c. Country club management
- d. Impoverished management

ans: b

10. An 8 month infant admitted to the hospital with +++ edema and started the stabilization phase of severe acute malnutrition. After 6 days, the nurse checks the status of the infant for passing to transition phase. Which of the following justify this?

- a. The infant easily finish F-100 feeds
- b. The edema improved to +1 and finish F-100 feeds
- c. The edema improved to +1 and finish F-75 feeds
- d. The infant easily finish F-75 feeds

ans: d

11. During monitoring and evaluation of health education at community level, what makes feasibility differ from others?

- a. Ensuring that the evaluation is ethical
- b. Reveal and convey technically accurate information
- c. Ensures the information needs intended users
- d. Ensures realistic, practical, and diplomatic

ans: d

12. While designing a teaching plan for a patient who developed pernicious anemia due to chronic gastritis. Which of the following should be designed in teaching the patient?

- a. The production of intrinsic factors are increased
- b. Monthly injection of Vitamin B12 is necessary
- c. Vitamin K supplement will be given
- d. The cells producing gastric acid have been damaged

ans: b

13. Ms. N was a newly employed nurse at one of hospital. She has asked a nurse the chain of communication, lines of management and span of control. How should a nurse help her?

- a. Ignoring her question
- b. Orienting her about organizational structure
- c. Providing her a manual of procedure
- d. Inform her to search for the office of manager

Ans: b

14. While a nurse was planning to administer the medication for patient admitted to surgical ward, which medication administration precaution needs least priority before administering the medication?

- a. Side effect
- b. Dose
- c. Time
- d. Route

Ans: a

15. A 25 years old woman has been sad for the past two weeks. She is fatigued and has a hard time concentrating at work. Just a few weeks earlier she was energetic and enthusiastic, and was able to work 10 to 12 hours a day with little sleep and go dancing at night. Her husband wants a divorce because he is tired of "these constant ups and downs." What is the most accurate diagnosis for this case?

- a. Cyclothymic
- b. Bipolar I
- c. Bipolar II
- d. Major depressive

Ans: b

16. Sr. Y was ordered by a physician to administer aspirin daily for patient diagnosed with myocardial infarction? What a nurse should demonstrate?

- a. Advising a patient to reject the medication because of its side effect
- b. Administering aspirin as ordered
- c. Administering aspirin every two days
- d. Administering aspirin on patient's request

Ans: b

17. which of the following statement better indicates the nurses' understanding of nutrition and metabolism pattern of the patient?

- a. Continuously monitoring weight of the patient
- b. Assessing patients' immunity level
- c. Assessing for sign and symptoms of dehydration
- d. Assessing patients' appetite when patient complains

Ans: c

18. A nurse was assessing a newborn baby infant for APGAR score after a birth and she noted that the baby's heart rate was 80 beat/minute, cry with regular breathing, has active motion, coughing, pink skin color. Summarizing these findings, what is the APGAR score of the newborn?

- a. 9
- b. 8
- c. 7
- d. 10

Ans: a

19. Mr. X has visited hospital with the chief complaint of shortness of breathing, cough and sputum for the last 3 months. He has the history of cigarette smoking for the last 20 years. What is the most possible diagnosis you formulate from this history?

- a. Bronchiectasis
- b. Chronic bronchitis
- c. Atelectasis
- d. Asthma

Ans: b

20. A pneumonia patient with coarse crackles, productive coughs and shortness of breathing has reported discomfort with the nasal oxygen tube. How should a nurse react?

- a. Report it to physician
- b. Encourage him to remove it
- c. Educate him about his illness and importance of oxygen
- d. Encourage him bed rest

Ans: c

21. A 35 years old Gravida 2 Para 1 come to the Hospital at gestational age of 40 week with painful contraction, ruptured membrane with third stage of labor. What is the active management of third stage of labor?

- a. Oral nutritional intake
- b. Patient preparation
- c. Fetal wellbeing monitoring
- d. Expulsion of the placenta

ans: d

22. Which of the following is truly applied about Type I error during hypothesis testing?

- a. Rejecting false alternative hypothesis
- b. Rejecting true null hypothesis
- c. Rejecting true alternative hypothesis
- d. Failing to reject false null hypothesis

ans: b

23. A 62 years old male patient has superficial partial-thickness burns to the anterior head and neck, front and back of the left arm, front of the right arm, posterior trunk, and front and back of the right leg. Using the Rule of Nines, calculate the total body surface area percentage of burned?

- a. 59
- b. 54
- c. 45
- d. 63

ans: b

24. A patient who has myocardial infarction complains shortness of breath, dyspnea, tachypnea, and crackles. He prescribed Bisacodyl 10 mg po daily with other MI drugs. What is the implication of administering Bisacodyl for this patient?

- a. Prevent the occurrence of death
- b. Prevent atherosclerosis
- c. Decrease oxygen demand
- d. Increase oxygen supply

ans: c

25. While the nurse was performing auscultation of breathing sound, he noted that the duration of inspiratory and expiratory sounds are about equal. How do you interpret this breathing sound?

- a. Bronchial
- b. Bronchovesicular
- c. Crackles
- d. Vesicular

ans: b

26. A 75 year old patient with the complaint of chest pain and difficulty of breathing come to the outpatient department for checkup. Which of the following best measure the patient had barrel chest during inspection?

- a. Indentation in the lower portion of the sternum
- b. Intercostal space bulges on inspiration
- c. The ribs widely spaced
- d. Increased transverse diameter of the chest

ans: c

27. A woman has brought her 2 years old child to Pediatrics outpatient department with inadequate feeding for several months. On assessment the nurse noted bilateral pitting edema of feet, sparse hair and skin depigmentation. What is the most likely diagnosis of this child?

- a. Kwashiorkor
- b. Marasmus
- c. Underweight
- d. Stunting

ans: a

28. A nurse is going to manage patient who have thick secretion in the oropharynx, which one of the following is an indication of oropharyngeal suctioning?

- a. Post-operative patient
- b. Thick secretion in the nasopharynx
- c. Thick secretion in the larynx
- d. Unconscious patients

ans: d

29. Mr. X, who was working in Health College, has asked one of his students to differentiate large bowel obstruction from small bowel obstruction. Which of the following could be the correct answer of the student?

- a. The large bowel obstruction symptoms develop and progress relatively slowly
- b. The small bowel obstruction symptoms develop and progress relatively slowly
- c. The large bowel obstruction symptoms develop and progress relatively rapidly
- d. Large bowel obstruction is mostly caused by adhesion

ans: a

30. Two days following surgery, a patient suddenly develops a congested cough, shortness of breath, and fatigue. Based on the above problem, what types of assessment you are going to apply for this patient?

- a. Episodic
- b. Time lapsed
- c. Emergency
- d. Complete

ans: c

31. A mother of 9 month old child has asked a nurse about a vaccination service provided at the health center. How should a nurse respond to the mother?

- a. Teaching her about complementary feeding
- b. No need of vaccination for a child
- c. Providing measles Vaccine only
- d. Ordering her to go to other health center

ans: c

32. Assume you are a nurse manager at medical ward and notice when the nurse in the ward reports incomplete nursing process data repetitively. What action do you take first as the leader?

- a. Strong disciplinary action to the respective nurse
- b. Use it as the example to develop fear in others
- c. Communicate with the nurse and solve the problem
- d. Oral warning and some advice

ans: c

33. A 31 years old man shows unstable relationships, impulsivity, poor self-image and irritability. What type of personality disorder you propose from these findings?

- a. Histrionic personality disorder
- b. Borderline personality disorder
- c. Antisocial personality disorder
- d. Dependent personality disorder

ans: b

34. A 32 years old Gravida 1(G1), Para 0(P0) with 36 week gestation presented with contractions. She looks uncomfortable and is contracting every 3minutes but cervix is 2cm dilated and 50% effaced was seen the previous day with similar complaints and findings. What is the diagnosis of this mother?

- a. Obstructed labor
- b. False labor
- c. Premature rupture of membrane
- d. Prolonged labor

ans: b

35. A 70 years old male patient presented at outpatient department with complains of tremor, rigidity, and gait disturbances. After assessment, he is diagnosed for Parkinson's disease. What is the priority nursing diagnosis for this patient?

- a. Fluid volume deficit
- b. Ineffective breathing pattern
- c. Risk for injury
- d. Activity intolerance

ans: c

36. The patient has persistent and continuous pain at McBurney's point. The nursing assessment reveals rebound tenderness and muscle guarding with the patient preferring to lie still with the right leg flexed. What is the priority diagnosis of this patient?

- a. Pancreatitis
- b. Cholelithiasis
- c. Appendicitis
- d. Peritonitis

ans: c

37. When we say that the nurse demonstrates the essential new born care successfully?

- a. Do not cover the baby's head.
- b. Deliver the baby onto the dry cold surface
- c. Never dry the baby's body with a dry warm towel
- d. Cut the cord immediately if resuscitation needed

ans: d

38. A clinical nurse was assessing a patient admitted to medical ward with heart failure and makes a clinical judgment about the patient problem. In which stage of nursing process she made a clinical judgment about the patient problem?

- a. Evaluation
- b. Planning
- c. Diagnosis
- d. Assessment

ans: c

39. The types of endocrine gland hormones which has a role of decreasing blood calcium concentration is:

- a. Thyroid hormone
- b. Adrenal Cortex hormone
- c. Parathyroid hormone
- d. Calcitonin hormone

ans: d

40. Which of the following data collection method is recommended to obtain if the researcher have little understanding of the problem or situation under investigation?

- a. Observation
- b. Focus group discussion
- c. Structured questionnaires
- d. Interview

ans: d

41. During performing an assessment for a 3 months old child, the nurse has noted bulging fontanelles. How do you interpret this finding?

- a. Dehydration
- b. Septic meningitis
- c. Malnutrition
- d. Increased intracranial pressure

ans: d

42. A 56 years old female patient presented with profound dehydration and tachycardia. Her laboratory findings were blood glucose level-800mg/dL, Ketone free urine and PH-7. Analyzing these findings, how do you diagnose this patient?

- a. Hyperosmolar hyperglycemic ketotic syndrome
- b. Hyperosmolar hyperglycemic non ketotic syndrome
- c. Diabetes insipidus
- d. Diabetic ketoacidosis

ans: b

43. What is NOT expected from committed and dedicated nurse professional after graduated from university/college?

- a. Participating in nursing curriculum revision and development
- b. Giving a feedback regarding the weakness and strength of program
- c. Continuing professional development
- d. Criticizing the program with someone from other profession

ans: d

44. The types of study design utilized for a survey conducted in a population, to find prevalence of a disease and exposure at a point in time is:

- a. Case serious
- b. Cohort
- c. Case control
- d. Cross sectional

ans: d

45. A patient with a history of inflammatory bowel disease comes to the clinic with persistent diarrhea. Which one is justified to be typical characteristic of ulcerative colitis?

- a. Toxic mega colon
- b. Has segmented distribution
- c. Involves the entire thickness of the bowel wall
- d. Weight loss and abdominal pain

ans: a

46. Assume you are assigned nurse at medical ward and going to administer insulin for patient with type 1 Diabetic mellitus at morning. Which of the following best describe the specific injection site of insulin?

- a. Stomach 2 inch from the umbilicus
- b. Upper thigh only front part
- c. Upper arm, inner aspects
- d. Back, right and left above the waist

ans: a

47. A 25 years old women with 16 weeks gestational age of pregnancy with undifferentiated HIV status comes to the clinic for ANC visit. Which of the following advice is the correct way regarding HIV test?

- a. You can test HIV status and once tested, helps for life time
- b. Testing for HIV is the integrated approach of ANC visit
- c. Testing for HIV status depends on your interest
- d. Testing HIV depends on the risk group identification during ANC

ans: b

48. An individual has experienced car accident and brought to Emergency outpatient department and suspected for lower limb fracture. What emergency measure has to be performed first?

- a. Cleaning a wound
- b. Anti-Pain
- c. Dressing a wound
- d. Immobilization

ans: d

49. A Public health officer, examine the service provided in one area and use it as a basis to determine the service required in another area of similar population. Which type of social need is best practiced?

- a. Felt
- b. Comparative
- c. Expressed
- d. Normative

ans: b

50. When teaching a client on how to control hypertension, the nurse must recognize that:

- a. If overweight, the client must achieve a normal weight to lower his or her blood pressure
- b. All clients with elevated blood pressure require medication
- c. Lifestyle modifications are indicated for all clients with hypertension
- d. It is not necessary to limit salt intake if taking a diuretic

ans: c

51. A 29 years old mother with first trimester pregnancy come to the clinic with complain of persistent vomiting more than three times a day accompanied by severe weight loss and +2 ketonuria unrelated to other causes. Which one is the best way to manage the patient's problem?

- a. Correction of fluid and electrolyte
- b. Administration oral food fluid
- c. Reassurance and sending to home
- d. Treatment of any co-morbidity

ans: a

52. A manager who builds a smart and attractive administrative building with high cost at a specified time period in the zonal city is said to be:

- a. Efficient and effective
- b. Efficient and ineffective
- c. Inefficient and ineffective
- d. Inefficient and effective

ans: d

53. The most common chronic skin disease thought to stems from a hereditary defect that causes overproduction of keratin, present with plaque lesion and that can be aggravated by anxiety, stress, hormonal change, trauma and infection is described as:

- a. Dermatitis
- b. Psoriasis
- c. Herpes Zoster
- d. Scabies

ans: b

54. Sr. H is caring for a client who has blood glucose of 50 mg/dL. The client is lethargic but conscious. Which of the following actions should the nurse perform first?

- a. Recheck blood glucose in 15 min
- b. Provide snack containing protein and starch
- c. Provide a carbohydrate and protein food
- d. Provide 100-150 ml of fruit juice

ans: d

55. Which of the followings are happening in 2nd stage labor?

- a. Uterine segment softening
- b. Maternal-infant bonding
- c. Fetal Descent
- d. Effacement of cervix

ans: c

56. A Psychiatry nurse perform mental health assessment for a 34 years old male patient and ask him in order to subtract seven from hundred five times without interruption. Which mental health assessment is best practiced?

- a. Orientation
- b. Cognition
- c. Memory
- d. Concentration

ans: d

57. A menopausal woman with a medical diagnosis of hyperthyroidism was admitted to medical ward. She was agitated and diaphoretic. Her vital sign was: body temperature 38°C, pulse rate 108 beat/minute, respiratory rate 29 breaths/minute, blood pressure 110/70mmHg. How do you interpret the findings of this patient?

- a. Tachypnea, tachycardia, hyperthermia, normotension
- b. Tachypnea, tachycardia, hyperthermia, hypertension
- c. Eupnea, tachycardia, hyperthermia, hypotension
- d. Tachypnea, tachycardia, euthermia, normotension

ans: a

58. A 72 years old patient present with acute dyspnea, frothy pink sputum and bilateral crackles. Which medical condition is more related to these findings?

- a. Pulmonary edema
- b. Allergic asthma
- c. Pleural effusion
- d. Pneumothorax

ans: a

59. A patient with suspected visual acuity instructed to read from the Snellen eye chart and his final reading was 20/70. Which of the following is true about this patient depending on the above information?

- a. Had refractive error
- b. Problem of accommodation
- c. Peripheral vision loss
- d. Read at 70 feet what normal eye read from 20

ans: a

60. Which of the following statement is WRONG about phases of puerperium?

- a. Early puerperium extends until the first week of postpartum
- b. Early puerperium extends until the first 24 hours of postpartum
- c. Remote puerperium includes the period of time required for involution of the genital organs and return of menses
- d. Immediate puerperium is the first 24 hours after parturition and when acute post-delivery complications may occur

ans: b

61. According to cognitivism learning theory, the learning process undertakes by:

- a. Rehearsing information and then storing it for long term use
- b. Constructing one's own knowledge through past experiences
- c. Through positive reinforcement and punishment
- d. Through negative reinforcement and punishment

ans: a

62. Mr. Y was asked to mention a format utilized for writing a literature review in developing a research proposal. Which appropriate guideline could be mentioned by Mr. Y?

- a. Literature review should be written from local to global
- b. Literature review should be written from past to current
- c. Literature review should be written from focused to broader
- d. Literature review should comprise only published documents

ans: b

63. An adult male patient with mental illness who was taking antipsychotic medication has reported an orgasm but no semen during sexual intercourse. How should you respond to this complaint?

- a. Educate him about the benefit and side effect of medication
- b. Encourage him to take Viagra
- c. Encourage him to avoid sexual intercourse
- d. Advise him to avoid substance use

ans: a

64. The nurse was caring for a new patient with a colostomy. What finding needs priority nursing intervention?

- a. Slight bleeding of stoma during cleaning
- b. Foul smell stool
- c. Pink and moist stoma
- d. Bluish discoloration of stoma site

ans: d

65. A third-year university student who has an upcoming exam developed stress and was unable to read. She finally stopped reading and cleaned her family's house excessively. What is the appropriate defense mechanism she had used?

- a. Regression
- b. Repression
- c. Suppression
- d. Sublimation

ans: d

66. A 49 years old male known chronic Diabetic patient comes to the medical ward with hyperglycemia and metabolic acidosis. Which clinical manifestation clearly shows the presence of metabolic acidosis?

- a. Kussmauls respiration
- b. Severe electrolyte loss
- c. Hypervolemia
- d. Blurred vision

ans: a

67. While you are designing a plan of care for a 9 years old child with TB and HIV, which of the following integration therapy is most appropriate?

- a. Treat HIV, then TB later
- b. Initiating broad spectrum antibiotics medication
- c. Treat TB, Then HIV later
- d. Initiate TB treatment and start ART with nutritional support

ans: d

68. A 29 years old female patient diagnosed with urethral discharge by syndromic approach. What is the preferred treatment regimen for this patient?

- a. Azithromycin 1gm PO stat + Metronidazole 500 mg po BID/7 days
- b. Ceftriaxone 250 mg IM stat + Metronidazole 500 mg po BID/7 days
- c. Ceftriaxone 250 mg IM stat + Spectinomycin 2gm IM Stat
- d. Ceftriaxone 250 mg IM stat + Azithromycin 1gm PO stat

ans: d

69. Which of the following is NOT the main purpose of performing a lumbar puncture procedure?

- a. To administer medication into the spinal canal
- b. To measure the pressure of cerebrospinal fluid
- c. To remove excess cerebrospinal fluid from peritoneal cavity
- d. To administer spinal anesthesia before surgery

ans: c

70. A 45 years old male patient comes to your clinic with drug poisoning, and you are going to insert Naso-gastric tube for lavage. Which one of the following is the most reliable and effective method to check the correct tube placement in the stomach?

- a. Immersing one end of NG Tube in water to see bubbling
- b. Sending for X-Ray
- c. Stethoscope to auscultate gurgling sound
- d. Blue litmus paper to test acidity

ans: b

71. Based on the DSM-V, which of the following best describe schizophrenia?

- a. Social and occupational dysfunction
- b. Schizoaffective and mood disorder included
- c. Relationship to a pervasive developmental disorder
- d. General medical condition included

ans: a

72. A surgical nurse is going to insert a catheter for a 28-year-old male patient post-operatively. What is the proper position for this patient?

- a. Dorsal recumbent
- b. Prone
- c. Sims
- d. Left lateral

ans: a

73. Which drug of choice has to be administered for a pregnant woman with preeclampsia and eclampsia for treating and preventing a seizure?

- a. Magnesium sulphate
- b. Diazepam
- c. Antibiotic
- d. Phenytoin

ans: a

74. A postpartum woman has presented with headache, blurred vision, convulsion and +3 proteinuria. Her blood pressure was 140/90 mmHg. What is the most likely diagnosis of this woman?

- a. Chronic hypertension
- b. Typical preeclampsia
- c. Atypical preeclampsia
- d. Typical eclampsia

ans: d

75. During assessing and preparing the patient for lumbar puncture, what the nurse should set up as a priority precaution before the patient undergone the procedure?

- a. The patient has to be stable and free of hormonal imbalance
- b. The needle insertion site has to be free of infection
- c. The patient has to be conscious
- d. The patient has to be adult

ans: b

76. By placing a lightly vibrating tuning fork on the mastoid bone and then level with the canal immediately when the patient can no longer hear the sound, the patient is found to be unable to hear the sound. Based on this test, what is the correct answer?

- a. Negative Weber
- b. Positive Rinne
- c. Negative Rinne
- d. Positive Weber

ans: c

77. How a professional nurse who practices standardized care should respond to a patient who is on catheter, complaining lower abdominal pain and decreased urine output?

- a. Irrigate the catheter without order
- b. Provide Antipain
- c. Observe only
- d. Check for tube obstruction

ans: d

78. A 21-year-old female patient comes to the clinic for a checkup. The nurse forcibly removes her clothes to auscultate her upper chest without asking her permission. Which area of potential liability in nursing was practiced?

- a. Invasion of privacy
- b. Defamation
- c. Battery
- d. Fraud

ans: c

79. A 35 years old male patient complains vision difficulty and a nurse want to differentiate the patient's problem by asking the person to focus on a distant object, and then have the patient shift his gaze to a near object. Distinguish the proper test the nurse will do for this patient?

- a. Visual fields
- b. Accommodation
- c. Corneal light Reflex
- d. Snellen eye chart

ans: b

80. A researcher was collecting data from mothers with under five children for his research work. Which of the following demonstrates research ethics?

- a. Collect a data without taking consent because children are not eligible to give consent
- b. Taking consent from mothers before collecting a data
- c. Excluding mothers with mentally ill children
- d. Taking a photo of children without taking a consent

ans: b

81. A nurse is caring for a client who has disseminated intravascular coagulation (DIC). Which of the following medications should the nurse propose administering to the client?

- a. Anti pain
- b. Vitamin K
- c. Heparin
- d. Antibiotic

ans: c

82. A 36 month old male child come to the clinic with complain of persistent fever and weight loss and his mother is HIV positive. After investigation the child is positive for HIV and his weight is 17 kg. What is the first line ARV treatment regimen for this child?

- a. AZT+3TC+EFV
- b. AZT+3TC+DTG
- c. ABC+3TC+DTG
- d. ABC+3TC+LPV/r

ans: c

83. In comparing and contrasting qualitative research with quantitative research, what does the researcher explain about quantitative research?

- a. The finding of Quantitative research is presented in explanation and individual responses
- b. Quantitative research is used to gain insight into a particular practice or belief
- c. Quantitative research method uses in depth interview for data collection method
- d. Quantitative research is used to measure the prevalence of something

ans: d

84. Pregnant women with 27 weeks of gestational age was admitted to medical ward with TB infection. A nurse has encouraged her to use facemask but she has reported discomfort and stop using a mask. How should a nurse respond to this woman?

- a. Discharge her from the hospital
- b. immediately report it to the physician
- c. isolating her to separate room
- d. Explain the purpose of using facemask and its benefit

ans: c

85. A 12 years old male client come to the hospital with complain of arousal from sleep at night annoyingly many times. Which of the following is the possible sleep disorder the client developed?

- a. Narcolepsy
- b. Apnea
- c. Insomnia
- d. Somnambulism

ans: c

86. Which of the following area best indicates the presence of central cyanosis?

- a. Nail
- b. Ear lobe
- c. Oral mucosa
- d. palmar surface

ans: c

87. A patient with chronic major depressive disorder was presented with motoric immobility, profound negativism, mimicry of speech and mimicry of movement. What is the most likely interpretation of this disorder?

- a. Catatonia disorder
- b. Factitious disorder
- c. Schizophrenic disorder
- d. Bipolar Disorder

ans: a

88. A 20 months old male child was presented with cough of 2 days duration. He developed rhinorrhea, fever, a hoarse cry and "barky" cough. On P/E: T: 37.5 °C, PR: 140 bt/min, RR: 36 bt/min, oxygen saturation 96%. What is the most likely diagnosis of this patient?

- a. Bronchitis
- b. Croup
- c. Pharyngitis
- d. Bronchial asthma

ans: b

89. The Epidemiologist need to conduct latrine utilization among household in "X" Kebele. Which probability sampling method used to assess this study?

- a. Systematic random
- b. Multistage
- c. Stratified
- d. Cluster

ans: a

90. A 25 years old female patient on follow up comes to your clinic for intramuscular medication injection. Which one of the following is the safest area to administer medication?

- a. Umbilical
- b. Femoral
- c. Deltoid
- d. Ventrogluteal

ans: d

91. They were going house to house for collecting a data. What types of surveillance they were conducting?

- a. Passive surveillance
- b. Sentinel surveillance
- c. Census surveillance
- d. Active surveillance

ans: d

92. A 1 year old child was brought to hospital with diarrhea and sunken eyeball. What is the first line management of this child?

- a. Oral rehydration solution
- b. Antibiotic only
- c. Antibiotic and Zinc
- d. Provision of zinc only

ans: a

93. A nurse is providing teaching on the manifestation of complications to a client who has acute glomerulonephritis. Which of the following complications should the client report?

- a. Temperature of 36.8°C
- b. Dry cough
- c. Pitting edema
- d. Weight loss

ans: c