



WOLLO University

Department of software engineering

Exit multiple choice questions for

Web based application development

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Department of software engineering

Q No. 1) There are ____ levels of heading in HTML

- (A) Three
- (B) Four
- (C) Five
- (D) Six

Show Answer

Answer: (D)

Q No. 2) The decimal range of network address for class B network is between

- (A) 127-190
- (B) 128-190
- (C) 128-191
- (D) None of the above

Show Answer

Answer: (C)

Q No. 3) What is the Full Form of the SPX?

- (A) Sequenced Packet Exchange
- (B) Sequence Packet Exchange
- (C) Sequenced Packets Exchange
- (D) None of the above

Show Answer

Answer: (A)

Q No. 4) What is the Full Form of the IMAP?

- (A) Internet Mail Access Protocol
- (B) Internet Mails Access Protocol
- (C) Internet Memo Access Protocol
- (D) All of the Above

Show Answer

Answer: (A)

Q No. 5) The Full form Of the MIME is:

- (A) Multipurpose Internet Mail Extensions
- (B) Multiple Internet Mail Extensions
- (C) Multiple Internet Mails Extensions
- (D) None of the above

Show Answer

Answer: (A)

Q No. 6) The ____ at the bottom of your window provides you the status of how much percentage of the Web Page is loaded and how much is remaining.

- (A) Program Indicator
- (B) Program Director
- (C) Progress Indicator
- (D) None of the above

Show Answer

Answer: (C)

Q No. 7) The Major components of the Web browser are ____

- (A) Menu bar
- (B) Toolbar
- (C) Location
- (D) All of the Above

Show Answer

Answer: (D)

Q No. 8) ____ is widely known as the father of the World Wide Web

- (A) Tom burners-lee
- (B) Tom bruce-lee
- (C) Tim bruce-lee
- (D) Tim Berners-Lee

Show Answer

Answer: (D)

Q No. 9) The leading bit pattern for the class c network is

- (A) 0
- (B) 10
- (C) 101
- (D) None of the above

Show Answer

Answer: (D)

Q No. 10) URL is an acronym for

- (A) Universal research locator
- (B) Universal resource locator
- (C) Uniform research locator
- (D) Uniform resource locator

Show Answer

Answer: (D)

Q No. 11) We can test our web pages through:

- (A) Using Dreamweaver
- (B) Using Photoshop
- (C) Using Flash.
- (D) All of the Above

Show Answer

Answer: (A)

Q No. 12) The program which can be used to make your computer act as a terminal is

- (A) Terminal simulation program
- (B) Terminal emulation program
- (C) Terminal emulsion program
- (D) None of the above

Show Answer

Answer: (B)

Q No. 13) We should view your web page differently.

- (A) Operating systems, Screen Sizes, resolutions
- (B) Screen Sizes
- (C) Operating systems
- (D) None of the above

Show Answer

Answer: (A)

Q No. 14) The different ways of Creating Graphics for the Web are.

- (A) Graphics packages
- (B) Digital cameras
- (C) Graphics packages, Digital cameras, Scanned photographs
- (D) None of the above

Show Answer

Answer: (C)

Q No. 15) We should Check whether your website performs properly on the following operating systems:

- (A) Windows Only.
- (B) UNIX, Macintosh
- (C) UNIX, Macintosh, MS Windows, Linux
- (D) None of the above

Show Answer

Answer: (C)

Q No. 16) Various INPUT types are

- (A) CHECKBOX, RADIO
- (B) CHECKBOX, HIDDEN
- (C) CHECKBOX, RADIO, HIDDEN
- (S) None of the above

Show Answer

Answer: (C)

Q No. 17) The commonly used text editors are:

- (A) WordPad
- (B) WordPad, Notepad
- (C) WordPad, Write pad, Notepad
- (D) None of the above

Show Answer

Answer: (C)

Q No. 18. CGI stands for

- (A) Command Gate Interface
- (B) Common Gateway Interface
- (C) Common Gate input
- (D) None of the above

Show Answer

Answer: (B)

Q No. 19) For a particular font its size attribute can be an absolute value ranging from.

- (A) 1-10
- (B) 1-9
- (C) 1-8
- (D) 1-7

Show Answer

Answer: (D)

Q No. 20) The following is best suitable for remote administration of a computer.

- (A) WAIS
- (B) Browsers
- (C) Telnet
- (D) None of the above

Show Answer

Answer: (C)

Q No. 21) Which of the following is true?

- (A) BR tag is used to have a blank line
- (B) In tables, header cells are centered by default and the data cells are right-aligned
- (C) The <TR> is used to create a data cell
- (D) INPUT tag must have at least 4 attributes

Show Answer

Answer: (A)

Q No. 22) Example of a bitmap application is

- (A) MS paint
- (B) Photoshop
- (C) Sound recorder
- (D) None of the above

Show Answer

Answer: (A)

Q No. 23) The ideal rate for animation is

- (A) 30 Frames per second
- (B) 20 Frames per second
- (C) 40 Frames per second
- (D) None of the above

Show Answer

Answer: (A)

Q No. 24) Www.lycos.com was developed by

- (A) Cambridge University
- (B) California University
- (C) Carnegie-Mellon University
- (D) None of the above

Show Answer

Answer: (C)

Q No. 25) The purpose of markup is to

- (A) Add hypertext capabilities
- (B) Enhance the document
- (C) Both (a) & (b)
- (D) None of the above

Show Answer

Answer: (C)

Q No. 26) ARPA is the acronym for

- (A) Applied research project agency
- (B) Advanced remote project agency
- (C) Applied remote project agency
- (D) Advanced research project agency

Show Answer

Answer: (D)

Q No. 27) HTML is the method where ordinary text can be converted into

- (A) ASCII Text
- (B) EBCDIC Text
- (C) Hypertext
- (D) None of the above

Show Answer

Answer: (C)

Q No. 28) OLE stands for

- (A) Object-level embedding
- (B) Object linking and embedding
- (C) Object-level extraction
- (D) None of the above

Show Answer

Answer: (B)

Q No. 29) Example of picture editing software is

- (A) MS paint
- (B) Photoshop
- (C) Sound recorder
- (D) None of the above

Show Answer

Answer: (B)

Q No. 30) The ____ element can be used to identify your HTML file to the outside world

- (A) Title
- (B) Body
- (C) Head
- (D) None of the above

Show Answer

Answer: (A)

Q No. 31) VSNL is an acronym for

- (A) Vishesh Samachar Nigam ltd
- (B) Virat Sanchar Nigam ltd
- (C) Videsh Sanchar Nigam ltd
- (D) Videsh Samachar Nigam ltd

Show Answer

Answer: (C)

Q No. 32) The tag to give visual division between sections of the page and which causes the browser to draw an embossed line is

- (A) <HL>
- (B) <HR>
- (C) <UR>

(D) None of the above

Show Answer

Answer: (B)

Q No. 33) Which one of the following tags are used to insert graphics on the web page?

(A) <IMAGE>

(B) <IMAGES>

(C)

(D) <GRAPHICS>

Show Answer

Answer: (C)

Q No. 34) In HTML ____ tag contains the information about the current document such as title etc.

(A) Body

(B) TD

(C) HEAD

(D) None of the above

Show Answer

Answer: (C)

Q No. 35) Which of the following is false?

(A) TYPE and NAME are the attributes of the INPUT tag

(B) SCR is a must if UNPUT TYPE is an image

(C) POST allows the content of the forms to be passed one element at a time

(D) GET allows accepting one element at a time

Show Answer

Answer: (D)

Q No. 36) The components of multimedia are

(A) Text, pictures, video, sound

(B) Text pictures, animation

(C) Text, pictures, video, animation, sound

(D) None of the above

Show Answer

Answer: (C)

Q No. 37) Which of the following is NOT a sound property

(A) Asterisk

(B) Critical stop

(C) Default beep

(D) Frame grabber

Show Answer

Answer: (C)

Q No. 38) The application of a creative mixer is

(A) To control only the output of the audio signal

(B) To control only input of the audio signal

(C) To control both input and output of the audio signal

(D) None of the above

Show Answer

Answer: (C)

Q No. 39) JPEG stands for

(A) Joint photographic embedded group

(B) Joint photographic extended group

(C) Joint photographic experts group

(D) None of the above

Show Answer

Answer: (C)

Q No. 40) Morphing is also related to

(A) Text

(B) Sound

- (C) Animation
- (D) None of the above

Show Answer

Answer: (C)

Q No. 41) Minimum main memory required to set up a multimedia computer is

- (A) 4GB
- (B) 4MB
- (C) 200MB
- (D) 8MB

Show Answer

Answer: (D)

Q No. 42) CD-ROM stands for

- (A) Computer disk read-only memory
- (B) Computer disk readout memory
- (C) Compact disk read-only memory
- (D) Compact disk readout memory

Show Answer

Answer: (C)

Q No. 43) MIDI stands for

- (A) Musical interface digital instrument
- (B) Musical instrument digital interfaces
- (C) Musical instrument digital input
- (D) Musical instrument digital instrument

Show Answer

Answer: (B)

Q No. 44) TIFF stands for

- (A) Tagged image file format
- (B) Textual images file format
- (C) Tagged image font file
- (D) None of the above

Show Answer

Answer: (A)

Q No. 45) WMF is a

- (A) Text format
- (B) Vector format
- (C) CompuServe
- (D) None of the above

Show Answer

Answer: (B)

Q No. 46) The network address of all ones represents

- (A) This network
- (B) All network
- (C) This node
- (D) None of the above

Show Answer

Answer: (B)

Q No. 47) The main factor in the rapid growth of the net was the inclusion of ____ protocol in the Berkeley Versions of ____.

- (A) TCP/IP, Xenix
- (B) TCP/IP, Linux
- (C) TCP/IP, Punix
- (D) None of the above

Show Answer

Answer: (C)

Q No. 48) IMAP is an acronym for

- (A) Internet mail access protocol
- (B) International mail access protocol
- (C) Interactive mail access protocol
- (D) None of the above

Show Answer

Q No. 49) FTP applications are

- (A) Used to download and upload files
- (B) Internet browsers
- (C) Used to send E-mails
- (D) Used to chat with other people

Show Answer

Answer: (A)

Q No. 50) Which of the following FTP program found in all the windows systems?

- (A) WFTP.EXE
- (B) FTP.EXE
- (C) WSFTP.EXE
- (D) TFTP.EXE

Show Answer

Answer: (B)

1.

Which of the following can read and render HTML web pages

Server

head Tak

web browser

empty

Hide

Wrong Answer

Explanation: C) web browsers can read and render HTML web pages.

2.

Identify the range of byte data types in JavaScript.

-10 to 9

- 128 to 127

-32768 to 32767

-2147483648 to 2147483647

Hide

Wrong Answer

Explanation: B) the range of byte data type is - 128 to 127.

3.

Among the following operators identify the one which is used to allocate memory to array variables in JavaScript.

new

new malloc

alloc

malloc

Hide

Wrong Answer

Explanation: A) new Is used to allocate memory to array variables in JavaScript.

4.

The latest HTML standard is

HTML 4.0

HTML 5.0

XML

SGML

Hide

Wrong Answer

Explanation: B) The latest HTML standard is HTML 5.0

5.

Why were cookies designed?

for server-side programming

For client-side programming

both a and b

None

Hide

Wrong Answer

Explanation: A) Cookies were designed for server-side programming.

6.

What are variables used in JavaScript programs

Varying randomly

Storing numbers, dates, and other values

Used as header files

none of the above

Hide

Wrong Answer

Explanation: B) Variables are used to store numbers, dates, and other values.

7.

Simple network management protocol uses which of the following port number

164

163

160

161

Hide

Wrong Answer

Explanation: D) simple network management protocol uses port number 161.

8.

Identify the incorrect HTML tag among the following

< input>

<select>

< list>

< textarea>

Hide

Wrong Answer

Explanation: C) < list> is in correct HTML tag among the following.

9.

Full form of W3C is _____

World Wide Websites community

World Wide Web community

World Wide Websites consortium

World Wide Web consortium

Hide

Wrong Answer

Explanation: D) W3C stands for World Wide Web consortium.

10.

Identify the empty or void element in HTML.

<sup>

<p>

< abbr>

Hide

Wrong Answer

Explanation: B)
 Is the empty or void element in HTML

11.

Which of the following attribute is used for merging two or more adjacent columns?

ROWSPAN

CELLSPACING

Department of software engineering

COLSPAN

CELLPADDING

Hide

Wrong Answer

Explanation: C) COLSPAN Is used for merging two or more adjacent columns.

12.

Which of the following is used to transmit information on the world wide web?

HPPT

HTTP

HTTTP

HTPP

Hide

Wrong Answer

Explanation: B) HTTP Is used to transmit information on the world wide web.

13.

A website is a _____ cookie.

volatile

transient

in transient

non-volatile

Hide

Wrong Answer

Explanation: B) a website is a transient cookie.

14.

Among which of the following is HTML a subset.

SGMD

SGMT

SGML

None

Hide

Wrong Answer

Explanation: C) HTML it is a subset of SGML.

15.

When is the body tag used?

after FORM tag

after Title tag

after EM tag

after HEAD tag

Hide

Wrong Answer

Explanation: D) Body tag is used after the HEAD tag.

16.

To establish the base URL which of the following is used?

BASE element

HEAD element

both a and b

None

Hide

Wrong Answer

Explanation: A) To establish the base URL BASE element is used.

17.

On which model is www based upon

client-server

local server

3 tier

none of this

Hide

Wrong Answer

Explanation: A) www is based upon client-server.

18.

Department of software engineering

Identify the container among the following

< body>

< select>

< input>

both a and b

Hide

Wrong Answer

Explanation: D) Both <body> and <select> containers.

19.

Which of the following attribute defines the relationship between the current document and URL?

URL

REV

REL

None

Hide

Wrong Answer

Explanation: C) REL defines the relationship between the current document and HREF'ed URL.

20.

The MIME text file is saved with which of the following extension

THM extension

HTML extension

HTM extension

None

Hide

Wrong Answer

Explanation: B) MIME text file is saved with HTML extension.

21.

Why is XPATH used?

To address the server

to store the IP address of this server

to address the document by specifying a location path

none

Hide

Wrong Answer

Explanation: C) XPATH is used to address the document by specifying a location path

22.

Identified among the following which creates push button

RESET

CHECK BOX

INPUT

RADIO

Hide

Wrong Answer

Explanation: A) RESET is used to create a push-button.

23.

Choose whether true or false: The tag elements in XML are case-sensitive.

True

False

Check Answer

24.

How many sizes of headers are available in HTML by default?

5

1

3

6

Hide

Wrong Answer

Explanation: D) 6 headers are available in HTML by default ranging from h1 to h6.

25.

What are the types of lists available in HTML?

Department of software engineering

Ordered, unordered lists

Bulleted, numbered lists

Named, Unnamed lists

None of the above

Hide

Wrong Answer

Explanation: A) The lists available in HTML are Ordered and Unordered List.

26.

HTML files are saved by default with the extension?

.h

.html

.ht

None

Hide

Wrong Answer

Explanation: B) HTML files are saved by the .html or .htm extension.

27.

What is the effect of the \ tag?

It converts the text within it to a bold tag.

It is used to write black-colored font

It is used to change the font size.

None

Hide

Wrong Answer

Explanation: A) It converts the text within it to a bold tag.

28.

Which of the following tags doesn't require a closing tag?

\

\<hr>

Both (a) and (b)

None

Hide

Wrong Answer

Explanation: C) Both the \<hr> and the \
 tag doesn't require a closing tag.

29.

What are the attributes used to change the size of an image?

Big and Small

Width and height

Top and bottom

None

Hide

Wrong Answer

Explanation: B) Width and Height attributes are used to change the size of an image.

30.

Which attribute is used to provide a unique name to an HTML element?

id

class

type

None

Hide

Wrong Answer

Explanation: A) An id is used to provide a unique name for an HTML element that can be used to identify it.

31.

What is the function of the HTML style attribute?

It is used to add styles to an HTML element.

It is used to uniquely identify some specific styles of some elements.

Both (a) and (b)

None

Hide

Wrong Answer

Explanation: A) It is used to add styles to an HTML element.

32.

Which HTML element is used to define description data?

\

\

\<dd>

\<dl>

Hide

Wrong Answer

Explanation: C) Description data is defined by <dd> tag.

33.

Which of the following properties is used to change the font of text?

font-family

font-size

text-align

None

Hide

Wrong Answer

Explanation: A) The font-family property is used to change text font in HTML.

34.

Choose the correct option related to XML.

It cannot be used as a database

it can be used as a database

it is a storage format but a textual storage format which can be called a language

it is not a database, it is a language

Hide

Wrong Answer

Explanation: C) XML is a storage format but a textual storage format that can be called a language.

35.

Where is the map definition file generally stored?

RECYCLE BIN

CGI-BIN

BIN

All of the above

Hide

Wrong Answer

Explanation: B) The map definition file is generally stored in CGI-BIN.

36.

Choose whether true or false: XML is an imperative language.

True

False

Hide

Wrong Answer

Explanation: B) False. XML is a declarative language.

37.

What is Document Object Model(DOM)?

a coding style

Specification

a parser

none

Hide

Wrong Answer

Explanation: C) DOM is a parser.

38.

Identify the function in JavaScript which is used to send messages to users requesting for text input?

alert()

prompt()

display()

getInput()

Hide

Department of software engineering

Wrong Answer

Explanation: B) prompt() it is used to send messages to users requesting text input.

39.

Identify the method which is used to specify a container's layout in JSP.

setContainerLayout()

Layout()

setLayout()

none

Hide

Wrong Answer

Explanation: C) setLayout() Is used to specify a container's layout in JSP.

40.

To get the current system date which of the following function is used in ASP?

CurrentDate()

getDate()

Now()

Date()

Hide

Wrong Answer

Explanation: D) Date() Is used to get the current system date.

41.

The full form of DOM is?

Document-oriented memory

document object model

document object memory

none

Hide

Wrong Answer

Explanation: B) DOM stands for document object model.

42.

Identify the total standard color names that HTML supports.

30

70

140

120

Hide

Wrong Answer

Explanation: C) HTML supports a total of 140 standard color names.

43.

Identify the tag used to give paragraph

<p>

<marquee>

<pre>

Hide

Wrong Answer

Explanation: A) <p> Is used to give paragraph.

44.

Identify the tag which is used to define a concept in HTML.

<p>

<def>

<marquee>

<pre>

Hide

Wrong Answer

Explanation: B) <def> is used to define a concept in HTML

45.

Identify the standard network protocol used to transfer computer files between a client and server on a computer network.

Physical

Department of software engineering

TCP/IP

FTP

Hyperlink

Hide

Wrong Answer

Explanation: C) FTP is the standard protocol used to transfer computer files between the client and server in a computer network.

46.

Choose among the following, which is the most common internet protocol.

PPP

FTP

TCP/IP

SMTP

Hide

Wrong Answer

Explanation: D) SMTP is the most commonly used internet protocol.

47.

Choose the port number of FTP.

23

21

110

143

Hide

Wrong Answer

Explanation: B) The port number of FTP is 21

48.

What does MIME stand for?

Multipurpose Internet Mail Extra

Multi Internet Mail End

Multipurpose Internet Mail Email

Multipurpose Internet Mail Extensio

Hide

Wrong Answer

Explanation: D) MIME stands for Multipurpose Internet Mail Extension.

49.

Which of the following is used to allocate and manage resources for a network?

Bluetooth

Server

Node

None of the above

Hide

Wrong Answer

Explanation: B) Server is used to allocate and manage resources for a network.

50.

Identify among the following servers which allow LAN users to share data.

Communication server

Point server

Data server

File server

Hide

Wrong Answer

Explanation: D) File server allows LAN users to share data.

1. Which Of The Following Is An Internet Protocol.

A. FTP

B. TCP/IP

C. EFT

D. EDI

View Answer

Answer: B

2. What Tag Is Used For Inserting A Line Break In A Html Page.

A. <break>

B.

C.

D. <lb>

View Answer

Answer: C

3. Which Of The Following Is An Example Of FTP.

A. Personal

B. Web Server

C. Sql

D. Cute-ftp

View Answer

Answer: D

4. Web Databases.

B. File System Api

C. Offline Web Applications

D. Online Web Applications

View Answer

Answer: D

5. Which Object Supports File System API.

A. Element

B. File

C. Window

Department of software engineering

D. Dom

View Answer

Answer: B

6. Computers In Internet Are Connected Through.

A. Fiber-optic Cables

B. Telephone Lines

C. Satellite

D. All Of These

View Answer

Answer: D

7. Shortcut To Refresh A Web Page Is.

A. F2

B. F7

C. F1

D. F5

View Answer

Answer: D

8. This Is Not Part Of A Complete URL.

A. Browser

B. Path

C. Resource Name

D. Protocol

View Answer

Answer: A

9. Which Attribute Of Tag Defines The Url Of The Image To Be Loaded.

A. Hspace

B. Src

C. Vspace

D. Width

View Answer

Answer: B

10. Href.

A. Is A Tag Of A Tag

B. Is A Value Of A Tag

C. Is An Attribute Of A Tag

D. Stands For Hyperlink Repeat Electronic Filling

View Answer

Answer: C

Read Also >> [Data Communication and Networking Solved MCQs](#)

11. The Attribute Of The <tr> Tag Sets The Vertical Alignment Of The Row Is.

A. Vrow

B. Haling

C. Align

D. Valign

View Answer

Answer: D

12. Which Tag Is Used To Include A Separately Defined Style Sheet In Web Pages.

A. <style>

B. <link>

C. <body>

D. <import>

View Answer

Answer: B

13. String Can Include Which Of The Following Characters.

- A. A
- B. @
- C. +
- D. All

View Answer

Answer: D

14. Which Of The Following Is A Data Type.

- A. String
- B. 12
- C. Include
- D. City

View Answer

Answer: A

15. In Which Loop, Condition Comes After The Body Of The Loop.

- A. While Loop
- B. For Loop
- C. Do-while Loop
- D. Nested Loop

View Answer

Answer: C

16. Which Javascript Event Handler Pertains To Actions Enabled By Mouse Clicks.

- A. Oninput
- B. Onchange
- C. Onclick
- D. Ondrag

View Answer

Answer: C

17. A New Array Can Be Declared By Which Of The Following.

- A. Student = New Array;
- B. Array = New Student
- C. Student = New Array();
- D. Array = New Student();

View Answer

Answer: C

1.) What is the preferred way for adding a background color in HTML?

- a.) <body background="yellow">
- b.) <background>yellow</background>
- c.) < body style="background-color:yellow">
- d.) <background color="yellow">text<background>

[View Answer / Hide Answer](#)

ANSWER: c.) < body style="background-color:yellow">

2.) What is the correct HTML for creating a hyperlink?

- a.) A
- b.) <a>B
- c.) example
- d.) example

[View Answer / Hide Answer](#)

ANSWER: c.) example

3.) How can you create an e-mail link?

- a.) <mail href="a@b">
- b.) <mail>a@b</mail>
- c.)

d.) `<a href="mailto:a@b.com">`

[View Answer / Hide Answer](#)

ANSWER: d.) `<a href="mailto:a@b.com">`

4.) How can you open a link in a new browser window?

a.) `<a href="url" new>`

b.) `<a href="url" target="new">`

c.) `<a href="url" target="_blank">`

d.) `<a href="url" target="">`

[View Answer / Hide Answer](#)

ANSWER: c.) `<a href="url" target="_blank">`

5.) Which of these tags are all `<table>` tags?

a.) `<table><head><tfoot>`

b.) `<table><tr><td>`

c.) `<table><tr><tt>`

d.) `<thead><body><tr>`

[View Answer / Hide Answer](#)

ANSWER: b.) `<table><tr><td>`

6.) Which of the following JavaScript cannot do?

a.) JavaScript can react to events

b.) JavaScript can manipulate HTML elements

c.) JavaScript can be use to validate data

d.) All of the Above

[View Answer / Hide Answer](#)

ANSWER: d.) All of the Above

7.) Whats so great about XML?

- a.) Easy data exchange
- b.) High speed on network
- c.) Only B.is correct
- d.) Both A & B

[View Answer / Hide Answer](#)

ANSWER: d.) Both A & B

8.) Which is not a property of attribute Behaviour of <Marquee> tag?

- a.) alternate
- b.) blur
- c.) scroll
- d.) slide

[View Answer / Hide Answer](#)

ANSWER: b.) blur

9.) _____ keyword is used to declare variables in javascript.

- a.) Var
- b.) Dim
- c.) String
- d.) None of the above

[View Answer / Hide Answer](#)

ANSWER: a.) Var

10.) The attribute used to define a new namespace is.

- a.) XMLNS
- b.) XmlNameSpace
- c.) Xmlns
- d.) XmlNs

[View Answer / Hide Answer](#)

ANSWER: c.) Xmlns

1.) Using _____ statement is how you test for a specific condition.

- a.) Select
- b.) If
- c.) Switch
- d.) For

[View Answer / Hide Answer](#)

ANSWER: b.) If

3.) How to create a Date object in JavaScript?

- a.) dateObjectName = new Date([parameters])
- b.) dateObjectName.new Date([parameters])
- c.) dateObjectName := new Date([parameters])
- d.) dateObjectName Date([parameters])

[View Answer / Hide Answer](#)

ANSWER: a.) dateObjectName = new Date([parameters])

4.) The _____ method of an Array object adds and/or removes elements from an array.

- a.) Reverse
- b.) Shift
- c.) Slice
- d.) Splice

[View Answer / Hide Answer](#)

ANSWER: d.) Splice

5.) To set up the window to capture all Click events, we use which of the following statement?

- a.) window.captureEvents(Event.CLICK);
- b.) window.handleEvents (Event.CLICK);
- c.) window.routeEvents(Event.CLICK);
- d.) window.raiseEvents(Event.CLICK);

[View Answer / Hide Answer](#)

ANSWER: a.) window.captureEvents(Event.CLICK);

6.) Who is making the Web standards?

- a.) Mozilla
- b.) Microsoft
- c.) The World Wide Web Consortium
- d.) NVIDIA

[View Answer / Hide Answer](#)

ANSWER: c.) The World Wide Web Consortium

7.) Choose the correct HTML tag for the largest heading

- a.) <h6>
- b.) <heading>
- c.) <head>
- d.) <h1>

[View Answer / Hide Answer](#)

ANSWER: d.) <h1>

8.) What is the correct HTML tag for inserting a line break?

- a.)

- b.) <break />
- c.) <lb />
- d.) <nbs>

[View Answer / Hide Answer](#)

**ANSWER: a.)
**

9.) Can a data cell contain images?

- a.) yes
- b.) no

[View Answer / Hide Answer](#)

ANSWER: a.) yes

10.) How do I add scrolling text to my page?

- a.) <scroll>
- b.) <marquee>
- c.) <ciruler>
- d.) <tab>

[View Answer / Hide Answer](#)

ANSWER: b.) <marquee>

1.) When you create a "recipient" hidden field for a form, which of the following is the ONLY correct way to type the word "recipient?"

- a.) Recipient
- b.) <recipient></recipient>
- c.) recipient
- d.) RECIPIENT

[View Answer / Hide Answer](#)

ANSWER: b.) <recipient></recipient>

2.) Which file controls how your frames will appear?

- a.) Frameset
- b.) Master Document
- c.) Template
- d.) Timeline

[View Answer / Hide Answer](#)

ANSWER: a.) Frameset

3.) What can't layers do if you want to convert them to tables?

- a.) Be close
- b.) Contain a Color

- c.) Be larger than the target table
- d.) Overlap

[View Answer / Hide Answer](#)

ANSWER: c.) Be larger than the target table

4.) Which HTML tag is used to define an internal style sheet?

- a.) <script>
- b.) <css>
- c.) none of them
- d.) <style>

[View Answer / Hide Answer](#)

ANSWER: d.) <style>

5.) Which HTML attribute is used to define inline styles?

- a.) font
- b.) class
- c.) styles
- d.) style

[View Answer / Hide Answer](#)

ANSWER: c.) styles

6.) Which is the correct CSS syntax?

- a.) body:color=black
- b.) {body;color:black}
- c.) {body:color=black(body}
- d.) body {color: black}

[View Answer / Hide Answer](#)

ANSWER: d.) body {color: black}

7.) How do you change the text color of an element?

- a.) text-color=
- b.) text-color:
- c.) color:
- d.) fgcolor:

[View Answer / Hide Answer](#)

ANSWER: c.) color:

8.) How do you display hyperlinks without an underline?

- a.) a {text-decoration:none}
- b.) a {underline:none}
- c.) a {text-decoration:no underline}
- d.) a {decoration:no underline}

[View Answer / Hide Answer](#)

ANSWER: a.) a {text-decoration:none}

9.) How do you change the font of an element?

- a.) font=
- b.) f:
- c.) font-family:
- d.) None of the above

[View Answer / Hide Answer](#)

ANSWER: c.) font-family:

10.) How do you change the left margin of an element?

- a.) text-indent:
- b.) margin:
- c.) margin-left:
- d.) indent:

[View Answer / Hide Answer](#)

ANSWER: c.) margin-left:

1.) How can you make a list that lists the items with numbers?

- a.)
- b.) <list>
- c.)
- d.) <dl>

[View Answer / Hide Answer](#)

**ANSWER: c.) **

2.) What is the correct HTML for making a checkbox?

- a.) <checkbox>
- b.) <input type="checkbox" />
- c.) <input type="check" />
- d.) <check>

[View Answer / Hide Answer](#)

ANSWER: b.) <input type="checkbox" />

3.) What is the correct HTML for making a text input field?

- a.) <input type="textfield" />
- b.) <textinput type="text" />
- c.) <textfield>
- d.) <input type="text" />

[View Answer / Hide Answer](#)

ANSWER: d.) <input type="text" />

4.) What is the correct HTML for making a drop-down list?

- a.) <input type="list" />
- b.) <select>
- c.) <list>
- d.) <input type="dropdown" />

[View Answer / Hide Answer](#)

ANSWER: b.) <select>

5.) What is the correct HTML for making a text area?

- a.) `<input type="textarea" />`
- b.) `<input type="textbox" />`
- c.) `<textarea>`
- d.) None of these

[View Answer / Hide Answer](#)

ANSWER: c.) `<textarea>`

6.) What is the correct HTML for inserting an image?

- a.) `<image src="image.gif" alt="MyImage" />`
- b.) `<img href="image.gif" alt="MyImage" />`
- c.) ``
- d.) `<img alt="MyImage">image.gif`

[View Answer / Hide Answer](#)

ANSWER: c.) ``

7.) `colspan=n` can be added to only what tag?

- a.) `<table>`
- b.) `<td>`
- c.) `<tr>`
- d.) `<thead>`

[View Answer / Hide Answer](#)

ANSWER: b.) `<td>`

8.) What tag adds a paragraph break after the text ?

- a.) `<PARAGRAPH>`
- b.) `<P>`
- c.) `<BR>`
- d.) `<pr>`

[View Answer / Hide Answer](#)

ANSWER: b.) <P>

9.) All HTML comment tags are enclosed in what ?

- a.) <>
- b.) <? and ?>
- c.) # and #
- d.) <!-- and -->

[View Answer / Hide Answer](#)

ANSWER: d.) <!-- and -->

10.) The TFOOT section of a table must appear before the TBODY section.

- a.) FALSE
- b.) TRUE

[View Answer / Hide Answer](#)

ANSWER: b.) TRUE

1.) ActiveX can be disabled via browser settings.

- a.) TRUE
- b.) FALSE

[View Answer / Hide Answer](#)

ANSWER: a.) TRUE

2.) What do you add to a template in order to control where page content goes?

- a.) Text Frames
- b.) HTML Controllers
- c.) Editable Regions
- d.) Page Content Controllers

[View Answer / Hide Answer](#)

ANSWER: c.) Editable Regions

3.) Which of the following is NOT a Style?

- a.) Linked
- b.) Embedded
- c.) Inline
- d.) Orthogonal

[View Answer / Hide Answer](#)

ANSWER: d.) Orthogonal

4.) Which of the following is NOT a Hotspot tool?

- a.) Orthogonal Hotspot Tool
- b.) Rectangular Hotspot Tool
- c.) Oval Hotspot Tool
- d.) Polygon Hotspot Tool

[View Answer / Hide Answer](#)

ANSWER: a.) Orthogonal Hotspot Tool

5.) Which of the following is not supported by older browsers?

- a.) CSS
- b.) Layers
- c.) Frames
- d.) All of the above

[View Answer / Hide Answer](#)

ANSWER: d.) All of the above

6.) Which of the following is the HTML tag to start a Heading Level 3?

- a.) <H3>
- b.) </H3>
- c.) <#H3>
- d.) <H3/>

[View Answer / Hide Answer](#)

ANSWER: a.) <H3>

7.) Which type of style should you use if you want to use the formats on multiple pages?

- a.) Linked
- b.) Embedded
- c.) Inline
- d.) Orthogonal

[View Answer / Hide Answer](#)

ANSWER: a.) Linked

8.) Orkut.com is owned by _____

- a.) Google
- b.) Yahoo
- c.) Microsoft
- d.) Apple

[View Answer / Hide Answer](#)

ANSWER: a.) Google

9.) What is the correct HTML for referring to an external style sheet?

- a.) <style src="mystyle.css">
- b.) <stylesheet>mystyle.css
- c.) <link rel="stylesheet" type="text/css" href="mystyle.css">

[View Answer / Hide Answer](#)

ANSWER: c.) <link rel="stylesheet" type="text/css" href="mystyle.css">

10.) Where in an HTML document is the correct place to refer to an external style sheet?

- a.) At the top of the document
- b.) At the end of the document
- c.) In the section
- d.) In the <head> section

[View Answer / Hide Answer](#)

ANSWER: d.) In the <head> section

1.) What would be the colours of the RGB where the hexadecimal values are #FF0000, #00FF00 and #0000FF respectively?

- a.) Blue, Green, Red
- b.) Green, Blue, Red
- c.) Red, Blue, Green
- d.) Red, Green, Blue

[View Answer / Hide Answer](#)

ANSWER: d.) Red, Green, Blue

2.) Identify the most accurate statement about the application of XML:

- a.) XML must be used to produce XML and HTML output
- b.) XML cannot specify or contain presentation information
- c.) XML is used to describe hierarchically organized information
- d.) XML performs the conversion of information between different e-business applications

[View Answer / Hide Answer](#)

ANSWER: c.) XML is used to describe hierarchically organized information

3.) The elements <DIV> and have the following characteristics

- a.) Element <DIV> inherits properties defined for in a stylesheet
- b.) Elements and <DIV> define content to be inline or block-level
- c.) <DIV> and are used as alternatives for the element <P>
- d.) <DIV> is used inside element <P>.

[View Answer / Hide Answer](#)

ANSWER: b.) Elements and <DIV> define content to be inline or block-level

4.) Which of the following statement is not true regarding JavaScript?

- a.) JavaScript is an object-based language
- b.) JavaScript is event driven
- c.) JavaScript is a loosely typed language
- d.) A JavaScript embedded in an HTML document is compiled and executed by the client browser

[View Answer / Hide Answer](#)

ANSWER: d.) A JavaScript embedded in an HTML document is compiled and executed by the client browser

5.) The following is a web-page:

```
<html>
<head> <title>JavaScript </head>
<body bgcolor=""#0000ff"">
<script language=""JavaScript"">
<!-- document.write(""<h1> hello world </h1>"" ); //-->
</script>
</body>
</html>
```

When the above web page is loaded into a browser, what will happen?

- a.) The body of the web page will not contain any text
- b.) The body of the web page will contain the text "hello world" as an H1 heading
- c.) The background color of the web page will be green
- d.) document.write("<h1> hello world </h1 >"); is a comment.

[View Answer / Hide Answer](#)

ANSWER: a.) The body of the web page will not contain any text

6.) While working on a JavaScript project, in your JavaScript application, which function would you use to send messages to users requesting for text input?

- a.) Display()
- b.) Prompt()
- c.) Alert()
- d.) Confirm()

[View Answer / Hide Answer](#)

ANSWER: b.) Prompt()

7.) Which property does one use to align text to the right side of a block-level element in Cascading Style Sheets?

- a.) horizontal-align

- b.) align
- c.) block-align
- d.) text-align

[View Answer / Hide Answer](#)

ANSWER: d.) text-align

8.) A _____ object is a reference to one of the classes in a Java package, such as netscape.javascript .

- a.) JavaArray
- b.) JavaClass
- c.) JavaObject
- d.) JavaPackage

[View Answer / Hide Answer](#)

ANSWER: b.) JavaClass

9.) The JavaScript exception is available to the Java code as an instance of _____

- a.) netscape.javascript.JSObject
- b.) netscape.javascript.JSException
- c.) netscape.plugin.JSException
- d.) None of the above

[View Answer / Hide Answer](#)

ANSWER: b.) netscape.javascript.JSException

10.) Which of the following statements is false about event handlers in JavaScript?

- a.) They can be included with input tags
- b.) They can be associated with end of file processing for a database application
- c.) They can be included with the form tag
- d.) They are generally used to call functions when triggered

[View Answer / Hide Answer](#)

ANSWER: b.) They can be associated with end of file processing for a database application

1.) The trick to getting a ball to bounce around a Web page is to:

- a.) Add AnimationBounce layers

- b.) Add keyframes to the timeline
- c.) Add Bounce parameters to the Object properties
- d.) Dreamweaver does not support animation... use Flash instead

[View Answer / Hide Answer](#)

ANSWER: b.) Add keyframes to the timeline

2.) By default, what's the Fps shown on the timeline?

- a.) 15
- b.) 1
- c.) 20
- d.) huh?

[View Answer / Hide Answer](#)

ANSWER: a.) 15

3.) Which of the following is false?

- a.) The Site Map can be saved as an image
- b.) You can FTP files using Dreamweaver
- c.) You can create forms in Dreamweaver
- d.) None of the above

[View Answer / Hide Answer](#)

ANSWER: d.) None of the above

4.) When trying to access a URL, the following message is displayed on the browser:

Server; Error 403.

What could be the reason for the message?

- a.) The requested HTML file is not available
- b.) The path to the interpreter of the script file is invalid
- c.) The first line of the output from the script is not a valid HTTP header
- d.) The requested HTML file or CGI script has insufficient permission

[View Answer / Hide Answer](#)

Department of software engineering

5.) Dreamweaver users work in the Document Window using one of how many views?

- a.) 3
- b.) 5
- c.) 2
- d.) 8

[View Answer / Hide Answer](#)

ANSWER: a.) 3

6.) The general definition of a(n) _____ is a set of linked documents with shared attributes, such as related topics, a similar design, or a shared purpose.

- a.) index
- b.) website
- c.) Internet
- d.) Homepage

[View Answer / Hide Answer](#)

ANSWER: b.) website

7.) What type of technology allows you to verbally speak with someone over the Internet?

- a.) Wiki
- b.) Social network
- c.) Ephone
- d.) VoIP

[View Answer / Hide Answer](#)

ANSWER: d.) VoIP

8.) Dreamweaver's _____ feature allows users to select colors and make perfect color matches.

- a.) Color Cube
- b.) Palattes
- c.) HTML view
- d.) Eye dropper

[View Answer / Hide Answer](#)

ANSWER: d.) Eye dropper

9.) A Web site's home page is normally named home.htm or home.html

- a.) TRUE
- b.) FALSE

[View Answer / Hide Answer](#)

ANSWER: b.) FALSE

10.) _____ view is a hand-coding environment for writing and editing code

- a.) Design
- b.) Split
- c.) Code

[View Answer / Hide Answer](#)

ANSWER: c.) Code

1.) iframe in HTML is used to display a web page within a web page.

- a.) TRUE
- b.) FALSE

[View Answer / Hide Answer](#)

ANSWER: a.) TRUE

2.) Using which tag we insert an JavaScript in HTML page?

- a.) <JavaScript type="text/javascript">
- b.) <script type="text/javascript">
- c.) <JScript type="text/javascript">
- d.) <HTMLScript type="text/javascript">

[View Answer / Hide Answer](#)

3.) Which of the following is true about links by default?

- a.) An unvisited link is underlined and blue
- b.) A visited link is underlined and red
- c.) An active link is underlined and purple
- d.) All the above

[View Answer / Hide Answer](#)

4.) The href attribute in the link tag specifies the:

- a.) Destination of a link
- b.) Link
- c.) Hypertext
- d.) None of the above

[View Answer / Hide Answer](#)

ANSWER: a.) Destination of a link

5.) HTML Event Attributes onload fires just before the page is finishing loading.

- a.) TRUE
- b.) FALSE

[View Answer / Hide Answer](#)

ANSWER: b.) FALSE

6.) HTML Event Attributes onunload fires

- a.) When the browser window has been closed
- b.) When the browser window is minimized
- c.) When the browser window has changed focus to other window
- d.) After the page is finished loading

[View Answer / Hide Answer](#)

ANSWER: a.) When the browser window has been closed

7.) HTML Form Events _____, fires the moment that the element loses focus.

- a.) onblur
- b.) onfocus
- c.) onchange
- d.) onlostfocus

[View Answer / Hide Answer](#)

ANSWER: a.) onblur

8.) Twitter limits the number of characters per tweet is ?

- a.) 130
- b.) 160
- c.) 124
- d.) 140

[View Answer / Hide Answer](#)

ANSWER: d.) 140

9.) What is cell padding?

- a.) Used to separate cell walls from their contents
- b.) Used to set space between cells
- c.) Both a and b above
- d.) Used to provide width to a cell

[View Answer / Hide Answer](#)

ANSWER: a.) Used to separate cell walls from their contents

10.) What are meta tags used for?

- a.) To store information usually relevant to browsers and search engines
- b.) To only store information usually relevant to browsers
- c.) To only store information about search engines
- d.) To store information about external links

[View Answer / Hide Answer](#)

ANSWER: a.) To store information usually relevant to browsers and search engines