



WOLLO University

Department of software engineering

Exit multiple choice questions for

Operating system

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

1. What is an operating system?

- a) interface between the hardware and application programs
- b) collection of programs that manages hardware resources
- c) system service provider to the application programs
- d) all of the mentioned

[View Answer](#)

Answer: d

Explanation: An Operating System acts as an intermediary between user/user applications/application programs and hardware. It is a program that manages hardware resources. It provides services to application programs.

2. What is the main function of the command interpreter?

- a) to provide the interface between the API and application program
- b) to handle the files in the operating system
- c) to get and execute the next user-specified command
- d) none of the mentioned

[View Answer](#)

Answer: c

Explanation: The main function of a command interpreter is to get and execute the next user-specified command. Command Interpreter checks for valid command and then runs that command else it will throw an error.

3. In Operating Systems, which of the following is/are CPU scheduling algorithms?

- a) Priority
- b) Round Robin
- c) Shortest Job First
- d) All of the mentioned

[View Answer](#)

Answer: d

Explanation: In Operating Systems, CPU scheduling algorithms are:

- i) First Come First Served scheduling
- ii) Shortest Job First scheduling
- iii) Priority scheduling
- iv) Round Robin scheduling
- v) Multilevel Queue scheduling
- vi) Multilevel Feedback Queue scheduling

All of these scheduling algorithms have their own advantages and disadvantages.

4. To access the services of the operating system, the interface is provided by the

- a) Library
- b) System calls
- c) Assembly instructions
- d) API

[View Answer](#)

Answer: b

Explanation: To access services of the Operating System an interface is provided by the System Calls. Generally, these are functions written in C and C++. Open, Close, Read, Write are some of most prominently used system calls.

5. CPU scheduling is the basis of _____

- a) multiprogramming operating systems

- b) larger memory sized systems
- c) multiprocessor systems
- d) none of the mentioned

[View Answer](#)

Answer: a

Explanation: None.

advertisement

6. Which one of the following is not true?

- a) kernel remains in the memory during the entire computer session
- b) kernel is made of various modules which can not be loaded in running operating system
- c) kernel is the first part of the operating system to load into memory during booting
- d) kernel is the program that constitutes the central core of the operating system

[View Answer](#)

Answer: b

Explanation: Kernel is the first program that is loaded in memory when OS is loading as well as it remains in memory till OS is running. Kernel is the core part of the OS which is responsible for managing resources, allowing multiple processes to use the resources and provide services to various processes. Kernel modules can be loaded and unloaded in run-time i.e. in running OS.

7. Which one of the following errors will be handle by the operating system?

- a) lack of paper in printer
- b) connection failure in the network
- c) power failure
- d) all of the mentioned

[View Answer](#)

Answer: d

Explanation: All the mentioned errors are handled by OS. The OS is continuously monitoring all of its resources. Also, the OS is constantly detecting and correcting errors.

8. Where is the operating system placed in the memory?

- a) either low or high memory (depending on the location of interrupt vector)
- b) in the low memory
- c) in the high memory
- d) none of the mentioned

[View Answer](#)

Answer: a

Explanation: None.

9. If a process fails, most operating system write the error information to a _____

- a) new file
- b) another running process
- c) log file
- d) none of the mentioned

[View Answer](#)

Answer: c

Explanation: If a process fails, most operating systems write the error information to a log file. Log file is examined by the debugger, to find out what is the actual cause of that particular problem. Log file is useful for system programmers for correcting errors.

10. Which one of the following is not a real time operating system?

- a) RTLinux
- b) Palm OS
- c) QNX
- d) VxWorks

[View Answer](#)

Answer: b

Explanation: VxWorks, QNX & RTLinux are real-time operating systems. Palm OS is a mobile operating system. Palm OS is developed for Personal Digital Assistants (PDAs).

11. What does OS X has?

- a) monolithic kernel with modules
- b) microkernel
- c) monolithic kernel
- d) hybrid kernel

[View Answer](#)

Answer: d

Explanation: OS X has a hybrid kernel. Hybrid kernel is a combination of two different kernels. OS X is developed by Apple and originally it is known as Mac OS X.

12. In operating system, each process has its own _____

- a) open files
- b) pending alarms, signals, and signal handlers
- c) address space and global variables
- d) all of the mentioned

[View Answer](#)

Answer: d

Explanation: In Operating Systems, each process has its own address space which contains code, data, stack, and heap segments or sections. Each process also has a list of files that is opened by the process as well as all pending alarms, signals, and various signal handlers.

13. In a timeshare operating system, when the time slot assigned to a process is completed, the process switches from the current state to?

- a) Suspended state
- b) Terminated state
- c) Ready state
- d) Blocked state

[View Answer](#)

Answer: c

Explanation: In a time-sharing operating system, when the time slot given to a process is completed, the process goes from the running state to the Ready State. In a time-sharing operating system, unit time is defined for sharing CPU, it is called a time quantum or time slice. If a process takes less than 1 time quantum, then the process itself releases the CPU.

14. Cascading termination refers to the termination of all child processes if the parent process terminates _____

- a) Normally or abnormally
- b) Abnormally
- c) Normally

d) None of the mentioned

[View Answer](#)

Answer: a

Explanation: Cascading termination refers to the termination of all child processes if the parent process terminates Normally or Abnormally. Some systems don't allow child processes to exist if the parent process has terminated. Cascading termination is normally initiated by the operating system.

15. When a process is in a "Blocked" state waiting for some I/O service. When the service is completed, it goes to the _____

- a) Terminated state
- b) Suspended state
- c) Running state
- d) Ready state

[View Answer](#)

Answer: d

Explanation: Suppose that a process is in "Blocked" state waiting for some I/O service. When the service is completed, it goes to the ready state. Process never goes directly to the running state from the waiting state. Only processes which are in ready state go to the running state whenever CPU allocated by operating system.

16. Transient operating system code is a code that _____

- a) stays in the memory always
- b) never enters the memory space
- c) comes and goes as needed
- d) is not easily accessible

[View Answer](#)

Answer: c

Explanation: None.

17. The portion of the process scheduler in an operating system that dispatches processes is concerned with _____

- a) assigning ready processes to waiting queue
- b) assigning running processes to blocked queue
- c) assigning ready processes to CPU
- d) all of the mentioned

[View Answer](#)

Answer: c

Explanation: None.

18. The FCFS algorithm is particularly troublesome for _____

- a) operating systems
- b) multiprocessor systems
- c) time sharing systems
- d) multiprogramming systems

[View Answer](#)

Answer: c

Explanation: In a time sharing system, each user needs to get a share of the CPU at regular intervals.

19. For an effective operating system, when to check for deadlock?

- a) every time a resource request is made at fixed time intervals
- b) at fixed time intervals

- c) every time a resource request is made
- d) none of the mentioned

[View Answer](#)

Answer: a

Explanation: In an effective operating system, we must verify the deadlock each time a request for resources is made at fixed time intervals.

20. A deadlock avoidance algorithm dynamically examines the _____ to ensure that a circular wait condition can never exist.

- a) operating system
- b) resources
- c) system storage state
- d) resource allocation state

[View Answer](#)

Answer: d

Explanation: Resource allocation states are used to maintain the availability of the already and current available resources.

21. Swapping _____ be done when a process has pending I/O, or has to execute I/O operations only into operating system buffers.

- a) must never
- b) maybe
- c) can
- d) must

[View Answer](#)

Answer: a

Explanation: None.

22. The main memory accommodates _____

- a) cpu
- b) user processes
- c) operating system
- d) all of the mentioned

[View Answer](#)

Answer: c

Explanation: None.

23. The operating system is responsible for?

- a) bad-block recovery
- b) booting from disk
- c) disk initialization
- d) all of the mentioned

[View Answer](#)

Answer: d

Explanation: None.

24. The operating system and the other processes are protected from being modified by an already running process because _____

- a) every address generated by the CPU is being checked against the relocation and limit registers
- b) they have a protection algorithm
- c) they are in different memory spaces

d) they are in different logical addresses

[View Answer](#)

Answer: a

Explanation: None.

25. Using transient code, _____ the size of the operating system during program execution.

a) maintains

b) changes

c) increases

d) decreases

[View Answer](#)

Answer: b

Explanation: None.

26. The operating system maintains a _____ table that keeps track of how many frames have been allocated, how many are there, and how many are available.

a) memory

b) mapping

c) page

d) frame

[View Answer](#)

Answer: d

Explanation: None.

27. To obtain better memory utilization, dynamic loading is used. With dynamic loading, a routine is not loaded until it is called. For implementing dynamic loading

a) special support from operating system is essential

b) special support from hardware is required

c) user programs can implement dynamic loading without any special support from hardware or operating system

d) special support from both hardware and operating system is essential

[View Answer](#)

Answer: c

Explanation: None.

28. The _____ presents a uniform device-access interface to the I/O subsystem, much as system calls provide a standard interface between the application and the operating system.

a) Device drivers

b) I/O systems

c) Devices

d) Buses

[View Answer](#)

Answer: a

Explanation: None.

29. In real time operating system _____

a) process scheduling can be done only once

b) all processes have the same priority

c) kernel is not required

d) a task must be serviced by its deadline period

[View Answer](#)

Answer: d

Explanation: None.

30. Hard real time operating system has _____ jitter than a soft real time operating system.

a) equal

b) more

c) less

d) none of the mentioned

[View Answer](#)

Answer: c

Explanation: Jitter is the undesired deviation from the true periodicity.

31. For real time operating systems, interrupt latency should be _____

a) zero

b) minimal

c) maximum

d) dependent on the scheduling

[View Answer](#)

Answer: b

Explanation: Interrupt latency is the time duration between the generation of interrupt and execution of its service.

32. Which one of the following is a real time operating system?

a) Windows CE

b) RTLinux

c) VxWorks

d) All of the mentioned

[View Answer](#)

Answer: d

Explanation: None.

33. The priority of a process will _____ if the scheduler assigns it a static priority.

a) depends on the operating system

b) change

c) remain unchanged

d) none of the mentioned

[View Answer](#)

Answer: c

Explanation: None.

34. What are the characteristics of Host based IDS?

a) Logs are analysed to detect tails of intrusion

b) The host operating system logs in the audit information

c) Logs includes logins, file opens, and program executions

d) All of the mentioned

[View Answer](#)

Answer: d

Explanation: None.

35. What are the characteristics of stack based IDS?

- a) It is programmed to interpret a certain series of packets
- b) It models the normal usage of the network as a noise characterization
- c) They are integrated closely with the TCP/IP stack and watch packets
- d) The host operating system logs in the audit information

[View Answer](#)

Answer: c

Explanation: None.

36. If the sum of the working – set sizes increases, exceeding the total number of available frames _____

- a) the operating system selects a process to suspend
- b) the system crashes
- c) then the process crashes
- d) the memory overflows

[View Answer](#)

Answer: a

Explanation: None.

37. The information about all files is kept in _____

- a) operating system
- b) separate directory structure
- c) swap space
- d) none of the mentioned

[View Answer](#)

Answer: b

Explanation: None.

38. The operating system keeps a small table containing information about all open files called _____

- a) file table
- b) directory table
- c) open-file table
- d) system table

[View Answer](#)

Answer: c

Explanation: None.

39. What will happen in the single level directory?

- a) All files are contained in the same directory
- b) All files are contained in different directories all at the same level
- c) Depends on the operating system
- d) None of the mentioned

[View Answer](#)

Answer: a

Explanation: None.

40. The operating system _____ the links when traversing directory trees, to preserve the acyclic structure of the system.

- a) deletes
- b) considers
- c) ignores

d) none of the mentioned

[View Answer](#)

Answer: c

Explanation: None.

41. To recover from failures in the network operations _____ information may be maintained.

a) operating system

b) ip address

c) stateless

d) state

[View Answer](#)

Answer: d

Explanation: None.

42. On systems where there are multiple operating system, the decision to load a particular one is done by _____

a) process control block

b) file control block

c) boot loader

d) bootstrap

[View Answer](#)

Answer: c

Explanation: None.

43. Whenever a process needs I/O to or from a disk it issues a _____

a) system call to the operating system

b) a special procedure

c) system call to the CPU

d) all of the mentioned

[View Answer](#)

Answer: a

Explanation: None.

44. The two steps the operating system takes to use a disk to hold its files are _____ and _____

a) caching & logical formatting

b) logical formatting & swap space creation

c) swap space creation & caching

d) partitioning & logical formatting

[View Answer](#)

Answer: d

Explanation: None.

45. The _____ program initializes all aspects of the system, from CPU registers to device controllers and the contents of main memory, and then starts the operating system.

a) bootstrap

b) main

c) bootloader

d) rom

[View Answer](#)

Answer: a

Explanation: None.

46. In SCSI disks used in high end PCs, the controller maintains a list of _____ on the disk. The disk is initialized during _____ formatting which sets aside spare sectors not visible to the operating system.

- a) destroyed blocks, partitioning
- b) bad blocks, low level formatting
- c) destroyed blocks, high level formatting
- d) bad blocks, partitioning

[View Answer](#)

Answer: b

Explanation: None.

47. Which principle states that programs, users, and even the systems be given just enough privileges to perform their task?

- a) principle of least privilege
- b) principle of process scheduling
- c) principle of operating system
- d) none of the mentioned

[View Answer](#)

Answer: a

Explanation: None.

48. Network operating system runs on _____

- a) every system in the network
- b) server
- c) both server and every system in the network
- d) none of the mentioned

[View Answer](#)

Answer: b

Explanation: None.

49. What are the types of distributed operating systems?

- a) Zone based Operating system
- b) Level based Operating system
- c) Network Operating system
- d) All of the mentioned

[View Answer](#)

Answer: c

Explanation: None.

50. In Unix, which system call creates the new process?

- a) create
- b) fork
- c) new
- d) none of the mentioned

[View Answer](#)

Answer: b

Explanation: In UNIX, a new process is created by fork() system call. fork() system call returns a process ID which is generally the process id of the child process created.

1) Which of the following is not an operating system?

- a. Windows
- b. Linux
- c. Oracle
- d. DOS

Hide Answer Workspace

Answer: (c) Oracle

Explanation: Oracle is an RDBMS (Relational Database Management System). It is known as Oracle Database, Oracle DB, or Oracle Only. The first database for enterprise grid computing is the Oracle database.

2) What is the maximum length of the filename in DOS?

- a. 4
- b. 5
- c. 8
- d. 12

Hide Answer Workspace

Answer: (c) 8

Explanation: The maximum length of the filename is 8 characters in the DOS operating system. It is commonly known as an 8.3 filename.

3) When was the first operating system developed?

- a. 1948
- b. 1949


- c. 1950
- d. 1951

Hide Answer Workspace

Answer: (c) 1950

Explanation: The first operating system was developed in the early 1950's. It was also called a single-stream batch processing system because it presented data in groups.

4) When were MS windows operating systems proposed?



- a. 1994
- b. 1990
- c. 1992
- d. 1985

Hide Answer Workspace

Answer: (d) 1985

Explanation: The first MS Windows operating system was introduced in early 1985.

5) Which of the following is the extension of Notepad?

- a. .txt

- b. .xls
- c. .ppt
- d. .bmp

Hide Answer Workspace

Answer: (a) .txt

Explanation: The .txt file extension is a standard text document extension that contains the unformatted text. It is the default file extension for the notepad.

6) What else is a command interpreter called?

- a. prompt
- b. kernel
- c. shell
- d. command

Hide Answer Workspace

Answer: (c) shell

Explanation: The command interpreter is also called the shell.

7) What is the full name of FAT?

- a. File attribute table
- b. File allocation table
- c. Font attribute table
- d. Format allocation table

Hide Answer Workspace

Answer: (b) File allocation table.

Explanation: The FAT stands for File allocation table. The FAT is a file system architecture. It is used in computer systems and memory cards. A FAT of the contents of a computer disk indicates which field is used for which file.

8) BIOS is used?

- a. By operating system
- b. By compiler
- c. By interpreter
- d. By application software

Hide Answer Workspace

Answer: (a) By operating system

Explanation: BIOS is used by the operating system. It is used to configure and identify the hardware in a system such as the hard drive, floppy drive, optical drive, CPU, and memory.

9) What is the mean of the Booting in the operating system?

- a. Restarting computer
- b. Install the program
- c. To scan
- d. To turn off

Hide Answer Workspace

Answer: (a) Restarting computer

Explanation: Booting is a process of the restart the computer. After restarting it, there is no software in the computer's main memory.

10) When does page fault occur?

- a. The page is present in memory.
- b. The deadlock occurs.
- c. The page does not present in memory.
- d. The buffering occurs.

Hide Answer Workspace

Answer: (c) The page does not present in memory.

Explanation: Page faults occur when a process tries to access a block page of the memory and that page is not stored in RAM (Read only memory) or memory.

11) Banker's algorithm is used?

- a. To prevent deadlock
- b. To deadlock recovery
- c. To solve the deadlock
- d. None of these

Hide Answer Workspace

Answer: (a) To prevent deadlock

Explanation: Banker's algorithm is used to prevent the deadlock condition. The banker algorithm is sometimes called the detection algorithm. It is named the banker algorithm because it is used to determine whether a loan can be granted in the banking system or not.

12) When you delete a file in your computer, where does it go?

- a. Recycle bin
- b. Hard disk
- c. Taskbar
- d. None of these

Hide Answer Workspace

Answer: (a) Recycle bin

Explanation: When you delete a file on your computer device, it is transferred to your computer system's recycle bin or trash.

13) Which is the Linux operating system?

- a. Private operating system
- b. Windows operating system
- c. Open-source operating system
- d. None of these

Hide Answer Workspace

Answer: (c) Open-source operating system

Explanation: The Linux operating system is an open-source operating system made up of a kernel. It is a very safe operating system.

14) What is the full name of the DSM?

- a. Direct system module
- b. Direct system memory
- c. Demoralized system memory
- d. Distributed shared memory

Hide Answer Workspace

Answer: (d) Distributed shared memory

Explanation: The DSM stands for Distributed Shared Memory.

15) What is the full name of the IDL?

- a. Interface definition language
- b. Interface direct language
- c. Interface data library
- d. None of these

Hide Answer Workspace

Answer: (a) Interface definition language

Explanation: The IDL stands for Interface Definition Language. It is used to establish communications between clients and servers in RPC (Remote Procedure Call).

16) What is bootstrapping called?

- a. Cold boot
- b. Cold hot boot
- c. Cold hot strap
- d. Hot boot

Hide Answer Workspace

Answer: (a) Cold boot

Explanation: Bootstrapping is also known as the cool boot.

17) What is the fence register used for?

- a. To disk protection
- b. To CPU protection
- c. To memory protection
- d. None of these

Hide Answer Workspace

Answer: (c) To memory protection

Explanation: The fence register is used for memory protection on the computer. It is a way to access the memory in the computer.

18) If the page size increases, the internal fragmentation is also?..?

- a. Decreases
- b. Increases
- c. Remains constant
- d. None of these

Hide Answer Workspace

Answer: (b) Increases

Explanation: None

19) Which of the following is a single-user operating system?

- a. Windows
- b. MAC
- c. Ms-Dos
- d. None of these

Hide Answer Workspace

Answer: (c) Ms-Dos

Explanation: The single-user operating system is the operating system in which only one user can access the computer system at a time, and Ms-DOS is the best example of a single-user operating system.

20) The size of virtual memory is based on which of the following?

- a. CPU
- b. RAM
- c. Address bus
- d. Data bus

Hide Answer Workspace

Answer: (c) Address bus

Explanation: The size of virtual memory is based on the address bus.

21) If a page number is not found in the translation lookaside buffer, then it is known as a?

- a. Translation Lookaside Buffer miss
- b. Buffer miss
- c. Translation Lookaside Buffer hit
- d. All of the mentioned

Hide Answer Workspace

Answer: (a) Translation Lookaside Buffer miss

Explanation: A Translation Lookaside Buffer miss arises when the page table entry needed to translate a virtual address to a physical address is not available in the translation lookaside buffer.

22) Which of the following is not application software?

- a. Windows 7
- b. WordPad
- c. Photoshop
- d. MS-excel

Hide Answer Workspace

Answer: (a) Windows 7

Explanation: Windows 7 is not an application software because it is a operating system.

23) Which of the following supports Windows 64 bit?

- a. Window XP
- b. Window 2000
- c. Window 1998
- d. None of these

Hide Answer Workspace

Answer: (a) Window XP

Explanation: Windows XP supports the 64-bits. Windows XP is designed to expand the memory address space. Its original name is Microsoft Windows XP Professional x64 and it is based on the x86-64 architecture.

24) Which of the following windows does not have a start button?

- a. Windows 7
- b. Windows 8
- c. Windows XP
- d. None of these

Answer: (b) Windows 8

Explanation: Windows 8 does not have a start button because it uses the tablet mode, but windows 8.1 has a start button.

25) Which of the following operating systems does not support more than one program at a time?

- a. Linux
- b. Windows
- c. MAC
- d. DOS

Answer: (d) DOS

Explanation: DOS stands for Disk operating system. Disk operating system is a single-user operating system that does not support more than one program at a time.

26) Which of the following is a condition that causes deadlock?

- a. Mutual exclusion
- b. Hold and wait
- c. Circular wait
- d. No preemption
- e. All of these

Answer: (e) All of these

Explanation: None

27) Who provides the interface to access the services of the operating system?

- a. API
- b. System call
- c. Library
- d. Assembly instruction

Answer: (b) System call

Explanation: The system call provides an interface for user programs to access the services of the operating system through the API (Application Program Interface).

28) Where are placed the list of processes that are prepared to be executed and waiting?

- a. Job queue
- b. Ready queue
- c. Execution queue
- d. Process queue

Answer: (b) Ready queue

Explanation: The ready queue is a set of all the processes that processes are ready to execute and wait.

29) Who among the following can block the running process?

- a. Fork
- b. Read
- c. Down
- d. All of these

Answer: (d) All of these

Explanation: None

30) Which of the following does not interrupt the running process?

- a. Timer interrupt
- b. Device

- c. Power failure
- d. Scheduler process

Answer: (b) Scheduler process

Explanation: Scheduler process does not interrupt in any running process. Its job is to select the processes for long-term, short-term, and short-term scheduler.

31) What is Microsoft window?

- a. Operating system
- b. Graphics program
- c. Word Processing
- d. Database program

Answer: (a) Operating system

Explanation: Microsoft Windows is an operating system that was developed by Microsoft company. The Microsoft Windows is available in 32-bits and 64-bits in the market.

32) Which of the following is group of programs?

- a. **Accessories**
- b. Paint
- c. Word
- d. All of above

Answer: (a) Accessories

Explanation: The windows accessories are a group of programs in the operating system. Windows XP offers many accessories or software that you can use to help with your work. The accessories are not full features programs, but it is useful for a specific task in the operating systems. It provides many programs such as a painting program, a calculator, a word processor, a notepad, and Internet software.

33) Which of the following is an example of a Real Time Operating System?

- a. MAC
- b. MS-DOS
- c. Windows 10

- d. Process Control

Answer: (d) Process Control

Explanation: Process control is a best example of a Real time operating system.

34) Which of the following operating systems do you use for a client-server network?

- a. MAC
- b. Linux
- c. Windows XP
- d. Windows 2000

Hide Answer Workspace

Answer: (d) Windows 2000

Explanation: Windows 2002 operating systems were used to implement a client Server Network. It is a server OS that was developed by Microsoft in April 24, 2002. It includes some features of Windows XP.

35) Which windows was introduced to My Computer?

- a. Windows 10
- b. Windows XP
- c. Windows 95
- d. Windows 98

Answer: (c) Windows 95

Explanation: Windows 95 was first window to introduced the My Computer.

36) What type of commands are required to perform various tasks in DOS?

- a. Internal commands
- b. External commands
- c. Valuable commands
- d. Primary commands

Answer: (b) External commands

Explanation: External commands are required to perform various tasks in DOS.

37) What is the number of characters contained in the primary name of the file of MS-DOS?

- a. Up to 8 characters
- b. 3 characters
- c. Up to 10 characters
- d. None of the above

Answer: (a) Up to 8 characters

Explanation: MS-DOS operating system uses the file system that supports the 8.3 characters. The eight characters are used to the filename, and three characters are used to the extension.

38) Which command is used to fetch a group (.doc) of files that have just been deleted?

- a. Undelete
- b. Undelete/all
- c. Undelete *.doc
- d. All of above

Answer: (c) Undelete *.doc

Explanation: Undelete *.doc command is used to fetch a group (.doc) of files that have just been deleted.

39) Which of the following is system software?

- a. Operating system
- b. Compiler
- c. Utilities
- d. All of the above

Answer: (d) All of the above

Explanation: The system software is a type of computer program designed to run hardware and software programs on a computer.

Department of software engineering

According to some definitions, system software also includes system utilities, system restore, development tools, compilers, and debuggers.

40) Which program runs first after booting the computer and loading the GUI?

- a. Desktop Manager
- b. File Manager
- c. Windows Explorer
- d. Authentication

Answer: (d) Authentication

Explanation: The authentication program is run first after booting the computer and loading the GUI. Authentication is a process of verifying the person or device. For example, when you log in to Facebook, you enter a username and password.