



WOLLO University

Department of software engineering

Exit multiple choice questions for

PHP

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Department of software engineering

1. PHP stand for _____?

- i) Personal Home Page
 - ii) Hypertext Preprocessor
 - iii) Pretext Hypertext Processor
 - iv) Preprocessor Home Page
- A. Both i) and iii)
B. Both i) and ii)
C. Only ii)
D. Both ii) and iv)
E. None of these

Answer - Click Here:

B

2. The default extension is

- A. .php
 - B. .xml
 - C. .html
 - D. .ph
- E. None of these

Answer - Click Here:

A

3. What is the correct syntax of PHP code?

- A. < php >
 - B. <? ?>
 - C. < ? php ?>
 - D.
- E. None of these

Answer - Click Here:

B

4. Which of the following is used as PHP code editor?

- i) Notepad
 - ii) Notepad++
 - iii) Adobe Dreamweaver
 - iv) PDT
- A. Only iv)
B. Only iii)
C. i), ii) and iii)
D. All of these
E. None of these

Answer - Click Here:

B

5. Try/catch Exception was introduced in _____ version of PHP.

- A. PHP 5 and later
- B. PHP 5
- C. PHP 6
- D. PHP 4
- E. None of these

Answer - Click Here:

A

6. Single line comment is added in PHP by _____.

- i) /?
- ii) //
- iii) #
- iv) /* */
- A. ii), iii) and iv)
- B. i), iii) and iv)
- C. Only ii)
- D. Both ii) and iv)
- E. None of these

Answer - Click Here:

A

7. To store 111 in variable num which PHP statement is used?

- A. `int $num = 111;`
- B. `int num = 111;`
- C. `$num = 111;`
- D. `111 = $num;`
- E. None of these

Answer - Click Here:

C

8. Output of the following PHP code?

- A. 3
- B. 1.+2
- C. 1+2
- D. Error
- E. None of these

Answer - Click Here:

C

9. Output of the following PHP code?

- A. 3
- B. 1+2

- C. Error
- D. 12
- E. None of these

Answer - Click Here:

A

10. Which is the right way of declaring a variable in PHP?

- i) \$3hello
 - ii) \$_hello
 - iii) \$this
 - iv) \$This
- A. Only ii)
 - B. Only iii)
 - C. ii) and iv)
 - D. ii), iii) and iv)
 - E. None of these

Answer - Click Here:

C

11. Output of the following PHP code?

- A. My name is BobMy name is Bob
- B. My name is BobBob
- C. Error
- D. My name is Bob Bob
- E. None of these

Answer - Click Here:

A

12. Select the PHP code will output Hello World on the screen?

- i) echo ("Hello World");
 - ii) printf ("Hello World");
 - iii) printf ("Hello World");
 - iv) sprintf ("Hello World");
- A. i) and ii)
 - B. i), ii) and iii)
 - C. i), ii) and iv)
 - D. All of the mentioned
 - E. None of these

Answer - Click Here:

D

13. The output of the following PHP code?

- A. a
- B. Error
- C. r
- D. \$var
- E. None of these

Answer - Click Here:

C

14. Output of the following PHP code?

- A. 1
- B. Error
- C. 2
- D. 1234
- E. None of these

Answer - Click Here:

D

15. Output of the following PHP code?

- A. 35
- B. 35 students
- C. Error
- D. 25 students
- E. None of these

Answer - Click Here:

A

16. From the following what statement is equivalent to `$add+= $add` ?

- A. `$add = $add + $add`
- B. `$add = $add`
- C. `$add = $add + 1`
- D. `$add = $add + $add + 1`
- E. None of these

Answer - Click Here:

A

17. Which statement will output `$x` on the screen?

- A. `echo "/$x";`
- B. `echo "$$x";`
- C. `echo "\\x";`
- D. `echo "$x;";`
- E. None of these

Answer - Click Here:

C

18. _____ is used for symbol a newline character?

- A. \r
- B. \n
- C. /n
- D. /r
- E. None of these

Answer - Click Here:

B

19. From the following conditional statements is/are supported by PHP?

- i) if statements
 - ii) if-else statements
 - iii) if-elseif statements
 - iv) switch statements
- A. i)
 - B. i), ii) and iv)
 - C. ii), iii) and iv)
 - D. i), ii), iii) and iv)
 - E. None of these

Answer - Click Here:

D

20. Output of the following PHP code?

```
$user = array("Ashley", "Bale", "Shrek", "Blank");  
for ($x=0; $x < count($user); $x++) { if ($user[$x] == "Shrek")  
continue; printf ($user[$x]); } ?>
```

- A. AshleyBale
- B. ShrekBlank
- C. AshleyBaleBlank
- D. Shrek
- E. None of these

Answer - Click Here:

C

21. If \$a = 12 what will be returned when (\$a == 12) ? 5 : 1 is Runned?

- A. 5
- B. 1
- C. Error
- D. 12
- E. None of these

Answer - Click Here:

A

22.What is the name of father of PHP?

- A. Drek Kolkevi
- B. Willam Makepiece
- C. Rasmus Lerdorf
- D. List Barely
- E. None of these

Answer - Click Here:

C

23.Function is defined in PHP by_____.

- A. Function functionName(parameters) {function body}
- B. Data type functionName(parameters) {function body}
- C. FunctionName(parameters) {function body}
- D. Function {function body}
- E. None of these

Answer - Click Here:

A

24.Type Hinting was introduced in which version of PHP?

- A. PHP 4
- B. PHP 6
- C. PHP 5.3
- D. PHP 5
- E. None of these

Answer - Click Here:

D

25.Which type of function call is used in line 8?

- 1.
- A. Type Hinting
- B. Call By Reference
- C. Default Argument Value
- D. Call By Value
- E. None of these

Answer - Click Here:

D

26. What will be the output of the following PHP code?

- A. 42
- B. 0
- C. Error
- D. 84
- E. None of these

Answer - Click Here:

A

27. Output of the following PHP code?

- A. Error
- B. I am bI am a
- C. I am a
- D. I am an Error

Answer - Click Here:

C

28. The output of the following PHP code?

- A. I am b
- B. I am bI am a
- C. I am an Error
- D. Error
- E. None of these

Answer - Click Here:

D

29. The output of the following PHP code?

- A. hello
- B. Error
- C. helloblabla
- D. helloblablablabla
- E. None of these

Answer - Click Here:

A

30. The PHP Function which starts with Double Underscore Is called?

- A. Inbuilt Function
- B. Magic Function
- C. Default Function
- D. User Defined Function
- E. None of these

Answer - Click Here:

B

31. _____ PHP functions that accepts any number of parameters .

- A. func_get_argv()
- B. get_argv()
- C. func_get_args()

- D. get_argc()
- E. None of these

Answer - Click Here:

C

32. _____ is the PHP functions which is used to find files.

- A. file()
- B. glob()
- C. fold()
- D. get_file()
- E. None of thses

Answer - Click Here:

B

33.To get the current memory usage which PHP function is used?

- A. get_usage()
- B. memory_get_usage()
- C. get_peak_usage()
- D. memory_get_peak_usage()
- E. None of these

Answer - Click Here:

B

34.To generating unique ids which PHP function is used?

- A. uniqueid()
- B. id()
- C. md5()
- D. mdid()
- E. None of these

Answer - Click Here:

A

35.To compress a string which PHP function is used?

- A. zip_compress()
- B. gzcompress()
- C. compress()
- D. zip()
- E. None of these

Answer - Click Here:

B

36. Output of the following PHP code?

- A. 4
- B. 2
- C. 3
- D. 1

Answer - Click Here:

A

37. Output of the following PHP code?

- A. 106
- B. 104
- C. 103
- D. 209
- E. None of these

Answer - Click Here:

B

38. What will be the output of the following PHP code?

- A. I love my country
- B. I love my Country
- C. I love my Country
- D. I Love My Country
- E. None of these

Answer - Click Here:

D

39. The output of the following PHP code?

- A. welcome to Pakistan
- B. welcome to Pakistan
- C. Welcome to Pakistan
- D. Welcome to Pakistan
- E. None of these

Answer - Click Here:

A

40. PHP's numerically indexed array can be started with which of the following position?

- A. 0
- B. 2
- C. 1
- D. -1
- E. None of these

Answer - Click Here:

A

41. PHP function which will return true if a variable is an array or false if it is not an array.

- A. `is_array()`
- B. `this_array()`
- C. `do_array()`
- D. `in_array()`
- E. None of these

Answer - Click Here:

A

42. Which of the following in-built function will add a value to the end of an array?

- A. `array_push()`
- B. `into_array()`
- C. `inend_array()`
- D. `array_unshift()`
- E. None of these

Answer - Click Here:

A

43. Output of the following PHP code?

- A. appleapple
- B. appleorange
- C. orangeorange
- D. orangebanana
- E. None of these

Answer - Click Here:

D

44. _____ Function is used to get the value of the previous element in an array.

- A. `prev()`
- B. `before()`
- C. `last()`
- D. `previous()`
- E. None of these

Answer - Click Here:

A

45. Output of the following PHP code?

- A. 6
- B. 4
- C. 5
- D. 3
- E. None of these

Answer - Click Here:

A

46. Which of the following function will return an array consisting of associative key/value pairs?

- A. count()
- B. array_count()
- C. array_count_values()
- D. count_values()
- E. None of these

Answer - Click Here:

C

47. _____ property scopes is not supported by PHP?

- A. static
- B. final
- C. public
- D. friendly
- E. None of these

Answer - Click Here:

D

48. Which of the following is used to instantiate an object in PHP assuming the class name to be Foo?

- A. `$obj = new foo ();`
- B. `$obj = new foo;`
- C. `$obj = new $foo;`
- D. `obj = new foo ();`
- E. None of these

Answer - Click Here:

A

49. From the following is the right way to call a class constant, given that the class is mathFunction?

- A. `echo PI;`
- B. `echo mathFunction::PI;`
- C. `echo mathFunction->PI;`
- D. `echo mathFunction=PI;`
- E. None of these

Answer - Click Here:

B

50. _____ is the method scopes which is not supported by PHP?

- i) private
- ii) friendly
- iii) static
- iv) abstract
- A. ii) and iv)
- B. Only iv)
- C. Only ii)
- D. Only i)

Answer - Click Here:

C

51. Which one can be used to instantiate an object in PHP assuming class name to be hello?

- A. `$obj = new hello();`
- B. `$obj = new hello;`
- C. `$obj = new $hello;`
- D. `obj = new hello();`
- E. None of these

Answer - Click Here:

A

52. The right way to define a constant?

- A. `constant PI = "3.1415";`
- B. `const $PI = "3.1415";`
- C. `const PI = '3.1415';`
- D. `constant PI = '3.1415';`
- E. None of these

Answer - Click Here:

C

53. In PHP the right way to call a class constant, given that the class is mathFunction?

- A. `echo PI;`
- B. `echo mathFunction->PI;`
- C. `echo mathFunction::PI;`
- D. `echo mathFunction=PI;`
- E. None of these

Answer - Click Here:

C

54. In PHP how to invoke a method?

- A. `$object->methodName();`
- B. `object->methodName();`
- C. `object::methodName();`
- D. `$object::methodName();`
- E. None of these

Answer - Click Here:

A

55. How to declare a method in PHP?

- i) `function functionName() { function body }`
 - ii) `scope function functionName() { function body }`
 - iii) `method methodName() { method body }`
 - iv) `scope method methodName() { method body }`
- A. Only ii)
 - B. Only iv)
 - C. i) and ii)
 - D. iii) and iv)

Answer - Click Here:

C

56. In PHP which of the following advanced OOP features is NOT supported?

- i) Method overloading
 - ii) Multiple Inheritance
 - iii) Namespaces
 - iv) Object Cloning
- A. i)
 - B. ii)
 - C. iii) and iv)
 - D. i) and ii)
 - E. None of these

Answer - Click Here:

D

57. The advanced concepts of _____ were introduced in _____ version of PHP?

- A. PHP 4
- B. PHP 6
- C. PHP 5.3
- D. PHP 5
- E. None of these

Answer - Click Here:

D

58. _____ is the right way to clone an object?

- A. destinationObject = clone targetObject;
- B. _clone(targetObject);
- C. destinationObject = _clone(targetObject);
- D. destinationObject = clone(targetObject);
- E. None of these

Answer - Click Here:

A

59.If your object must inherit behavior from a number of sources you must use a/an

- A. Abstract class
- B. Object
- C. Interface
- D. Static class
- E. None of these

Answer - Click Here:

C

60.To tweak an object's cloning behavior what method is used?

- A. clone()
- B. object_clone()
- C. _clone
- D. __clone()
- E. None of these

Answer - Click Here:

D

61. To call more than one function of the class in single instruction_____ is used?

- A. Method chaining
- B. Method Including
- C. Method adding
- D. Typecasting
- E. None of these

Answer - Click Here:

A

62.In PHP which of the following magic method is used for implementing overloading?

- A. __wakeup
- B. __invoke
- C. __call

- D. __unset
- E. none of these

Answer - Click Here:

C

63. There are _____ many levels of error in PHP?

- A. 14
- B. 15
- C. 16
- D. 17
- E. None of these

Answer - Click Here:

C

64. _____ is the description of Error level E_ERROR in PHP.

- A. Fatal Compile-time error
- B. Near-fatal error
- C. Compile-time error
- D. Fatal run-time error
- E. All of these

Answer - Click Here:

D

65. E_STRICT Error level was introduced in _____ version of PHP?

- A. PHP 5
- B. PHP 4
- C. PHP 5.2
- D. PHP 5.3
- E. None of these

Answer - Click Here:

B

66. _____ character do the error_reporting directive use to represent the logical operator NOT.

- a) ~
- b) !
- c) /
- d) ^
- E. All of these

Answer - Click Here:

A

67. Function which is responsible for sending a custom message to the

system log?

- A. systemlog()
- B. syslog()
- C. log_system()
- D. sys_log()
- E. None of these

Answer - Click Here:

B

68. Exception handling was added with _____ version of PHP.

- A. PHP 4
- B. PHP 6
- C. PHP 5.3
- D. PHP 5
- E. All of these

Answer - Click Here:

D

69. there are _____ methods available for the exception class?

- A. 5
- B. 6
- C. 7
- D. 8
- E. None of these

Answer - Click Here:

C