



WOLLO University

Department of software engineering

Exit multiple choice questions for

Fundamental software engineering

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Department of software engineering

MCQ 1 :

What are the characteristics of software?

Software is developed or engineered; it is not manufactured in the classical sense.

Software doesn't "wear out".

Software can be custom built or custom build.

All of the aboveCorrect answer

MCQ 2 :

Compilers, Editors software come under which type of software?

System softwareCorrect answer

Application softwareWrong answer

Scientific software

All of the above

MCQ 3 :

RAD stands for

Relative Application Development

Rapid Application DevelopmentCorrect answer

Rapid Application Document

None of the above

MCQ 4 :

The statement "Software Engineering is defined as systematic, disciplined and quantifiable approach for the development, operation and maintenance of software." is true or false.

TrueCorrect answer

False

Can't say

None of the above

Department of software engineering

MCQ 5 :

RAD Model has

3 phases

5 phasesCorrect answer

7 phasesWrong answer

6 phases

MCQ 6 :

Software project management comprises of a number of activities, which contains _____ .

Project planning

Scope management

Project estimation

All mentioned aboveCorrect answer

MCQ 7 :

The waterfall model of software development is

A reasonable approach when requirements are well defined.Correct answer

A good approach when a working program is required quickly.

The best approach to use for projects with large developments teams.

An old fashioned model that is rarely used any more.

MCQ 8 :

Which of the following is not defined in a good Software Requirement Specification (SRS) document?

Functional Requirement.

Nonfunctional Requirement.

Goals of implementation.

Algorithm for software implementation.Correct answer

MCQ 9 :

Which one of the following models is not suitable for accommodating any change?

Department of software engineering

Spiral Model

Prototyping Model

Waterfall ModelCorrect answer

RAD Model

MCQ 10 :

What is the simplest model of software development paradigm?

Spiral Model

Big Bang model

Prototype Model

Waterfall ModelCorrect answer

MCQ 11 :

Software consists of _____ .

set of instructions including operating procedures

contains programs with complete documentation including operating proceduresCorrect answer

including programs and hardware manuals

only set of programs

MCQ 12 :

Which is the most important feature of spiral model?

Quality Management

Risk ManagementCorrect answer

Performance ManagementWrong answer

Efficiency Management

MCQ 13 :

If every requirement stated in the Software Requirement Specification (SRS) has only one interpretation,

SRS is said to be correct _____ .

UnambiguousCorrect answer

Department of software engineering

Consistent

VerifiableWrong answer

None of the above

MCQ 14 :

Which is not a step of Requirement Engineering?

Requirements elicitation

Requirements analysis

Requirements designCorrect answer

Requirements documentation

MCQ 15 :

Which one of the following is not a phase of Prototyping Model?

Quick design

CodingCorrect answer

Prototype refinement

Engineer product

MCQ 16 :

What is the major drawback of using RAD Model?

Highly specialized & skilled developers/designers are required

Increases reusability of componentsWrong answer

Encourages customer/client feedback

Increases reusability of components, Highly specialized & skilled developers/designers are requiredCorrect answer

MCQ 17 :

In which step of SDLC project termination could be done.

Design phase

System maintenance phaseWrong answer

Department of software engineering

Feasibility phaseCorrect answer

Coding phase

MCQ 18 :

The first step in software development life cycle (SDLC) is _____.

Preliminary investigation and analysisCorrect answer

System design

System testing

Coding

MCQ 19 :

System analysis and design phase of Software Development Life Cycle (SDLC) includes which of the following ?

Parallel run

Sizing

Specification freeze

All of theseCorrect answer

MCQ 20 :

Which one is not considered during Technical Feasibility?

Expandability

Existence of technology

Human resource to use the technologyCorrect answer

Suitability of technology

MCQ 21 :

Which of the following life cycle model cannot be chosen if the development team has less experience on similar projects.

Spiral ModelCorrect answer

Waterfall ModelWrong answer

Department of software engineering

RAD Model

Iterative Model

MCQ 22 :

Which two of the following models will not be able to give the desired outcome if user's participation is not involved.

Waterfall & Spiral Model

RAD and Spiral Model

RAD and Waterfall ModelWrong answer

RAD and Prototyping ModelCorrect answer

MCQ 23 :

The detailed study of existing system is referred to as

System Planning

System AnalysisWrong answer

Feasibility Study

Design of DFDCorrect answer

MCQ 24 :

Which model can be selected if user is involved in all the phases of SDLC?

Waterfall Model

Prototyping Model

RAD ModelCorrect answer

both Prototyping Model & RAD ModelWrong answer

MCQ 25 :

Risk analysis of a project is done in

System Analysis PhaseWrong answer

Feasibility StudyCorrect answer

Maintenance Phase

Department of software engineering

Implementation Phase

MCQ 26 :

Which one is the best combination of a good coded program.

Usability, Reliability, Robustness, Flexibility Wrong answer

Availability, Reliability, Maintainability, Usability

Readability, Robustness, Usability, Accuracy Correct answer

Accuracy, Robustness, Testability, Usability

MCQ 27 :

In an ER Diagram, noun is treated as

Entity Correct answer

Relationship Wrong answer

Primary Key

Foreign Key

MCQ 28 :

Requirements to develop a software

Model business

Analyze Wrong answer

Design

All of the above Correct answer

MCQ 29 :

The basic tool used in structured design is

Structure chart Correct answer

Data flow diagram

ER diagram

Program flow chart Wrong answer

MCQ 30 :

In preparation of a software, data flow diagram is used for

process modellingCorrect answer

modelling interactions in a real time environmentWrong answer

data modelling

None of the above

MCQ 31 :

An ER Diagram represents

EntitiesWrong answer

Keys

Relationships

All of the aboveCorrect answer

MCQ 32 :

Entities, attributes and relationships are associated with

logical concept of dataCorrect answer

physical concept of data

programmingWrong answer

None of the above

MCQ 33 :

Which of the following defines the rules of DFD

All data flow must contain data

All data flow must contain begin and/or end at the processCorrect answer

Only processes can connect to data storages.Wrong answer

All of the above

MCQ 34 :

Which one of the following is not related to DFD

Department of software engineering

Bubbles (Process)

Arrow (Flow)

Secondary StorageCorrect answer

Data store

MCQ 35 :

RAD Software process model stands for _____ .

Rapid Application Development.Correct answer

Relative Application Development.

Rapid Application Design.

Recent Application Development.Wrong answer

MCQ 36 :

A black box concept is based on the assumptions that

The relationship between input and output is stableWrong answer

Black boxe are dependent on environment

The subsystem is stableCorrect answer

All of the above

MCQ 37 :

The type of software testing in which each module is tested along in an attempt to discover any errors in its code, is known as

Integration testing

Acceptance testingWrong answer

Mutation testing

Unit testingCorrect answer

MCQ 38 :

Prototyping aims at

end user understanding and approvalCorrect answer

Department of software engineering

program logicWrong answer

planning of dataflow organization

None of the above

MCQ 39 :

The term used to refer to the checking of outputs of a computer with the corresponding documents is called _____ .

Beta Test

Auditing through the computer

Auditing around the computerCorrect answer

Alpha TestWrong answer

MCQ 40 :

A step by step instruction used to solve a problem is known as _____ .

Sequential structure

A list

A planWrong answer

An algorithmCorrect answer

MCQ 41 :

Testing can be applied to

requirements

analysisWrong answer

design

codeCorrect answer

MCQ 42 :

Which testing is perform by user.

Acceptance testingCorrect answer

Unit testing

Department of software engineering

Compatibility testing

None of the aboveWrong answer

MCQ 43 :

What is a prototype ?

Mini model of existing system

Mini model of the proposed systemCorrect answer

Working model of the existing systemWrong answer

None of the above

MCQ 44 :

White box testing can be started

after SRS creationWrong answer

after designing

after programmingCorrect answer

after installation

MCQ 45 :

What is the difference between testing and debugging

In testing, the objective is to establish whether the system is running as per specifications, whereas in debugging the objective is to locate and correct the errors in a systemCorrect answer

Both are the same except that debugging is unconstructed, whereas testing is structured.

Debugging phase produces testing phase

There are no tools for debugging, whereas testing is totally automated.

MCQ 46 :

Which of the following property does not correspond to a good SRS (Software Requirement Specification) ?

VerifiableWrong answer

AmbiguousCorrect answer

Department of software engineering

Complete

Traceable

MCQ 47 :

The database design activity deals with the design of the

logical database

Physical database

Both A and BCorrect answer

Only B

MCQ 48 :

Software Maintenance includes

Error corrections

Enhancements of capabilities

Deletion of obsolete capabilitiesWrong answer

All of the aboveCorrect answer

MCQ 49 :

A Zero Level DFD Describes

The fully blown up system design

Data flow in all the modules

Overview in processes, input and outputCorrect answer

None of the aboveWrong answer

MCQ 50 :

The output of the system design is representaed by

State diagramWrong answer

Structure ChartCorrect answer

ER Diagram

Context Diagram

Department of software engineering

MCQ 51 :

Which of the following does not apply to agility to a software process?

Use incremental product delivery strategyWrong answer

Only essential work products are produced

Eliminate the use of project planning and testingCorrect answer

All of the above

MCQ 52 :

_____ test is not included in unit testing.

Stress

StructuralWrong answer

Functional

SecurityCorrect answer

MCQ 53 :

Identify the disadvantages of the Spiral Model.

Does not work well for similar projectsCorrect answer

High amount of risk analysis

Strong approval and documentation control

Additional functionality can be added at a later dateWrong answer

MCQ 54 :

The _____ enables the software engineer to develop models of the information domain and functional domain at the same time.

data flow diagramCorrect answer

state transition diagram

control specification

activity diagramWrong answer

MCQ 55 :

ER Diagram is related with

Entity RelationshipCorrect answer

Data flow

Foreign key

System testingWrong answer

MCQ 56 :

The _____ contains a state transition diagram that is a sequential specification of behavior.

data flow diagram

state transition diagram

control specificationCorrect answer

workflow diagram

MCQ 57 :

A data condition occurs whenever a data is passed to an input element followed by a processing element and the result in control output.

TrueCorrect answer

False

Can't sayWrong answer

None of the above

MCQ 58 :

A _____ is a graphical representation that depicts information flow and the transforms that are applied as data moves from input to output.

data flow diagram

state transition diagramCorrect answer

control specificationWrong answer

workflow diagram

Department of software engineering

MCQ 59 :

The _____ of a relationship is 0 if there is no explicit need for the relationship to occur or the relationship is optional.

modalityCorrect answer

cardinality

entity

structured analysis

MCQ 60 :

Which one is not the part of SDLC process?

System DesignWrong answer

System Analysis

Feasibility Study

Problem IdentificationCorrect answer

MCQ 61 :

An iterative process of system development in which requirements are converted to a working system that is continuously revised through close work between an analyst and user is called _____ .

Waterfall ModelingWrong answer

Iterative Modeling

Spiral ModelingCorrect answer

None of the above

MCQ 62 :

The fundamental objective of system analysis is to

understand computer hardwareWrong answer

train managers in mathematical analysis

study and understand a complex system and modify it in some wayCorrect answer

run simulation programs

Department of software engineering

MCQ 63 :

The _____ defines the properties of a data object and take on one of the three different characteristics.

data object

attributesCorrect answer

relationshipsWrong answer

data object and attributes

MCQ 64 :

What is Integration Testing?

SDLC ModelWrong answer

Test Type

Test Design Technique

Test LevelCorrect answer

MCQ 65 :

_____ are the Testers of Unit Testing?

DevelopersCorrect answer

Business AnalystsWrong answer

Independent Testers

Customers

MCQ 66 :

_____ are the Testers of System Testing?

DevelopersWrong answer

Business Analysts

Independent TestersCorrect answer

Customers

MCQ 67 :

Which Test Document describes the Exit Criteria of Testing?

Test Case

Test PlanCorrect answer

Test Summary ReportWrong answer

Defect Report

MCQ 68 :

_____ is not a Software Development Life Cycle Phase?

Requirements Gathering

Coding

Test ClosureCorrect answer

Testing

MCQ 69 :

_____ is not a Software Test Life Cycle Phase?

Requirements GatheringCorrect answer

Test PlanningWrong answer

Test Closure

Test Design

MCQ 70 :

_____ is not a Test Level?

System Testing

Acceptance Testing

Functional TestingCorrect answer

Integration TestingWrong answer

MCQ 71 :

_____ is not a Test Type?

Department of software engineering

Database TestingWrong answer

Security Testing

Functional Testing

Statement TestingCorrect answer

MCQ 72 :

_____ is not a Test Document?

Test Policy

Test Case

Project Initiation NoteCorrect answer

Requirements Traceability MatrixWrong answer

MCQ 73 :

What is Sanity Testing?

Test Level

Test Type

Test Design TechniqueWrong answer

Test Execution LevelCorrect answer

MCQ 74 :

What is Decision Testing?

Black Box Test Design Technique

White Box Test Design TechniqueCorrect answer

Gray Box Test Design TechniqueWrong answer

Experience based Test Design Technique

MCQ 75 :

What is Functional Testing?

SDLC ModelWrong answer

Test TypeCorrect answer

Department of software engineering

Test Design Technique

Test Level

MCQ 76 :

SDLC stands for

Software Development Life CycleCorrect answer

System Development Life cycle

System Design Life CycleWrong answer

Software Design Life Cycle

MCQ 77 :

What are the Testing Levels?

Unit Testing

Integration Testing

System Testing and Acceptance TestingCorrect answer

All of the above

MCQ 78 :

It measures the quality of processes used to create a quality product. It is a system of management activities, It is a preventive process, It applies for entire life cycle & Deals with Process.

Validation

Verification

Quality AssuranceCorrect answer

Quality Control

MCQ 79 :

The incremental Model of software model is

A reasonable approach when requirements are well defined.

A good approach when a working core product is required quickly.Correct answer

The best approach to use for projects with large developments teams.Wrong answer

Department of software engineering

A revolutionary model that is not used for commercial products

MCQ 80 :

White box testing is not called as _____ .

Glass box testing

Closed box testingCorrect answer

OPen box testing

Clear box testing

MCQ 81 :

Running the system under a live environment using Live data in order to find errors is known as _____ .

Beta Testing

Alpha TestingWrong answer

Acceptance TestingCorrect answer

System Testing

MCQ 82 :

Testing of software with actual data and in actual environment is called _____ .

Alpha testing

Beta testingCorrect answer

Regression testing

None of the above

MCQ 83 :

The testing of software against SRS is called _____ .

Acceptance testing

Integration testingWrong answer

System testingCorrect answer

None of the above

Department of software engineering

MCQ 84 :

The approach to software testing is to design test cases to

break the softwareCorrect answer

understand the software

analyze the design of sub-processes in the software

analyze the output of the softwareWrong answer

MCQ 85 :

The testing which is done by going thro' the code is known as _____ .

Unit Testing

Blackbox testingWrong answer

White box TestingCorrect answer

None of the above

MCQ 86 :

Black refers in the Black-box testing means

Characters of the movie BlackWrong answer

I / O is hidden

Design is hiddenCorrect answer

Users are hidden

MCQ 87 :

Software testing which is done without planning and Documentation is known as _____ .

Adhoc testingCorrect answer

Unit TestingWrong answer

Functional testing

White box Testing

MCQ 88 :

Acceptance testing is also known as _____ .

Department of software engineering

Beta TestingCorrect answer

Unit Testing

adHoc TestingWrong answer

White box Testing

MCQ 89 :

Software Testing is a process of evaluating a system by manual or automatic means and verify that it satisfies specified requirements or identity differences between expected and actual results.

TrueCorrect answer

False

May be

None of the aboveWrong answer

MCQ 90 :

What is correct steps of Software Process Cycle?

Plan(P) -----> Check(C) -----> Act(A) -----> Do(D)

Plan(P) -----> Do(D) -----> Check(C) -----> Act(A)Correct answer

Plan(P) -----> Do(D) -----> Act(A) -----> Check(C)

None of the above

MCQ 91 :

Beta testing will be done by

Developer

UserCorrect answer

TesterWrong answer

Customers

MCQ 92 :

Test cases are designed during

test recording

Department of software engineering

test planningWrong answer

test configuration

test specificationCorrect answer

MCQ 93 :

Independent Verification & Validation is

Done by the DeveloperWrong answer

Done by the Test Engineers

Done By Management

Done by an Entity Outside the Project's sphere of influenceCorrect answer

MCQ 94 :

Verification is

Checking that we are building the right system

Checking that we are building the system rightCorrect answer

Performed by an independent test team

Making sure that it is what the user really wants

MCQ 95 :

Unit Testing will be done by

Testers

End UsersWrong answer

Customer

DevelopersCorrect answer

MCQ 96 :

Which of the following is/are not a verification activity?

Inspection

TestingCorrect answer

Walkthrough

Department of software engineering

Technical Review

MCQ 97 :

Which of the following is/are a phases of SDLC?

Requirement gathering

Maintenance

Analysis and TestingWrong answer

All of the aboveCorrect answer

MCQ 98 :

Which is not true regarding Spiral Model?

Risk analysis is involved in every cycle of development.

Uses series of prototype for refining test execution plan.Correct answer

For any change we need to iterate the whole cycle.Wrong answer

Only this model has the risk analysis phase.

MCQ 99 :

Testing approach changes is based on the life cycle applied for development of a software.

TrueCorrect answer

False

Can't sayWrong answer

None of the above

MCQ 100 :

Abbreviate the term SDLC?

System Design Life cycle

Software Design Life Cycle

System Development Life CycleWrong answer

Software Development Life CycleCorrect answer

MCQ 101 :

Which of the following is used in high level of testing?

Functional testingCorrect answer

Structural testing

White box testingWrong answer

Black box testing

MCQ 102 :

_____ is to organize the overall DFD in a series of levels so that each level provides successively more detail about a portion of the level above it.

Split DFDs

LEVELED DFDsCorrect answer

Flow DFDsWrong answer

All of the above

MCQ 103 :

A _____ is represented graphically by an arrow into or out of a process.

Process

Entity

LevelWrong answer

FlowCorrect answer

MCQ 104 :

Context Diagram defines the scope of the system by identifying the system boundary.

Context DiagramCorrect answer

Level 0 DFD

Level 1 DFDWrong answer

Level 2 DFD

MCQ 105 :

What do the circles on a data flow diagram represent?

Data sources and destinations

Data flows

Transformation processesCorrect answer

Data stores

MCQ 106 :

In a DFD external entities are represented by a

rectangleCorrect answer

ellipse

diamond shaped boxWrong answer

circle

MCQ 107 :

A rectangle in a DFD represents _____ .

a processWrong answer

a data store

an external entityCorrect answer

an input unit

MCQ 108 :

By an external entity we mean a _____ .

unit outside the system being designed which can be controlled by an analystWrong answer

unit outside the system whose behavior is independent of the system being designed

a unit external to the system being designedCorrect answer

a unit which is not part of a DFD

MCQ 109 :

A data store in a DFD represents _____ .

Department of software engineering

a sequential fileWrong answer

a disk store

a repository of dataCorrect answer

a random access memory

MCQ 110 :

Data cannot flow between two data stores because

it is not allowed in a DFDWrong answer

a data store is a passive repository of data

data can get corrupted

they will get mergedCorrect answer

MCQ 111 :

What is levelling a DFD means.

Aplitting it into different levelsWrong answer

Make its structure uniform

Expanding a process into one with more sub-processes giving more detailCorrect answer

Summarizing a DFD to specify only the essentials

MCQ 112 :

A DFD is normally levelled as

it is a good idea in designWrong answer

it is recommended by many experts

it is easy to do it

it is easier to read and understand a number of smaller DFDs than one large DFDCorrect answer

MCQ 113 :

Before developing a logical DFD it is a good idea to

develop a physical DFDCorrect answer

develop a system flow chartWrong answer

Department of software engineering

determine the contents of all data stores

find out user's preferences

MCQ 114 :

When a process is expanded during levelling

data flows entering it are replaced

all data stores used by it are replacedWrong answer

all data flows entering it must also enter the levelled DFDCorrect answer

all external entities used by it are replaced

MCQ 115 :

A physical DFD _____ .

has no means of showing material flow

does not concern itself with material flowWrong answer

can show only stored materialCorrect answer

can show the flow of material

MCQ 116 :

A context diagram _____ .

describes the context of a system

is a DFD which gives an overview of the systemCorrect answer

is a detailed description of a system

is not used in drawing a detailed DFD

MCQ 117 :

A data flow can _____ .

only emanate from an external entity

only terminate in an external entity

may emanate and terminate in an external entityCorrect answer

may either emanate or terminate in an external entity but not bothWrong answer

Department of software engineering

MCQ 118 :

Data cannot flow from an external entity to an external entity because

it will get corrupted

it is not allowed in DFD

an external entity has no mechanism to read or writeWrong answer

both are outside the context of the systemCorrect answer

MCQ 119 :

What is the meaning of a word "CASE" means in the statement "Using CASE TOOLS".

Cost Aided Software Engineering

Computer Aided Software EngineeringCorrect answer

Control Aided Software Engineering

None of the aboveWrong answer

MCQ 120 :

Which one of the following is a functional requirement.

Maintainability

Portability

Robustness

None of the aboveCorrect answer

MCQ 121 :

_____ and _____ are not the subject matter of Requirement Analysis.

Perdormance, modelling present system

Stakeholder knowledge of computers, Developer's staffCorrect answer

functional, non-functional

internal controls, present system work load

MCQ 122 :

Which of the following is not the part of SRS (Software Requirement Specification).

Department of software engineering

PerformanceWrong answer

Functionality

Design SolutionsCorrect answer

External Interfaces

MCQ 123 :

Software testing with real data in real environment is known as _____ .

Alpha testing

Beta testingCorrect answer

Regression testing

None of the above

MCQ 124 :

In size oriented metrics, metrics are developed based on the _____ .

number of FunctionsWrong answer

number of user inputs

number of lines of codeCorrect answer

amount of memory usage

MCQ 125 :

Which of the following does not affect the software quality and organizational performance?

MarketCorrect answer

Product

TechnologyWrong answer

People

MCQ 126 :

The intent of project metrics is a

minimization of development scheduleWrong answer

for strategic purposes

Department of software engineering

assessing project quality on ongoing basis

minimization of development schedule and assessing project quality on ongoing basisCorrect answer

MCQ 127 :

How is Incremental Model different from Spiral Model?

Progress can be measured for Incremental ModelCorrect answer

Changing requirements can be accommodated in Incremental Model

Users can see the system early in Incremental Model

All of the above

MCQ 128 :

If you were to create client/server applications, which model would you go for?

WINWIN Spiral Model

Spiral Model

Concurrent ModelCorrect answer

Waterfall Model

MCQ 129 :

The spiral model has two dimensions namely _____ and _____ .

diagonal, angular

radial, angularCorrect answer

radial, perpendicularWrong answer

diagonal, perpendicular

MCQ 130 :

Which one of the following is not an Evolutionary Process Model?

WINWIN Spiral ModelWrong answer

Incremental Model

Concurrent Development Model

All of the aboveCorrect answer

Department of software engineering

MCQ 131 :

The Incremental Model is a result of combination of elements of which two models?

Build & FIX Model & Waterfall ModelWrong answer

Linear Model & RAD Model

Linear Model & Prototyping ModelCorrect answer

Waterfall Model & RAD Model

MCQ 132 :

Choose the correct option from given below

Prototyping Model facilitates reusability of components

RAD Model Model facilitates reusability of components

Both RAD & Prototyping Model facilitates reusability of componentsCorrect answer

None of the aboveWrong answer

MCQ 133 :

How many feasibility studies is conducted in Requirement Analysis ?

2Wrong answer

3Correct answer

4

5

MCQ 134 :

Which of the following is not a diagram studied in Requirement Analysis ?

Use Cases

Entity Relationship Diagram

State Transition DiagramWrong answer

Activity DiagramCorrect answer

MCQ 135 :

Spiral model was developed by _____ .

Department of software engineering

Victor Bisili

Berry BoehmCorrect answer

Bev LittlewoodWrong answer

Roger Pressman

MCQ 136 :

The Software evolution does not comprises _____ .

development activities

negotiating with clientCorrect answer

maintenance activities

re-engineering activitiesWrong answer

MCQ 137 :

Processes for evolving a software product depend on

Type of software to be maintained

Development processes usedWrong answer

Skills and experience of the people involved

All of the aboveCorrect answer

MCQ 138 :

Find out which phase is not available in SDLC?

Coding

Testing

MaintenanceWrong answer

AbstractionCorrect answer

MCQ 139 :

Choose the incorrect statement with respect to Non-Functional Requirement.

Focus on system (or software) quality - Product-oriented Approach

Focus on how NFRs can be used in the design process - Process-oriented ApproachWrong answer

Department of software engineering

Find measurable scales for the functionality attributes - Quantitative ApproachCorrect answer

Study various relationships between quality goals - Qualitative Approach

MCQ 140 :

Which of the following is not included in External failure costs?

TestingCorrect answer

Help line supportWrong answer

Warranty work

Complaint resolution

MCQ 141 :

Who identifies, documents, and verifies that corrections have been made to the software?

Project manager

Project team

SQA groupCorrect answer

All of the mentionedWrong answer

MCQ 142 :

Software quality assurance consists of the auditing and reporting functions of management.

TrueCorrect answer

False

Can't sayWrong answer

None of the above

MCQ 143 :

The SRS (Software Requirement Specification) is said to be consistent if and only if

every requirement stated therein is verifiable

no subset of individual requirements described in it conflict with each otherCorrect answer

every requirement stated therein is one that the software shall meetWrong answer

Department of software engineering

its structure and style are such that any changes to the requirements can be made easily while retaining the style and structure

MCQ 144 :

Which of the following is not included in SRS ?

PerformanceCorrect answer

Functionality

Design solutionsWrong answer

External Interfaces

MCQ 145 :

A data model contains

data object

attributes

relationshipsWrong answer

All of the aboveCorrect answer

MCQ 146 :

A description of each function presented in the DFD is contained in a _____ .

data flow

process specificationCorrect answer

control specificationWrong answer

data store

MCQ 147 :

Which SDLC activity does the user initiates the request for a desired software product?

Requirement gathering

Implementation

DispositionWrong answer

CommunicationCorrect answer

Department of software engineering

MCQ 148 :

A COCOMO model is _____ .

Common Cost Estimation Model

Constructive Cost Estimation ModelCorrect answer

Complete Cost Estimation ModelWrong answer

Comprehensive Cost Estimation Model

MCQ 149 :

ER model shows the _____ .

Static viewCorrect answer

Functional view

Dynamic view

All of the aboveWrong answer

MCQ 150 :

Majority of system errors occur in the _____ phase.

Requirements PhaseCorrect answer

Analysis and Design Phase

Development Phase

Testing PhaseWrong answer

MCQ 151 :

Requirement engineering process includes which of these steps?

Feasibility studyWrong answer

Requirement Gathering

Software Requirement specification and Validation

All of the aboveCorrect answer

MCQ 152 :

Which of the following is the understanding of software product limitations, learning system related

Department of software engineering

problems or changes to be done in existing systems beforehand, identifying and addressing the impact of project on organization and personnel etc?

Software DesignWrong answer

Feasibility Study

Requirement Gathering

System AnalysisCorrect answer

MCQ 153 :

FAST stands for _____ .

Functional Application Specification Technique

Fast Application Specification Technique

Facilitated Application Specification TechniqueCorrect answer

None of the above

MCQ 154 :

The level at which the software uses scarce resources is _____ .

Reliability

EfficiencyCorrect answer

Portability

All of the above

MCQ 155 :

Modifying the software to match changes in the ever changing environment is called _____ .

Adaptive maintenanceCorrect answer

Corrective maintenance

Perfective maintenance

Preventive maintenanceWrong answer

MCQ 156 :

If every requirement can be checked by a cost-effective process, then the SRS is _____ .

Department of software engineering

VerifiableCorrect answer

Traceable

ModifiableWrong answer

Complete

MCQ 157 :

Aggregation represents _____ .

is a relationshipWrong answer

part of relationship

composed of relationshipCorrect answer

none of the above

MCQ 158 :

If P is risk probability, L is loss, then Risk Exposure (RE) is computed as _____ .

$RE = P/L$

$RE = P + L$

$RE = P * L$ Correct answer

$RE = 2 * P * L$

MCQ 159 :

Number of clauses used in ISO 9001 to specify quality system requirements are _____ .

15

20Correct answer

25

28Wrong answer

MCQ 160 :

IEEE 830-1993 is a IEEE recommended standard for _____ .

Software Requirement SpecificationCorrect answer

Software design

Testing

Both (A) and (B)Wrong answer

MCQ 161 :

One of the fault base testing techniques is _____ .

Unit Testing

Beta Testing

Stress Testing

Mutation TestingCorrect answer

MCQ 162 :

If the objects focus on the problem domain, then we are concerned with _____ .

Object Oriented AnalysisCorrect answer

Object Oriented Design

Object Oriented Analysis and Design

None of the above

MCQ 163 :

Which of the following is not a part of the Test Implementation and Execution Phase?

Creating test suites from the test casesWrong answer

Executing test cases either manually or by using test execution tools

Comparing actual results

Designing the TestsCorrect answer

MCQ 164 :

The Test Cases Derived from use cases _____ .

Are most useful in uncovering defects in the process flows during real world use of the system.Correct answer

Are most useful in uncovering defects in the process flows during the testing use of the system.

Department of software engineering

Are most useful in covering the defects in the process flows during real world use of the system. Wrong answer

Are most useful in covering the defects at the Integration Level.

MCQ 165 :

Which plan describes how the skills and experience of the project team members will be developed ?

HR Plan

Manager Plan Wrong answer

Team Plan

Staff Development Plan Correct answer

MCQ 166 :

Alpha and Beta Testing are forms of _____ .

Acceptance testing Correct answer

Integration testing Wrong answer

System Testing

Unit testing

MCQ 167 :

The model in which the requirements are implemented by its category is _____ .

Evolutionary Development Model Correct answer

Waterfall Model Wrong answer

Prototyping

Iterative Enhancement Model

MCQ 168 :

SRD stands for _____ .

Software Requirements Definition

Structured Requirements Definition Correct answer

Software Requirements Diagram

Department of software engineering

Structured Requirements Diagram

MCQ 169 :

The tools that support different stages of software development life cycle are called _____ .

CASE ToolsCorrect answer

CAME tools

CAQE tools

CARE tools

MCQ 170 :

Which defect amplification model is used to illustrate the generation and detection of errors during the preliminary steps of a software engineering process?

Design

Detailed design

Coding

All of the aboveCorrect answer

MCQ 171 :

Which method is used for evaluating the expression that passes the function as an argument?

Strict evaluationCorrect answer

Recursion

Calculus

Pure functionsWrong answer

MCQ 172 :

Which factors affect the probable consequences if a risk occur?

Risk avoidance

Risk monitoringWrong answer

Risk timingCorrect answer

Contingency planning

Department of software engineering

MCQ 173 :

Staff turnover, poor communication with the customer are risks that are extrapolated from past experience are called _____ .

Business risksWrong answer

Predictable risksCorrect answer

Project risks

Technical risks

MCQ 174 :

Organization can have in-house inspection, direct involvement of users and release of beta version are few of them and it also includes usability, compatibility, user acceptance etis called _____ .

Task analysisWrong answer

GUI requirement gathering

GUI design & implementation

TestingCorrect answer

MCQ 175 :

Which project is undertaken as a consequence of a specific customer request?

Concept development projects

Application enhancement projects

New application development projectsCorrect answer

Application maintenance projectsWrong answer

MCQ 176 :

Software safety is a quality assurance activity that focuses on hazards that may cause an entire system to fall.

TrueCorrect answer

False

May beWrong answer

Department of software engineering

None of the above

MCQ 177 :

Give the disadvantages of modularization.

Smaller components are easier to maintain

Program can be divided based on functional aspects

Desired level of abstraction can be brought in the programWrong answer

None of the aboveCorrect answer

MCQ 178 :

Effective software project management focuses on the four P's. What are those four P's?

People, performance, payment, product

People, product, process, projectCorrect answer

People, product, performance, projectWrong answer

All of the above

MCQ 179 :

Give the Real-world factors affecting maintenance cost.

As technology advances, it becomes costly to maintain old software.

The standard age of any software is considered up to 10 to 15 years.Wrong answer

Most maintenance engineers are newbie and use trial and error method to rectify problem.

All mentioned aboveCorrect answer

MCQ 180 :

Mention any two indirect measures of product.

QualityWrong answer

Efficiency

Accuracy

Both A and BCorrect answer

Department of software engineering

MCQ 181 :

Which testing is the re-execution of some subset of tests that have already been conducted to ensure the changes that are not propagated?

Unit testing

Regression testingCorrect answer

Integration testing

Beta testing

MCQ 182 :

Software Requirement Specification (SRS) is also known as specification of _____ .

White box testing

Acceptance testingWrong answer

Integrated testing

Black box testingCorrect answer

MCQ 183 :

The statement "Software components provide interfaces, which can be used to establish communication among different components." is true or false.

FalseWrong answer

TrueCorrect answer

Sometimes true

Sometimes false

MCQ 184 :

In Risk management process what makes a note of all possible risks, that may occur in the project?

Manage

Monitor

CategorizeWrong answer

IdentificationCorrect answer

MCQ 185 :

What is a measure of how well a computer system facilitates learning?

Usability Correct answer

Functionality

Reliability Wrong answer

None of the above

MCQ 186 :

Who manages the effects of change throughout the software process?

Software project tracking and control

Software configuration management Correct answer

Measurement Wrong answer

Technical reviews

MCQ 187 :

When elements of module are grouped together that are executed sequentially in order to perform a task, is called _____ .

Procedural cohesion Correct answer

Logical cohesion

Emporal cohesion Wrong answer

Co-incidental cohesion

MCQ 188 :

Abbreviate the term BSS.

Box Structure Specification Correct answer

Box Statistical Specification Wrong answer

Box Statistical System

Box Structure Sampling

Department of software engineering

MCQ 189 :

What is the testing to ensure the WebApp properly interfaces with other applications or databases?

Compatibility

Interoperability Wrong answer

Performance Correct answer

Security

MCQ 190 :

Which Variation control in the context of software engineering involves controlling variation?

Process applied

Resources expended

Product quality attributes

All of the above Correct answer

MCQ 191 :

Which classes represent data stores (e.g., a database) that will persist beyond the execution of the software?

Process classes Wrong answer

System classes

Persistent classes Correct answer

User interface classes

MCQ 192 :

Abbreviate the term CMMI.

Capability Maturity Model Integration Correct answer

Capability Model Maturity Integration

Capability Maturity Model Instructions

Capability Model Maturity Instructions

Department of software engineering

MCQ 193 :

First level of prototype is evaluated by _____ .

Developer

TesterWrong answer

UserCorrect answer

System Analyst

MCQ 194 :

Which of the items listed below is not one of the software engineering layers?

Process

ManufacturingCorrect answer

Methods

Tools

MCQ 195 :

What is the main aim of Software engineering?

Reliable software

Cost effective software

Reliable and cost effective softwareCorrect answer

None of the above

MCQ 196 :

Choose the correct option according to the given statement.

Statement 1: Software is a physical rather than a logical system element.

Statement 2: Computer software is the product that software engineers design and build.

Statement 3: Software is a logical rather than a physical system element.

Statement 4: Software is a set of application programs that are built by software engineers.

Both the statement 1 and 2 are correctWrong answer

Only Statement 2 and 3 are correct

Department of software engineering

Statement 2 and 3 and 4 are correctCorrect answer

All statements are correct

MCQ 197 :

For the best Software model suitable for the project, in which of the phase the developers decide a roadmap for project plan?

Software DesignWrong answer

System AnalysisCorrect answer

Coding

Testing

MCQ 198 :

Which of these software characteristics are used to determine the scope of a software project?

Only performance.Wrong answer

Only context.

Information objectives, function, performanceCorrect answer

None of the above

MCQ 199 :

Which level of sub-system is used of an application?

Application level

Component levelCorrect answer

Modules level

None of the aboveWrong answer

MCQ 200 :

SDLC is not a well-defined, structured sequence of stages in software engineering to develop the intended software product.

True

FalseCorrect answer

Department of software engineering

may be Wrong answer

None of the above

MCQ 201 :

In the Empirical Estimation Technique which model is developed by Barry W. Boehm?

Waterfall Model

COCOMO Model Correct answer

Both A & B

None of the above

MCQ 202 :

From the following select the correct option that is used to display the available option for selection.

Check-box

Text-box

Button Wrong answer

Radio-Button Correct answer

MCQ 203 :

CMM model in Software Engineering is a technique of _____ .

Develop the software

Improve the software process Correct answer

Improve the testing process

All of the above

MCQ 204 :

The tools that support different stages of software development life cycle are called as

_____ .

CASE Tools Correct answer

CAME tools

CAQE tools Wrong answer

Department of software engineering

CARE tools

MCQ 205 :

Which is not a step of Requirement Engineering?

Requirements elicitation

Requirements analysis

Requirements design Correct answer

Requirements documentation

MCQ 206 :

In Software validation, requirements can be checked against following conditions:

- 1) If they can be practically implemented**
- 2) If they are valid and as per functionality and domain of software**
- 3) If there are any ambiguities**
- 4) If they are completed**

True Correct answer

False

May be

None of the above

MCQ 207 :

In OOD, the attributes(data variables) and methods(operation on the data) are bundled together is called

_____ .

Classes

Objects Wrong answer

Encapsulation Correct answer

Inheritance

Department of software engineering

MCQ 208 :

Which design defines the logical structure of each module and their interfaces that is used to communicate with other modules?

High-level designs

Architectural designs

Detailed designCorrect answer

All of the above

MCQ 209 :

Which tools are used in Implementation, Testing and Maintenance?

Lower case toolsCorrect answer

Upper case tools

Integrated case toolsWrong answer

None of the above

MCQ 210 :

Which tools are used for project planning, cost, effort estimation, project scheduling and resource planning?

Process modeling tools

Project management toolsCorrect answer

Diagram toolsWrong answer

Documentation tools

MCQ 211 :

Which design deals with the implementation part in which it shows a system and its sub-systems in the previous two designs?

Architectural design

High-level design

Detailed designCorrect answer

All of the above

MCQ 212 :

Cohesion metrics and coupling metrics are metrics in which level of design?

User interface design

Pattern-based designWrong answer

Architectural design

Component-level designCorrect answer

MCQ 213 :

Which condition defines the circumstances for a particular operation is valid?

Postcondition

PreconditionCorrect answer

Invariant

None of the above

MCQ 214 :

Which is not a SQA activity?

Black box testing

White box testingCorrect answer

Integration testingWrong answer

Unit testing

MCQ 215 :

From the following, which software has been characterized by "Number Crunching" Algorithms?

System software

Artificial intelligence software

Embedded softwareWrong answer

Engineering and scientific softwareCorrect answer

MCQ 216 :

Project risk factor is considered in which model?

Spiral ModelCorrect answer

Waterfall Model

Prototyping ModelWrong answer

None of the above

MCQ 217 :

A Project can be characterized as.

Every project may not have a unique and distinct goal.

Project is routine activity or day-to-day operations.Wrong answer

Project does not comes with a start time and end time.

None of the aboveCorrect answer

MCQ 218 :

CASE tools are set of automated software application programs, that are not used to support, accelerate and smoothen the SDLC activities.

Yes

NoCorrect answer

Can't say

None of the above

MCQ 219 :

Activities and action taken on the data are represented by circle or round-edged rectangles is called

_____ .

entities

processCorrect answer

data storage

data flowWrong answer

Department of software engineering

MCQ 220 :

The six sigma for software engineering what gives the existing process and its output to determine the current quality performance?

Define

Analyze

MeasureCorrect answer

None of the aboveWrong answer

MCQ 221 :

Which tools are helpful in all the stages of SDLC, for requirement gathering to testing and documentation?

Upper case tools

Lower case tools

Integrated case toolsCorrect answer

None of the aboveWrong answer

MCQ 222 :

SRS document (System requirement specification) is a document created by system analyst after the requirements are collected from various stakeholders.

YesCorrect answer

No

Can't say

None of the aboveWrong answer

MCQ 223 :

Give the name to diagram that represents the flow of activities described by the use cases and at the same time the captors are involved in UML .

State diagram

Swim lane diagramCorrect answer

Activity diagram

Component diagramWrong answer

MCQ 224 :

Which phase is refers to the support phase of software development?

Acceptance Phase

Testing

MaintenanceCorrect answer

None of the above

MCQ 225 :

Which model is also called as the classic life cycle or the Waterfall model?

Iterative Development

Linear Sequential DevelopmentCorrect answer

RAD ModelWrong answer

Incremental Development

MCQ 226 :

Which document is created by system analyst after the requirements are collected from Various stakeholders?

Software requirement specificationCorrect answer

Software requirement validation

Feasibility studyWrong answer

Requirement Gathering

MCQ 227 :

Which is focused towards the goal of the organization?

Feasibility studyCorrect answer

Requirement gathering

Software requirement specification

Software requirement validation

MCQ 228 :

The architectural model is derived from which of these sources?

- A) Information about the application domain for the software to be built.
- B) Specific requirements model elements such as data flow diagrams or analysis classes, their relationships and collaborations for the problem at hand.
- C) The availability of architectural styles and patterns.

Both A & B Wrong answer

Both B & C

Both A & C

All of the above Correct answer

MCQ 229 :

What is the correctness, completeness, and consistency of the requirements model will have a strong influence on the quality of all work products that follow?

Requirement Quality Correct answer

Design Quality Wrong answer

Code Quality

Quality Control Effectiveness

MCQ 230 :

An entity in ER Model is a real world being, which has some properties.

Attributes Correct answer

Relationship

Domain

None of the above

Department of software engineering

MCQ 231 :

Which documentation works as a key tool for software designer, developer and their test team is to carry out their respective tasks?

Requirement documentation Correct answer

User documentation

Software design documentation

Technical documentation

MCQ 232 :

Which tools are used in implementation, testing and maintenance?

Upper case tools Wrong answer

Integrated case tools

Lower case tools Correct answer

None of the above

MCQ 233 :

Which risk gives the degree of uncertainty and the project schedule will be maintained so that the product will be delivered in time?

Business risk

Technical risk

Schedule risk Correct answer

Project risk

MCQ 234 :

Configuration management is an essential part of the system maintenance. It is aided with version control tools to control versions, semi-version or patch management.

True Correct answer

False

Can't say

Department of software engineering

None of the above
Wrong answer

MCQ 235 :

Which model is also known as Verification and validation model?

Waterfall Model

Big Bang Model

V-Model
Correct answer

Spiral Model

MCQ 236 :

Software project management is the process of managing all activities that are involved in software development, they are _____ .

time

cost
Correct answer

quality management

All of the above

MCQ 237 :

Which of these are the 5 generic software engineering framework activities.

Communication, risk management, measurement, production and reviewing

Communication, planning, modeling, construction and development
Correct answer

Analysis, designing, programming, debugging and maintenance

Analysis, planning, designing, programming and testing

MCQ 238 :

The maximum number of objects that can participate in a relationship is called _____ .

Cardinality
Correct answer

Attributes

Operations

Transformers

Department of software engineering

MCQ 239 :

Which software is used to control products and systems for the consumer and industrial markets?

System software

Artificial intelligence softwareWrong answer

Embedded softwareCorrect answer

Engineering and scientific software

MCQ 240 :

Which coding element is generally omitted at the end of line?

Naming conventions

Identifying

WhitespaceCorrect answer

Operators

MCQ 241 :

In which elicitation process the developers discuss with the client and end users and know their expectations from the software?

Organizing requirements

Requirement gatheringCorrect answer

Negotiation & discussionWrong answer

Documentation

MCQ 242 :

If requirements are easily understandable and defined then which model is best suited?

Spiral modelWrong answer

Waterfall modelCorrect answer

Prototyping model

None of the above

Department of software engineering

MCQ 243 :

Which software-end factors affecting maintenance cost?

Structure of Software Program Wrong answer

Programming Language

Dependence on external environment

All of the above Correct answer

MCQ 244 :

Which of the following is not a phase in SDLC.

Testing

Development

Assessment Correct answer

Maintenance

MCQ 245 :

Software process and improvement are assessed by _____.

ISO 9000

ISO 9001

SPICE (ISO/IEC15504) Wrong answer

Both B and C Correct answer

MCQ 246 :

CASE Tool stands for.

Computer Aided Software Engineering Correct answer

Component Aided Software Engineering Wrong answer

Constructive Aided Software Engineering

Computer Analysis Software Engineering

MCQ 247 :

Software is defined as _____.

Department of software engineering

instructionsWrong answer

data structures

documents

All of the aboveCorrect answer

MCQ 248 :

During security testing the tester plays the role of the individual who desires _____ .

penetrates the systemCorrect answer

pPenetrates the listener

Both A & BWrong answer

None of the above

MCQ 249 :

Which of the following is not a section in the standard for SQA plans recommended by IEEE?

BudgetCorrect answer

Time

PeopleWrong answer

None of the above

MCQ 250 :

Which box specifies the behavior of a system or a part of a system?

White box

State box

Clear boxWrong answer

Black boxCorrect answer

MCQ 251 :

FAST stands for _____ .

Facilitated Application Software TechniqueWrong answer

Functional Application Software Technique

Department of software engineering

Facilitated Application Specification TechniqueCorrect answer

None of the above

MCQ 252 :

SDLC Models are adopted as per requirements of development process. It may vary Software-to-software to ensuring which model is suitable.

TrueCorrect answer

False

Can't sayWrong answer

None of the above

MCQ 253 :

When the customer may ask for new features or functions in the software, what does it mean in Software maintenance?

Host modifications

Client requirementsCorrect answer

Market conditionsWrong answer

Organization changes

MCQ 254 :

Reliability is measured by considering processing speed, response time, resource consumption, throughput, and efficiency.

True

FalseCorrect answer

Can't say

None of the aboveWrong answer

MCQ 255 :

Abbreviate the term CASE.

Computer Authorized Software EngineeringWrong answer

Department of software engineering

Computer Aided Software EngineeringCorrect answer

Common Authorized Software Engineering

Common Aided Software Engineering

MCQ 256 :

What is described by means of DFDs as studied earlier and represented in algebraic form?

Data flowCorrect answer

Data storage

Data Structures

Data elements

MCQ 257 :

Which metrics are derived by normalizing quality and/or productivity measures by considering the size of the software that has been produced?

Size orientedCorrect answer

Function-Oriented

Object-Oriented

Use-case-OrientedWrong answer

MCQ 258 :

The spiral model of software development _____ .

ends with the delivery of the software product.

is more chaotic than the incremental model.Wrong answer

includes project risks evaluation during each iteration.Correct answer

All of the above

MCQ 259 :

Computer software is a complete package, which includes software program, its documentation and user guide on how to use the software.

TrueCorrect answer

False

Can't say Wrong answer

None of the above

MCQ 260 :

What is Exploratory Testing?

Black Box Test Design Technique

White Box Test Design Technique Wrong answer

Gray Box Test Design Technique

Experience based Test Design Technique Correct answer

MCQ 261 :

Generally which one is the least required skill of a good tester?

Being diplomatic Wrong answer

Able to write software Correct answer

Having good attention to detail

Able to be relied on

MCQ 262 :

Regression Testing is a major part of which of the life cycle?

Waterfall Model

Spirial Model

Waterfall Model Wrong answer

Iterative Model Correct answer

MCQ 263 :

When a process is expanded during levelling

data flows entering it are replaced

all data stores used by it are replaced Wrong answer

all data flows entering it must also enter the levelled DFDC Correct answer

all external entities used by it are replaced

MCQ 264 :

Which of the following statements about SRS is true

A) SRS is written by customer

B) SRS is written by developer

C) SRS serves as a contract between customer and developer.

Only A is true

Both B and C are true

Both A and C are trueWrong answer

All are trueCorrect answer

MCQ 265 :

The attributes that can be arranged into hierarchy are called _____.

Composite attributesCorrect answer

Atomic attributesWrong answer

Derived attributes

Simple attribute

MCQ 266 :

The set of all the entities having same attributes is classified as.

Entity typeCorrect answer

Hierarchy typeWrong answer

Attribute type

Function type