



WOLLO University

Department of software engineering

Exit multiple choice questions for

Fundamental database system

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Question: 1

A collection of interrelated records is called a

- (A) Database
- (B) Spreadsheet
- (C) Management information system
- (D) Text file

[View Answer](#)

Ans: A

Database

Question: 2

The method of file organization in which data records in a file are arranged in a specified order according to key field is known as the

- (A) Sequential access method
- (B) Queuing method
- (C) Predetermined method
- (D) Direct access method

[View Answer](#)

Ans: A

Sequential access method

Question: 3

Unlike filters queries can be saved as in a database.

- (A) Database
- (B) Filters
- (C) Objects

(D) Any of the above

[View Answer](#)

Ans: C

Objects

Question: 4

External database is

(A) Database created using DBMS package

(B) Database created in MS-Word

(C) Database created in EXCEL

(D) All of the above

[View Answer](#)

Ans: A

Database created using DBMS package

Question: 5

ROLLBACK in a database is _____ statement.

(A) DDL

(B) DML

(C) DCL

(D) TCL

[View Answer](#)

Ans: D

TCL

1) DBMS stands for what

1. [Database Management System](#)
2. Database Master System
3. Database Management Structure
4. None of the above

Answer - Click Here:

1

2) Database is an organized collection of related.....

1. Data
2. Modules
3. Programs
4. None of the above

Answer - Click Here:

1

3) Before use of DBMS information was stored using _____.

1. Cloud Storage
2. Data System
3. File Management System
4. None of the above

Answer - Click Here:

3

4) Keys involved in relationship between tables is called

1. [Primary key](#)
2. Secondary key
3. Foreign key
4. A and B

Answer - Click Here:

3

5) The DBMS is the software that interacts with theand the database.

1. User's application programs
2. User's system programs
3. User's system database
4. None of the above

Answer - Click Here:

1

6) DDL stands for what

1. Database Definition Level
2. Data Definition Language
3. Data Device Latency
4. None of the above

Answer - Click Here:

2

7) DBMS helps achieve

1. [Data independence](#)
2. Centralized control of data
3. Both A and B
4. None of the above

Answer - Click Here:

3

8) An advantage of the [database management](#) approach is

1. Data is dependent on programs
2. [Data redundancy](#) increases
3. Data is integrated and can be accessed by multiple programs
4. None of the above

Answer - Click Here:

3

9) How to write the database schema?

1. HLL
2. DML
3. DDL
4. None of the above

Answer - Click Here:

3

10) Which two files are used during operation of the DBMS

1. Query languages and utilities
2. DML and query language
3. [Data dictionary](#) and transaction log
4. None of the above

Answer - Click Here:

3

Department of software engineering

Select which is not an object-based logical model

- A The infological model
- B The entity-relational model
- C The binary model
- D None of these
- E all of the above

Answer: A

Which design is both software and hardware independent

- A Conceptual
- B Physical
- C Logical
- D both a and b
- E none of these

Answer:A

The Object based data models are used to define the abstraction _____ level :

- A Only physical
- B Physical and conceptual
- C both a and b
- D Conceptual and view
- E None of the above

Answer: D

A schema is

- A Record Relationship
- B Data Elements
- C Record and files
- D Both a and b
- E All of the above

Answer: E

An abstraction concept for building composite object from their component object known as

- A Aggregation
- B Normalization
- C Generalization
- D Specialization

Answer: A

The DBMS is used for what

- A Eliminate data redundancy
- B Maintain data integrity
- C Establish relationships among different files
- D both A and B
- E All of the above

Which type of information is used by the top level managers

- A Operational information
- B Strategic information
- C Both [A] and [B]

Department of software engineering

D Technical information

E All of the above

Answer: B

Identify the package not belong DBMS

A Ingress

B Unify

C IDMS

D All are DBMS packages

Answer: D

A collection of objects that use common structure and a common behavior is known as

A Object

B Entity

C Class

D both a and b

E All of the above

Answer: C

The data dictionary tells _____ to the DBMS :

A What files are in the database

B What these files contain

C What attributes are possessed by the data

D All of the above

E none of the above

Answer: D

An relationship among students and courses is

A M:M relationship

B 1:M relationship

C 1:1 relationship

D None of these

Answer: A

The Database has all of the mention below components except

A users

B database administrator

C database

D separate files

E none of the above

Answer: D

The key used for cost-effective data input is

A employee motivation

B validity checks

C validation

D OCR equipment

E All of the above

Answer: A

Complex entities can be formed by the following operation :

- A SUM
- B Union
- C Collection
- D Aggregation
- E Both A and C

Answer: D

Which is belong to metadata :

- A Data dictionary
- B Table
- C E-R diagram
- D View of a database
- E none of the above

Answer: A

Periodically adding, changing and deleting file records is known as

- A Renewing
- B Upgrading
- C Restructuring
- D Updating
- E both a and b

Answer: Option D

The Primitive operations usuallu to all record management systems is

- A Look-up
- B Sort
- C Print
- D All of the above
- E none of these

Answer : A

Administrative supervision of database are the responsibility _____?

- A DP Administrator
- B DP Manager
- C DB Manager
- D Database administrator
- E none of these

Answer : D

1) DCL stands for

1. Data Control Language
2. Data Console Language
3. Data Control Level
4. Data Console Level

Answer - Click Here:

1

2) A is used to define overall design of the database

1. Schema
2. Application program
3. Data definition language
4. None of the above

Answer - Click Here:

1

3) database is used as template for all databases created.

1. Master
2. Model
3. Temp DB
4. None of the above

Answer - Click Here:

1

4) Which of the following is/are the DDL statements?

1. Create
2. Drop
3. Alter
4. All of the above

Answer - Click Here:

4

5) The database environment has all of the following components except.

1. Users
2. Database
3. Database Administration
4. Separate files

Answer - Click Here:

1

6) Related fields in a database are grouped to form a

1. Data file
2. Data record
3. Menu
4. None of the above

Answer - Click Here:

2

7) The way a particular application views the data from the database that the application uses is

1. Module
2. Relational model
3. Schema
4. Sub Schema

Answer - Click Here:

4

8) A shared collection of logically related data.

1. Data Base
2. Mark Sheet
3. Result
4. Record

Answer - Click Here:

4

9) The Description of the Data is known as.

1. System Catalog
2. File
3. Dictionary
4. Tech

Answer - Click Here:

1

10) A software system that enables users to define, create, maintain, and control Access to the database.

1. Database Management System
2. Data Management
3. Filing system
4. Record

Answer - Click Here:

1

11. Which of the following is a physical storage media?

- a) Tape Storage
- b) Optical Storage
- c) a and b
- d) RAM

Answer - Click Here:

C

12. The time for repositioning the arm is called ____ and it increases with the distance that the arm must move.

- a) Access time
- b) Seek time
- c) Average seek time
- d) Burst time

Answer - Click Here:

B

13. In Flash memory, the erase operation can be performed on a number of pages, called an _____ at once, and takes about 1 to 2 milliseconds.

- a) Delete block
- b) Read block
- c) Flash block
- d) Erase block

Answer - Click Here:

D

14. A major goal of the database system is to minimize the number of block transfers between the disk and memory. This can be achieved by which of the followings;

- a) Secondary storage
- b) Catalog
- c) Storage
- d) Buffer

Answer - Click Here:

D

15. Which of the following is the smallest unit of allocation in an Oracle database?

- a) Database
- b) Database Block
- c) Tablespace
- d) Instance

Answer - Click Here:

B

16. The time factor when determining the efficiency of an algorithm is measured by

- a) Counting microseconds
- b) Counting the number of statements
- c) Counting the number of key operations
- d) Counting the kilobytes of algorithm

Answer - Click Here:

C

17. Which of the following fixed [database roles](#) can add or remove user IDs?

- a) db_setupadmin
- b) db_securityadmin
- c) db_accessadmin
- d) db_sysadmin

Answer - Click Here:

C

Which data model which define how the data is actually stored is

- A logical model
- B external model
- C internal model
- D none of these
- E All of these

Answer: C

Data about data is called

- A directory
- B data bank
- C both a and b
- D none of the above
- E meta data

Answer: D

which scheme is for hierarchical database

- A a B-tree
- B a graph
- C a tree
- D both a and b
- E none of the above

Answer: C

Select the example of network database

- A IDMS
- B Ingress
- C Unify
- D both a and b
- E None of the above

Answer: A

Select valid record-based data model

- A Object-oriented model
- B object related model
- C Entity-relationship model
- D both a nad b
- E Relational mode

Answer: B

SET concept used in _____?

- A Relational model
- B Hierarchical model

- C Network model
- D both a and b
- E None of the above

Answer: C

A view of database that appears to an application program is called:

- A schema
- B low schema
- C virtual table
- D both a and b
- E subschema

Answer: D

Select the DBMS, which provide supports full-fledged client server application development

- A dBASEIV
- B Ingress
- C FoxPro 2.1
- D Oracle 7.1
- E none of the above

Answer: D

In database a top-to-bottom relationship between the items is formed by a

- A Relational schema
- B Network schema
- C Hierarchical schema
- D All of the above
- E none of these

Answer: C

Which level of data abstraction which define how the data is actually stored is

- A conceptual level
- B file level
- C physical level
- D none of these
- E all of the above

Answer: Option C

group of information stored in a database at a specific moment is

- A instance
- B schema
- C view
- D both a and b
- E None of the above

Answer: A

The user query syntax is varified by

- A query optimizer
- B parser
- C DBA
- D DBMS
- E None of the above

Department of software engineering

Answer: B

Which statement is correct about data model:

- A Set of basic operations on the database
- B Used to describe structure of a database
- C Both A and B
- D All of the above
- E None of these

Answer: C

In a hierarchical database, a hashing function is used for location_____?:

- A Primary key
- B Collisions
- C Root
- D Duplicate records
- E all of the above

Answer: C

DBA abbreviated as Database Administrator

- A Data Bank Access
- B Database Access
- C Data Bank Administration
- D Database Administrator
- E none of the above

Answer: Option A

identify properties of entities

- A Attributes
- B Table
- C Groups
- D Switchboards
- E all of the aabove

Answer: A

DBMS will act as between the users and the database

- A barrier
- B obstacle
- C referee
- D interface
- E none of the above

Answer: D

Select object that not belong to database

- A cursor
- B sequence
- C index
- D trigger
- E all of the above

Answer: A

Set 4

1: SQL is a ...

- a. [Non-Procedural Language](#)
- b- Procedural Language

Answer - Click Here:

A

2: Oracle Corporation started in

- a. 1950
- b-1970
- c-1990
- d-1980

Answer - Click Here:

B

3: SQL is the and, so far, only standard database language to gain wide acceptance.

- a- fourth
- b-second
- c-third
- d- first

Answer - Click Here:

D

4: SQL is used in other standards and even influences the development of other standards as a tool.

- a. addition
- b- definitional
- c-deletion
- d- explanation

Answer - Click Here:

B

5: SQL allows the table produced as the result of thestatement to contain duplicate rows

- a-DELETE
- b-ADD
- c- SELECT

Answer - Click Here:

C

6: An SQL statement consists of

- a- functions
- b- reserved words
- c-counting
- d- alphabats

7: The use of parentheses is always recommended in order to.... any possible ambiguities.

- a- increase
- b- Overcome
- c- compare

Answer - Click Here:

B

8: COUNT – returns the in a specified column

- a- Product
- b-sum
- c- number of values
- d- average

Answer - Click Here:

C

9: SUM – returns the of the values in a specified column

- a- sum
- b-number
- c-average
- d-smallest

Answer - Click Here:

A

10: AVG – returns the of the values in a specified column

- a- smallest
- b- average
- c-sum
- d- number

Answer - Click Here:

B

- Which was the first commercial DBMS that support SQL_____

1. ORACLE
2. XAmp
3. Maya
4. MS office

Answer - Click Here:

1

- When concepts of relational database technology were articulated_____

1. 1980
2. 1970
3. 1998
4. 1965

Answer - Click Here:

2

- Which command are consider core command of sql

1. Data manipulation language
2. Data definition language
3. Data reduce language
4. Data control language

Answer - Click Here:

1

- Which key is must to generate in each table_____

1. [Primary key](#)
2. Candidate key
3. Foreign key
4. Select key

Answer - Click Here:

1

- Which will be best [query for deleting](#) row from the table_____

1. DELETE FROM TABLE _NAME WHERE CUSTOMER-STATE=" ";
2. DELETE WHERE CUSTOMER-STATE=" ";
3. DELETE TABLE _NAME WHERE CUSTOMER-STATE=" ";

Department of software engineering

4. DELETE FROM CUSTOMER WHERE CUSTOMER-=’’ ’’;

Answer - Click Here:

4

- Which will be three clauses to retrieval statement_____

1. Select, from, where
2. Select, delete, where
3. Select, insert, where
4. Select, update, where

Answer - Click Here:

1

- In SELECT query we used * sign what is the purpose of this sign_____

1. To indicate all columns
2. To indicate all rows
3. To indicate single row
4. To indicate single column.

Answer - Click Here:

2

Multiple Choice Questions

Set 8

- What is the comparison operator in the SQL

1. ==
2. +
3. ++
4. AND or OR

Answer - Click Here:

1

- In which type of operator Venn diagram are possible to be used_____

1. Relation operator
2. Comparison operator
3. Xor or AND operator
4. Boolean

Answer - Click Here:

1

- **What is possible output of the query SELECT PRODUCT FROM PRODUCT WHERE STANDARD PRICE>199 AND STANDARD_PRICE<301_____**

1. Coffee table 980 , computer desk 350
2. Coffee table 400 , computer desk 150
3. Coffee table 900 , computer desk 250
4. Coffee table 200 , computer desk 250

Answer - Click Here:

4

- **Which type of table are not possible to maintain_____**

1. Virtual table
2. Real data
3. Real table
4. Virtual data

Answer - Click Here:

1

- **The single value returned by the previous aggregate function is called_____**

1. Vector aggregate
2. Query aggregate
3. Scalar aggregate
4. Qualifier aggregate

Answer - Click Here:

3

- **What is the purpose of the primary key_____**

1. To show uniqueness of the row/column
2. To show same things of the row/column
3. To show contract between and same attributes.
4. Both a and b

Answer - Click Here:

4

- **Application moved from machine to machine when each machine uses SQL**

Department of software engineering

1. Application portability
2. Application longevity
3. Application productivity
4. Application reduced training cost

Answer - Click Here:

1

- **Different DBMS and application programs can more easily communicate and cooperate in managing data and processing user programs are called ____**

1. Reduced dependence
2. Cross system communication
3. Productivity
4. Professionalism

Answer - Click Here:

1

- **A large pool of IS professional trained in a common language reduce retraining when hiring new employs _____**

1. Reduced training cost
2. Productivity
3. Longevity
4. System communication

Answer - Click Here:

1

- **What is FIPS stand for _____**

1. Fundamental information processing standard
2. Fetch information processing standard
3. Federal information processing standard
4. French information processing standard

Answer - Click Here:

3

- **Which key is used to relate two different table**

1. Primary key

2. Foreign key
3. Candidate key
4. Both 1 and 2

Answer - Click Here:

2

- Which type of specific word are used to enter the data in table____

1. Insert into table name
2. Save into table name
3. Enter into table name
4. Type into table name

Answer - Click Here:

1

- Which is best to make primary key from the following

1. Roll-no
2. Phone number
3. name
4. both 1 and 2

Answer - Click Here:

4

- Which is not a function in SQL_____

1. MIN
2. COUNT
3. SUM
4. $A = R^2$

Answer - Click Here:

4

- Which is not allowed in an efficient DBMS_____

1. Duplicate row
2. Duplicate column
3. Duplicate data
4. All 1,2 and 3

Answer - Click Here:

4

Department of software engineering

- **An _____ can be used to automatically fill in certain field values for a new record.**

1. Autolook up query
2. Select query
3. 3.update query

Answer - Click Here:

1

- **If we require a large number of similar changes, we can save time by using an _____.**

1. Action query
2. [update](#) query
3. [delete query](#)

Answer - Click Here:

1

- **There are _____ types of action query.**

- 1.one
2. Three
- 3.Four

Answer - Click Here:

3

- **The _____ creates a new table from all or part of the data in one or more tables.**

1. make-table
2. action query
3. Append query
4. cross-table query

Answer - Click Here:

4

- **The _____ deletes a group of records from one table**

1. Delete query
2. delete action query
3. action query

Answer - Click Here:

1

- **An _____ makes global changes to a group of records in one or more tables.**

1. Make-table action query
2. action query
3. update action query

Answer - Click Here:

3

- **We use an _____ to insert records from one or more source tables into a single target table.**

1. append action query
2. update action query
3. 3.action query

Answer - Click Here:

2

- **The _____ can be used to find records in one table that do not have related records in another table.**

- 1, Find Unmatched Query Wizard
2. Action query
3. Update query

Answer - Click Here:

1

- **The _____ can be used to determine if there are duplicate records in a table or determine which records in a table share the same value.**

1. Find Duplicates Query Wizard
2. Matched query
3. Action query

Answer - Click Here:

1

- A. xls
- B. txt
- C. mpg
- D. mdb

Department of software engineering

Answer - Click Here:

D

2. Which of the following is considered to be the object?

- A. Address
- B. Name
- C. Roll_no
- D. All of these

Answer - Click Here:

D

3. Which of the following is not the feature of DBMS?

- A. Query language
- B. Update
- C. Data dictionary
- D. Backup & recovery

Answer - Click Here:

C

B

4. Synonym problem occurs in which file

- A. Indexed files
- B. Sequential files
- C. Random files
- D. All of these

Answer - Click Here:

A

5. The name of person is used to represent

- A. File
- B. Record
- C. Field
- D. None of these

Answer - Click Here:

C

6. Arranging data in proper order is ...

- A. Classifying

- B. Data capturing
- C. Sorting
- D. Summarizing

Answer - Click Here:

C

7. Row of table represents ...

- A. File
- B. Record
- C. Field
- D. Data

Answer - Click Here:

B

8. Processed form of data is ...

- A. Object
- B. Raw data
- C. Information
- D. Article

Answer - Click Here:

C

9. Inverted tree is used in ...

- A. [Hierarchical model](#)
- B. Relational model
- C. [Network model](#)
- D. Descriptive model

Answer - Click Here:

A

10. Computerized data keeping system is ...

- A. Data system
- B. DBMS
- C. Database system
- D. None of these

Answer - Click Here:

B & C

11. Separation of data structure of database from application program is ...

- A. [Data model](#)
- B. Data structure
- C. [Data independence](#)
- D. Data integrity

Answer - Click Here:

A

12. The lost data is recovered by ...

- A. Data file
- B. Program files
- C. Backup files
- D. Master files

Answer - Click Here:

C

1. Which operator has the highest precedence?

- a) shift
- b) unary
- c) postfix
- d) equality

Answer - Click Here:

C

2. What is the default return type of a function?

- a) void
- b) char
- c) float
- d) int

Answer - Click Here:

A

3. The switch statement is also known as?

- a) selective statement
- b) choosing statement
- c) certain statement
- d) none

Answer - Click Here:

A

4. Destination statement is represented by

- a) :
- b) \$

c) @

d) &

Answer - Click Here:

A

5. Which looping process is best?

a) for

b) while

c) do-while

d) none

Answer - Click Here:

C

6. Which is method is the right method of declaring array?

a) array array[];

b) int array[];

c) int array{};

d) array;

Answer - Click Here:

A

7. How many characters are in ASCII code?

a) 256

b) 64

c) 128

d) none

Answer - Click Here:

D

8. Which one is for character type in C++?

a) wchar

b) char

c) vchar

d) both (a) & (b)

Answer - Click Here:

D

9. By default, what is the sign of character type in C++?

a) unsigned

b) implementation dependent

c) signed

d) None

Answer - Click Here:

B

10. Which operator can't be overloaded?

a) >>

b) ;

c) ?:

d) &&

Answer - Click Here:

C

11. What does cout stands for?

a) class output

b) console output

c) char output

d) none

Answer - Click Here:

B

12. Which can't be declared as static?

a) object

b) function

c) array

d) none

Answer - Click Here:

A

1. In the array, the elements are numbered from ...

a) 1 to 10

b) 1 to 10

c) 5 to 10

d) 0 to 9

Answer - Click Here:

D

2. Overloaded functions are ...

a) functions having same variables

b) many functions in the program

- c) more than one function having same name
- d) function having global variables

Answer - Click Here:

B

3. Variables declared inside the function are called as ...

- a) local variables
- b) private variables
- c) global variables
- d) external variables

Answer - Click Here:

A

4. The keyword template in c++ is used for

- a) global functions
- b) template functions
- c) default arguments function
- d) with inline functions

Answer - Click Here:

B

4. In C++, word 'register' can be only used with...

- a) local variables
- b) register variables
- c) auto variables
- d) external variables

Answer - Click Here:

A

5. The prototype of the function is a ...

- a) C++ statement
- b) C++ program
- c) C++ function
- d) C++ header file

Answer - Click Here:

A

6. A structure is ...

- a) collection of functions only
- b) collection of fields only

- c) collection of records only
- d) collection of collection of data items only

Answer - Click Here:

D

7. The syntax for structure in programming is similar to

- a) functions
- b) array
- c) class
- d) pointer

Answer - Click Here:

C

8. Which one is a keyword in programming?

- a) delete
- b) void
- c) edit
- d) all of these

Answer - Click Here:

D

9. Indirection operator is represented by ...

- a) !
- b) &&
- c) *
- d) &

Answer - Click Here:

C

10. Sequential search is also called as ...

- a) linear search
- b) binary search
- c) serial search
- d) Both (a) & (c)

Answer - Click Here:

D

11. How we access array elements?

- a) an index number
- b) resolution scope operator

c) dot operator

d) name

Answer - Click Here:

A

12. Function prototype includes

a) number and type of parameters

b) type of value

c) name of the function

d) All of these

Answer - Click Here:

D

1. Who proposed the relational model?

a) Charles Babbage

b) Bill Gates

c) Herman Hollerith

d) E.F Codd

Answer - Click Here:

d

2. Primary key must be ...

a) null

b) non null

c) constant

d) none

Answer - Click Here:

B

3. In DBMS, a relation is a ...

a) subset of the cartesian product of list of domains

b) subset of the cartesian product of list of tuple

c) subset of the cartesian product of list of attributes

d) subset of the cartesian product of list of relations

[su_spoiler title="Answer – Click Here:" class="padding: -10px;"]A[/su_spoiler]

4. Minimal superkeys are known as ...

a) candidate keys

b) attribute keys

c) domain keys

d) schema keys

Answer - Click Here:

A

5. Which of the following is not involved in DBMS?

- (a) HTML
- (b) Application Request
- (c) Data
- (d) End Users

Answer - Click Here:

(a) HTML

6. What is the degree of a relationship in model?

- a) number of participating entities
- b) number of rows and columns
- c) number of tables
- d) number of entities

Answer - Click Here:

A

7. How we organize data in hierarchical model?

- a) physical structure
- b) logical struture
- c) tree like structure
- d) none

Answer - Click Here:

C

1. Which one is a low-level language?

- a) Machine
- b) Sql
- c) C++
- d) C#
- e) Java

Answer - Click Here:

A

2. Errors of program are ...

- a) Syntax
- b) Mistakes

- c) Bugs
- d) Debugging
- e) None of these

Answer - Click Here:

C

3. C language was developed by ...

- a) John Bachus
- b) Charles Babbage
- c) Von neumann
- d) Dennis Ritchie
- e) None

Answer - Click Here:

D

4. How many bytes are occupied by ' void '?

- a) 2
- b) 4
- c) 3
- d) 5
- e) 0

Answer - Click Here:

E

5. The .exe file is created by whom?

- a) Interpreter
- b) Compiler
- c) Programmar
- d) Linker
- e) Loader

Answer - Click Here:

D

6. We can write header files between

- a) ()
- b) < >
- c) []
- d) { }
- e) None of these

Answer - Click Here:

B

7. Which on is correct ?

- a) #include{stdio.h}
- b) #include<stdio.h>
- c) #include[stdio.h]
- d) #include(stdio.h)
- e) None of these

Answer - Click Here:

B

8. Statement terminator in C is ...

- a) ,(comma)
- b) .(dot)
- c) : (colon)
- d) ; (semicolon)
- e) #

Answer - Click Here:

D

9. C language was designed for ...

- a) OS/2 operating system
- b) Solaris operating system
- c) Unix operating system
- d) Windows operating system
- e) Linux operating system

Answer - Click Here:

C

10. Which of the following symbol represents the begining of the program?

- a) #include
- b) main function
- c) preprocessor
- d) header files
- e) None

Answer - Click Here:

B

11. Programs that runs directly on computer are written in

- a) FORTRAN
- b) C
- c) C#
- d) Assembly language
- e) Machine language

Answer - Click Here:

E

12. Which one is different for different computers?

- a) Assembly language
- b) C
- c) Java
- d) BASIC
- e) PHP

Answer - Click Here:

A

1. Built-in functions are also named as ...

- a) user-defined
- b) subprograms
- c) subroutines
- d) none

Answer - Click Here:

D

2. Which statement is not true about function?

- a) it can not return any value
- b) independent program
- c) function is also referred as modules
- d) Both (a) & (c)

Answer - Click Here:

D

3. A function that does not return any thing has return type...

- a) void
- b) null
- c) float
- d) nothing

Answer - Click Here:

A

4. Prototype means ...

- a) sample
- b) model
- c) definition
- d) both (a) & (b)

Answer - Click Here:

D

5. Declaring variables inside a function are called as ...

- a) private variables
- b) external variables
- c) local variables
- d) global variables

Answer - Click Here:

C

6. We call pre-defined functions as ...

- a) subprograms
- b) built-in functions
- c) user -defined
- d) subroutines

Answer - Click Here:

B

7. Which one is the advantage of a function?

- a) re-usability
- b) eliminate duplicate code
- c) easy to understand
- d) none

Answer - Click Here:

A

8. Sub-programs in C-language are called as ...

- a) procedures
- b) functions
- c) modules
- d) methods

Answer - Click Here:

B

9. We can a function using the reference of its ...

- a) definition
- b) parameter
- c) name
- d) all of the above

Answer - Click Here:

C

10. Which of the following can't be nested?

- a) do-while statament
- b) if statement
- c) while statement
- d) user-defined functions

Answer - Click Here:

D

11. The parameters defined in the header of function are called as ...

- a) default parameters
- b) actual parameters
- c) command-line parameters
- d) formal parameters

Answer - Click Here:

D

12. The global variables are created in ...

- a) hard disc
- b) cache
- c)RAM
- d) ROM

Answer - Click Here:

C

1. The query's output is in the form of ...

- A. Macro
- B. Report
- C. Form
- D. Table

Answer - Click Here:

D

2. The row divided into columns of a table is ...

- A. Entities
- B. Fields
- C. Records
- D. None of these

Answer - Click Here:

B

3. A database may be consisted of ...

- A. Many tables
- B. At least one table
- C. Only a single table
- D. None of these

4. MS-Access is a ...

- A. Relational database management system
- B. Object-oriented management system
- C. Network database management system
- D. All of these

Answer - Click Here:

A

5. We can store actual data of the database in ...

- A. Forms
- B. Tables
- C. Queries
- D. Reports

Answer - Click Here:

B

6. Which object is used to display data ?

- A. Reports
- B. Forms
- C. Query
- D. Tables

Answer - Click Here:

A

7. Which one is the best DBMS ?

- A. MS-PowerPoint
- B. MS-Excel
- C. MS-Access
- D. MS-Word

Answer - Click Here:

C

8. MS-Access application window is ...

- A. Scrollbars
- B. Toolbars
- C. Title bars
- D. All of these

Answer - Click Here:

D

9. The records are actually a complete set of ...

- A. Designed files
- B. Distinct files
- C. Related files
- D. All of these

Answer - Click Here:

C

10. Using MS-Access, the structure of a table is created in ...

- A. Datasheet view
- B. Design view
- C. Both (a) & (b)
- D. None of these

Answer - Click Here:

B

Set 13

1. Which layer runs on the end user's computer (the *client*).

1. processing layer
2. application layer.
3. user interface layer
4. middle layer.

Answer - Click Here:

2

2. A DBMS, which stores the data required by the middle tier. This tier may run on a separate server called

1. application server.
2. database server
3. client server
4. potential server

Answer - Click Here:

B

3. A program that controls data transfer between servers and clients to provide a consistent environment, is called...

1. TP Monitor
2. Transaction routing
3. Distributed Transaction processing
4. Transaction processing system

Answer - Click Here:

1

4. A data sublanguage consists of ____ parts

1. 4
2. 3
3. 2
4. 5

Answer - Click Here:

3

5. The _____ compiler converts DDL statements into a set of tables containing metadata.

1. DDL
2. DML
3. DLL
4. DM

Answer - Click Here:

1

6. Which one is not common type of object-based data model are:

1. Entity–Relationship
2. integrity constraints
3. n Functional
4. n Object-Oriented

Answer - Click Here:

2

7. The part of a DML that involves data retrieval is called a....

1. Data manipulation language
2. Query language
3. Non-query language
4. Structure language

Answer - Click Here:

2

8. There are _____ types of record base date model...

1. 3
2. 5
3. 2
4. 4

Answer - Click Here:

1

1. A language that provides a set of operations to support the basic data manipulation operations on the data held in the database is known as.

- a) DML b) DLD
c)DLL d) DDL

Answer - Click Here:

A

2. Data manipulation operations includes the following operations:

- a) modification of data stored in the database b) insertion of new data into the database
c) deletion of data from the database d) All mentioned

Answer - Click Here:

D

3. Allows any user to inform the system that what data is actually needed and to tell that how to retrieve the data is ...?

- a) Procedural DML b) Non-procedural DML
c) Simple DML d) DDL

Answer - Click Here:

A

4. Allows the user to state that what data is needed rather than how it is to be retrieved is...

- a) Procedural DML b) Non-procedural DML

- c) Simple DML d) DDL

Answer - Click Here:

B

5. Which one is generation language from 4GL.

- a) Form generators b) Report generators
c) Graphics generators d) All mentioned

Answer - Click Here:

D

6. The definition of Data Model is...

- a) Represent the conceptual schema that can be understood by the DBMS.
b) Consisting of a set of rules for database construction.
c) Data model constraints, which ensures that the data is accurate
d) Concepts for describing and manipulating the data, relationships and constraints of data.

Answer - Click Here:

D

7. The relational data model is based on the concept of...

- a) Numerical relation b) Physical relation
c) mathematical relations d) computational relation

Answer - Click Here:

C

8. This module converts DML statements embedded in an application program into standard function calls in the host language is...

- a) DML preprocessor b) DDL compile
c) Catalog manager d) Command processor

Answer - Click Here:

A

9. There is a famous -Tier Client–Server Architecture

- a)1 b)2
c)3 d)4

Answer - Click Here:

C