



WOLLO University

Department of software engineering

Exit multiple choice question for

Software project management

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Department of software engineering

1.

Which of the following are CPU scheduling algorithms?

Priority scheduling

Round Robin

Shortest Job First

All of the above

Hide

Wrong Answer

All of the above are CPU scheduling algorithms

2.

Operating systems

Provides a layer so as to act as a user-friendly interface that enables the programmer to draw a flow chart

Links the program with subroutines

Helps to create a flow chart of the programs

All of these

Hide

Wrong Answer

OS acts as an interface between the user.

3.

A process which is copied from main memory to secondary memory on the basis of requirement is known as -

Demand paging

Paging

Threads

Segmentation

Hide

Wrong Answer

The process which is copied from main memory to secondary memory on the basis of requirement is known as demand paging.

4.

FIFO scheduling is a type of:

Pre-emptive scheduling

Non-pre-emptive scheduling.

Deadline scheduling

None of the above

Hide

Wrong Answer

FIFO is a type of non-preemptive scheduling.

5.

Which of the type of OS reads and reacts in terms of actual time?

Quick sharing OS

Time Sharing OS

Real time OS

Batch OS

Hide

Wrong Answer

RTOS

6.

A systematic procedure for moving the CPU to new process is known as-

Synchronization

Deadlock

Starvation

Context Switching

Hide

Wrong Answer

Multiple processes are run in parallel in CPU. Sometimes when a high priority process comes up, the kernel transfers control of the CPU to that process.

7.

UNIX is written in which language?

C#

Department of software engineering

C++

C

.NET

Hide

Wrong Answer

UNIX is written in C language. It was developed in 1970s at AT & T Bell laboratories.

8.

Thread is a

Light weight process

Heavy weight process

Multi-process

I/O process

Hide

Wrong Answer

A thread is the smallest unit of processing that can be performed in an OS. It is a light weight process.

9.

OS classifies the threads as-

Mainframe and motherboard level

Kernel and User level

Security and Memory level

OS and CPU level

Hide

Wrong Answer

OS classifies the threads into two types - User level thread: Implemented by user and Kernel level thread, implemented by the kernel.

10.

Among the following CPU scheduling algorithms, which of these allocated the CPU first to the process that requests the CPU first?

FCFS

SJF

Priority scheduling

None

Hide

Wrong Answer

FCFS allocates resources to the process that requests first.

11.

What are the two types of operating modes of AT?

Virtual mode, dedicated mode

Private mode, public mode

Real mode, protected mode

Direct mode, indirect mode

Hide

Wrong Answer

Two operating modes of AT are Real mode and protected mode.

12.

Which of the following schedules threads?

Virtual memory

Operating system

CPU

Input

Hide

Wrong Answer

Thread scheduling is done by OS.

13.

What is meant by ready state of a process?

When the process is scheduled to run after some execution

When the process is currently using the CPU

When the process is dependent of the execution time of some other process.

None of these

Hide

Department of software engineering

Wrong Answer

Ready state of the process means the process has all necessary resources which are required for execution of that process when CPU is allocated.

14.

Among the following, which is an example of a spooled device?

A line printer that prints the output of a number of jobs.

A terminal that inputs user data

A I/O device to display graphics.

None

Hide

Wrong Answer

A line printer that prints the output of a number of jobs is an example of a spooled device.

15.

Main memory of a computer system is?

Non-volatile

Volatile

Restricted

Unrestricted

Hide

Wrong Answer

Main memory of a computer system is volatile.

16.

For which of the following purposes in Banker's algorithm is used?

Preventing deadlock

Solving deadlock

Recover from deadlock

None

Hide

Wrong Answer

Banker's Algorithm is mainly used to prevent deadlock.

17.

Device driver required in?

Register

Main memory

Disk

Cache

Hide

Wrong Answer

A disk driver is a device driver that allows a specific disk drive to communicate with the remainder of the computer. A good example of this driver is a floppy disk driver.

18.

When are the register context and stack of thread deallocated?

when the thread terminates

when the thread blocks

when the thread unblocks

when the thread spawns

Hide

Wrong Answer

Register context and stack of thread are deallocated when the thread terminates.

19.

Threads is not shared among which of the following?

stack

program counter

both program counter and stack

none

Hide

Wrong Answer

Since each thread can have its own execution sequence/code, it must have its own stack on which it might push/pop its program counter contents. So threads of same process do not share stack and program counter.

20.

Department of software engineering

For which of the following is the jacketing technique used?

to construct a new thread

to communicate between threads

convert a blocking system call into non blocking system call

None

Hide

Wrong Answer

Jacketing technique used to convert a blocking system call into non blocking system call.

21.

For which of the following is resource sharing used?

an application having several threads of activity all within the same address space.

share the memory and resources of the process to which the threads belong

Compress the address space a process can use

all of the mentioned

Hide

Wrong Answer

Resource sharing is used for sharing memory and resources and well as compressing the address space.

22.

Many to One model is at an advantage in which of the following conditions?

When the program needs to be multi-threaded

When there is a single processor present

When the program does not need multithreading

None

Check Answer

23.

Identify the system calls that on termination does not return control to the calling point.

exec

fork

longjmp

ioctl

Hide

Correct Answer

exec is the system calls that on termination does not return control to the calling point.

24.

Consider the following program:

```
main()
```

```
{
```

```
    if(fork())>0)
```

```
sleep(100);
```

```
}
```

infinite process

orphan process

zombie process

none

Hide

Wrong Answer

A zombie process or defunct process is a process that has completed execution (via the exit system call) but still has an entry in the process table: it is a process in the "Terminated state".

25.

The output of the following C program is?

```
int main(){
```

```
    fork();
```

```
    fork();
```

```
    printf("code ");
```

```
}
```

code code code code

code code code

code code

code

Hide

Department of software engineering

Wrong Answer

First fork() is going to create a child process, which is going to execute the next instruction i.e 2nd fork() and parent process also going to execute 2nd fork.

So now 2 more processes will be created. So in the system now there are 4 processes and they are going to execute printf statements. so total number, of code will be 4

Therefore, total number of times code will be printed = 4

26.

Identify the call which never returns an error?

fork

getpid

ioctl

open

Hide

Wrong Answer

The call getpid never returns an error.

27.

What of the following defines Thread cancellation?

The process of terminating a thread process before its execution

The process of removing a thread after its work is executed

The process of destroying the thread after its work is executed

none

Hide

Wrong Answer

Thread cancellation means the process terminating a thread process before its execution.

28.

When a thread terminates some target thread immediately, it is known as?

Immediate Termination

Asynchronous termination

Synchronous termination

Deferred cancellation

Hide

Wrong Answer

When a thread terminates some target thread immediately, it is known as Asynchronous termination.

29.

Signals of some given type are

sent together

queued

stacked

none

Hide

Wrong Answer

Signals of the same type are sent together.

30.

Which of the following commands in UNIX is used to send a signal?

send

kill

sigsend

none

Check Answer

31.

The speed of writing data in magnetic tape disks is comparable to that of disk drives. State True/False

True

False

Both, depends on the data

None

Hide

Wrong Answer

The statement is true. The speed of writing data in magnetic tape disks is comparable to that of disk drives.

32.

What else is a command interpreter called?

prompt
kernel
command

shell

Hide

Wrong Answer

A command interpreter is also called shell.

33.

Select the correct definition of spooling.

Spooling is a type of fast memory

Spooling holds a single copy of data

Spooling holds copy of all data in the system

none

Hide

Wrong Answer

Spooling holds a single copy of data.

34.

Which of the following is the only state transition that is initiated by the user process itself?

dispatch

wakeup

block

none

Hide

Wrong Answer

The only state transition that is initiated by the user process itself is block. Whenever a user process initiates an I/O request it goes into block state unless and until the I/O request is not completed.

35.

Identify the two steps of a process execution.

CPU & I/O Burst

I/O & OS Burst

Memory & I/O Burst

CPU and Memory burst

Hide

Wrong Answer

The two steps of a process execution are CPU and I/O burst.

36.

Why is CPU scheduling done?

decrease CPU utilisation

decrease cost

increase CPU utilisation

None

Hide

Wrong Answer

CPU scheduling is done to increase the CPU utilisation, so that many process can complete their execution without having to wait for too long.

37.

The most optimal CPU scheduling algorithm is _____

Shortest Job First

First Come First Serve

Round robin

None

Hide

Wrong Answer

SJF is optimal, in that for a given set of processes and their CPU bursts/execution times it gives the least average waiting time for each process.

38.

How many minimum variables is/are required to share between processes, so as to solve the critical section problem?

one

two

three

four

Hide

Wrong Answer

It is a program element that wants to access the collective variables and needs to be sorted out as a nuclear operation. It implies the one process has to perform its essential section in a group of communicating systems at that particular time.

39.

Which of the following is known as uninterruptible unit?

single

static

atomic

none of the mentioned

Hide

Wrong Answer

Atomic is known as uninterruptible unit. That is, whenever a process starts executes, it doesn't terminate or context switch until its complete execution.

40.

Semaphore is a __ and it helps to solve the problem of __?

atomic, critical section

integer variable, memory error

integer variable, critical section

atomic, memory error

Hide

Wrong Answer

Semaphore is an integer variable and it helps to solve problems of critical sections.

41.

Which of the following are two types of atomic operations performed by semaphores?

wait, signal

wait, stop

signal, stop

signal, wait

Hide

Wrong Answer

Semaphore mainly helps in performing wait and signal operations.

42.

The two types of semaphores are-

Counting and decimal semaphore

Counting and binary semaphore

Counting and mutex

None

Hide

Wrong Answer

There are two types of semaphores- Binary and Counting semaphores.

43.

A binary semaphore has a value of

0

1

-1

2

Hide

Wrong Answer

A binary semaphore is initialised with value 1.

44.

The release and request of resources are a type of which of the following?

system calls

I/O interrupts

command lines

None

Hide

Department of software engineering

Wrong Answer

The release and request of resources are a type system calls.

45.

Is mutual exclusion required for shareable resources?

Yes

No

Maybe

None

Hide

Wrong Answer

Mutual exclusion is not required for shareable resources.

46.

Unsafe states are?

Not deadlocks

Deadlocks

Livelock

None

Hide

Wrong Answer

Unsafe states are not always deadlocks. There might be cases, where unsafe states may lead to deadlocks, but in general, it cannot be classified as deadlocks.

47.

When can the binding of instructions and data to memory addresses be done?

Load time

Compile time

Execution time

All of the above

Hide

Wrong Answer

Binding of instructions and data to memory addresses be done at compile time, run time as well as execution time too.

48.

Which of the following is also known as the base register?

Relocation register

Regular register

Delocation register

Basic register

Hide

Wrong Answer

The Relocation register is also known as the base register.

49.

Which of the following is not an operating system?

Linux

DOS

Oracle

Windows

Hide

Wrong Answer

Oracle is not an operating system. It is a relational data base management system, also known as Oracle Database.

50.

Which of the following is a single user operating system?

Windows

Ms-DOS

MAC

None

Hide

Wrong Answer

Ms-DOS is a single user operating system.

51.

Department of software engineering

To access the services of operating system the interface is provided by the?

System Calls

API

Library

Assembly Instructions

Hide

Wrong Answer

To access the services of operating system the interface is provided by the System Calls. Open, Close, Read, Write are some of most prominently used system calls.

52.

The size of virtual memory is based on which of the following?

CPU

Address Bus

RAM

Data Bus

Hide

Wrong Answer

The size of virtual memory is based on Address Bus.

53.

Which of the following is an example of a real-time operating system?

Process Control

MS DOS

WIndows XP

Lynx

Hide

Wrong Answer

Process Control is not RTOS since processing time requirements (including any OS delay) are measured in tenths of seconds or shorter increments of time.

1. Algorithm of splitting m frames into n processes for giving equal share the m/n frames is known as :

- A. split allocation algorithm
- B. equal allocation algorithm
- C. proportional allocation algorithm
- D. none of these
- E. All of the above

Answer - Click Here:

B

2. The layer between the hardware and the user program is

- A. Operating environment
- B. System environment
- C. Operating system
- D. None
- E. All of the above

Answer - Click Here:

C

3. Which of the following is the main function of the command interpreter?

- A. to [handle the files](#) in the operating system
- B. to provide the interface between the API and application program
- C. to get and execute the next user-specified command

Department of software engineering

- D. none of the above
- E. All of the above

Answer - Click Here:

C

4. Allocation of memory to each process according to its size is known as :

- A. proportional allocation algorithm
- B. split allocation algorithm
- C. equal allocation algorithm
- D. none of the above
- E. All of the above

Answer - Click Here:

A

5. _____ is built directly on the hardware.

- A. Computer Environment
- B. [Application Software](#)
- C. [Database System](#)
- D. Operating System
- E. None

Answer - Click Here:

D

6. The resource management can be done in an operating system via

- A. space division multiplexing
- B. both time and space division multiplexing
- C. time division multiplexing
- D. none
- E. All of the above

Answer - Click Here:

B

7. A high priority process is treated _____ a low priority process, With either equal or proportional algorithm.

- A. lesser than
- B. greater than
- C. same as
- D. none
- E. All of the above

Answer - Click Here:

C

8. _____ Operating System does not implement multitasking.

- A. Windows XP
- B. Windows NT
- C. Windows 98
- D. MS DOS
- E. None

Answer - Click Here:

D

9. When a process fails, most OS write the error information to a _____

- a) new file
- b) another running process
- c) log file
- d) none
- E. All of the above

Answer - Click Here:

A

10. Which replacement allows a process to select a replacement frame from the set of all frames, even if the frame is currently allocated to some other process?

- a) Local
- b) Global
- c) Universal
- d) Localx

Answer - Click Here:

B

11. A platform for other software to run on is called _____

- A. Operating System
- B. System Software
- C. Application Software
- D. All
- E. None

Answer - Click Here:

A

12. _____ facility, both in user processes and in the kernel, dynamically adds probes to a running system.

- A. DLocate
- B. DAdd
- C. DMap
- D. DTrace
- E. None

Answer - Click Here:

D

Set 2

operating system is _____?

- A. link that is to interface the hardware and application programs
- B. Both A & B
- C. collection of programs that manages hardware resources
- D. all of the mentioned
- E. system service provider to the application programs

Answer - Click Here:

D

The interface to access the services of the operating system is provided by _____

- A. Assembly instructions

Department of software engineering

- B. API
- C. Library
- D. [System calls](#)
- E. Both A & C
- F. None of these

Answer - Click Here:

D

Which one is not true from the following?

- A. kernel is made of various modules which can not be loaded in running operating system
- B. During booting, the kernel [is the first part of the operating system to load into memory](#)
- C. kernel is the program that constitutes the central core of the operating system
- D. During the entire computer session kernel remains in the memory
- E. Both A & B
- F. None of these

Answer - Click Here:

A

By the operating system which one error will be handled from the following?

- A. connection failure in the network
- B. power failure
- C. all of the mentioned
- D. lack of paper in the printer
- E. Both A & B
- F. None of these

Answer - Click Here:

C

The command interpreter in The main function is _____

- A. to [handle the files](#) in the operating system
- B. to get and execute the next user-specified command
- C. to provide the interface between the API and application program
- D. none of the mentioned
- E. both A & B

Answer - Click Here:

C

The [resource management](#) can be done by operating system via _____

- A. both time and space division multiplexing
- B. space division multiplexing
- C. time-division multiplexing
- D. none of the mentioned
- E. Both A & B

Answer - Click Here:

A

In the most operating system if a process fails it write the error information to a?

- A. new file
- B. another running process

Department of software engineering

- C. log file
- B. none of the mentioned
- E. Both C & A

Answer - Click Here:

C

In both user processes and in the kernel which facility dynamically adds probes to a running system?

- A. DMap
- B. DLocate
- C. Both A & B
- D. DTrace
- E. DAdd
- F. None of these

Answer - Click Here:

D

Which one is not a [real-time operating system](#) from the following?

- A. Palm OS
- B. Windows CE
- C. VxWorks
- D. RTLinux
- E. Both A & C
- F. None of these

Answer - Click Here:

A

10. _____ OS X has?

- A. monolithic kernel with modules
- B. microkernel
- C. hybrid kernel
- D. monolithic kernel
- E. Both B & D
- F. None of these

Answer - Click Here:

C

The [systems that allow only one process](#) execution at a time is _____

- A. unitasking systems
- B. uniprogramming systems
- C. uniprocessing systems
- D. Both A & C
- E. none of the mentioned

Answer - Click Here:

C

Each process has its own _____ In the operating system

- A. open files
- B. pending alarms, signals and signal handlers
- C. Both A & B

Department of software engineering

- D. [address space](#) and global variables
- E. all of the mentioned
- F. None of these

Answer - Click Here:

E

The [new process](#) In Unix created by which system call?

- A. create
- B. new
- C. fork
- D. none of the mentioned
- E. Both B & C

Answer - Click Here:

C

[Termination of a process](#) can be due to?

- A. fatal error
- B. killed by another process
- C. normal exit
- D. Both B & C
- E. all of the mentioned above
- F. None of these

Answer - Click Here:

E

The ready [state of a process](#) is _____?

- A. when a process is using the CPU
- B. when a [process is scheduled](#) to run after some execution
- C., when a process is unable to run until some task, has been completed
- D. Both A & C
- E. none of the mentioned

Interprocess communication is ____?

- A. communication between two process
- B. communication between two threads of the same process
- C. communication within the process
- D. none of the mentioned
- E. Both A & C

Answer - Click Here:

A

Processes is deadlock if _____

- A. all processes are trying to kill each other
- B. each process is terminated
- C. each process is blocked and will remain so forever
- D. Both A & B
- E. none of the mentioned

Answer - Click Here:

C

Which of the following a process stack does not contain

- A. Local variables
- B. Function parameters
- C. Both A & B
- D. Return addresses
- E. PID of a child process
- F. None of these

Answer - Click Here:

E

Of a terminated child which [system call](#) returns the process identifier?

- A. exit
- B. Both B & D
- C. fork
- D. wait
- E. get
- F. None of these

Answer - Click Here:

D

_____ will provide the address of the next instruction that is to be executed by the current process

- A. Program counter
- B. CPU registers
- C. Both A & B
- D. Process stack
- E. Pipe
- F. None of these

Answer - Click Here:

A

_____ of the following a Process Control Block(PCB) does not contain:

- A. Stack
- B. Code
- C. Both B & D
- D. Bootstrap program
- E. Data
- F. None of these

Answer - Click Here:

D

15. The number of processes completed per unit time is called _____

- A. Capacity
- B. Output
- c. Both A & B
- D. Throughput
- e. Efficiency
- F. None of these

Answer - Click Here:

D

Answer: d

The [state of a process](#) is _____:

- A. the current activity of the process
- B. the final activity of the process
- C. the activity just executed by the process
- D. Both A & D
- E. the activity to next be executed by the process
- F. None of these

Answer - Click Here:

D

Which is not the state of a process of the following?

- A. New
- B. Waiting
- C. Both A & B
- D. Old
- E. Running
- F. None of these

Answer - Click Here:

D

_____ is the Process Control Block :

- A. [Data Structure](#)
- B. Process type variable
- C. Both A & B
- D. A secondary storage section
- E. A Block in memory
- F. None of these

Answer - Click Here:

A

In the current processes the entry of all the PCBs are in _____

- A. Program Counter
- B. Process Register
- C. Both A & D
- D. Process Unit
- E. Process Table
- F. None of these

Answer - Click Here:

E

_____ is the degree of multiprogramming?

- A. the number of processes in memory
- B. the number of processes in the I/O queue
- C. the number of [processes executed](#) per unit time
- D. Both A & D
- E. the number of processes in the ready queue
- F. None of these

Answer - Click Here:

B

Allows _____ process to perform a single thread of control

- A. multiple tasks at a time
- B. only two tasks at a time
- C. Both A & B
- D. only one task at a time
- E. all of the mentioned
- F. None of these

Answer - Click Here:

D

_____ is the objective of multiprogramming?

- A. Have multiple programs waiting in a queue ready to run
- B. Have some process running at all times
- C. Both A & D
- D. To minimize CPU utilization
- E. None of the mentioned

Answer - Click Here:

B

_____ do not belong to queues for processes of the following?

- A. Job Queue
- B. Device Queue
- C. Both D & E
- D. PCB queue
- E. Ready Queue
- F. None of these

Answer - Click Here:

D

_____ I/O request when the process issues?

- A. It is placed in the Job queue
- B. It is placed in a waiting queue
- C. Both A & D
- D. It is placed in an I/O queue
- E. It is placed in the ready queue
- F. None of these

Answer - Click Here:

D

A process terminates when _____:

- A. It is removed from all, but the job queue
- B. Its process control block is never de-allocated
- C. Both B & E
- D. Its process control block is de-allocated
- E. It is removed from all queues
- F. None of these

Answer - Click Here:

E

Department of software engineering

[Long-term scheduler](#) is ____ ?

- A. It selects which process has to be executed next and allocates CPU
- B. It selects which process has to be brought into the ready queue
- C. Both A & B
- D. It selects which process to remove from memory by swapping
- E. None of the mentioned

Answer - Click Here:

B

Medium-term scheduler is ____ ?

- A. It selects which process has to be executed next and allocates CPU
- B. It selects which process has to be brought into the ready queue
- C. Both B & D
- D. It selects which process to remove from memory by swapping
- E. None of the mentioned

Answer - Click Here:

D

short-term scheduler is ____ ?

- A. It selects which process to remove from memory by swapping
- B. It selects which process has to be brought into the ready queue
- C. Both A & D
- D. It selects which process has to be executed next and allocates CPU
- E. None of the mentioned

Answer - Click Here:

D

In the short term and the long term scheduler the primary distinction between is ____ :

- A. The frequency of their execution
- B. The length of their queues
- C. The type of processes [they schedule](#)
- D. Both A & B
- F. None of the mentioned

Answer - Click Here:

A

_____ is initiated by the user process itself in the only state transition:

- A. wakeup
- B. dispatch
- C. block
- D. Both A & C
- E. none of the mentioned

Answer - Click Here:

C

In multiprogramming environment ____ :

- A. a single user can execute many programs at the same time
- B. the processor executes more than one process at a time
- C. Both B & D

Department of software engineering

- D. the programs are developed by more than one person
- E. more than one process resides in the memory

Answer - Click Here:

E

In the PCB the context of a process does not contain :

- A. memory-management information
- B. the value of the CPU registers
- C. the process state
- D. Both B & D
- E. context switch time

Answer - Click Here:

E

_____ does not interrupt a running process from the following?

- A. Timer
- B. A device
- C. Both A & E
- D. [Scheduler process](#)
- E. Power failure

Answer - Click Here:

D

in the system _____ process can be affected by other processes executing?

- A. child process
- B. cooperating process
- C. Both A & B
- D. parent process
- E. init process

Answer - Click Here:

B

Which one is a synchronization tool of the following?

- A. pipe
- B. thread
- C. socket
- D. Both B & D
- E. semaphore

Answer - Click Here:

E

Compressing and Archiving Files in UNIX MCQs

We provide the original filenames without .gz extension while checking the compression ratio using gzip -l?

- (A). True
- (B). False
- (C). Partially True

Department of software engineering

Multiple Choice Question Answer: a

The better agent than gzip is _____

- (A). bzip2
- (B). allzip
- (C). bunzip2
- (D). bzip2 and bunzip2
- (E). None of these

Multiple Choice Question Answer: d

To compress files, what do we use?

- (A). gzip
- (B). cmp
- (C). gunzip
- (D). comm
- (E). None of these

Multiple Choice Question Answer: a

Which extension is provided by gzip to the compressed filename?

- (A). .cm
- (B). .zp
- (C). .zip
- (D). .gz
- (E). None of these

Multiple Choice Question Answer: d

For decompressing files, what is used?

- (A). gunzip
- (B). GZIP
- (C). uncmp
- (D). cmp
- (E). None of these

Department of software engineering

Multiple Choice Question Answer: a

For recursive compression, what option do we use with gzip command?

- (A). -c
- (B). -r
- (C). -d
- (D). -l
- (E). None of these

Multiple Choice Question Answer: b

Multiple filenames can be provided by us as the arguments to gunzip.

- (A). True
- (B). False
- (C). Partially True

Multiple Choice Question Answer: a

By using gzip, files can't be uncompressed.

- (A). True
- (B). False
- (C). Partially True

Multiple Choice Question Answer: b

Which option do we use with gzip command for checking the compression ratio for files?

- (A). -c
- (B). -l
- (C). -e
- (D). -x
- (E). None of these

Multiple Choice Question Answer: b

An archival program is_____

- (A). tar
- (B). archive
- (C). ar
- (D). arch
- (E). None of these

Multiple Choice Question Answer: a

1. Which of the following decided the minimum number of frames be allocated to a process?

- A. operating System
- B. the amount of available physical memory
- C. instruction set architecture
- D. none of the above
- E. All of the above

Answer - Click Here:

C

2. Which implementation is used to separate mechanism from the policy in the [operating system](#)?

- A. Two level implementation
- B. Multi level implementation
- C. Single level implementation
- D. None
- E. All of the above

Answer - Click Here:

A

3. _____ is called [operating system](#)?

- A. link to interface the hardware and application programs
- B. collection of programs that manages hardware resources
- C. system service provider to the application programs
- D. None
- E. all of the above

Answer - Click Here:

E

4. When a page fault occurs before an executing instruction is complete?

- A. the instruction must be restarted
- B. the instruction must be completed ignoring the [page fault](#)
- C. the instruction must be ignored

Department of software engineering

- D. none of these
- E. All of the above

Answer - Click Here:

A

5. _____ is created by the operating system from the physical computer.
- A. Virtual device
 - B. Virtual computers
 - C. Virtual space
 - D. None
 - E. All of the above

Answer - Click Here:

B

6. Who provides an interface to access the services of the operating system?
- A. Assembly instructions
 - B. Library
 - C. API
 - D. [System calls](#)
 - E. None

Answer - Click Here:

D

7. Suppose a machine in which all memory reference instructions have only one memory address, How many frame(s) do we need?
- A. three
 - B. two
 - C. one
 - D. none

Answer - Click Here:

B

8. Which of them shares characteristics with both hardware and software?
- A. Operating system
 - B. Data
 - C. Software
 - D. None
 - E. All of the above

Answer - Click Here:

A

Department of software engineering

9. Which one is False?

- A. kernel is the program that constitutes the central core of the operating system
- B. kernel is made of various modules which can not be loaded in running operating system
- C. kernel is the first part of the operating system to load into memory during booting
- D. kernel remains in the memory during the entire computer session

Answer - Click Here:

B

10. The maximum number of frames in a process is defined by :

- A. operating System
- B. instruction set architecture
- C. the amount of available physical memory
- D. none of the above
- E. All of the above

Answer - Click Here:

C

11. Multi programming systems _____.

- A. Execute each job faster
- B. Are used only one large [mainframe computers](#).
- C. Execute more jobs in the same time period
- D. Are easier to develop than single programming systems

Answer - Click Here:

C

12. _____ error will be [handle](#) by the operating system.

- A. power failure
- B. connection failure in the network
- C. lack of paper in printer
- D. all of the above

Answer - Click Here:

D

1. In which replacement each process only select from its own set of allocated frames?

- A. Global
- B. Universal
- C. Public
- D. Local
- E. None

Answer - Click Here:

D

2. What is the basic [objective of an operating system](#) is?

- A. To make the most efficient use of the computer hardware
- B. To keep systems programmers employed
- C. To allow people to use the computer
- D. To make computers easier to use
- E. None

Answer - Click Here:

A

3. _____ is not a [real time operating system](#).

- A. VxWorks
- B. Palm OS
- C. RTLinux
- D. Windows CE

Answer - Click Here:

A

4. the global [replacement algorithm](#) has a problem that is :

- A. many frames can be allocated to a process
- B. it is very expensive
- C. it is very expensive
- D. a [process cannot control](#) its own page – fault rate

Answer - Click Here:

D

5. Inter process communication allows the process to :

- A. communicate and synchronize their actions when using the same [address space](#)
- B. only synchronize their actions without communication
- C. communicate and synchronize their actions without using the same address space
- D. do nothing

Answer - Click Here:

C

6. The OS X has _____

- A. monolithic kernel
- B. monolithic kernel with modules
- C. micro kernel
- D. hybrid kernel
- E. No kernel

Answer - Click Here:

D

7. Which of the following replacement generally results in greater system throughput?

- A. Local
- B. Universal

- C. Public
- D. Global

Answer - Click Here:

D

- 8. Message passing system allows processes to _____.**
- A. share data
 - B. communicate with one another by resorting to shared data
 - C. communicate with one another without resorting to shared data
 - D. name the recipient or sender of the message

Answer - Click Here:

C

- 9. One process execution at a time in a system, are called _____**
- A. uni processing systems
 - B. uniprogramming systems
 - C. unitasking systems
 - D. none of the mentioned

Answer - Click Here:

A

- 10. A process is thrashing if _____.**
- A. it has no memory allocated to it
 - B. it spends a lot of time paging, than executing
 - C. it spends a lot of time executing, rather than paging
 - D. none

Answer - Click Here:

B

- 11. Which operations an IPC facility provides?**
- A. send & delete message
 - B. delete & receive message
 - C. receive & send message
 - D. write & delete message

Answer - Click Here:

C

- 12. Each process has its own _____ in operating system,**
- A. pending alarms, signals and signal handlers
 - B. address space and global variables
 - C. open files
 - D. all of the above

Answer - Click Here:

D

Department of software engineering

1. What Thrashing do with the CPU utilization?

- A. decreases
- B. increases
- C. keeps constant
- D. none

Answer - Click Here:

A

2. Which operations an IPC facility provides?

- A. write & delete message
- B. receive & send message
- C. delete & receive message
- D. send & delete message

Answer - Click Here:

B

3. Which [system call](#) creates the new process in UNIX operating system?

- A. new
- B. create
- C. fork
- D. none of the above

Answer - Click Here:

C

4. What is meant by locality?

- A. a set of pages that are actively used together
- B. an area near a set of processes
- C. a space in memory
- D. none of these

Answer - Click Here:

A

5. What is the size of the Messages sent by a process?

- A. have to be a variable size
- B. can be fixed or variable sized
- C. have to be of a fixed size
- D. None of the mentioned

Answer - Click Here:

B

6. How a [process can be terminated](#)? due to _____.

- A. killed by another process
- B. fatal error
- C. normal exit
- D. All of the above

Answer - Click Here:

D

7. When a subroutine is called, _____

- A. it does not define a new locality
- B. it is in the same locality from where it was called
- C. it defines a new locality
- D. none of the mentioned

Answer - Click Here:

C

8. What a link called when it sends and receives messages between two processes?

- A. synchronization link
- B. communication link
- C. message-passing link
- D. all of the mentioned

Answer - Click Here:

B

9. _____ is called ready state of a process,

- A. when the process is unable to run until some task has been completed
- B. when the [process is scheduled](#) to run after some execution
- C. when the [process is using the CPU](#)
- D. none of the mentioned

Answer - Click Here:

B

10. A program is composed of many different localities, which _____ overlap.

- A. must
- B. must not
- C. do not
- D. may

Answer - Click Here:

D

11. Which one is the TRUE statement for direct communication?

- A. Exactly two links exists between each pair of processes
- B. A communication link can be associated with N number of the process($N = \text{max. number of processes supported by the system}$)
- C. Exactly $N/2$ links exist between each pair of processes($N = \text{max. number of processes supported by the system}$)
- D. A communication link can be associated with exactly two processes

Answer - Click Here:

D

12. _____ is called inter process communication.

- A. communication between two [threads](#) of the same process
- B. communication within the process
- C. communication between two process
- D. none of these

Answer - Click Here:

C

1. What is the core of Linux operating system?

- a) command
- b) terminal
- c) kernel
- d) shell
- e) none of these

Answer - Click Here:

C

2. Which command is used to remove the files?

- a) delete
- b) erase
- c) dm
- d) rm
- e) none of these

Answer - Click Here:

D

3. Which of the following command is used to check Linux version?

- a) kernel
- b) uname -a
- c) uname -n
- d) uname -s
- e) none of these

Answer - Click Here:

B

4. Which command is used with vi editor to delete a single character?

- a) y
- b) z
- c) a
- d) x
- e) none of these

Answer - Click Here:

D

5. Which command is used to create [file in Linux](#)?

- a) echo
- b) touch
- c) cat
- d) none of these
- e) all the these

Answer - Click Here:

E

6. Which of the following linux operating system supports?

- a) all of the above
- b) multi User
- c) multi Process
- d) multi-Tasking
- e) none of these

Answer - Click Here:

A

7. Which service is used to translate [domain names](#) to IP addresses?

- a) DNS
- b) NFS
- c) SMB
- d) NIS
- e) none of the these

Answer - Click Here:

A

8. Which command do you use to create Linux [file systems](#)?

- a) mount
- b) mkfs
- c) fdisk
- d) fsck
- e) none of the these

Answer - Click Here:

B

9. Which is not a communication command?

- a) write
- b) mesg
- c) grep
- d) mail
- e) none of the these

Answer - Click Here:

C

10. Which command is used to display the characteristics of a process?

- a) du
- b) pid
- c) au
- d) ps
- e) none of the these

Answer - Click Here:

D

11. Which command is used to sort the lines of data in a file in alphabetical order?

- a) sort
- b) sort -r
- c) st
- d) sh
- e) none of the above

Answer - Click Here:

A

12. What server is used with the BIND package?

- a) dns
- b) named
- c) shhttp
- d) httpd
- e) none of the these

Answer - Click Here:

B

1. On Which selection the accuracy of the working set depends?

- A. working set size
- B. number of [pages in memory](#)

- C. memory size
- D. working set model

Answer - Click Here:

A

2. Which helps in indirect communication between processes P and Q?

- A. there is a mailbox to help communication between P and Q
- B. there is another process R to handle and pass on the messages between P and Q
- C. there is another machine between the two processes to help communication
- D. none of the mentioned

Answer - Click Here:

A

3. Why a set of processes become deadlock?

- A. because each [process is terminated](#)
- B. because each process is blocked and will remain so forever
- C. because all processes are trying to kill each other
- D. none of these

Answer - Click Here:

B

4. If a working set window is too small then what will happen?

- A. it will cause memory problems
- B. it may overlap several localities
- C. it will not encompass entire locality
- D. none of the mentioned

Answer - Click Here:

C

5. In the non blocking send the sending process _____

- A. keeps sending until the message is received
- B. keeps sending until it receives a message
- C. sends the message and resumes operation
- D. none of the above

Answer - Click Here:

C

6. A process stack does not contain _____

- A. PID of child process
- B. Function parameters
- C. Return addresses
- D. Local variables

Answer - Click Here:

A

7. If working set window is too large then what will happen?

- A. it will not encompass entire locality
- B. it will cause memory problems

Department of software engineering

- C. it may overlap several localities
- D. none of these

Answer - Click Here:

C

8. In the Zero capacity queue _____.

- A. the sender keeps sending and the messages don't wait in the queue
- B. the sender blocks until the receiver receives the message
- C. the queue can store at least one message
- D. none of these

Answer - Click Here:

B

9. _____ [system call](#) returns the process identifier of a terminated child.

- A. exit
- B. fork
- C. wait
- D. get

Answer - Click Here:

C

10. If the sum of the working – set sizes increases, exceeding the total number of available frames then what will happen?

- A. the system crashes
- B. then the process crashes
- C. the memory overflows
- D. the operating system selects a [process to suspend](#)

Answer - Click Here:

D

11. The Zero Capacity queue _____.

- A. is referred to as a link
- B. is referred to as a message system with no buffering
- C. is referred to as a message system with buffering
- D. none of the mentioned

Answer - Click Here:

B

12. After the execution of the current [process the address](#) of the next instruction is provided by the _____.

- A. CPU registers
- B. Pipe
- C. Program counter
- D. Process stack

Answer - Click Here:

C

1. What a virtual-memory miss is called?

- a) Hit miss
- b) Page hit
- c) Page miss
- d) Page fault

Answer

- d) Page fault

2. a process is copied into the main [memory](#) from the secondary memory

- a) Swapping
- b) Paging
- c) Segmentation
- d) [Demand paging](#)

Answer

- d) demand paging

3. process is trash

- a) it spends more time paging than executing
- b) it spends less time paging than executing
- c) [page fault](#) occurs
- d) swapping can not take place

Answer

- a) it spends more time paging than executing
- c) individual page of a process

4. in which Swap space exists

- a) cpu
- b) [primary memory](#)
- c) secondary memory
- d) none of the mentioned

Answer

- c) secondary memory

SET 2: Virtual Memory MCQs

5. When a program tries to access a page that is mapped in [address space](#) but not loaded in physical memory, then what occurs

- a) page fault occurs
- b) fatal error occurs
- c) segmentation fault occurs
- d) no error occurs

Answer

- a) page fault occurs

6. Effective access time is directly proportional to

- a) memory access time
- b) page-fault rate
- c) hit ratio
- d) none of the mentioned

Answer

- b) page fault rate

7. In [FIFO page replacement algorithm](#), when a page must be replaced what is chosen

- a) oldest page is chosen
- b) newest page is chosen
- c) median page is chosen
- d) none of the mentioned

Answer

- a) oldest page is chosen

8. whenever the [page required to be replaced](#) which algorithm chooses the page that has not been used for the longest period of time?

- a) additional reference bit algorithm
- b) [least recently used algorithm](#)
- c) counting based [page replacement](#) algorithm
- d) first in first out algorithm

Answer

- b) least recently used algorithm

SET 3: Virtual Memory MCQs

9. The pager concerns with the

- a) entire thread
- b) first page of a process
- c) individual page of a process
- d) entire process

Answer A

10. Working set model for [page replacement](#) is based on the assumption of

- a) globalization
- b) random access
- c) modularity
- d) locality

Answer

- d) locality

11. what memory is called separation of user logical memory and physical memory

- a) Memory sharing
- b) Virtual memory
- c) Memory management
- d) Memory control

Answer

- b) Virtual memory

12. Is [logical Address space](#) can be larger than physical address space?

- a) True
- b) False

Answer

- a) True

13. Virtual Memory can be implemented via?

- a) Simple division
- b) Logical paging
- c) Demand Paging
- d) Complex division

Answer

- c) Demand Paging

14. COW stands for?

- a) Convert overwrite
- b) Copy overwrite
- c) Cut overwrite
- d) Copy overwrite

View Answer

d) Copy overwrite

15. LRU stands for?

- a) Less Recently used
- b) Least Recurrently used
- c) Least Randomly used
- d)Least Recently used

Answer

b) Least Recurrently used

16. What allocation uses a proportional allocation scheme using priorities rather than size.

- a) Simple allocation
- b) File allocation
- c) Priority allocation
- d)Preference allocation

Answer

c) Priority allocation

17. Which a process selects a replacement frame from the set of all frames.

- a) Global replacement
- b) Local replacement
- c) Module replacement
- d)Block replacement

Answer

a) Global replacement

SET 4: Virtual Memory MCQs

18. Any program, no matter how small, occupies an entire partition. known as

- a) fragmentation
- b) [external fragmentation](#)
- c) internal fragmentation
- d)prior fragmentation

Answer

c) internal fragmentation

19. Which process is busy swapping pages in and out.

- a) Division
- b)External Fragmentation
- c) Thrashing
- d) Compaction

Answer

c) Thrashing

20. select the most nearest answer for one or more physically contiguous pages.

- a) Allocator
- b) Object
- c) Slab
- d) Cache

Answer

c) Slab

21.technique is implemented by magnetic disk for secondary memory is called

- a)Main memory
- b)Cache
- c)Buffer
- d)Virtual memory

Answer

d)Virtual memory

22. The memory can be shared among ,because of virtual memory

- a) threads
- b) processes
- c) instructions
- d) none of the mentioned

Answer

- b) processes