

Bahir Dar Institute of Technology

Faculty of Computing

Internet programming Exit exam

1. What two things do you need to create WebPages & view them?
A. A **text** editor and a web browser
B. A text editor and a compiler
C. A compiler and a web browser
D. All of the above
2. Where in an HTML document is the correct place to refer to an external style sheet?
A. **In** the <head> section
B. At the top of the document
C. In the <body> section
D. At the end of the document
3. HTML program can be read and rendered by _____.
A. Interpreter
B. Compiler
C. **Web** Browser
D. Server
4. Integer variable is declared using the following Syntax in JavaScript.
A. Integer num;
B. **var** num;
C. int num;
D. integer num;
5. JavaScript is interpreted by _____.
A. Server
B. **Client**
C. Object
D. None of the above
6. What CSS define in HTML?
A. How to save HTML elements
B. **How** to display HTML elements
C. How to send HTML elements
D. How to made HTML elements
7. What file extension should HTML files have?
A. **.html**
B. .web
C. .page
D. All of the above
8. What tag uses to display a picture in a webpage?
A. picture
B. image
C. **img**
D. src
9. tag makes the enclosed text bold. What is other tag to make text bold?
A. ****
B. <dar>
C. <black>
D. <emp>
10. Tags and test that are not directly displayed on the page are written in _____ section.
A. <html>
B. **<head>**
C. <title>
D. <body>

Bahir Dar Institute of Technology
Faculty of Computing
Internet programming Exit exam

11. Which tag inserts a line horizontally on a web page?

- A. `<hr>`
- B. `<line>`
- C. `<line direction="horizontal">`
- D. `<tr>`

12. What should be the first tag in any HTML document?

- A. `<head>`
- B. `<title>`
- C. `<html>`
- D. `<document>`

13. Which tag allows us to add a row in a table?

- A. `<td>` and `</td>`
- B. `<cr>` and `</cr>`
- C. `<th>` and `</th>`
- D. `<tr>` and `</tr>`

14. How can we make a bulleted list?

- A. `<list>`
- B. `<nl>`
- C. `<ul>`
- D. `<ol>`

15. How can we make a numbered list?

- A. `<dl>`
- B. `<ol>`
- C. `<list>`
- D. `<ul>`

16. How can we make an e-mail link?

- A. `<a href="xxx@yyy">`
- B. `<mail href="xxx@yyy">`
- C. `<mail>xxx@yyy</mail>`
- D. `<a href="mailto:xxx@yyy">`

17. Choose the correct HTML tag to make a text italic

- A. `<ii>`
- B. `<italics>`
- C. `<italic>`
- D. `<i>`

18. Choose the correct HTML tag to make a text bold?

- A. `<b>`
- B. `<bold>`
- C. `<bb>`
- D. `<bld>`

19. What is the correct HTML for adding a background color?

- A. `<body color="yellow">`
- B. `<body bgcolor="yellow">`
- C. `<background>yellow</background>`
- D. `<body background="yellow">`

20. Choose the correct HTML tag for the smallest size heading?

- A. `<heading>`
- B. `<h6>`
- C. `<h1>`
- D. `<head>`

21. What is the correct HTML tag for inserting a line break?

- A. `<br>`
- B. `<lb>`
- C. `<break>`
- D. `<newline>`

22. What does vlink attribute mean?

Bahir Dar Institute of Technology

Faculty of Computing

Internet programming Exit exam

- A. **visited** link
B. virtual link
C. very good link
D. active link
23. Which attribute is used to name an element uniquely?
A. class
B. **id**
C. dot
D. all of above
24. Which tag creates a check box for a form in HTML?
A. <checkbox>
B. <**input** type="checkbox">
C. <input=checkbox>
D. <input checkbox>
25. To create a combo box (drop down box) which tag will we use?
A. <**select**>
B. <list>
C. <input type="dropdown">
D. all of above
26. To create HTML document we require a
A. web page editing software
B. high powered computer
C. just a **notepad** can be used
D. none of above
27. The special formatting codes in HTML document used to present content are
A. tags
B. attributes
C. values
D. **none** of above
28. HTML documents are saved in
A. special binary format
B. machine language codes
C. **ascii** text
D. none of above
29. Some tags enclose the text. Those tags are known as
A. couple tags
B. single tags
C. double tags
D. **pair** tags
30. The _____ character tells browsers to stop tagging the text
A. ?
B. /
C. **>**
D. %
31. In HTML document the tags
A. should be written in upper case
B. should be written in lower case
C. should be written in proper case
D. **can be written** in both uppercase or lowercase
32. Marquee is a tag in HTML to
A. mark the list of items to maintain inqueue
B. mark the text so that it is hidden in browser
C. **display** text with scrolling effect
D. none of above

Bahir Dar Institute of Technology
Faculty of Computing
Internet programming Exit exam

33. What does the hash (#) sign mean in PHP?
- A. It **indicates** lines that are commented out.
 - B. It indicates variable declaration.
 - C. It indicates function declaration.
 - D. No uses in PHP.
34. What does an HTML tag do?
- A. It **specifies** formatting and layout instructions for your web page.
 - B. It hides programming instructions from view.
 - C. It determines the organizational structure of your Web site.
 - D. It connects your web site to an operating environment.
35. PHP scripts are executed on _____
- A. ISP Computer
 - B. Client Computer
 - C. **Server** Computer
 - D. It depends on PHP scripts
36. What does the PHP Interpreter do?
- A. It translates User Language to System Language
 - B. It creates connection between ISP & Server
 - C. It **processes** the HTML and PHP files
 - D. All of these <
37. Which of the following is not the scope of Variable in PHP?
- A. Local
 - B. Global
 - C. Static
 - D. **Extern**
38. How to define a variable in PHP?
- A. \$variable_name = value
 - B. **\$variable_name** = value;
 - C. \$variable_name == value;
 - D. \$variable_name as value;
39. What is the use of *strlen()* function in PHP?
- A. It returns the type of a string
 - B. It returns the value of a string
 - C. It **returns** the length of a string
 - D. It returns the subset value of a string
40. Which of the following is the Concatenation Operator in PHP?
- A. + (Plus)
 - B. **.** (**dot**)
 - C. & (Ampersand)
 - D. % (Percentage)
41. Which of the following is not PHP Loops?

Bahir Dar Institute of Technology
Faculty of Computing
Internet programming Exit exam

- A. while
B. do while
C. for
D. **do** for
42. Which sign is used to access variable of variable in PHP?
A. **\$\$**
B. \$
C. #@
D. \$|
43. Which of following is not a Superglobals in PHP?
A. \$_SERVER
B. \$_ENV
C. \$_FILES
D. \$_**PUT**
44. _____ is used to unset a variable in PHP?
A. delete()
B. **unset()**
C. unlink()
D. delete()
45. A function in PHP which starts with __ (double underscore) is known as _____.
A. Inbuilt Function
B. Default Function
C. **Magic** Function
D. User Defined Function
46. Which of the following PHP functions accepts any number of parameters?
A. **func**_get_args()
B. func_get_argv()
C. get_argv()
D. get_argc()
47. What is the use of *strpos()* function in PHP?
A. Search for a number within a string
B. Search for a Spaces within a string
C. Search for a **character/text within** a string
D. Search for a Capitalized string/text with in a string
48. Where *setcookie()* function must appear in PHP?
A. **Before** tag
B. After tag
C. In tag
D. Anywhere
49. The uses of *strcmp()* function in PHP?
A. It **compare** strings including case
B. It compare strings excluding case
C. It compare strings only Uppercase
D. It compare strings only lowercase
50. What will be the result of combining a string with another data type in PHP?
A. int
B. float
C. **string**
D. double
51. PHP's numerically indexed array begin with position _____.
A. -1
B. **0**
C. 1
D. 2
52. Which one of the following property scopes is not supported by PHP?

- A. public
B. final
C. friendly
D. static
53. How to define a function in PHP?
A. function {function body}
B. functionName(parameters) {function body}
C. function functionName(parameters) {function body}
D. None of the above
54. Which PHP function is used to find files?
A. file()
B. fold()
C. glob()
D. None of the above
55. Which of the following variables is not a predefined variable in PHP?
A. \$get
B. \$post
C. \$request
D. \$ask
56. What does *fopen()* function do in PHP?
A. It used to open files in PHP
B. It used to open Remote Server
C. It used to open folders in PHP
D. It used to open Remote Computer
57. Where *session_start()* function must appear in PHP?
A. Anywhere
B. With <html> tag
C. After <html>tag
D. Before <html> tag
58. Which of the following is used to create a session?
A. \$_SESSION[]
B. isset() function
C. session_start() function
D. session_destroy() function
59. There are error levels are available in PHP?
A. 15
B. 16
C. 17
D. 14
60. Which function displays the information about PHP?
A. info()
B. sysinfo()
C. phpinfo()
D. php_info()
61. What does *sprintf()* function do in PHP?
A. it sends output to a variable
B. it prints the output of program
C. it sends output to a variable converting into string
D. it prints the output of program converting into string
62. What does *isset()* function do in PHP?
A. There is no such function in PHP
B. It checks whether variable is set or not

Bahir Dar Institute of Technology

Faculty of Computing

Internet programming Exit exam

- C. It checks whether variable is free or not
D. It checks whether variable is string or integer
63. Data for a cookie stored in _____ in PHP?
- A. In ISP Computer
B. In **User's** Computer
C. In Server Computer
D. It depends on PHP Coding
64. _____ is about writing procedures or functions that perform operations on the data.
- A. **procedural** programming
B. function programming
C. object oriented programming
D. class
65. A class is defined by using the _____ keyword, followed by the name of the class and a pair of curly braces ({}). All its properties and methods go inside the braces
- A. procedural programming
B. function programming
C. object oriented programming
D. **class**
66. _____ are nothing without objects! We can create multiple objects from a class
- A. procedural programming
B. function programming
C. **object** oriented programming
D. class
67. Each _____ has all the properties and methods defined in the class, but they will have different property values.
- A. **object**
B. \$this
C. instanceof
D. class
68. _____ of a class is created using the new keyword
- A. **object**
B. \$this
C. instanceof
D. class
69. The _____ keyword refers to the current object, and is only available inside methods.
- A. object
B. **\$this**
C. instanceof
D. class
70. Objects of a class is created using the _____ keyword.
- A. **new**
B. \$this
C. instanceof
D. class
71. We change the value of the \$name property? There are two ways: Inside the _____ & Outside the class.
- A. **object**
B. \$this
C. instanceof
D. class
72. You can use the _____ keyword to check if an object belongs to a specific class.
- A. object
B. \$this
C. **instanceof**
D. class
73. A _____ allows you to initialize an object's properties upon creation of the object.

- A. constructor
B. in
C. instanceof
D. class
74. If you create a _____ function, PHP will automatically call this function when you create an object from a class.
A. __Construct()
B. __Destruct()
C. oop
D. class
75. A _____ is called when the object is destructed or the script is stopped or exited.
A. constructor
B. destructor
C. oop
D. class
76. If you create a _____ function, PHP will automatically call this function at the **end** of the script.
A. __Construct()
B. __Destruct()
C. oop
D. class
77. _____ function that is automatically called when you create an object from a class, and a _____ function that is automatically called at the end of the script
A. __Construct() & __destruct()
B. __Destruct() & input()
C. oop & procedure
D. class & object
78. _____ stands for Object-Oriented Programming.
A. __Construct()
B. __Destruct()
C. OOP
D. class
79. _____ and methods can have access modifiers which control where they can be accessed
A. Properties
B. Destruct
C. OOP
D. class
80. _____ the property or method can be accessed from everywhere. This is default
A. Properties
B. public
C. protected
D. private
81. _____ the property or method can be accessed within the class and by classes derived from that class
A. Properties
B. public
C. protected
D. private
82. _____ the property or method can ONLY be accessed within the class
A. Properties
B. public
C. protected
D. private
83. _____ in OOP When a class derives from another class.
A. inheritance
B. public
C. protected
D. private

84. The _____ will inherit all the public and protected properties and methods from the parent class. In addition, it can have its own properties and methods.
- a. inheritance
 - b. child class
 - c. protected
 - d. private
85. An inherited class is defined by using the _____ keyword
- a. inheritance
 - b. public
 - c. extends
 - d. private
86. Which one of the following functions is used to determine object type?
- A. obj_type()
 - B. type()
 - C. is_a()
 - D. is_obj()
87. Which one of the following keyword is used to inherit our subclass into a super class?
- A. extends
 - B. implements
 - C. inherit
 - D. include
88. Which keyword is used to refer to properties or methods within the class itself?
- A. private
 - B. public
 - C. protected
 - D. \$this
89. Which keyword allows class members (methods and properties) to be used without needing to instantiate a new instance of the class?
- A. protected
 - B. final
 - C. static
 - D. private
90. HTTP stands for _____.
- A. Hyper text transfer protocol
 - B. hyper text mark protocol
 - C. File transfer protocol
 - D. none of these
91. To upload the file _____ array is used.
- A. \$Files
 - B. \$load
 - C. \$New
 - D. none of these
92. PHP was designed as a _____ scripting language.
- A. Sever side
 - B. client slide
 - C. c++
 - D. none of these
93. mysql_close() is use to _____ database(wamp) in php .
- A. create
 - B. close
 - C. connect
 - D. none of these
94. What type of information should you avoid including on your Web site?
- A. Links to sites of interest
 - B. Private personal information
 - C. Work and academic experience
 - D. Graphical
95. Which of the following web elements should you know about before building your web site?

Internet programming Exit exam

- A. The web audience
B. The operating environment of your ISP
C. The operating system of your visitor
D. Each **consideration** should determine your web design choices
96. When a user views a page containing a JavaScript program, which machine actually executes the script?
A. The User's **machine** running a Web browser
B. The Web server
C. A central machine that exist between web server and client's machine
D. A server dedicated for executing JavaScript code
97. `<script type="text/javascript">
x=5+"5";
Document.write(x);
</script>`
Output _____?
A. **55**
B. 10
C. 5
D. Error output
98. Which is the correct way to write a JavaScript array?
A. `var txt = new Array (1:"Ethiopia", 2:"Ghana", 3:"Nigeria");`
B. `string txt = new Array (1:"Ethiopia", 2:"Ghana", 3:"Nigeria");`
C. **var** `txt = new Array ("Ethiopia","Ghana","Nigeria");`
D. `string txt = new Array ("Ethiopia","Ghana","Nigeria"`
99. `mysql_connect ( )` takes all the parameters Except _____
A. Database host
B. Username
C. Password
D. **database** location
100. Emphasize on the following steps and determine the correct order.
1. Open a connection to MySQL server 2. Execute the sql query
3. Fetch the data from query 4. Select database 5. Close connection
A. 1,4,2,3,5
B. **4,1,2,3,5**
C. 1,5,4,2,1
D. 1,4,3,2,5

Bahir Dar Institute of Technology
Faculty of Computing
Internet programming Exit exam