



WOLLO University

Department of software engineering

Exit multiple choice questions for

Mobile application development

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Department of software engineering

1. **Android is Developed by _____.**

- (a) Apple
- (b) Microsoft
- (c) Google
- (d) Android Inc

Answer

(d) Android Inc

2. **In Android which Directory XML Layout Files are Stored.**

- (a) /asests
- (b) /src
- (c) /res/values
- (d) /res/layout

Answer

(d) /res/layout

3. **What is SDK?**

- (a) Software Development Kit
- (b) Software Design kit
- (c) Serial Development Kit
- (d) Serial Design Kit

Answer

(a) Software Development Kit

4. **Android is a _____.**

- (a) Web Browser
- (b) Web Server
- (c) An Operating System
- (d) All of above

Answer

(c) An Operating System

5. **Which of the following android is licensed?**

- (a) Apache/MIT
- (b) Source Forg
- (c) Both a and B
- (d) None

Answer

(a) Apache/MIT

6. **What are the reason for android is mainly developed?**

Department of software engineering

- (a) Mobile Devices
- (b) Servers
- (c) Laptops
- (d) Desktops

Answer

(a) Mobile Devices

7. Android is based on the following language?

- (a) Java
- (b) C++
- (c) C
- (d) None

Answer

(a) Java

8. APK Stand for _____.

- (a) Android Pakage Kit
- (b) Android Phone Kit
- (c) Android Page Kit
- (d) None of above

Answer

(a) Android Pakage Kit

9. API Stand for _____.

- (a) Application Programming Interface
- (b) Android Programming Interface
- (c) Android Page Interface
- (d) Application Page Interface

Answer

a) Application Programming Interface

10. in android studio, the callback that is called when activity interaction with user is started is

- (a) onStart
- (b) onStop
- (c) onResume
- (d) onDestory

Answer

(c) onResume

11. a type of service provided by android that shows messages and alerts to user is

- (a) Notification
- (b) Content Providers

Department of software engineering

- (c) Activity Manager
- (d) None

Answer

(a) Notification

12. Android Studio is _____.

- (a) Paid
- (b) Open Source
- (c) Both a and b
- (d) None

Answer

(b) Open Source

13. Which Programming Language Is Used For Android Application Development?

- (a) Java
- (b) Kotlin
- (c) Flutter
- (d) All of above

Answer

(d) All of above

14. Although most people's first thought when they think of Android is Google, Android is not actually owned by Google. Who owns the Android platform?

- (a) Oracle Technology
- (b) Dalvik
- (c) Open Handset Alliance
- (d) The above statement is and Android is owned by Google

Answer

(c) Open Handset Alliance

15. Android is an open source, Linux-based software stack.

- (a) True
- (b) False

Answer

(a) True

16. What is the full form of OHA?

- (a) Option Handset Area
- (b) Open Handset Alliances
- (c) Original Handset Alliances
- (d) Other Handset Alliances

Answer

(c) Original Handset Alliances

17. Which of the following methods is called in an Activity when another activity gets into the foreground?

- (a) onDestroy()
- (b) onStop()
- (c) onPause()
- (d) onExit()

Answer

(c) onPause()

18. What is not true about the AndroidManifest.xml file?

- (a) It declares the views used within the application.
- (b) It declares user permissions the application requires.
- (c) It declares hardware and software features used within the application
- (d) It declares application components

Answer

(a) It declares the views used within the application.

19. Which of the following is NOT a valid usage for Intents?

- (a) Activate a SQLite DB Connection
- (b) Activate a Broadcast receiver
- (c) Activate a Service
- (d) Activate and Activity

Answer

(a) Activate a SQLite DB Connection

20. What is the parent class of all Activity widgets?

- (a) Layout
- (b) ViewGroup
- (c) View
- (d) Widget

Answer

(c) View

21. What is an anonymous class in android?

- (a) Interface
- (b) Java Class
- (c) Manifest File
- (d) A class that does not have a name but have functionalities in it

Answer

(d) A class that does not have a name but have functionalities in it

22. When developing for the Android OS, Java byte code is compiled into what?

- (a) Java Source Code
- (b) Dalvik Application Code
- (c) Dalvik Byte Code
- (d) Source Code

Answer

(c) Dalvik Byte Code

23. Which of the following is incorrect about intents?

- (a) They can be used to start an Activity
- (b) They can be used to start database insertion
- (c) They can be used to start a service
- (d) They can be used to start a dialog-themed activity

Answer

(b) They can be used to start database insertion

24. Which of the following Android View sub-classes uses the WebKit rendering engine to display web pages?

- (a) MapView
- (b) PageView
- (c) WebView
- (d) HttpClient

Answer

(c) WebView

25. What is android view group?

- (a) Collection of views and other child views
- (b) Base class of building blocks
- (c) Layouts
- (d) None of the Above

Answer

(a) Collection of views and other child views

26. What is broadcast receiver in android?

- (a) It will react on broadcast announcements.
- (b) It will do background functionalities as services.
- (c) It will pass the data between activities.
- (d) None of the Above

Answer

(a) It will react on broadcast announcements.

27. which programming language is used for android application development?

- (a) Java,Kotline,C#
- (b) C++
- (c) Flutter
- (d) All of above

Answer

(d) All of above

28. In which directory xml layout files are stored

- (a) /assets
- (b) /src
- (c) /res/values
- (d) /res/layout

Answer

(d) /res/layout

29. in android mini activities are also known as

- (a) Adapter
- (b) Activity
- (c) Fragments
- (d) None of the above

Answer

(c) Fragments

30. how to pass the data between activities in android?

- (a) Intent
- (b) Content Provider
- (c) Broadcast receiver
- (d) None of the Above

Answer

(a) Intent

31. which of the following android component displays the part of an activity on screen?

- (a) View
- (b) Manifest
- (c) Intent
- (d) Fragment

Answer

(d) Fragment

32. which of the following method in android is used to log debug messages?

- (a) Log.d() method
- (b) Log.db() method
- (c) Log.dbg() method
- (d) None of above

Answer

(a) Log.d() method

33. which of the following is contained in the src folder?

- (a) Java Code Folder
- (b) Manifest
- (c) XML
- (d) None

Answer

(a) Java Code Folder

34. which of the following method is used to handle what happens after clicking a button?

- (a) onClick
- (b) onCreate
- (c) onSelect
- (d) None

Answer

(a) onClick

Q 1 - What is a context in android ?

A - It is an interface to store global information about an application

B - It is used to create new components.

C - Android has two contexts, those are getContext() and getApplicationContext()

D - All of Above

E - None of Above

Answer : D

Explanation

Context is used to create new components or objects like views and it is used to start activity and services. Android has two kinds of contexts and those are getContext() and getApplicationContext().

Hide Answer

Q 2 - What is android view group?

A - Collection of views and other child views

B - Base class of building blocks

C - Layouts

D - None of the Above

Answer : A

Explanation

View Group is collaborating with views and other child views, It is an invisible container and base classes for layouts.

Show Answer

Q 3 -What is ANR in android?

A - When the application is not responding ANR will occur.

B - Dialog box is called as ANR.

C - When Android forcefully kills an application, it is called ANR

D - None of the above

Answer : A

Explanation

When an Application is not responding ANR will be occur, and it will stop the process or an application

Hide Answer

Q 4 - What is the life cycle of broadcast receivers in android?

A - send intent()

B - onRecieve()

C - implicitBroadcast()

D - sendBroadcast(), sendOrderBroadcast(), and sendStickyBroadcast().

Answer : B

Explanation

Broadcast receiver has only onReceive() method. Broadcast starts from onRecieve() and control comes out from onRecieve().

Hide Answer

Q 5 -Which permissions are required to get a location in android?

A - ACCESS_FINE and ACCESS_COARSE

B - GPRS permission

C - Internet permission

D - WIFI permission.

Answer : A

Explanation

To get a location of a phone, ACCESS_FINE and ACCESS_COARSE permission in manifest file are required. Without these permissions, we can't get the location of a mobile.

Hide Answer

Q 6 - What is APK in android?

A - Android packages

B - Android pack

C - Android packaging kit

D - None of the above.

Answer : C

APK is an android packaging kit. We can pack/zip, our code in apk format to work on Android devices as an application.

Show Answer

Q 7 - What are the functionalities of HTTP Client interface in android?

A - Connection management

B - Cookies management

C - Authentication management

D - All of the above

E - None of the above

Answer : D

HTTP Client has the capabilities to manage connections, cookies and Authentication.

Hide Answer

Q 8 - What are the JSON elements in android?

A - integer, boolean

B - boolean

C - null

D - Number, string, boolean, null, array, and object

Answer : D

Json elements are Number, string, boolean, null, array, and object

Show Answer

Q 9 - How many protection levels are available in the android permission tag?

A - There are no permission tags available in android

B - Normal, kernel, application

C - Normal, dangerous, signature, and signatureOrsystem

D - None of the above

Answer : C

Department of software engineering

Android is having four levels of protection in android permission tag. They are normal, dangerous, signature, and signatureOrsystem

Hide Answer

Q 10 - How do you join two notifications in android?

A - Give same id for both notifications

B - Write notification code two times

C - It is not possible in android

C - A & B

D - A & C

Answer : E

Give same id for both notifications.

```
nm.notify(1,notification);
```

1. _____ stores the data related to the user and is relevant to GSM (Global System for Mobile communication) mobile systems as well.

1.

- A. SIM (Subscriber Identity Module)
- B. CMR (Customer- Managed Relationship)
- C. VLR (Visitor Location Register)
- D. HMR (Header Manipulation Rule)

Answer- A

2. Which type of multiplexing enables to use of the whole bandwidth simultaneously?

1.

- A. FDMA
- B. CMDA
- C. TDMA
- D. None of the above

Answer- B

3. On which of the following factor does the shape of the cell depends on the cellular network?

1.

- A. Social conditions
- B. Environmental conditions
- C. Political conditions
- D. All of the above

Answer- B

4. Which of the following techniques utilises a similar frequency in the cellular network?

1.

- A. Frequency planning
- B. Frequency hopping
- C. Frequency reuse
- D. All of these

Answer- C

5. Which of the following technology uses wireless communication mode to exchange data or transfer data between several mobiles in the short-range?

1.

- A. Bluetooth technology
- B. Ad hoc computing
- C. Mobile computing
- D. None of the mentioned

Answer- A

6. What is the prime vision of the file system?

1.

- A. To support access to data without any interruption
- B. To support efficient access to data
- C. To support transparent access to data
- D. All of these

Answer- D

7. Which of the following is/are crucial challenges for distributed systems when applied to DFS?

1.

- A. Concurrent access to the data
- B. Replication of data
- C. Migration of data
- D. All of the above

Answer- D

8. The main characteristics of CODA (Constant Data Availability) is/are _____.

1.

- A. It has the ability to give great performance through client-side continuous caching
- B. It can provide a disconnected operation for mobile computing
- C. It is available freely under a liberal licence
- D. All of the mentioned

Answer- D

9. What is/are the advantages of applying frequency reuse in mobile computing?

1.

- A. The capacity is increased remarkably
- B. A common spectrum can be allocated to the other networks as well
- C. Only a spectrum in a limited amount is needed
- D. All of the mentioned

Answer- D

10. By what other term can mobile computing environment be referred to generally?

1.

- A. Distributed computing
- B. Grid computing
- C. Both of these
- D. None of these

Answer- A

11. Which of the following statements is/are not valid for FHSS?

1.

- A. It is the abbreviation for Frequency Hopping Spread Spectrum
- B. It utilises the 82 frequency in the 2.4 GHz
- C. It is a narrowband signal
- D. All of the above

Answer- B

12. In which year was the communication in 2G launched in the market?

1.

- A. 1978
- B. 1992
- C. 1988
- D. 1984

Answer- C

13. Which of the following is/are the main uses of the padding system?

1.

- A. In making audio calls
- B. In sending numeric messages
- C. In sending alphanumeric messages
- D. All of the mentioned

Answer- D

14. For a full-duplex, which of the given statement is valid?

1.

- A. The bi-directional communication is possible
- B. The communication is only possible in one direction
- C. The communication is only possible in one direction at a particular time instant

D. None of the above is valid

Answer- A

15. _____ is transmitted with the call initiation request during a mobile call.

1.

- A. MIN
- B. SCM
- C. ESN
- D. All of the above

Answer- D

16. Which of the following term is associated with the transportation of a mobile station from one base station to the other?

1.

- A. Forward channel
- B. MIN
- C. Roamer
- D. Handoff or hand over

Answer- D

17. What is/are the functions of Personal Communications Networks (PCN)?

1.

- A. It gives the ability to make and receive calls
- B. It introduced a wireless concept for calling
- C. It supports generally calls irrespective of the location
- D. All of the above

Answer- D

18. How is the capacity of the radio enhanced in cellular?

1.

- A. By increasing the total base stations and by channel reuse

- B. By increasing the spectrum of the radio
- C. Both of these
- D. None of these

Answer- A

19. Which of the following statements support the fact that the hexagon shape is utilised for the coverage of the radio?

1.

- A. The number of cells needed when hexagon shape is used is few.
- B. The shape approximates a pattern of circular radiation
- C. It uses the maximum coverage area
- D. All of the mentioned

Answer- C

20. Which of the following is/are valid with reference to forwarding voice channels?

1.

- A. It connects mobile with PSTN (public switched telephone network)
- B. It is responsible for the transmission of the voice to the mobiles from the base station
- C. It initiates mobile calls
- D. It provides broadcasting of traffic for mobiles

Answer- C

21. The examples of wireless communications are

1.

- A. Mobiles
- B. Zigbee
- C. Wi-Fi
- D. All of the above

Answer- D

22. Which of the following is the first cellular system developer in the world?

1.

Department of software engineering

- A. NTT (Nippon Telephone and Telegraph)
- B. Qualcomm
- C. Motorola, and Bellcore
- D. None of the mentioned

Answer- A

23. _____ file system offers the same features that the Andrew File System provides.

1.

- A. ROVER
- B. CODA
- C. Both of these
- D. None of these

Answer- A

24. In mobile computing, HLR is the abbreviation of which the following?

1.

- A. Home Live Register
- B. House Live Register
- C. Home Location Register
- D. House Location Register

Answer- C

25. For the purpose of making mobile communication effective, the technique of frequency modulation was invented by _____

1.

- A. Nikola Tesla
- B. David Bohm
- C. Albert Einstein
- D. Edwin Armstrong

Answer- D

26. Which of the following are the limitations of mobile devices?

1.

- A. It consumes power very rapidly
- B. The keypad is smaller as compared to the desktop
- C. It is a constant distraction
- D. All of the above

Answer- D

27. Which of the following protocol enables access to the internet from a mobile device?

1.

- A. HTTP (Hypertext Transfer Protocol)
- B. WAP (Wireless Application Protocol)
- C. ISD (International Subscriber Dialling)
- D. TCP/IP (Transmission Control Protocol)

Answer- B

28. What does the server provides when the client sends the request in a distributed system?

1.

- A. Information
- B. Data
- C. Service
- D. None of the above

Answer- C

29. What is the basic function of the snooping TCP?

1.

- A. Flow control
- B. Congestion control
- C. To buffer the data that is in proximity to the mobile host for enabling fast local retransmission if the packet loss is the case
- D. All of the above

Answer- C

30. A 4G communication supports the data rates of _____.

1.

- A. 200 Mbps
- B. 1024 Mbps
- C. 100 Mbps
- D. 50 mbps

Answer- B

31. For the transmission purpose, which of the following code is applied because of its special characteristics?

1.

- A. CDMA (Code-Division Multiple Access)
- B. GSM (Global System for Mobile communication)
- C. GPRS (General Packet Radio Service)
- D. None of these

Answer- A

32. The packet mode data transfer service is offered by which of the following protocol?

1.

- A. TCP (Transmission Control Protocol)
- B. GSM (Global System for Mobile communication)
- C. GPRS (General Packet Radio Service)
- D. None of the mentioned

Answer- C

33. In which of the following techniques the total bandwidth is divided into the required number of channels of smaller bandwidth along with the guard spaces between the channels?

1.

- A. DSSS (Direct sequence spread spectrum)
- B. FHSS (Frequency-hopping spread spectrum)
- C. Both of these

D. None of these

Answer- A

34. In which of the following type of handover, does the handover takes place between distinct cells but within the range of similar BSC?

1.

- A. Intercell, Intra BSC handover
- B. Inter MSC handover
- C. Intercell, intra MSC handover
- D. Intracell handover

Answer- A

35. A transfer rate of how much kbit/s is possible in GPRS depending on the code?

1.

- A. 190
- B. 125
- C. 110
- D. 170

Answer- D

36. Which of the following service of GSM provides to permit transparent or non-transparent, asynchronous or synchronous transmission of the data?

1.

- A. Supplementary services
- B. Bearer services
- C. Teleservices
- D. All of the above

Answer- B

37. Which of the following layer of protocol architecture all the radio-related functions for signalling?

1.

- A. The layer 2 or LAPD (Link Access Protocol Balanced)
- B. The layer 1 or physical layer
- C. Mobility management layer
- D. Call management layer

Answer- B

38. For the purpose of encapsulating all packets destined for the UE, which tunnelling protocol is used?

1.

- A. UMTS tunnelling protocol (Universal Mobile Telecommunications System)
- B. GPRS tunnelling protocol (General Packet Radio Service)
- C. RNS tunnelling protocol (Radio Network Subsystem)
- D. PDCP tunnelling protocol (Packet Data Convergence Protocol)

Answer- B

1. Android applications signed at the time ____.

- A. before installed
- B. After installed
- C. Both A and B
- D. None of these

Answer - Click Here:

A

2. In android application Which file holds to use the internet ____.

- A. create file
- B. Manifest file
- C. system file
- D. None of these

Answer - Click Here:

B

3. Specifies the layout of android screen use ____ file.

- A. R
- B. manifest
- C. layout
- D. None of these

Answer - Click Here:

C

4. _____ contains the R.java file.

- A. src
- B. gen
- C. Both A and B
- D. None of these

Answer - Click Here:

B

5. In memory, Activity doesn't exist That is ____ state.

- A. initial
- B. running
- C. starting
- D. All of these

Answer - Click Here:

C

6. Src folder contain ____ files

- A. [Java source code](#)
- B. XML
- C. manifest
- D. None of these

Answer - Click Here:

A

7. user interface use for _____

- A. xml
- B. java
- C. c++
- D. Both A and B

Answer - Click Here:

D

8. which class store additional information?

- A. Bundle
- B. Data store
- C. Extra
- D. None of these

Answer - Click Here:

A

9. In Status data a ____ use in the android system.

- A. content provider
- B. intents
- C. network
- D. None of these

Answer - Click Here:

A

10. _____ method is used to close an activity

- A. Finish
- B. Stop
- C. Close
- D. None of these

Answer - Click Here:

A

SET 2 : Android applications MCQs – FAQ in Jobs Test

1. To use the Android menu system what method you should override?

- A. on Create Menu()
- B. on Create Options Menu()
- C. Both A & B
- D. on Menu Created()
- E. on Create Context Menu()
- F. None of these

Answer - Click Here:

B

2. Which is not an Android component of the following?

- A. Layout
- B. Service
- C. Activity
- D. Both A & C
- E. Content Provider
- F. None of these

Answer - Click Here:

B

3. _____ is the first callback method invoked by the system during an Activity life-cycle,?

- A. on Start()
- B. on Stop()
- C. Both A & B
- D. on Create()
- E. on Restore()
- F. None of these

Answer - Click Here:

D

4. What does the line of code achieve of the following?
`Intent intent = new Intent(FirstActivity.this,SecondActivity.class );`

- A. Starts an activity.
- B. Creates a hidden Intent
- C. Creates an implicit Intent
- D. Create an explicit Intent
- E. Both B & C
- F. None of These

Answer - Click Here:

A

5. Which is NOT a valid usage for Intents of the following?

- A. Activate and Activity
- B. Activate a Service
- C. Both A & B
- D. Activate a Broadcast receiver
- E. Activate an SQLite DB Connection.
- F. None of these

Answer - Click Here:

E

6. Which is not a valid Android resource file name of the following?

- A. my_layout.xml
- B. mylayout.xml
- C. myLayout.xml
- D. Both B & C
- E. mylayout1.xml
- F. None of these

Answer - Click Here:

C

7. _____ of the following is not defined as a [process state](#)?

- A. Visible
- B. Non-visible
- C. Both A & B
- D. Foreground
- E. Background
- F. None of these

Answer - Click Here:

B

8. Which folder that contains the R.java file of the following?

- A. res
- B. src

- C. Both B & D
- D. bin
- E. gen
- F. None of these

Answer - Click Here:

E

9. Which is a correct statement about an XML layout file of the following?

- A. A file that is used to draw the content of an Activity
- B. A layout PNG image file
- C. Both A & B
- D. A file that contains all application permission information
- E. A file that contains a single activity widget.
- F. None of these

Answer - Click Here:

A

10. The src folder contains _____ of the following?

- A. Image and icon files
- B. XML resource files
- C. Both A & B
- D. The application manifest file
- E. Java source code files
- F. None of these

Answer - Click Here:

E

11. _____ is the parent class of all Activity widgets?

- A. View
- B. ViewGroup
- C. Layout
- D. Both A & C
- E. Widget
- F. None of these

Answer - Click Here:

A

12. _____ is the name of the class used by Intent to store additional information?

- A. Parcelable
- B. Extra
- C. Both A & B
- D. Bundle
- E. DataStore
- F. None of these

Answer - Click Here:

D

13. _____ is not included in the Android application framework?

- A. Notification Manager
- B. Window Manager
- C. Both A & B
- D. Dialer Manager
- E. Package Manager
- F. None of these

Answer - Click Here:

D

14. Which Eclipse plugin is required to develop Android application?

- A. Android Software Development Kit
- B. J2EE
- C. Both A & B
- D. Android Development Tools
- E. [Web Development](#) Tools
- F. None of these

Answer - Click Here:

D

15. _____ of these files contains text values that you can use in your application?

- A. AndroidManifest.xml
- B. res/Text.xml
- C. res/layout/Main.xml
- D. Both B & C
- E. res/values/strings.xml
- F. None of these

Answer - Click Here:

E

16. The Android project folder “res/” contain_____?

- A. Resource files
- B. Java Activity classes
- C. Both A & B
- D. Java source code
- E. Libraries
- F. None of these

Answer - Click Here:

A

17. Which is a Java call-back method invoked when a view is clicked of the following?

- A. Detector
- B. OnTouchListener

- C. Both A & B
- D. OnClickDetector
- E. OnClickListener
- F. None of these

Answer - Click Here:

E

18. Which is not an Activity lifecycle call-back method of the following?

- A. onStart
- B. onCreate
- C. Both A & B
- D. onPause
- E. onBackPressed
- F. None of these

Answer - Click Here:

E