

Question 1

Answer saved

Marked out of

Flag question

Which one is not an architectural style?

- ☐ a. Client server
- ☒ b. UML
- ☐ c. MVC
- ☐ d. OSI layer

[Clear my choice](#)

Software Engineering

Back

Question 2

Answer saved
Marked out of
1.00
Flag question

Which of the following indicates the assurance that a product, service, or result meets the needs of the customer and other identified stakeholders?

- ☐ a. Verification
- ☒ b. Validation
- ☐ c. SWOT Analysis
- ☐ d. Variance

Clear my choice

Time left 22:53:36

Next question

1	2	3	4	5
6	7	8	9	10
11	12	13	14	15
16	17	18	19	20
21	22	23	24	25
26	27	28	29	30
31	32	33	34	35
36	37	38	39	40
41	42	43	44	45
46	47	48	49	50
51	52	53	54	55
56	57	58	59	60
61	62	63	64	65
66	67	68	69	70
71	72	73	74	75
76	77	78	79	80
81	82	83	84	85
86	87	88	89	90
91	92	93	94	95
96	97	98	99	100

Software Engineering

Security estimation is an essential component of _____ process.

- ☒ a. Risk management
- ☐ b. Software development
- ☐ c. Software design
- ☐ d. SRS design

Clear my choice

Question 4

Answer saved

Marked out of
1.00

 Flag question

The ultimate purpose of inheritance in OOP is:

- ☐ a. Data protection
- ☐ b. Resources saving
- ☐ c. Providing multiple forms for methods
- ☒ d. Code reusability

[Clear my choice](#)

[Previous question](#)





MoEEE

Model - Test Exam

Software Engineering

Back

Question 5

Not yet
answered

Marked out of
1.00

 Remove flag

The CSS property used to specify the transparency of an element is?

- ☐ a. Transparency
- ☐ b. Opacity
- ☐ c. Background
- ☐ d. Alpha

Previous question





MoEEE

Mod - Exit Exam

Exam Center:

Arba Minch University

Department:

Software Engineering

Back

Time left

Question 6

Not yet answered

Marked out of 1.00

Flag question

Which of the following specifies divergence between Dijkstra's Algorithm (DA) and Uniform Cost Search (UCS) algorithms?

- ☐ a. DA discovers nodes as they come while UCS first collects them in a Queue
- ☐ b. UCS finds the optimal solution while DA
- ☐ c. DA first collects them into a Queue but UCS discover them as they come
- ☐ d. DA is optimal, but not UCS

Previous question

Next question





MoEEE

Mod - Exit Exam

Back

Time left 2:22:44

Question 7

Not yet
answered

Marked out of
1.00

Remove flag

A software tool, such as a design editor or a program debugger, that developers and other software stakeholders use to support an activity in the software development process is

- ☐ a. CASE tools
- ☐ b. CMM
- ☐ c. BPMN
- ☐ d. CMMI

Previous question

Next question



MoEE

Mod - Exit Exam

Software Engineering

Back

Time left 2:22

Question 8

Not yet
answered

Marked out of
1.00

Flag question

Database approach supports different user groups who might have different interest in different parts of the database. This characteristic of data base describes:

- ☐ a. Multiple users
- ☐ b. Multiple views
- ☐ c. Parallel transaction
- ☐ d. Concurrent transaction

Previous question

Next question

Question 9

Not yet
answered

Marked out of
1.00

🚩 Flag question

As a software tester, which testing principle can save time and cost of testing?

- ☐ a. Testing the entire development process affect time and cost
- ☐ b. Exhaustive testing is not possible
- ☐ c. Prioritize testing based on risk and criticality
- ☐ d. Testing early development process saves time and cost

Previous question



MoEE

Multiple Choice Questions

Software Engineering

Back

Time left 2:2

Question 10

Not yet
answered

Marked out of
1.00

Flag question

A process scheduling approach on which decision as to which available process will be executed by the Processor refers to:

- ☐ a. Medium-term scheduling
- ☐ b. Long-term scheduling
- ☐ c. Short-term scheduling
- ☐ d. I/O scheduling

Previous question

Next question



MoEE

Ministry of Education

Software Engineering

Back

Question 10

Not yet
answered

Marked out of
1.00

Flag question

A process scheduling approach on which decision as to which available process will be executed by the Process Scheduler refers to:

- ☐ a. Medium-term scheduling
- ☐ b. Long-term scheduling
- ☐ c. Short-term scheduling
- ☐ d. I/O scheduling

Time left

Previous question

Next question



MOEEE

MOEEE - Exit Exam

Question 11

Not yet
answeredMarked out of
1.00

Flag question

What will be the output of the following program

```
class increment {  
    public static void main(String args[])  
    {  
        int a=4;  
        system.out.print(++a * 5);  
    }  
}
```

- ☐ a. 24
- ☐ b. 25
- ☐ c. 20
- ☐ d. 5

[Previous question](#)

Question 12

Not yet
answered

Marked out of
1.00

Flag question

For the software architecture to be easily understood by other design experts for later maintenance and scalability there should be

- ☐ a. Architectural optimization techniques
- ☐ b. Architectural notation and semantic description
- ☐ c. Architectural refactoring
- ☐ d. Architectural reverse engineering

Previous question

Next question



MoEEE

Mod - End Exam

Software Engineering

Back

Question 13

Not yet
answered

Marked out of
1.00

Flag question

Which one of the following is not correct?

- ☐ a. HTML form elements are used for taking user input
- ☐ b. HTML form elements are defined inside <form> tag
- ☐ c. HTML form elements are used for displaying outputs
- ☐ d. HTML form element can be of different types

Previous question



MoEEE

Model - Exit Exam

Software Engineering

Back

Question 14

Not yet
answered

Marked out of
1.00

Flag question

Which one is not among the layouts available in android?

- ☐ a. Frame Layout
- ☐ b. Card Layout
- ☐ c. Linear Layout
- ☐ d. Relative Layout

Previous question





MoEEE

Model - Exam Items

Software Engineering

Back

Question 15

Not yet
answered

Marked out of
1.00

Flag question

Which one is not the criteria for selecting best programming language for your problem:

- ☐ a. Modularity
- ☐ b. Platform dependency
- ☐ c. Portability
- ☐ d. Code efficiency

Previous question

Time left 2:21:21

Question 16

Not yet
answered

Marked out of
1.00

Flag question

A program that initializes all aspects of the system, from CPU registers to device controllers and the contents of main memory, and then starts the operating system known as:

- ☐ a. Cache memory
- ☐ b. Bootstrap
- ☐ c. BIOS
- ☐ d. Bootloader

[Previous question](#)

[Next question](#)



MoEEE

Model - Exam Exam

Exam Center:

Arba Minch University

Software Engineering

Back

Question 17

Not yet
answered

Marked out of
1.00

Flag question

Which of the following virtual machines is used by the Android operating system?

- ☐ a. JVM
- ☐ b. Docker
- ☐ c. CLR
- ☐ d. Dalvik virtual machine

Previous question



MoEEE

Mod - Exit Exam

Software Engineering

Back

Time left

Question 18

Not yet answered

Marked out of 1.00

Flag question

Which development model helps to cope up with software requirement change to reduce the cost of rework?

- ☐ a. prototyping
- ☐ b. Spiral model
- ☐ c. staged delivery
- ☐ d. Software Version control

Previous question

Next



MoELE

Model - Exam Status

Software Engineering

Back

Time

Question 19

Not yet answered

Marked out of 1.00

Flag question

Which of the following is against the professional ethics of software engineering?

- ☐ a. Use your technical skills responsibly
- ☐ b. Accepting any works regardless of your competence
- ☐ c. Respect the confidentiality of your employers or clients
- ☐ d. Responsibly remain up-to-date in your profession

Previous question



MoEE

Time left 2:20:54

Question 20

Not yet
answeredMarked out of
1.00

Flag question

Refer to the following schemas. Attributes underlined are primary keys.

HOTEL (Hotel_id: integer, Hotel_Name: string, Sub_city: string)

ROOM (Room_id: integer, Hotel_id: integer, Price: integer)

BOOKING (Hotel_id: integer, Room_id: integer, Date_from: date, Date_to: date)

GUEST (Guest_id: integer, Name: string, Country: string)

Considering the above schema, which of the following SQL statement retrieves Hotel names with their respective Room_id

- ☐ a. SELECT Hotel_Name, Room_Id FROM HOTEL, ROOM WHERE ROOM.Room_id= HOTEL.Hotel_id and ROOM.Hotel_id=HOTEL.Hotel_id
- ☐ b. SELECT Hotel_Name, Room_Id FROM HOTEL, ROOM
- ☐ c. SELECT Hotel_Name, Room_Id FROM HOTEL, ROOM WHERE ROOM.Hotel_id= HOTEL.Hotel_id
- ☐ d. SELECT Hotel_Name, Room_Id FROM HOTEL, ROOM WHERE ROOM.Room_id= HOTEL.Hotel_id

Previous question

Next question



MoEE

Model - Exit Exam

EXIT

Question 21

Not yet
answeredMarked out of
1.00

Flag question

What is the time complexity of below function?

```
Public void function (int n) {
```

```
    for (int i = 0; i < n; i++)
```

```
        for(int j=i; j<i*i; j++)
```

```
            if (j % i == 0) {
```

```
                for (int k = 0; k < j; k++)
```

```
                    printf("%i * ");
```

```
            }
```

```
        }
```

- ☐ a. $O(n \log n)$
- ☐ b. $O(n^2)$
- ☐ c. $O(n^7)$
- ☐ d. $O(n^5)$

Revisit question



Question 22

Not yet
answered

Marked out of
1.00

🚩 Flag question

Which function is used to serialize an object into a JSON string in Javascript?

- ☐ a. toJson()
- ☐ b. parseJson()
- ☐ c. parse()
- ☐ d. stringify()

[Previous question](#)

Question 23

Not yet
answered

Marked out of
1.00

 Flag question

Which of the following is not the contribution of the big data analysis

- ☐ a. To satisfy customer need
- ☐ b. To introduce new culture of data usage
- ☐ c. To cope up with volatile market
- ☐ d. To gain competitive advantage

[Previous question](#)

Question 24

Not yet
answered

Marked out of
1.00

Flag question

A data link sub layer which is responsible for identifying Network layer protocols and then encapsulating them is known as:

- ☐ a. Media Access Control
- ☐ b. Point to point Encapsulation
- ☐ c. Logical Link control
- ☐ d. Frame relay

Previous question

Next question

Question 25

Not yet
answered

Marked out of
1.00

Flag question

Which of the following UML diagram is not used to represent dynamic behavior of an object during analysis?

- ☐ a. Activity diagram
- ☐ b. Collaboration diagram
- ☐ c. Sequence diagram
- ☐ d. Instance diagram

[Previous question](#)

[Next question](#)

[Back](#)

Time left 1:37

Question 26

Not yet
answeredMarked out of
100[Remove flag](#)

The incredible change in business and society as emerging economies develop and new technologies become available mainly:

- ☐ a. Leads to Privacy and security breaches
- ☐ b. Requires new testing on the existing software systems
- ☐ c. Makes obsolete the already existing software systems
- ☐ d. Leads to demand for new software architecture

[Previous question](#)[Next question](#)



MoEE

MOE - Ministry of Education

Software Engineering

Back

Question 27

Answer saved

Marked out of
1.00

Flag question

Select the one different from others

- ☐ a. Requirement analysis
- ☒ b. System design
- ☐ c. Requirement elicitation
- ☐ d. Requirement validation

[Clear my choice](#)

Previous question



MoEE

Mod - End Exam

Question 28

Answer saved

Marked out of
1.00

Flag question

Given the following fragment of code, how many tests are required for 100% decision coverage?

```
if width > length
then biggest_dimension = width
if height > width
then biggest_dimension = height
end_if
else biggest_dimension = length
if height > length
then biggest_dimension = height
end_if
end_if
```

- ☐ a. 2
- ☒ b. 4
- ☐ c. 6
- ☐ d. 3

[Clear my choice](#)

Software Engineering

Time left 1:34:18

Select the correct statement that describes local search algorithms (LSA):

- ☐ a. The time complexity of LSA is independent of the size of the problem.
- ☐ b. LSA are typically used for solving convex optimization problems.
- ☐ c. LSA always guarantee to find the globally optimal solution.
- ☐ d. The quality of the solution found by LSA depends heavily on the starting point and the choice of the neighborhood function.

Previous question

Next question



Question 30

Answer saved

Marked out of 1.00

Flag question

Assume you have an interface called Payable as follows

```
public interface Payable{  
    double getPaymentAmount();  
}
```

If you have another class Invoice that implements this interface and getQuantity() and getPricePerItem() methods that returns quantity and price per item, which of the following is the correct implementation?

- ☐ a.

```
public class Invoice implements Payable{  
    public getPaymentAmount(){  
        return getQuantity() * getPricePerItem();  
    }  
}
```
- ☐ b.

```
public class Invoice implements Payable{  
    public double getPaymentAmount(){  
        return getQuantity() * getPricePerItem();  
    }  
}
```
- ☒ c.

```
public class Invoice extends Payable{
```

- ☐ b. `public class Invoice implements Payable{`
`public double getPaymentAmmount(){`
`return getQuantity() * getPricePerItem();`
`}`
`}`
- ☒ c. `public class Invoice extends Payable{`
`public double getPaymentAmmount(){`
`return getQuantity() * getPricePerItem();`
`}`
`}`
- ☐ d. `public abstract class Invoice implements Payable{`
`public double getPaymentAmmount(){`
`return getQuantity() * getPricePerItem();`
`}`
`}`

[Clear my choice](#)

Question 31

Answer saved

Marked out of
1.00

Flag question

A TCP/IP port number used by SSH is?

- ☐ a. 22
- ☐ b. 20
- ☐ c. 21
- ☒ d. 23

Clear my choice

Previous question



MoEEE

Start - Exit Exam

Software Engineering

Back

Time left

Question 32

Answer saved

Marked out of 1.00

Flag question

The keyword used in the SELECT clause to eliminate duplicate tuples from the result of an SQL query is

- ☐ a. Group By
- ☒ b. DISTINCT
- ☐ c. PRIMAY
- ☐ d. UNIQUE

[Clear my choice](#)

Previous question

Next question

Question 33

Not yet
answered

Marked out of
1.00

 Remove flag

Which of the following is not true about binary tree?

- ☐ a. A tree is called binary tree if each node has zero child, one child or two children
- ☐ b. A tree is called binary tree if and only if each node has zero child.
- ☐ c. We can visualize a binary tree as consisting of a root and two disjoint binary trees
- ☐ d. Empty tree is also a valid binary tree

[Previous question](#)

[Next](#)

Software Engineering

Back

Question 34

Answer saved

Marked out of
1.00

 Remove flag

What of the following describes informed search algorithms?

- ☒ a. They are admissible
- ☐ b. They are complete
- ☐ c. They are optimal
- ☐ d. They are consistent

[Clear my choice](#)

[Previous question](#)

Software Engineering

Back

Time

Question 36

Answer saved

Marked out of 1.00

Flag question

A tool that is used to check the quality of software to ensure that it meets some minimum coding standards

- ☐ a. Code Auditor
- ☒ b. Interactive Debuggers
- ☐ c. Documenters
- ☐ d. Test Data Generator

[Clear my choice](#)

Previous question

Ne

Question 37

Answer saved

Marked out of
1.00

Flag question

Action attribute in HTML forms specifies

- ☐ a. Which HTTP method is used
- ☐ b. Which action is going on
- ☒ c. The auto completion of form
- ☐ d. Where to submit form

[Clear my choice](#)

[Previous question](#)

Question 38

Answer saved

Marked out of
1.00

🚩 Flag question

An Artificial Intelligence system is composed of :

- ☐ a. Technology and Evolution
- ☐ b. Agent and Environment
- ☒ c. Data and Information
- ☐ d. Device and Network

[Clear my choice](#)

[Previous question](#)

Back

Question 39

Answer saved

Marked out of
1.00

Flag question

Which one is different from others?

- ☐ a. Requirements analysis
- ☐ b. Requirement elicitation
- ☒ c. Requirements status tracking
- ☐ d. Requirements validation

[Clear my choice](#)

[Previous question](#)

Question 40

Answer saved

Marked out of
1.00

🚩 Flag question

Fundamental program structure consists of the following core components except

- ☐ a. Variable definition
- ☒ b. back end component
- ☐ c. main() method
- ☐ d. Input/output features

[Clear my choice](#)

Question 41
Answer saved
Marked out of 1.00
Flag question

From the following, which one is not among the challenges that are faced by requirement engineers during requirement elicitation?

- ☐ a. Negative stakeholders
- ☒ b. Obsolete requirement
- ☐ c. Conflicting requirements
- ☐ d. requirement change

[Clear my choice](#)

Question 42

Answer saved

Marked out of

1.00

Flag question

Time left 1:30

Which access modifier is suitable if you want your instance variables to be accessible from both the methods of the class and the descendant classes?

- ☐ a. Public
- ☐ b. Private
- ☐ c. Inherited
- ☒ d. Protected

[Clear my choice](#)

[Previous question](#)

[Next question](#)

Time left 1:32

Question 43

Answer saved

Marked out of 1

Flag question

Which of the following is the first callback method that is invoked by the system during an activity life-cycle?

- ☐ a. onStart() method
- ☐ b. onCreate() method
- ☐ c. onRestart() method
- ☒ d. onClick() method

Clear my choice

Previous question

Next question

Software Engineering

Back

Question 44

Answer saved

Marked out of
1.00

Flag question

You have received an e-mail which is unsolicited and commercially known as?

- ☒ a. Wana Cry
- ☐ b. Spam
- ☐ c. Adware
- ☐ d. Trash

[Clear my choice](#)

Previous question

Question 45

Answer saved

Marked out of
1.00

Flag question

If performance is the critical requirement of your architecture, which architectural approach you apply while architecting your system?

- ☐ a. Distribute operations across network
- ☒ b. Localize critical operations
- ☐ c. Increase number of component communication
- ☐ d. Increase number of components

[Clear my choice](#)

[Previous question](#)

[Next question](#)

Question 45

Answer saved
Marked out of 1

Flag question

If performance is the critical requirement of your architecture, which architectural approach you apply while architecting your system?

- ☐ a. Distribute operations across network
- ☒ b. Localize critical operations
- ☐ c. Increase number of component communication
- ☐ d. Increase number of components

[Clear my choice](#)

[Previous question](#)

[Next](#)

Software Engineering

Back

Question 46

Not yet
answered

Marked out of
1.00

Flag question

In a quad-tree each non-leaf node has exactly ____ children.

- ☐ a. 2
- ☐ b. 3
- ☐ c. 1
- ☐ d. 4

Previous question

Question 47

Not yet
answered

Marked out of
1.00

Flag question

For which of the following Android is mainly developed?

- ☐ a. Laptops
- ☐ b. Desktops
- ☐ c. Mobile devices
- ☐ d. Servers

Previous question

Software Engineering

Back

Question 48

Not yet
answered

Marked out of
1.00

Flag question

What will happen if there is no break statement next to case labels in switch statement?

- ☐ a. The program generates exception
- ☐ b. All non-matching case labels will be executed
- ☐ c. The program will halt
- ☐ d. The default block will be executed

Previous question

Software Engineering

Back

Question 49

Not yet
answered

Marked out of
1.00

Flag question

A system software that resides in main memory is ____

- ☐ a. Loader
- ☐ b. Compiler
- ☐ c. Executor
- ☐ d. Linker

Question 50

Not yet
answered

Marked out of
1.00

Flag question

The purpose of `<iostream>` header file in c++ program is:

- ☐ a. to make the code readable
- ☐ b. Makes the code secure
- ☐ c. to provide input/output functionality
- ☐ d. to create file streams

[Previous question](#)

Question 51

Not yet
answered

Marked out of
1.00

 Flag question

Which of the following keywords is used to define a variable in Javascript?

- ☐ a. int
- ☐ b. let
- ☐ c. val
- ☐ d. const

[Previous question](#)

Question 52

et
red
d out of
g question

Assume that you are assigned to design a dormitory management database. A dormitory is located on some building and has attributes specified as DORM (DormID, floornumber) and DormID is a primary key. Based on university's rule, six students can be assigned to one dorm. Students can be tracked with attributes STUDENT (IdNo, Name, Department) and IdNo is primary key. Referring to this scenario, if there is a rule that says every DORM must have at least one student, which of the following is true?

- ☐ a. STUDENT has existence dependency
- ☐ b. DORM has existence dependency
- ☐ c. DORM has partial participation
- ☐ d. STUDENT has a total participation

Previous question

Next question

Question 53

Not yet
answered

Marked out of
1.00

Flag question

One of the following statements is inappropriate about Artificial Intelligence?

- ☐ a. It is a preprogrammed system.
- ☐ b. AI is a multidisciplinary field of study.
- ☐ c. An agent perceives its environment through effectors.
- ☐ d. Ability to learn from the environment

Software Engineering

Back

Time left

Question 54

Answer saved

Marked out of 1.00

Flag question

Which of the following analysis mechanism defines the input for which the algorithm takes the least time (fastest time to complete)?

- ☐ a. Worst case
- ☐ b. Standard Case
- ☒ c. Best case
- ☐ d. Average case

[Clear my choice](#)

Previous question

Next question

Software Engineering

Back

Question 55

Answer saved

Marked out of
1.00

Flag question

An input stream class in java that is used to read data from file is

- ☐ a. RandomAccessFile
- ☐ b. FileOutputStream
- ☐ c. PipedInputStream
- ☒ d. FileInputStream

[Clear my choice](#)

[Previous question](#)

Software Engineering

Back

Question 56

Answer saved

Marked out of
1.00

Flag question

The correct structure of the for loop statement is:

- ☐ a. for(initialization, condition, increment/decrement
- ☐ b. for(increment/decrement; initialization; condition)
- ☐ c. for(initialization; condition)
- ☒ d. for(initialization; condition; increment/decrement)

[Clear my choice](#)

[Previous question](#)

Software Engineering

Back

Question 57

Answer saved

Marked out of
1.00

 Flag question

Which of the following concept describes bootstrapping?

- ☐ a. A language interpret other language program
- ☐ b. A language compile itself
- ☐ c. A language compiling other language program
- ☒ d. All of the above

[Clear my choice](#)

[Previous question](#)

Software Engineering

Back

Question **58**

Answer saved

Marked out of
1.00

Flag question

APK stands for:

- ☐ a. Android Package Kit
- ☐ b. Android Page Kit
- ☐ c. Android Phone Kit
- ☒ d. Android Platform Kit

[Clear my choice](#)

Question 59

Answer saved

Marked out of
1.00

Flag question

Which principles states that 80% of the problems can be fixed with 20% of the entire effort?

- ☐ a. Partition principle
- ☐ b. Pairwise principle
- ☐ c. Parametric principle
- ☒ d. Pareto principle

Clear my choice

Question 60

Answer saved

Marked out of
10

Flag question

Being a software tester you want to verify the integration of the message between different processes communication using ____.

- ☐ a. Message Digest
- ☐ b. Decryption algorithm
- ☐ c. Network authorization
- ☒ d. Digital Signature

[Clear my choice](#)

[Previous question](#)

Question 61

Answer saved

Marked out of
1.00

Flag question

A technique that allows large numbers of ideas to be classified into groups for review and analysis.

- ☐ a. Activity List
- ☐ b. Activity-on-Node
- ☐ c. Affinity Diagrams
- ☒ d. Adaptive Life Cycle

[Clear my choice](#)

[Previous question](#)

[Next question](#)

Question 62

Answer saved

Marked out of
1.00

Flag question

What does velocity in big data refer to?

- ☐ a. Speed of data ingestion
- ☒ b. Speed of data processing and storing
- ☐ c. Speed of input data generation
- ☐ d. Speed of storage consumption

[Clear my choice](#)

[Previous question](#)

n 63

saved

out of

question

Which of the following mostly used by software project quality evaluators to using the approach of plan, check and act?

- ☒ a. Six sigma
- ☐ b. ISO model
- ☐ c. IEEE
- ☐ d. Capability maturity model

[Clear my choice](#)

Which of the following statements designates part of the process of how a switch resolves to forward a frame destined for a recognized unicast MAC address?

- ☐ a. It matches the unicast source address to the bridging, or MAC address, table.
- ☐ b. It matches the frame's incoming interface to the source MAC entry in the MAC address table.
- ☐ c. It matches the unicast destination address to the bridging, or MAC address, table.
- ☒ d. It matches the destination IP address to the destination MAC address.

[Clear my choice](#)

Which of the following is true regarding integration testing?

- ☐ a. It uses test data that simulates ideal scenarios.
- ☒ b. It proves the functioning of different software components when integrated together.
- ☐ c. It is only performed after system testing is completed.
- ☐ d. It emphasizes on testing individual software components in isolation.

[Clear my choice](#)

stion

Time left 1:17:0

Question 66

Not saved

Marked out of

1.00 question

You fit a model too closely to the particularities of the training set and obtain a model that works well on the training set but works poorly on a new data. This scenario is known as:

- ☐ a. sweet spot
- ☐ b. over fitting
- ☐ c. under fitting
- ☒ d. under performing

[Clear my choice](#)

67
Select the one that is not correct related to generalization in system modeling.

- ☐ a. common information will be maintained in one place
- ☐ b. In generalization, the attributes and operations associated with higher-level classes are also associated with the lower-level classes
- ☐ c. The higher-level classes are more specific than the lower-level classes by adding specific attributes and operations
- ☐ d. facilitate easy modification of data

Question 68

ret
ered
ed out of

g question

A temporary endeavor undertaken to create a unique product, service, or result is known as:

- ☐ a. Project
- ☐ b. Portfolio
- ☐ c. Process
- ☐ d. Program

vious question

Time

Next

Question 69

Not yet
answered

Marked out of
1.00

Flag question

The result of the following program after running will be:

```
class PrintResult
{
    public static void main(String args[])
    {
        int arr[] = {3, 4, 5, 6, 7};
        for ( int i = 0; i < arr.length - 2; ++i)
        {
            System.out.println(arr[i] + " ");
        }
    }
}
```

- ☐ a. 3 4 5
- ☐ b. 3 4 5 6 7
- ☐ c. 3 4 5 6
- ☐ d. 3 4



MolLE

Mod - Edit Exam

Question 69

Not yet
answered

Marked out of
1.00

Flag question

The result of the following program after running will be:

```
class PrintResult
```

```
{  
    public static void main(String args[])  
    {  
        int arr[] = {3, 4, 5, 6, 7};  
        for ( int i = 0; i < arr.length - 2; ++i)  
        {  
            System.out.println(arr[i] + " ");  
        }  
    }  
}
```

- ☐ a. 3 4 5
- ☐ b. 3 4 5 6 7
- ☐ c. 3 4 5 6
- ☐ d. 3 4



Time left 1:16:39

A technique for generating plans with conditionals and loops are almost identical to those for generating programs from logical specifications is called___.

- ☐ a. Automatic monitoring
- ☐ b. Automatic programming
- ☐ c. Automatic learning
- ☐ d. Automatic recursive

Question

Next question

A software work product which is associated with the test execution process group is known as:

- ☐ a. Test Reports
- ☐ b. Code
- ☐ c. Test Cases
- ☐ d. Requirements

question

Which of the following android component displays the part of an activity on screen?

- ☐ a. Fragment
- ☐ b. View
- ☐ c. Manifest
- ☐ d. Intent

question

Question 73

It
red
out of
question

Which of the following refers to unauthorized disclosure of information?

- ☐ a. Confidentiality
- ☐ b. Authentication
- ☐ c. Integrity
- ☐ d. Authorization

Previous question

Time left 1:16:06

If your software system can continue in spite of unexpected problems from internal and external environment, we say your system has good:

- ☐ a. Maintainability
- ☐ b. Robustness
- ☐ c. Reliability .
- ☐ d. Integrity

Software Engineering

Back

Question 75

Not yet
answered

Marked out of
1.00

Flag question

Which activity is not related to data preprocessing?

- ☐ a. Data cleaning
- ☐ b. Data reduction
- ☐ c. Data optimization
- ☐ d. Data transformation

Question 76

Not yet
answered

Marked out of
1.00

Flag question

Which of the following is not a data link layer technology?

- ☐ a. OSPF
- ☐ b. Frame-relay
- ☐ c. VLAN
- ☐ d. PPP

[Previous question](#)

Which file system can be used to change certain kernel parameters at runtime using sysctl command?

- ☐ a. Sysfs
- ☐ b. Ext4
- ☐ c. Procfs
- ☐ d. Ext3

Software Engineering

78

out of

question

Adding additional header information as data moved from the application layer to down refers to:

- ☐ a. Routing
- ☐ b. De-capsulation
- ☐ c. Switching
- ☐ d. Encapsulation

question

79

ut of
question

Introducing new requirement at the later phase of the project is not recommended due to?

- ☐ a. analysis complexity
- ☐ b. requirement complexity
- ☐ c. Cost of change
- ☐ d. coding complexity

question

Question 80

Not yet
answered

Marked out of
1.00

Flag question

The base class from which all classes in Java are inherited?

- ☐ a. java.class.inherited
- ☐ b. java.lang.class
- ☐ c. java.class.object
- ☐ d. java.lang.Object

In a relation design, primary key is a critical constraint that should be considered. It should be defined :

- ☐ a. Non editable
- ☐ b. Within limited value
- ☐ c. NULL
- ☐ d. NOT NULL

Which of the following describes the leading agile development method?

- ☐ a. Scrum
- ☐ b. Six sigma
- ☐ c. Extreme programming
- ☐ d. Sprint

Time left 1:15

One of the following statements addresses the characteristics of functional organization structure?

- ☐ a. Little or no project manager authority, little or no resource availability, and the functional manager control the project budget
- ☐ b. Low to moderate project manager authority, low to moderate resource availability, and a full-time project manager's role
- ☐ c. High to almost total project manager authority, high to almost total resource availability, and full-time project management administrative staff
- ☐ d. Limited project manager authority, limited resource availability, and a part-time project manager's role

Time left 1:15:00

Question 84
Which of the following is one of the indirect applications of queues?

- ☐ a. Auxiliary data structure for algorithms
- ☐ b. Multiprogramming
- ☐ c. Simulation of real-world queues such as lines at a ticket counter or any other first-come first-served scenario requires a queue.
- ☐ d. Operating systems schedule jobs (with equal priority) in the order of arrival (e.g., a print queue).

Time left 1:15:01

Assume you have the following hash table, implemented using linear probing. The hash function you are using is the identity function, $f(x) = x$. In which order could the elements have been added to the hash table? There are several correct answers, and you should give all of them. Assume that the hash table has never been resized, and no elements have been deleted yet.

- ☐ a. 12, 9, 18, 3, 14, 21, 4
- ☐ b. 12, 14, 3, 9, 4, 18, 21
- ☐ c. 9, 14, 4, 18, 12, 3, 21
- ☐ d. 12, 3, 14, 18, 4, 9, 21

Next question

Question 86

Not yet
answered

Marked out of
100

Flag question

Which CSS element is used to make rounded borders around elements?

- ☐ a. border-corner
- ☐ b. border-rounded
- ☐ c. border-radius
- ☐ d. border-circle

Time left 1:14

When running your program, you did not see any error. However, the final output you got is not correct. What type of error is this?

- ☐ a. Logical error
- ☐ b. Compiling error
- ☐ c. Run time error
- ☐ d. Syntax error

Question 88

Answered

1 out of 1

question

Which of the following describes the functionalities of application layer?

- ☐ a. It deals encapsulation of packets
- ☐ b. It deals encapsulation of frames
- ☐ c. It deals mechanical, electrical and physical connectivity
- ☐ d. It is process to process interaction

Question 89

Not yet
answered

Marked out of
10

Flag question

Which one of the following is not type of Ensemble learning?

- ☐ a. Lasso
- ☐ b. Random forest
- ☐ c. Bagging
- ☐ d. Boosting

Software Engineering

Back

Question 90

Not yet
answered

Marked out of
10

Flag question

One of the following is not purpose of software testing?

- ☐ a. Requesting more design and implementation time
- ☐ b. Enhancing reliability
- ☐ c. Improving product acceptance
- ☐ d. Identifying shortcomings

In software testing, a term which relates the genuine imperfect segments to the absolute number of segments anticipated as faulty known as:

- ☐ a. Precision
- ☐ b. Accuracy
- ☐ c. Recall
- ☐ d. F-measure

To reduce the dispute that might arise between the customer and contractor, each requirement should be documented and later checked during product delivery whether each documented requirements are fully implemented or not. What type of requirement validation is this?

- ☐ a. Validity check
- ☐ b. Verifiability
- ☐ c. Completeness check
- ☐ d. Realism check

Assume there is Class_A which is extended by Class_B and Class_C. Class_A is declared as abstract, and also contains an abstract method called welcome; this method takes no parameters, and returns a String. Which of the following definitions of Class_B will NOT cause a compiler error based on above scenario?

- ☐ a. `public class Class_B extends Class_A`
`{`
`public String whatObjectAmI()`
`{`
`return "I am a class B object";`
`}`
`}`
- ☐ c. `public class Class_B extends Class_A`
`{`
`public void welcome(String str)`
`{`

```
{  
    public void welcome(String str)  
    {  
    }  
}
```

☐ b. public class Class_B extends Class_A

```
{  
    public String whatObjectAmI()  
    {  
        return "I am a class D object";  
    }  
    public String welcome()  
    {  
        return "I am a class C object";  
    }  
    public int welcome(int y)  
    {  
        int x = 2 * y;  
        return x;  
    }  
}
```

```
int x = 2 * y;
```

```
return x;
```

```
}
```

```
}
```

☐ c. public class Class_B extends Class_A

```
{
```

```
public String whatObjectAmI()
```

```
{
```

```
return "I am a class B object";
```

```
}
```

```
}
```

C. public class Class_B extends Class_A

```
{
```

```
public void welcome(String str)
```

```
{
```

```
}
```

```
}
```



MoEEE

Model - Full Exam

```
    }  
    }  
  
○ c. public class Class_B extends Class_A  
    {  
        public String whatObjectAmI()  
        {  
            return "I am a class B object";  
        }  
    }  
  
C. public class Class_B extends Class_A  
    {  
        public void welcome(String str)  
        {  
        }  
    }
```

[Previous question](#)

Question 94

Never saved

Marked out of

Flag question

Method overriding is a characteristic of which OOP principle?

- ☒ a. Polymorphism
- ☐ b. Abstraction
- ☐ c. Encapsulation
- ☐ d. Inheritance

[Clear my choice](#)

[Previous question](#)

Time left

95

d
out of
question

Which of the following is true regarding the referential triggered action ON UPDATE CASCADE

- ☐ a. sets the referencing primary key to NULL
- ☐ b. sets the referencing primary key of the base table to default value
- ☐ c. change the value of the referencing foreign key attribute to the updated primary key value for all the referencing tuples
- ☐ d. deletes all tuples of the referencing table

us question

Next

Which of the following statements is false when a packet is being compared to an access list?

- ☐ a. Until all lines have been analyzed, the comparison is not over.
- ☐ b. It's always compared with each line of the access list in sequential order.
- ☐ c. Once the packet matches the condition on a line of the access list, the packet is
- ☐ d. There is an implicit "deny" at the end of each access list.

Identify the one that does not affect architectural decision

- ☐ a. Type of the application to be developed
- ☐ b. The way the data is stored
- ☐ c. Architectural style to be used
- ☐ d. Expected performance of the system

question

BACK

Question 98

Not yet
answered

Marked out of
1.00

Flag question

One of the following is model optimization technique:

- ☐ a. Gradient boosting
- ☐ b. Gradient descent
- ☐ c. Lasso
- ☐ d. Bagging

Software Engineering

Question 99

Answered

Marked out of

1.00 question

A modification of the free-list approach is to store the addresses of n free blocks in the first free block.

- ☐ a. Linked-list
- ☐ b. Counting
- ☐ c. Grouping
- ☐ d. Deadlock

Time left 1:12:

Which object-oriented principle allows the creation of several methods with the same name that differ from each other by the type of input and output?

- ☐ a. Polymorphism
- ☐ b. Inheritance
- ☐ c. Overriding
- ☐ d. Encapsulation