

[Home](#) / [My courses](#) / [FCSE2015ModelExit](#) / [Software Engineering](#) / [SEExitExamModel2](#)

Started on Saturday, 10 June 2023, 7:01 PM

State Finished

Completed on Saturday, 10 June 2023, 7:40 PM

Time taken 39 mins 6 secs

Grade 60.00 out of 100.00

Question 1

Correct

Mark 1.00 out of 1.00

Which design pattern is used to provide a way of handling a request by passing it through a series of handlers until it is handled or rejected?

- ☐ a. Bridge Pattern
- ☒ b. Chain of Responsibility Pattern
- ☐ c. Command Pattern
- ☐ d. Builder Pattern



Question 2

Correct

Mark 1.00 out of 1.00

What is the primary purpose of a return value in a C++ function?

- ☐ a. To indicate the type of the function
- ☐ b. To specify the number of times the function is executed
- ☒ c. To pass data back to the calling function
- ☐ d. To allow for default parameters



Question 3

Correct

Mark 1.00 out of 1.00

The TCP port number 23 describes about the _____

- ☐ a. Transmission of file from one client to the other one at the presence of FTP service
- ☐ b. Hyper Text Transfer Protocol service
- ☐ c. The mailing service delivered by using the SMTP
- ☒ d. Remote login capability which can be achieved by using the telnet



Question 4

Correct

Mark 1.00 out of 1.00

The TCP/IP Host to Host network layer corresponds to the _____ layer of the OSI reference model

- ☐ a. Physical
- ☐ b. Physical and Data Link
- ☐ c. Network
- ☒ d. Transport



Question 5

Incorrect

Mark 0.00 out of 1.00

Which of the following statement is false about round robin scheduling algorithm.

- ☐ a. Characterized by using quantum number for the scheduling
- ☐ b. Characterized by its non-preemptive nature.
- ☒ c. Have higher Context switch overhead.
- ☐ d. It's the fairest algorithm and most widely used algorithm.



Question 6

Incorrect

Mark 0.00 out of 1.00

CROSS PRODUCT operation can become meaningful when followed by other operations, such as:

- ☒ a. Select
- ☐ b. Project
- ☐ c. No Operation
- ☐ d. All except C.



Question 7

Correct

Mark 1.00 out of 1.00

A document that describes how the organization will manage cost variances on the project is _____?

- ☒ a. Cost management plan
- ☐ b. Cost baseline
- ☐ c. Scope statement
- ☐ d. Sunk cost



Question **8**

Incorrect

Mark 0.00 out of 1.00

In mapping from ER-diagram to relational model attribute became _____.

- ☒ a. Schema
- ☐ b. Tuples
- ☐ c. Column-headers
- ☐ d. State

✗

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is time multiplexed resource?

- ☐ a. Memory
- ☒ b. CPU
- ☐ c. Network
- ☐ d. Compact Disk

✓

Question **10**

Incorrect

Mark 0.00 out of 1.00

Identify the slowest sorting technique among the following?

- ☒ a. Merge sort
- ☐ b. Selection sort
- ☐ c. Quick sort
- ☐ d. Bubble sort

✗

Question **11**

Incorrect

Mark 0.00 out of 1.00

Which design pattern is commonly used in the client-server architecture to decouple the client application from server-specific implementation details?

- ☒ a. Factory Method Pattern
- ☐ b. Decorator Pattern
- ☐ c. Adapter Pattern
- ☐ d. Facade Pattern

✗

Question **12**

Correct

Mark 1.00 out of 1.00

A problem experienced whenever there is new data item to be recorded, and the recording is not made in all the applications.

- ☐ a. Update anomalies
- ☒ b. Insertion Anomalies
- ☐ c. Modification Anomalies
- ☐ d. Deletion Anomalies

Question **13**

Incorrect

Mark 0.00 out of 1.00

One solution to the multivalued dependency constraint problem is to:

- ☐ a. Split the relation into two relations, each with a single theme.
- ☐ b. Change the theme
- ☐ c. Create a new theme
- ☒ d. Add a composite key

Question **14**

Correct

Mark 1.00 out of 1.00

Which of the following is not a type of comment in C++?

- ☐ a. //Single-line comment
- ☐ b. /* Multi-line comment */
- ☒ c. #Pragma directive
- ☐ d. A and B

Question **15**

Correct

Mark 1.00 out of 1.00

In case of a large search space, which search strategy would be preferred?

- ☐ a. Adversarial search
- ☒ b. Informed search
- ☐ c. Uninformed search
- ☐ d. None of the above



Question **16**

Correct

Mark 1.00 out of 1.00

What is the purpose of responsive web design?

- ☐ a. To improve search engine optimization
- ☒ b. To enhance user experience across different devices
- ☐ c. To prevent cross-site scripting attacks
- ☐ d. To optimize website performance

Question **17**

Incorrect

Mark 0.00 out of 1.00

Which cost estimation tool use previous similar projects actual costs to estimate the cost of current project?

- ☒ a. Parametric modeling
- ☐ b. Top down modeling
- ☐ c. Bottom up modeling
- ☐ d. None

Question **18**

Correct

Mark 1.00 out of 1.00

What is the role of back-end technology in web development?

- ☐ a. To handle client-side operations and user interactions
- ☐ b. To implement the visual design of a website
- ☐ c. To ensure compatibility across different web browsers
- ☒ d. To manage server-side operations and database interactions

Question **19**

Incorrect

Mark 0.00 out of 1.00

A _____ is a set of entities of the same type that share the same properties, or attributes.

- ☐ a. Entity set
- ☐ b. Attribute set
- ☐ c. Relation set
- ☒ d. Entity model



Question **20**

Incorrect

Mark 0.00 out of 1.00

When the switch statement matches the expression with the given labels, how is the comparison done?

- ☐ a. Both the datatype and the result of the expression are compared.
- ☐ b. Only the datatype of the expression is compared
- ☒ c. Only the value of the expression is compared
- ☐ d. None of the above

✗

Question **21**

Correct

Mark 1.00 out of 1.00

Which of the following is a loop control statement that skips the current iteration of a loop?

- ☐ a. break statement
- ☒ b. continue statement
- ☐ c. stop statement
- ☐ d. exit statement

✓

Question **22**

Correct

Mark 1.00 out of 1.00

Which one of the following is Not True?

- ☐ a. Coupling is the level of inter-dependability among modules.
- ☐ b. Cohesive module focuses on a single function.
- ☒ c. If two modules are tightly coupled, one can function completely without the presence of other.
- ☐ d. Abstraction is the process of creating a detailed design specification for each component of a system.

✓

Question **23**

Incorrect

Mark 0.00 out of 1.00

A functional dependency between two or more non-key attributes is called

- ☐ a. Transitive dependency
- ☐ b. Partial transitive dependency
- ☐ c. Functional dependency
- ☒ d. Partial functional dependency

✗

Question **24**

Incorrect

Mark 0.00 out of 1.00

Which of the following sorting compares adjacent elements in a list and switches whenever necessary?

- ☒ a. Quick sort
- ☐ b. Bubble sort
- ☐ c. Selection sort
- ☐ d. None of the above

Question **25**

Correct

Mark 1.00 out of 1.00

Which one of the following tool is commonly used in almost all project KA management processes?

- ☒ a. Expert judgment
- ☐ b. Project management information systems
- ☐ c. Brainstorming
- ☐ d. Management meeting

Question **26**

Incorrect

Mark 0.00 out of 1.00

For some relations, changing the data can have undesirable consequences called

- ☐ a. Referential integrity constraints
- ☐ b. Modification anomalies
- ☐ c. Normal forms
- ☒ d. Transitive dependencies

Question **27**

Correct

Mark 1.00 out of 1.00

Which of the following is not a type of variable scope in C++?

- ☐ a. Global
- ☐ b. Local
- ☐ c. Static
- ☒ d. Dynamic



Question **28**

Incorrect

Mark 0.00 out of 1.00

Certain facts of data elements which represents corresponding real-world entity is_____.

- ☐ a. Relation
- ☐ b. Tuple
- ☐ c. Column header
- ☒ d. All of the above.

✗

Question **29**

Correct

Mark 1.00 out of 1.00

In database management system FD stands for_____

- ☐ a. Facilitate dependency
- ☒ b. Functional dependency
- ☐ c. Functional data
- ☐ d. A and B are correct

✓

Question **30**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of a unary operator in C++?

- ☐ a. +
- ☒ b. ++
- ☐ c. -
- ☐ d. *

✓

Question **31**

Incorrect

Mark 0.00 out of 1.00

A relation that has no partial dependencies is in which normal form

- ☐ a. First
- ☒ b. Second
- ☐ c. Third
- ☐ d. Fourth

✗

Question **32**

Correct

Mark 1.00 out of 1.00

Which of the following is Not categorized under Product Operation of McCall's Software Quality Factors?

- ☐ a. Efficiency
- ☐ b. Reliability
- ☒ c. Reusability
- ☐ d. Integrity

Question **33**

Correct

Mark 1.00 out of 1.00

Which one of the following can be defined the set of all possible values the attribute can have?

- ☐ a. Table
- ☒ b. Domain
- ☐ c. Data
- ☐ d. None of the above

Question **34**

Incorrect

Mark 0.00 out of 1.00

Which of the following statements accurately describes PDO in PHP?

- ☒ a. PDO stands for "PHP Database Objects" and is used for creating database connections in PHP.
- ☐ b. PDO is a PHP extension used for sending emails from PHP applications.
- ☐ c. PDO is a PHP framework for building web applications.
- ☐ d. PDO stands for "PHP Data Objects" and provides a consistent interface for interacting with databases in PHP.

Question **35**

Correct

Mark 1.00 out of 1.00

Which of the following is not a type of loop in C++?

- ☐ a. while loop
- ☐ b. for loop
- ☒ c. repeat loop
- ☐ d. do-while loop



Question **36**

Correct

Mark 1.00 out of 1.00

Unsupervised learning methods can be used in which one of the following scenarios?

- ☒ a. Given a set of news articles found on the web, group them into a set of articles about the same story. ✓
- ☐ b. Given a dataset of reviews of Netflix movie series marked as positive, negative and neutral, classify reviews of a new Netflix movie series.
- ☐ c. Given a dataset of emails labeled as spam or not spam, and classify new incoming emails to their right classes.
- ☐ d. Given a dataset of patients diagnosed as either having diabetes or not, learn to classify new patients as having diabetes or not.

Question **37**

Correct

Mark 1.00 out of 1.00

Which one of the following best defines Artificial Intelligence (AI)?

- ☐ a. AI is a field of study that aims to solve repetitive tasks.
- ☐ b. AI is a field of study that aims to make humans more intelligent.
- ☒ c. AI is a field of study that aims to make intelligent machines and systems. ✓
- ☐ d. AI is a field of study that aims to enhance machine performance.

Question **38**

Correct

Mark 1.00 out of 1.00

What is the purpose of form validation in PHP?

- ☐ a. To enhance user interface design
- ☐ b. To protect against SQL injection attacks
- ☒ c. To ensure proper data entry by users ✓
- ☐ d. To improve website performance

Question **39**

Correct

Mark 1.00 out of 1.00

The descriptive property of each entity set is _____

- ☐ a. Entity
- ☒ b. Attribute ✓
- ☐ c. Relation
- ☐ d. Model

Question **40**

Correct

Mark 1.00 out of 1.00

Which of the following is an example of a back-end technology?

- ☐ a. CSS
- ☐ b. JavaScript
- ☒ c. PHP
- ☐ d. Bootstrap

Question **41**

Incorrect

Mark 0.00 out of 1.00

One of the following project management process is categorized under monitoring and controlling process group?

- ☐ a. Project management plan
- ☐ b. Validate scope
- ☒ c. Direct and Manage Project Execution
- ☐ d. None

Question **42**

Incorrect

Mark 0.00 out of 1.00

The string _____ method compares values lexicographically and returns an integer value.

- ☐ a. compareTo()
- ☐ b. ==
- ☐ c. Equals()
- ☒ d. All

Question **43**

Correct

Mark 1.00 out of 1.00

In project time management knowledge area, the output of defining activity is?

- ☐ a. Project management plan
- ☐ b. Work package
- ☒ c. Milestone list
- ☐ d. all



Question **44**

Correct

Mark 1.00 out of 1.00

The structural evolutionary prototyping model of software development process is

- ☐ a. The best approach to use for projects with large development teams
- ☐ b. It is not important for creating awareness of additional needed functionality
- ☐ c. A reasonable approach when requirement is well defined
- ☒ d. A useful approach when a customer cannot define requirements clearly

Question **45**

Correct

Mark 1.00 out of 1.00

Which of the following is not a requirement for a C++ function to be recursive?

- ☐ a. Base case
- ☐ b. Recursive case
- ☐ c. Functions that call themselves
- ☒ d. Dynamic variables

Question **46**

Correct

Mark 1.00 out of 1.00

Attributes that can be divided into subparts, are known as

- ☐ a. Compound attributes
- ☐ b. Simple attributes
- ☒ c. Composite attributes
- ☐ d. Domain attributes

Question **47**

Correct

Mark 1.00 out of 1.00

An entity in A is associated with at most one entity in B, and an entity in B is associated with at most one entity in A. This is called as _____?

- ☐ a. One-to-many
- ☒ b. One-to-one
- ☐ c. Many-to-many
- ☐ d. Many-to-one



Question **48**

Incorrect

Mark 0.00 out of 1.00

Among the following project management knowledge areas, one is involving on generating, collecting, disseminating, and storing project information?

- ☐ a. Stakeholder management
- ☐ b. Communications management
- ☒ c. Procurement management
- ☐ d. Scope management

Question **49**

Correct

Mark 1.00 out of 1.00

Which of the following is a C++ constant?

- ☐ a. variable
- ☐ b. int
- ☒ c. 3.14
- ☐ d. +

Question **50**

Correct

Mark 1.00 out of 1.00

In database state update operation, DELETE operation may violate _____ operation.

- ☐ a. Domain constraint
- ☐ b. Key constraint
- ☒ c. Referential integrity constraint
- ☐ d. None of the above

Question **51**

Incorrect

Mark 0.00 out of 1.00

Which one of the following is not true about project time management?

- ☐ a. Combine project tasks together and act on it
- ☐ b. Find out various tasks and correlate them
- ☒ c. Estimate time frame required for each task
- ☐ d. Calculate total start-to-finish time.



Question **52**

Correct

Mark 1.00 out of 1.00

Which of the following data structures is best suited for implementing a hash table?

- ☐ a. Stack
- ☐ b. Queue
- ☐ c. Linked list
- ☒ d. Array

Question **53**

Correct

Mark 1.00 out of 1.00

Data manipulation language (DML) is not to:-

- ☒ a. Create information table in the database
- ☐ b. Insertion of new information into the database
- ☐ c. Deletion of information in the database
- ☐ d. Modification of information in the database

Question **54**

Correct

Mark 1.00 out of 1.00

Among the following one is unique?

- ☐ a. Estimating cost
- ☐ b. Determining the budget
- ☐ c. Controlling cost
- ☒ d. Estimating activity durations

Question **55**

Incorrect

Mark 0.00 out of 1.00

Which protocol is commonly used in the client-server architecture for web-based applications?

- ☒ a. Simple Mail Transfer Protocol (SMTP)
- ☐ b. Hyper Text Transfer Protocol (HTTP)
- ☐ c. File Transfer Protocol (FTP)
- ☐ d. Network News Transfer Protocol (NNTP)



Question **56**

Incorrect

Mark 0.00 out of 1.00

One solution to the multivalued dependency constraint problem is to:

- ☐ a. Split the relation into two relations, each with a single theme.
- ☐ b. Change the theme
- ☐ c. Create a new theme
- ☒ d. Add a composite key

✗

Question **57**

Incorrect

Mark 0.00 out of 1.00

Which of the following is a header file in C++ that is used for input and output operations?

- ☐ a. `<math.h>`
- ☒ b. `<stdio.h>`
- ☐ c. D.

✗

Question **58**

Correct

Mark 1.00 out of 1.00

The descriptive property of each entity set is _____

- ☐ a. Entity
- ☒ b. Attribute
- ☐ c. Relation
- ☐ d. Model

✓

Question **59**

Correct

Mark 1.00 out of 1.00

A started service will in a running state when one of the following service life cycle method is invoked

- ☒ a. `onStartCommand()`
- ☐ b. `onBind()`
- ☐ c. `startService()`
- ☐ d. `bindService()`

✓

Question **60**

Incorrect

Mark 0.00 out of 1.00

Which of the following is limitations of the manual approach?

- ☐ a. Data dependency on the application
- ☐ b. Lengthy development and maintenance time
- ☒ c. Duplication or redundancy of data
- ☐ d. All

✗

Question **61**

Correct

Mark 1.00 out of 1.00

The schema which pertains to the actual storage of data and its form of storage Which of the following s the main strength of hierarchical data model?

- ☒ a. Physical Database Schema
- ☐ b. Logical Database Schema
- ☐ c. Physical data independence
- ☐ d. All

✓

Question **62**

Correct

Mark 1.00 out of 1.00

What is the purpose of threat modeling in software security?

- ☒ a. To identify potential threats and vulnerabilities in software
- ☐ b. To test the functionality of the software
- ☐ c. To validate the software against industry standards
- ☐ d. To document the software for future reference

✓

Question **63**

Correct

Mark 1.00 out of 1.00

What is the purpose of a security policy?

- ☐ a. To prevent all security breaches from occurring
- ☒ b. To provide guidance on how to protect information assets
- ☐ c. To guarantee complete security of all information assets
- ☐ d. To restrict access to all information assets

✓

Question **64**

Incorrect

Mark 0.00 out of 1.00

One of the following is not required to develop a project schedule

- ☐ a. Activity sequence
- ☒ b. Estimation of activity resource
- ☐ c. Activity resource estimation
- ☐ d. Defining activity

✗

Question **65**

Incorrect

Mark 0.00 out of 1.00

A method of scheduling by including buffers to the project completion date is?

- ☒ a. Critical path method
- ☐ b. Critical chain scheduling
- ☐ c. PERT
- ☐ d. Impact matrix

✗

Question **66**

Incorrect

Mark 0.00 out of 1.00

Which of the following is used to execute a specific block of code based on the value of a variable or expression in C++?

- ☒ a. if statement
- ☐ b. switch statement
- ☐ c. else statement
- ☐ d. for loop

✗

Question **67**

Correct

Mark 1.00 out of 1.00

Which one of the following is a good practice during requirement change management process?

- ☐ a. Communicate changes only for requirement designer, because next step is software design
- ☐ b. Remove inconsistent requirements from a system
- ☒ c. Documenting and Tracking changes to requirement
- ☐ d. None

✓

Question **68**

Incorrect

Mark 0.00 out of 1.00

Which of the following data structures is best suited for implementing a priority queue?

- ☐ a. Heap
- ☒ b. Array
- ☐ c. Stack
- ☐ d. Linked list

✗

Question **69**

Incorrect

Mark 0.00 out of 1.00

If every non-key attribute is functionally dependent on the primary key, the relation will be in

- ☐ a. First Normal Form
- ☐ b. Second Normal Form
- ☒ c. Third Normal Form
- ☐ d. Fourth Normal Form

✗

Question **70**

Incorrect

Mark 0.00 out of 1.00

Which quality control technique is included under quality review approach?

- ☐ a. Inspections for defect removal
- ☒ b. Functional testing
- ☐ c. Structural testing
- ☐ d. None

✗

Question **71**

Incorrect

Mark 0.00 out of 1.00

Among the reasons that lead to deadlock in operating system which one is used to be solution for the inter process communication problem?

- ☐ a. Hold and Wait Condition
- ☐ b. Mutual exclusion
- ☒ c. No preemption
- ☐ d. Circular wait

✗

Question **72**

Incorrect

Mark 0.00 out of 1.00

Which one is the main constraints that apply to a specialization/ generalization relationship?

- ☐ a. Aggregation
- ☒ b. Composition
- ☐ c. disjoint constraints
- ☐ d. all

✗

Question **73**

Incorrect

Mark 0.00 out of 1.00

_____ states primary key value must not be null value.

- ☐ a. Entity integrity
- ☐ b. Domain integrity
- ☒ c. Unique
- ☐ d. All

✗

Question **74**

Correct

Mark 1.00 out of 1.00

The main concern of performance quality attributes is _____.

- ☐ a. Fault recovery
- ☒ b. Latency
- ☐ c. Resource management
- ☐ d. Reducing coupling

✓

Question **75**

Correct

Mark 1.00 out of 1.00

In a graph of n nodes and n edges, how many cycles will be present?

- ☐ a. At most 1
- ☐ b. At most 2
- ☐ c. Depends on the graph
- ☒ d. Exactly 1

✓

Question **76**

Correct

Mark 1.00 out of 1.00

Which of the following is a C++ operator used for multiplication?

- ☒ a. *
- ☐ b. .
- ☐ c. /
- ☐ d. +

Question **77**

Correct

Mark 1.00 out of 1.00

Which of the following is not the application of data structure?

- ☐ a. Numerical analysis
- ☐ b. Operating system
- ☐ c. Compiler design
- ☒ d. None of the above mentioned

Question **78**

Incorrect

Mark 0.00 out of 1.00

CROSS PRODUCT operation can become meaningful when followed by other operations, such as:

- ☐ a. Select
- ☒ b. Project
- ☐ c. No Operation
- ☐ d. All except C.

Question **79**

Incorrect

Mark 0.00 out of 1.00

Which of the following network topology is referenced as an active network topology?

- ☐ a. Bus Topology
- ☒ b. Star Topology
- ☐ c. Mesh Topology
- ☐ d. Ring Topology



Question **80**

Correct

Mark 1.00 out of 1.00

Data manipulation language (DML) is not to:-

- ☒ a. Create information table in the database
- ☐ b. Insertion of new information into the database
- ☐ c. Deletion of information in the database
- ☐ d. Modification of information in the database

Question **81**

Correct

Mark 1.00 out of 1.00

In relational model terminology, table is considered as _____

- ☐ a. range
- ☐ b. domain
- ☒ c. relation
- ☐ d. tuple

Question **82**

Correct

Mark 1.00 out of 1.00

_____ is type of software architecture in which subsystems can act both as a client or as servers that each subsystem can request and provide services.

- ☒ a. Pipe and Filter Architecture
- ☐ b. Client/ Server Architecture
- ☐ c. Central Repository Architecture
- ☐ d. Peer to Peer Architecture

Question **83**

Correct

Mark 1.00 out of 1.00

Which of the following is a passed value to a C++ function that is used in the function computation?

- ☐ a. Return value
- ☐ b. Scope value
- ☐ c. Default parameter
- ☒ d. Function argument



Question **84**

Correct

Mark 1.00 out of 1.00

One of the following cost estimation type is provides early estimates of cost for project selection decision process?

- ☐ a. Budgetary estimate
- ☒ b. Rough order of magnitude estimate
- ☐ c. Definitive estimate
- ☐ d. A and B

Question **85**

Correct

Mark 1.00 out of 1.00

What is the purpose of the << operator in C++?

- ☐ a. To input data from the keyboard
- ☒ b. To output data to the console
- ☐ c. To perform a logical AND operation
- ☐ d. None of the above

Question **86**

Correct

Mark 1.00 out of 1.00

Which technology is used for real-time communication and data transfer between web browsers and servers?

- ☒ a. AJAX
- ☐ b. JSON
- ☐ c. REST
- ☐ d. WebSocket

Question **87**

Incorrect

Mark 0.00 out of 1.00

Among the following, one is the scope of product development life cycle (PDLC)?

- ☒ a. Project resource
- ☐ b. Cost
- ☐ c. Schedule
- ☐ d. System design



Question **88**

Incorrect

Mark 0.00 out of 1.00

The capacity to change the internal schema without having to change the conceptual schema.

- ☐ a. Data independence
- ☐ b. Physical data independence
- ☒ c. Logical data independence
- ☐ d. None

✗

Question **89**

Correct

Mark 1.00 out of 1.00

Which of the following is NOT a benefit of good software design?

- ☐ a. Easier maintenance and modification of the software.
- ☒ b. Reduced ability to scale the software system.
- ☐ c. Increased likelihood of achieving software requirements and objectives.
- ☐ d. Improved communication among developers.

✓

Question **90**

Correct

Mark 1.00 out of 1.00

Course (Course_ Id, Section, Semester), here the Course_ Id, Section and Semester are _____ and course is a _____.

- ☐ a. Relations, Attribute
- ☒ b. Attributes, Relation
- ☐ c. Tuple, Relation
- ☐ d. Tuple, Attributes

✓

Question **91**

Correct

Mark 1.00 out of 1.00

What is the purpose of PHP in web development?

- ☐ a. To handle client-side scripting and interactivity
- ☐ b. To define the visual appearance and layout of web pages
- ☒ c. To manage and process data on the server
- ☐ d. To create responsive and mobile-friendly web designs

✓

Question **92**

Correct

Mark 1.00 out of 1.00

Which technology is used to define the structure and content of web pages?

- ☒ a. HTML
- ☐ b. CSS
- ☐ c. JavaScript
- ☐ d. PHP

Question **93**

Incorrect

Mark 0.00 out of 1.00

SELECT relational algebra operation creates

- ☐ a. horizontal partitioning
- ☒ b. vertical partitioning
- ☐ c. combination of attributes
- ☐ d. All except C

Question **94**

Correct

Mark 1.00 out of 1.00

Course (Course_ Id, Section, Semester), here the Course_ Id, Section and Semester are _____ and course is a _____.

- ☐ a. Relations, Attribute
- ☒ b. Attributes, Relation
- ☐ c. Tuple, Relation
- ☐ d. Tuple, Attributes

Question **95**

Incorrect

Mark 0.00 out of 1.00

One of the following is not true about project risk management, which one is it?

- ☐ a. Positive risks are known as threats
- ☐ b. Risk management can have positive impact on selecting projects
- ☒ c. Risk management can often result in significant improvements in the ultimate success of projects
- ☐ d. All



Question **96**

Correct

Mark 1.00 out of 1.00

An entity that does not have a key attribute and that is identification-dependent on another entity type:

- ☐ a. Entity type
- ☒ b. Weak entity type
- ☐ c. Relationship type
- ☐ d. Relation

Question **97**

Incorrect

Mark 0.00 out of 1.00

ISO 9000 helps to

- ☐ a. demonstrates a commitment to customer requirements.
- ☐ b. Increased control of operations
- ☒ c. improve customer satisfaction.
- ☐ d. All

Question **98**

Incorrect

Mark 0.00 out of 1.00

_____ is a process in which an overridden method is called through the reference variable of super class.

- ☒ a. Method overloading
- ☐ b. Method overriding
- ☐ c. Inheritance
- ☐ d. Applet

Question **99**

Correct

Mark 1.00 out of 1.00

The android.graphics package has support for

- ☐ a. Canvas
- ☐ b. Bitmap
- ☐ c. Paints
- ☒ d. All of the above



Question **100**

Correct

Mark 1.00 out of 1.00

Certain facts of data elements which represents corresponding real-world entity is_____.

- ☒ a. Relation
- ☐ b. Tuple
- ☐ c. Column header
- ☐ d. All of the above.

[◀ Announcements](#)