

.A mother brings her 6 year old child to OPD because over the last week,he developed reddish discoloration of the urine and puffiness of the face. He has history of fever and sore throat 2 weeks back.On physical examination ,the blood pressure is 120/85,as peri-orbital puffiness.Which of the following is the most likely diagnosis?

.A. Acute Post streptococcal glomerulonephritis

.Baby Samuel is 1 year old and 12 kg has had diarrhea for 5 days. There was no blood in the stool, he is lethargic but not unconscious with sunken eye ball, drinks poorly and the skin pinch goes back very slowly. Samuel's classification for diarrhea and dehydration, respectively?

.A. Acute diahrea and some dehydration

.B. Diahrea with no dehydration

.Child Lamiroto who is 16 month old weigh 11 Kg and has axillary temperature of 38.0c, her mother said that she had discharge coming from her ear for the last 5-6 days. Lamiroto does not have any danger signs, has no cough or difficult breathing, has no diarrhea, fever, and ear pain, but you saw pus draining from the ear. She did not feel any tender swelling behind either ear. What is Lamiroto's classification of ear problem?

. 1 year child present with swelling over posterior auricular he feel any tender swelling behind either ear. What classification of ear problem?

- .A. Mastoiditis
- .B. Chronic ear infection
- .C. Acute ear infection
- .D. No ear infection

. A child presents with fever, vomiting, nuchal rigidity, and maculopapular rash. which of the following tests for meningitis involves flexion of the neck with reflexive bending of the knees to alleviate pain and tension on the spinal cord?

.A. Kienbock sign

.B. Kerning sign

.C. Babiniski sign

.A 7-day-old healthy infant with a superficial swelling over the right parieto temporal which extends to orbital ridge and nap of neck region that cross the suture lines.

.A. Intraventricular hemorrhage

.B. Caput succedaneum

.C. Subgaleal hemorrhage

.D. Cephalohematoma

.Which is the most common childhood solid organ tumor in child

- .A. Neuroblastoma
- .B. Wilms tumor
- .C. Hepatoblastoma
- .D. Rhabdomyosarcoma

.A 14 year old male patient presented with peri-umbilical pain which later shifted to right lower quadrant of five days duration. Since two days back, the pain become dull aching and .claims to have high grade fever. On physical examination, blood pressure-110/70, pulse rate .is 100, temperature-37.60C and he has a right lower quadrant mass which was tense. What

.An 15-year-old woman presents with arthritis that is asymmetrical and involves more than
.three joints. The arthritis is migratory, affecting one joint for several days and improving,
.then affecting another joint. On physical examination, the patient has several subcutaneous
.nodules and her cardiac exam reveals an S3

.A 14 year old male patient presented to EMOPD with high grade fever associated with headache, photophobia & neck stiffness. LP was done CSF gram stain shows gram –ve intracellular diplococccic. For how long are you going to give antibiotic for this patient?

.A. 5-7 days

.B. 7-10 days

•A 8-year-old child comes to the physician complaining of 2 weeks of abdominal distension. His temperature is 37.1 C , blood pressure is normal Hg, pulse is 80/min, and respirations are 14/min. Examination shows periorbital edema, ascites, and 2+ pitting edema in both legs up to the knees. Breath sounds are decreased at the right lung base. Twenty-four-hour urine shows protein excretion heavy of 7.5 g. Which of the

.The patient is diagnosed with type 1 diabetes mellitus. Presented with complaint of abdominal pain and vomiting RBS is 400mg/dl ketone t3 what is the first management principle ?

.a.insulin therapy

.B,fluid therapy

.c.treating infection

D. electrolyte replacement

•A 12 month old infant, who was on formula feeding since one month, was brought to the OPD for routine checkup. Hgb is 7,5g/l with MCV of 65ft, What is the most likely explanation for this finding?

- A) vitmin β - 12 defieency
- b) folate defieny anemia
- c) Iron deficiency anemia
- D) none

.A 4 day female neonate is brought to health center with failure to open her mouth and breast feed. She was well in the first three days after which the mother noticed excessive cry with stiff body posturing and spasm. The mother had no ANC follow up and delivery was at home. what is the most likely diagnosis in this neonate?

.A. Hypocalcemia

.which of the following micro-nutrients deficiency is presented with rachit rosary widening of the wrist complain with

- .A. Calcium
- .B. Vitamin D
- .C. Vitamin C
- .D. Zink

.Which is early sign of vitamin A deficiency

.a.keratomalacia

.B,corneal xerosis

.C,night blindness

.D,none

.A 7 year old presents with fever easily fatigability and change in mental status. On physical examination , BP=100/60mmhg, PR=108/min, RR=20/min. To=38.5oc and has pale conjunctiva and confused. Laboratoryexamination reveals hemoglobin=8g/dl,plt 85 random blood sugar=70mg/dl and plasmodium falciparum positive . which of the following in the initial step in the management of this patient ?

.Which is the most common mortality is neonatal disease in ethiopia

.A.sepsis

.B,prematurity

.C,asphaxia

.D,tetanus

.6 year old diabetic child admitted to hospital with diagnosis of severe diabetic ketoacidosis he has been taking normal saline and regular insulin what electrolyte imbalance is expected

.A.hypomagnesemia

.b.hyponatremia

.c.hypokalemia

