



WOLLO University

Department of software engineering

Exit multiple choice questions for

Mobile application development

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Department of software engineering

1) Android is -

- a. an operating system
- b. a web browser
- c. a web server
- d. None of the above

Hide Answer Workspace

Answer: (a) an operating system

Explanation: Android is a software package and linux based operating system for mobile devices such as tablet computers and smartphones.

2) Under which of the following Android is licensed?

- a. OSS
- b. Sourceforge
- c. Apache/MIT
- d. None of the above

Hide Answer Workspace

Answer: (c) Apache/MIT

Explanation: The Android platform was released under the Apache 2.0 license, and it is responsible for the copyright of the Android Open Source project. The Apache Foundation permits and grants licenses for software uses and distribution by the copyright under the Android Open Source Project.

3) For which of the following Android is mainly developed?


- a. Servers
- b. Desktops
- c. Laptops
- d. Mobile devices

Hide Answer Workspace

Answer: (d) Mobile devices

Explanation: Android is a software package and a Linux-based operating system specially designed for touch-screen mobile devices like smartphones and tablets.

4) Which of the following is the first mobile phone released that ran the Android OS?



- a. HTC Hero
- b. Google gPhone
- c. T - Mobile G1
- d. None of the above

Hide Answer Workspace

Answer: (c) T - Mobile G1

Explanation: The first Android mobile was publicly released with Android 1.0 of the T-Mobile G1 (aka HTC Dream) in October 2008.

5) Which of the following virtual machine is used by the Android operating system?

- a. JVM
- b. Dalvik virtual machine
- c. Simple virtual machine
- d. None of the above

Hide Answer Workspace

Answer: (b) Dalvik virtual machine

Explanation: The Dalvik Virtual Machine (DVM) is an android virtual machine optimized for mobile devices. It optimizes the virtual machine for memory, battery life, and performance. Dalvik is a name of a town in Iceland. The Dalvik VM was written by Dan Bornstein.

6) Android is based on which of the following language?

- a. Java
- b. C++
- c. C
- d. None of the above

Hide Answer Workspace

Answer: (a) Java

Explanation: Java language is mainly used to write the android code even though other languages can be used.

7) APK stands for -

- a. Android Phone Kit
- b. Android Page Kit
- c. Android Package Kit
- d. None of the above

Hide Answer Workspace

Answer: (c) Android Package Kit

Explanation: An APK is a short form of the Android Package Kit. An APK file is the file format used to install the applications on the android operating system.

8) What does API stand for?

- a. Application Programming Interface
- b. Android Programming Interface
- c. Android Page Interface
- d. Application Page Interface

Hide Answer Workspace

Answer: (a) Application Programming Interface

Explanation: API stands for application program interface. It is a set of routines, protocols, and tools for building software and applications. It may be any type of system like a web-based system, operating system, or database system.

9) Which of the following converts Java byte code into Dalvik byte code?

- a. Dalvik converter
- b. Dex compiler
- c. Mobile interpretive compiler (MIC)
- d. None of the above

Hide Answer Workspace

Answer: (b) Dex compiler

Explanation: The Dex compiler converts the class files into a .dex file that runs on the Dalvik VM. Multiple class files are converted into one dex file.

10) How can we stop the services in android?

- a. By using the stopSelf() and stopService() method
- b. By using the finish() method
- c. By using system.exit() method
- d. None of the above

Hide Answer Workspace

Answer: (a) By using the stopSelf() and stopService() method

Explanation: A service is started when a component (like activity) calls the startService() method; now, it runs in the background indefinitely. It is stopped by the stopService() method. The service can stop itself by calling the stopSelf() method.

11) What is an activity in android?

- a. android class
- b. android package
- c. A single screen in an application with supporting java code
- d. None of the above

Hide Answer Workspace

Answer: (c) A single screen in an application with supporting java code

Department of software engineering

Explanation: An activity is a single screen in android. It is like a window or frame of Java. By the help of activity, you can place all your UI components or widgets in a single screen. Activity is like a frame or window in java that represents GUI. It represents one screen of android.

12) How can we kill an activity in android?

- a. Using finish() method
- b. Using finishActivity(int requestCode)
- c. Both (a) and (b)
- d. Neither (a) nor (b)

Hide Answer Workspace

Answer: (c) Both (a) and (b)

Explanation: The finish() method is used to close the activity. Whereas the finishActivity(int requestCode) also closes the activity with requestCode.

13) ADB stands for -

- a. Android debug bridge
- b. Android delete bridge
- c. Android destroy bridge
- d. None of the above

Hide Answer Workspace

Answer: (a) Android debug bridge

Explanation: ADB stands for Android Debug Bridge. It is a command-line tool that is used to communicate with the emulator instance.

14) On which of the following, developers can test the application, during developing the android applications?

- a. Third-party emulators
- b. Emulator included in Android SDK
- c. Physical android phone
- d. All of the above

Hide Answer Workspace

Department of software engineering

Answer: (d) All of the above

Explanation: We can use the Android emulator, physical android phone, or third-party emulator as a target device to execute and test our Android application.

15) Which of the following kernel is used in Android?

- a. MAC
- b. Windows
- c. Linux
- d. Redhat

Hide Answer Workspace

Answer: (c) Linux

Explanation: Android is a customized Linux 3.6 kernel. It is the heart of android architecture that exists at the root of android architecture. Linux kernel is responsible for device drivers, power management, memory management, device management, and resource access.

16) Which of the following is the first callback method that is invoked by the system during an activity life-cycle?

- a. onClick() method
- b. onCreate() method
- c. onStart() method
- d. onRestart() method

Hide Answer Workspace

Answer: (b) onCreate() method

Explanation: onCreate() method is called when activity is first created. The onCreate() and onDestroy() methods are called only once throughout the activity lifecycle.

17) Which of the following is not an activity lifecycle callback method?

- a. onClick() method
- b. onCreate() method
- c. onStart() method

- d. onBackPressed() method

Hide Answer Workspace

Answer: (d) onBackPressed() method

Explanation: None

18) We require an AVD to create an emulator. What does AVD stand for?

- a. Android Virtual device
- b. Android Virtual display
- c. Active Virtual display
- d. Active Virtual device

Hide Answer Workspace

Answer: (a) Android Virtual device

Explanation: An Android Virtual Device (AVD) is an emulator configuration that represents a specific Android device. We can use the Android emulator as a target device to execute and test our Android application on our PC.

19) Does android support other languages than java?

- a. Yes
- b. No
- c. May be
- d. Can't say

Hide Answer Workspace

Answer: (a) Yes

Explanation: Yes, an android app can be developed in C/C++ also using android NDK (Native Development Kit). It makes the performance faster. It should be used with Android SDK.

20) What is the use of content provider in Android?

- a. For storing the data in the database
- b. For sharing the data between applications

Department of software engineering

- c. For sending the data from an application to another application
- d. None of the above

Hide Answer Workspace

Answer: (c) For sending the data from an application to another application

Explanation: A content provider is used to share information between Android applications.

21) AAPT stands for -

- a. Android Activity Packaging Tool
- b. Android Asset Packaging Tool
- c. Android Action Packaging Tool
- d. None of the above

Hide Answer Workspace

Answer: (b) Android Asset Packaging Tool

Explanation: AAPT is an acronym for "Android Asset Packaging Tool". It handles the packaging process.

22) NDK stands for -

- a. Native Development Kit
- b. New Development kit
- c. Native Design Kit
- d. None of the above

Hide Answer Workspace

Answer: (a) Native Development Kit

Explanation: NDK stands for Native Development Kit. By using NDK, you can develop a part of an app using a native language such as C/C++ to boost performance.

23) Which of the following is contained in the src folder?

- a. XML
- b. Java source code

- c. Manifest
- d. None of the above

Hide Answer Workspace

Answer: (b) Java source code

Explanation: None

24) Which of the following method is used to handle what happens after clicking a button?

- a. onClick
- b. onCreate
- c. onSelect
- d. None of the above

Hide Answer Workspace

Answer: (a) onClick

Explanation: None

25) Which of the following android component displays the part of an activity on screen?

- a. View
- b. Manifest
- c. Intent
- d. Fragment

Hide Answer Workspace

Answer: (d) Fragment

Explanation: Android Fragment is the part of activity; it is also known as sub-activity. There can be more than one fragment in an activity. Fragments represent multiple screens inside one activity.

26) Which of the following is the parent class of Activity?

- a. context
- b. object

- c. contextThemeWrapper
- d. None of the above

Hide Answer Workspace

Answer: (c) contextThemeWrapper

Explanation: The android Activity is the subclass of ContextThemeWrapper class. Android Activity Lifecycle is controlled by 7 methods of android.app.Activity class. An activity is a single screen in android. It is like a window or frame of Java.

27) Which of the following is the parent class of service?

- a. context
- b. object
- c. contextThemeWrapper
- d. contextWrapper

Hide Answer Workspace

Answer: (d) contextWrapper

Explanation: The android.app.Service is subclass of ContextWrapper class. Android service is a component used to perform operations on the background, such as playing music, handling network transactions, interacting content providers, etc.

28) OHA in android stands for -

- a. Open Health Academy
- b. Open Handset Alliance
- c. Open Handset Application
- d. Open Handset Association

Hide Answer Workspace

Answer: (b) Open Handset Alliance

Explanation: OHA stands for "Open Handset Alliance". It's a consortium of 84 companies such as google, samsung, AKM, synaptics, KDDI, Garmin, Teleca, eBay, Intel, etc.

29) In which of the following tab an error is shown?

- a. CPU
- b. Memory
- c. ADB Logs
- d. Logcat

Hide Answer Workspace

Answer: (d) Logcat

Explanation: Logcat is a command-line tool that dumps a log of system messages. It includes the messages that you have written from your app with the Log class and also includes the stack traces when the devices throw an error. Logcat helps to analyze the problems and also helps to display the log messages of our android device.

30) In which year OHA (Open Handset Alliance) is announced?

- a. 2005
- b. 2007
- c. 2006
- d. None of the above

Hide Answer Workspace

Answer: (b) 2007

Explanation: OHA (Open Handset Alliance) was established on 5th November 2007, led by Google. It is committed to advance open standards, provide services and deploy handsets using the Android Platform.

31) Which of the following is the name of the Android version 1.5?

- a. Eclair
- b. Froyo
- c. Cupcake
- d. Donut

Hide Answer Workspace

Answer: (c) Cupcake

Explanation: On April 27, 2009, the Android updated to 1.5 with the codename of the dessert item (Cupcake). It has a Linux kernel 2.6.27.

32) Which of the following is the name of the Android version 1.6?

- a. Eclair
- b. Froyo
- c. Cupcake
- d. Donut

Hide Answer Workspace

Answer: (d) Donut

Explanation: On September 15, 2009, Android 1.6 was released with the name Donut. It contains numerous new features such as voice and text entry search, bookmark history, contacts, web, "speak" a string of text, faster camera access, user can select multiple photos for deletion, support text-to-speech engine, WVGA screen resolutions.

33) Which of the following is the topmost layer of android architecture?

- a. System Libraries and Android Runtime
- b. Linux Kernel
- c. Applications
- d. Applications Framework

Hide Answer Workspace

Answer: (c) Applications

Explanation: On the top of the application framework, there are applications. All applications such as home, contact, settings, games, browsers are using an android framework that uses android runtime and libraries.

34) Which of the layer is below the topmost layer of android architecture?

- a. System Libraries and Android Runtime
- b. Linux Kernel
- c. Applications
- d. Applications Framework

Hide Answer Workspace

Answer: (d) Applications Framework

Department of software engineering

Explanation: On the top of Native libraries and android runtime, there is an application framework. Android framework includes Android API's such as UI (User Interface), telephony, resources, locations, Content Providers (data), and package managers. It provides a lot of classes and interfaces for android application development.

35) Which of the layer is the lowest layer of android architecture?

- a. System Libraries and Android Runtime
- b. Linux Kernel
- c. Applications
- d. Applications Framework

Hide Answer Workspace

Answer: (b) Linux Kernel

Explanation: It is the heart of android architecture that exists at the root of android architecture. Linux kernel is responsible for device drivers, power management, memory management, device management, and resource access.

36) What is contained in manifest.xml?

- a. Source code
- b. List of strings used in the app
- c. Permission that the application requires
- d. None of the above

Hide Answer Workspace

Answer: (c) Permission that the application requires

Explanation: The AndroidManifest.xml file contains information of your package, including components of the application such as activities, services, broadcast receivers, content providers, etc. It is responsible for protecting the application to access any protected parts by providing the permissions.

37) Which of the following is not a state in the service lifecycle?

- a. Destroyed
- b. Start
- c. Paused

- d. Running

Hide Answer Workspace

Answer: (c) Paused

Explanation: A service is a component that runs in the background. It is used to play music, handle network transaction, etc.

38) As an android programmer, which version of Android should we use as a minimum development target?

- a. Version 1.2 or version 1.3
- b. Version 1.0 or version 1.1
- c. Version 1.6 or version 2.0
- d. Version 2.3 or version 3.0

Hide Answer Workspace

Answer: (c) Version 1.6 or version 2.0

Explanation: None

39) Which of the following is not a nickname of any android version?

- a. Donut
- b. Muffin
- c. Honeycomb
- d. Cupcake

Hide Answer Workspace

Answer: (b) Muffin

Explanation: Muffin is not a nickname of any android version.

40) Which of the following is a dialog class in android?

- a. AlertDialog
- b. DatePicker Dialog
- c. ProgressDialog

- d. All of the above

Hide Answer Workspace

Answer: (d) All of the above

Explanation: The Dialog classes that are supported in android are -

- Alert Dialog
 - Progress Dialog
 - Date Picker Dialog
 - Time picker Dialog
-

41) In which state the activity is, if it is not in focus, but still visible on the screen?

- a. Stopped state
- b. Destroyed state
- c. Paused state
- d. Running state

Hide Answer Workspace

Answer: (c) Paused state

Explanation: When an activity is not in focus that is not interacting with the user but still visible on the screen, then the activity is in paused state.

42) Which of the following is the built-in database of Android?

- a. SQLite
- b. MySQL
- c. Oracle
- d. None of the above

Hide Answer Workspace

Answer: (a) SQLite

Explanation: SQLite is an open-source relational database, i.e., used to perform database operations on android devices such as storing, manipulating, or retrieving persistent data from the database. It is embedded in android by default. So, there is no need to perform any database setup or administration task.

43) Which of the following android version is named Jelly Bean?

- a. 3.1
- b. 2.1
- c. 1.1
- d. 4.1

Hide Answer Workspace

Answer: (d) 4.1

Explanation: On June 27, 2012, Google announced Android 4.1(Jelly Bean) in the Google I/O conference. It is based on Linux kernel 3.0.31.

44) Which of the following features are updated in Android 4.1(Jelly Bean)?

- a. User Interface
- b. Lock screen improvement
- c. New clock application
- d. All of the above

Hide Answer Workspace

Answer: (d) All of the above

Explanation: Android 4.1(Jelly Bean) updates to following features: smoother user interface, enhance accessibility, expandable notification, fixed bug on Nexus 7, one-finger gestures to expand/collapse notifications, lock screen improvement, multiple user accounts (tablets only), new clock application, Bluetooth low energy support, volume for incoming call, 4K resolution support, native emoji support, bug fixes for the Nexus 7 LTE.

45) Which of the following is the API level of Android version 5.0?

- a. 21
- b. 20
- c. 11
- d. 41

Hide Answer Workspace

Department of software engineering

Answer: (a) 21

Explanation: Android "Lollipop" (Android 5) was the 5th major version of Google's Android operating system. It is the twelfth version of Android. Its API level is 21.

46) Is it true that "There can be only one running activity at a given time"?

- a. True
- b. False
- c. May be
- d. Can't say

Hide Answer Workspace

Answer: (a) True

Explanation: None

47) Which of the following android library provides access to the database?

- a. android.content
- b. android.database
- c. android.api
- d. None of the above

Hide Answer Workspace

Answer: (b) android.database

Explanation: None

48) In Android studio, which of the following callback is called when an activity starts interacting with the user?

- a. onDestroy
- b. onCreate
- c. onResume
- d. onStop

Hide Answer Workspace

Department of software engineering

Answer: (c) onResume

Explanation: onResume is called when an activity will start interacting with the user.

49) The sendStickyBroadcast(intent) method in android is used to show that the intent is -

- a. Optional
- b. Prioritize
- c. Sticky
- d. None of the above

Hide Answer Workspace

Answer: (c) Sticky

Explanation: If we use the sendStickyBroadcast(Intent) method, the Intent is sticky. It means that the Intent that we are sending will stay around after the completion of the broadcast.

50) Which of the following class in android displays information for a short period of time and disappears after some time?

- a. toast class
- b. log class
- c. maketest class
- d. None of the above

Hide Answer Workspace

Answer: (a) toast class

Explanation: An android toast provides feedback to the users about the operation being performed by them. It displays the message regarding the status of operation initiated by the user.

51) Which of the following method in android is used to log debug messages?

- a. Log.r()
- b. Log.R()
- c. Log.d()
- d. Log.D()

Department of software engineering

Hide Answer Workspace

Answer: (c) Log.d()

Explanation: The Log.d() method in android is used to log debug messages.

52) Which of the following method is used by services to clean up any services?

- a. onStop() method
- b. stopService() method
- c. onDestroy() method
- d. stopSelf() method

Hide Answer Workspace

Answer: (c) onDestroy() method

Explanation: The onDestroy() method can be used by services to clean up any resources like receivers, threads, registered listeners, etc.

53) ANR in android stands for -

- a. Application Not Reacting
- b. Application Not Responding
- c. Application Not Rendering
- d. None of the above

Hide Answer Workspace

Answer: (b) Application Not Responding

Explanation: ANR stands for Application Not Responding. It is a dialog box that appears if the application is no longer responding.

54) All layout classes are the subclasses of -

- a. android.view.View
- b. android.view.ViewGroup
- c. android.widget
- d. None of the above

Hide Answer Workspace

Answer: (b) android.view.ViewGroup

Explanation: In Android, all layout classes are the subclasses of android.view.ViewGroup.

55) Which of the following class in android executes the task asynchronously with your service?

- a. SyncTask
- b. AsyncTask
- c. Both of the above
- d. None of the above

Hide Answer Workspace

Answer: (b) AsyncTask

Explanation: As the name implies, AsyncTask class executes a task asynchronously. AsyncTask is an abstract class provided by Android, which helps us to use the UI thread properly. This class allows us to perform long/background operations and show its result on the UI thread without having to manipulate threads.

56) Which of the following layout in android arranges its children into rows and columns?

- a. RelativeLayout
- b. TableLayout
- c. FrameLayout
- d. None of the above

Show Answer Workspace

57) Which of the following layout in android aligns all children either vertically or horizontally?

- a. RelativeLayout
- b. TableLayout
- c. FrameLayout
- d. LinearLayout

Hide Answer Workspace

Answer: (d) LinearLayout

Department of software engineering

Explanation: LinearLayout in android aligns all children either vertically or horizontally. The direction of the LinearLayout can be specified using the android orientation attribute.

58) What is the default value of the orientation attribute in LinearLayout?

- a. Horizontal
- b. Vertical
- c. There is no default value of orientation attribute in LinearLayout
- d. None of the above

Hide Answer Workspace

Answer: (a) Horizontal

Explanation: LinearLayout in android aligns all children either vertically or horizontally. The direction of the LinearLayout can be specified using the android orientation attribute. Its default value of the orientation attribute of LinearLayout is horizontal.

59) What is the nine-patch images tool in android?

- a. It is an image extension tool.
- b. It is used to change the bitmap images into nine sections
- c. Both (a) and (b)
- d. None of the above

Hide Answer Workspace

Answer: (b) It is used to change the bitmap images into nine sections

Explanation: The nine-patch images tool in android is used to change the bitmap images into nine sections with four corners, four edges, and an axis.

60) GCM in android stands for -

- a. Google Cloud Messaging
- b. Google Count Messaging
- c. Google Center Messaging
- d. None of the above

Hide Answer Workspace

Answer: (a) Google Cloud Messaging

Explanation: GCM stands for Google Cloud Messaging. It is provided by Google for sending push notifications to and from an Android application.

1 _____ What is an activity in Android?

- ☐ A Activity performs the actions on the screen
- ☐ B Manage the Application content
- ☐ C Screen UI
- ☐ D None of the above

[View Answer](#)

Answer: A.

2 What is the life cycle of services in android?

- ☐ A onCreate()→onStartCommand()→onDestory()
- ☐ B onRecieve()
- ☐ C final()
- ☐ D Service life cycle is same as activity life cycle.

[View Answer](#)

Answer: onCreate()→onStartCommand()→onDestory()

Advertisement

DOWNLOAD CURRENT AFFAIRS PDF FROM APP

3 What are the functionalities in asyncTask in android?.

- ☐ A onPreExecution()
- ☐ B doInBackground()
- ☐ C onProgressUpdate()
- ☐ D onPostExecution()

[View Answer](#)

Answer: onPostExecution()

4 What is the life cycle of broadcast receivers in android?

- ☐ A send intent()
- ☐ B onRecieve()
- ☐ C implicitBroadcast()

D sendBroadcast(), sendOrderBroadcast(), and sendStickyBroadcast().

[View Answer](#)

Answer: onRecieve()

5 Which permissions are required to get a location in android?

A ACCESS_FINE and ACCESS_COARSE

B GPRS permission

C Internet permission

D WIFI permission.

[View Answer](#)

Answer: ACCESS_FINE and ACCESS_COARSE.

6 What are the debugging techniques available in android?

A DDMS

B Breaking point

C Memory profiling

D None of the above.

[View Answer](#)

Answer: None of the above.

7 How to fix crash using log cat in android?

A Gmail

B log cat contains the exception name along with the line number

C Google search

D None of the above.

[View Answer](#)

Answer: log cat contains the exception name along with the line number.

8 What is sandbox in android?

A Each application runs securely in sandbox without interrupting another process

B Android Box

C Android development tool kit

D None of the above

[View Answer](#)

Answer: Each application runs securely in sandbox without interrupting another process.

9 Why don't we give MIN SDK as 1 in android?

- A Android deprecated version
- B There is no value for 1
- C Android doesn't allow min version 1
- D None of the above

[View Answer](#)

Answer: Android deprecated version.

10 What are the main components in android?

- A Activity
- B Services
- C Broadcast Receiver
- D Content provider

[View Answer](#)

Answer: A,B,C and D

11 Which of the following is the core module of Android for Internet computing?

- A SQLite RDBMS
- B SQL Server RDBMS
- C OpenPL
- D None of the mentioned

[View Answer](#)

Answer: SQLite RDBMS

12 Point out the wrong statement.

- A Google Chrome to Phone Extension sends links and information from a Chrome browser to an Android phone
- B Voice Actions for Android is a voice command and speech recognition program
- C Google Goggles is used for local search
- D All of the mentioned

[View Answer](#)

Department of software engineering

Answer: Google Goggles is used for local search

13 . Which of the following Google Application can be found in Android?

- ☐ A Google Translate
- ☐ B Google Shopper
- ☐ C My Tracks
- ☐ D All of the mentioned

[View Answer](#)

Answer: All of the mentioned

14 Which of the following applications are processed locally on the phone?

- ☐ A Google Earth
- ☐ B Google Maps
- ☐ C Google Voice
- ☐ D None of the mentioned

[View Answer](#)

Answer: None of the mentioned

15 Point out the correct statement?

- ☐ A Voice Actions for Android allows you to use spoken commands to control your Android phone
- ☐ B The Android Market is not available on Android phones through the Market application
- ☐ C Video is accessed with the microphone button inside the Google search box on the Android home screen
- ☐ D None of the mentioned

[View Answer](#)

16 Which of the following has not included support for Adobe Flash or Java on its platform?

- ☐ A Microsoft
- ☐ B Apple
- ☐ C Google
- ☐ D None of the mentioned

[View Answer](#)

Answer: Apple

17 Which of the following is Apple's cloud service for hosted email service?

- ☐ A MobileMe
- ☐ B MobApp
- ☐ C MobileCloud
- ☐ D None of the mentioned

[View Answer](#)

Answer: MobileMe

18 Which of the following programming medium is used by MobileMe to create the appearance of a desktop application inside a browser?

- ☐ A HTML
- ☐ B DHTML
- ☐ C JQuery
- ☐ D All of the mentioned

[View Answer](#)

Answer: DHTML.

19 . Which of the following is a photo and video sharing service by MobileMe?

- ☐ A iDisk
- ☐ B Find My iPhone
- ☐ C iWeb Publish
- ☐ D MobileMe Gallery

[View Answer](#)

Answer: MobileMe Gallery

20 Which of the following is Apple's instant messaging service that interoperates with AIM?

- ☐ A iDisk
- ☐ B iChat
- ☐ C wechat
- ☐ D all of the mentioned

[View Answer](#)

Answer: iChat

1.

Choose the correct option related to Android.

Android is a web browser

Android is an Operating System

Android is a web server

None

Hide

Wrong Answer

Answer - B) Android is an Operating System

2.

What is an activity in android?

android class

android package

A single screen in an application with supporting java code

None of the above

Hide

Wrong Answer

Answer - C) A activity is a single screen in an application.

3.

State whether true or false: Android is built upon the Java micro edition(J2ME) version of Java.

True

False

Hide

Wrong Answer

Answer - B) False. Android is not built upon the Java micro edition(J2ME) version of Java.

4.

Among the following options choose the one for which Android is based on Linux.

Networking

Portability

Security

All of the above

Hide

Wrong Answer

Answer - D) All of the above are reasons for which Android is based on Linux.

5.

Among the below virtual machines choose the one which is used by the Android operating system

Dalvik operating system

JVM

Simple virtual machine

None

Hide

Wrong Answer

Answer - A) Android uses Dalvik operating system.

6.

Identify the language on which Android is based upon.

Python

C++

Java

None

Hide

Wrong Answer

Answer - C) Android is based upon Java.

7.

All layout classes are the subclasses of

android.widget

android.view.View

android.view.ViewGroup

None

Hide

Wrong Answer

Department of software engineering

Answer - C) all layout classes are the subclasses of android.view.ViewGroup in android.

8.

The full form of APK is

Android Page Kit

Android Phone Kit

Android Package Kit

Android Photo Kit

Hide

Wrong Answer

Answer - C) APK stands for Android package kit.

9.

What is manifest XML in android?

It has information about layout in an application

It has all the information about an application

It has the information about activities in an application

None

Hide

Wrong Answer

Answer - B) It has all the information about an application

10.

What is the use of a content provider in Android?

For sharing the data between applications

For storing the data in the database

For sending the data from an application to another application

None of the above

Hide

Wrong Answer

Answer - C) A content provider is used to share information between Android applications.

11.

While developing android application developers can test their apps on

Emulators in Android SDK

Android Phone

Third-Party Emulator

All the above

Check Answer

12.

In android, mini activities are also known as

Adapter

Activity

Fragments

None

Hide

Wrong Answer

Answer - C) In android, mini activities are also known as Fragments

13.

Among the following choose the one which converts Java bytecode into Dalvik bytecode

dex compiler

Mobile interpretive compare

Dalvik converter

None

Hide

Wrong Answer

Answer - A) dex compiler converts convert JAVA bytecode into Dalvik bytecode.

14.

The services in android can be stopped using which of the following method?

system.exit() method

stopSelf() and stopService() method

finish() method

end() method

Hide

Wrong Answer

Answer - B) stopSelf() and stopService() method can be used to stop services in android.

15.

Activity in Android can be killed using?

finishActivity (int requestCode)

finish() method

neither a and b

None

Hide

Wrong Answer

Answer - D) Activity in Android can be killed using both finishActivity (int requestCode) and finish() method.

16.

The full form of ADB is.

Android Delete Bridge

Android Debug Bridge

Android Destroy Bridge

Android Developed Bridge

Hide

Wrong Answer

Answer - B) ADB stands for Android debug Bridge.

17.

AVD stands for

Active Virtual Display

Android Virtual display

Android Virtual Device

Active Virtual Device

Hide

Wrong Answer

Answer - C) AVD stands for Android virtual device

18.

Choose the option which is contained in the src folder

Manifest

Java Source Code

XML

All of them

Hide

Wrong Answer

Answer - B) Java source code is contained in the src folder

19.

Identify the parent class of activity.

contextThemeWrapper

context

object

None

Hide

Wrong Answer

Answer - A) The contextThemeWrapper class is the parent class of activity.

20.

Choose among the following tabs in which an error is shown

ADB logs

Memory

CPU

Logcat

Hide

Wrong Answer

Answer - D) Logcat shows an error.

21.

When was Open Handset Alliance announced?

2004

2005

2006

2007

Hide

Wrong Answer

Answer - D) Open Handset Alliance was announced in 2007

22.

Identify the topmost layer of Android architecture

Applications

Applications Framework

Linux Kernel

System libraries and android runtime

Hide

Wrong Answer

Answer - B) The topmost layer of Android architecture is the application framework.

23.

Identify the lowest layer of Android architecture.

Applications

Applications framework

Linux Kernel

System libraries and android runtime

Hide

Wrong Answer

Answer - C) Linux kernel Is the lowest layer of Android architecture.

24.

Identify among the following which is not a state in the service lifecycle.

Running

Start

Paused

Destroyed

Hide

Wrong Answer

Answer - C) Paused is not a state in the service lifecycle.

25.

Identify the dialogue class in Android among the following

DatePicker Dialog

AlertDialog

ProgressDialog

All of the above

Hide

Wrong Answer

Answer - D) All of the above are dialogue classes in Android.

26.

Choose the built-in database of Android.

MySQL

SQLite

Oracle

None

Hide

Wrong Answer

Answer - B) SQLite Is the built-in database of Android.

27.

Identify the one which provides access to the database.

android.api

android.database

android.content

None

Hide

Wrong Answer

Answer - B) android.database provides access to the database.

28.

Department of software engineering

Why is `sendStickyBroadcast(intent)` used?

To show intent is prioritize

To show intent is optional

To show intent is sticky

None

Hide

Wrong Answer

Answer - C) `sendStickyBroadcast(intent)` is used to show intent is sticky.

29.

Identify among the one which is used to log debug messages.

`Log.R()`

`Log.d()`

`Log.D()`

`Log.r()`

Hide

Wrong Answer

Answer - B) `Log.d()` is used to log debug messages.

30.

The full form of ANR is.

Application not rendering

Application not responding

Application not reacting

Application not reachable

Hide

Wrong Answer

Answer - B) ANR stands for Application not responding

31.

All layout classes are subclasses of which of the following?

`android.widget`

`android.view.view`

`android.view.ViewGroup`

None

Hide

Wrong Answer

Answer - C) All layout classes are subclasses of `android.view.ViewGroup`

32.

Identify the layout in which Android arranges its children into rows and columns.

`FrameLayout`

`RelativeLayout`

`TableLayout`

None

Hide

Wrong Answer

Answer - C) `TableLayout` arranges its children into rows and columns.

33.

The full form of GCM is

Google Centre messaging

Google Cloud messaging

Google account

None account manager

Hide

Wrong Answer

Answer - B) GCM stands for Google Cloud messaging

34.

Choose the correct definition of the nine-patch images tool in Android

Used to change the bitmap images in 9 sections

it is an image extension tool

Neither a and b

Both a and b

Hide

Wrong Answer

Answer - A) Nine-patch images tool is used to change the bitmap images into 9 sections.

35.

JSON stands for _____

JavaScript Oriented Notation

JavaScript Object Native

JavaScript Object Notation

None

Hide

Wrong Answer

Answer - C) JSON stands for Javascript Object Notation.

36.

Choose the correct option to find the JSON element length in Android JSON.

sum()

add()

count()

length()

Hide

Wrong Answer

Answer - D) To find the JSON element length in Android JSON, length() is used.

37.

Transient data in Android is.

Secure data

Permanent data

Temporary data

Logical data

Hide

Wrong Answer

Answer - D) Transient data in Android is logical data.

38.

On what is Android web browser-based?

Safari

Firefox

Open-source WebKit

Chrome

Hide

Wrong Answer

Answer - C) Android web browser is based upon open-source WebKit.

39.

Why is the view pager used?

Paging down list items

Swiping Fragments

Swiping Activities

None

Hide

Wrong Answer

Answer - B) viewpager is used for swiping fragments.

40.

On which kernel is Android-based on

Windows

Mac

Linux

Redhat

Hide

Wrong Answer

Answer - C) Android is based on Linux.

41.

Choose the correct technique to refresh the dynamic content in Android.

Java

Android

Department of software engineering

Ajax

None

Hide

Wrong Answer

Answer - C) Using the ajax technique we can refresh the dynamic content in Android.

42.

Under which, an open-source license is Android licensed?

OSS

Apache/MIT

Gnus GPL

Sourceforce

Hide

Wrong Answer

Answer - B) Android is licensed under Apache/MIT.

43.

OHA stands for _____.

Open Handset Alliance

Open Handset Association

Open Handset Application

Open Host Application

Hide

Wrong Answer

Answer - A) OHA stands for Open Handset Alliance.

44.

In which of the following is the Android application Framework provided?

Zip file

Jar file

Object file

EXE file

Hide

Wrong Answer

Answer - B) Android application Framework is provided in the Jar file.

45.

Which of the following packages is used for supporting SQL libraries in the Android framework.

android.*

org.w3c.dom

javax.*

junit.*

Hide

Wrong Answer

Answer - C) javax.* is used for supporting SQL libraries in the Android framework.

46.

WAP stands for?

Wireless Application Protocol

Wireless Application Program

Wireless Application Portal

Wireless Application Parts

Hide

Wrong Answer

Answer - A) WAP stands for wireless application protocol.

47.

Choose the option below which are part of the system library and android runtime layer of Android architecture.

SSL

DVM

Webkit

All of the above

Hide

Wrong Answer

Answer - D) SSL, DVM, and WebKit are all part of the system library and android runtime layer of Android architecture.

48.

Who manages data sharing between applications?

Telephony managers

Location manager

Content providers

Activity manager

Hide

Wrong Answer

Answer - C) Data sharing between applications is managed by content providers.

49.

Who develops DVM?

Dan Bornstein

Dennis Ritchie

Linus Torvald

None

Hide

Wrong Answer

Answer - A) DVM was developed by Dan Bornstein.

50.

What is a WebKit?

Database Server

Browser Engine

Database Engine

None

Hide

Wrong Answer

Answer - B) Webkit is a browser engine.

51.

AAPT stands for

Android activity packaging tool

Android action packaging tool

Android asset packaging tool

None

Hide

Wrong Answer

Answer - C) AAPT stands for Android asset packaging tool.

52.

Full form of NDK is _____

Native Development Key

Native Development Kit

New Development Kit

Net Development Kit

Hide

Wrong Answer

Answer - B) NDK stands for Native Development Kit.

53.

Which language is used by WAP?

SGML

WML

XML

HTML

Hide

Wrong Answer

Answer - B) WAP uses WML.