



WOLLO University

Department of software engineering

Exit multiple choice questions for

Software testing and quality assurance

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Department of software engineering

1. Which quality is measured as a foundation of requirement...?

- a) Hardware
- b) Programmers
- c) Software
- d) None of the mentioned

Answer - Click Here:

c

2. Select which option is not true about SQA...?

- a) Audits and reviews to be performed by the team
- b) Amount of technical work to be performed
- c) Evaluations to be performed
- d) Documents that are produced by the SQA team.

Answer - Click Here:

c

3. A product which is manufactured by using the degree of the design specification...

- a) Quality of conformance
- b) Quality Control
- c) Quality Assurance
- d) None of the above.

Answer - Click Here:

a

4. Software quality assurance consists of which function of management.

- a) reporting functions
- b) auditing functions
- c) both a and b
- d) all of the above

Answer - Click Here:

c

5. Which of the following is not included in prevention cost?

- a) equipment calibration and maintenance
- b) formal technical reviews
- c) test equipment reviews
- d) quality planning reviews

Answer - Click Here:

a

6. Select what is the primary objective of formal technical reviews to find during the process so that after the release of the software they do not become the defect...

- a) failure
- b) faults
- c) errors
- d) none of the mentioned

Answer - Click Here:

c

7. Select the people who identify the document and verifies the correctness of the software...

- a) Project manager

- b) SQA team
- c) Project team
- d) All of the mentioned

Answer - Click Here:

b

8. Select the option which is not an appraisal in SQA?
- a) inter-process inspection
 - b) maintenance
 - c) testing
 - d) quality planning

Answer - Click Here:

d

9. Select which one is not an External failure costs?
- a) testing
 - b) helpline support
 - c) warranty work
 - d) complaint resolution

Answer - Click Here:

a

10. What happened if an expected result is not specified then
- a. we cannot run the test
 - b. we cannot automate the user input values
 - c. it may be difficult to determine if the test has passed or failed
 - d. it may difficult to repeat the test

Answer - Click Here:

d

11. Loop Testing methodology includes which of the following.
- a. Simple Loops
 - b. Nested Loops
 - c. Concatenated Loops
 - d. All of the above

Answer - Click Here:

d

12. Faults are found most cost-effectively in which test activity?
- a. design
 - b. execution
 - c. planning
 - d. Check Exit criteria completion

Answer - Click Here:

c

1. Select from which of the following regression testing should be performed.

- a) Every week
- b) After the software has changed
- c) As often as possible

Department of software engineering

- d) When the environment has changed
- e) Both option (b,d)

Answer - Click Here:

e

2. When would the testing have been stopped?

- a) When all the tests run
- b) When the faults have been fixed
- c) When the time completed
- d) when all the risk are resolved

Answer - Click Here:

d

3. non-functional test does not belong to which of the following categories?

- a) Performance
- b) Usability and Security
- c) State level Transition
- d) all of the above

Answer - Click Here:

c

4. Which of the following is a form of functional testing?

- a) Security level testing
- b) Boundary value analysis
- c) Performance testing
- d) Usability testing

Answer - Click Here:

b

5. When reporting faults found to developers, testers should be:

- a) polite and helpful
- b) Diplomatic
- c) sensitive and insisting that a bug is not a “feature” if it should be fixed
- d) All of the above

Answer - Click Here:

d

6. Impact Analysis help to decide which of the following testing describe below.

- a) How much regression testing should be done
- b) How many more test cases need to written
- c) Exit Criteria
- d) Different Tools to perform Regression Testing

Answer - Click Here:

a

7. Select which of the below is not a Fundamental Test Process?

- a) Test Planning
- b) Requirement Analysis
- c) implementation and Execution
- d) Evaluating test criteria and reporting

Answer - Click Here:

b

8. Which of the following techniques is NOT a black box technique?

- a) Syntax testing
- b) Linear Code Sequence and Jump
- c) State transition testing
- d) Boundary value analysis

Answer - Click Here:

b

9. What should be done in the kick off phase of a formal review

- a) Explaining all objective
- b) Follow up meetings
- c) Fixing defects found
- d) Individual Meeting

Answer - Click Here:

a

10. Select Impact Analysis is used in which of the following?

- a) User acceptance testing
- b) Component testing
- c) Non-functional system testing
- d) Maintenance testing

Answer - Click Here:

d

11. Which of the following is not checked by Statement Coverage

- a) Missing Statements
- b) Unused Branches
- c) Dead Code
- d) Unused Statement

Answer - Click Here:

a

12. What is used as a measure of code coverage?

- a) Test Effectiveness
- b) Trends analysis
- c) Defects
- d) Time Spent Testing

Answer - Click Here:

a

Which of the following technique ensures that the impact of risk will be less

- a. Risk Avoidance Technique
- b. Risk Contingency Technique
- c. Risk Mitigation Technique
- d. All of the above
- e. None of these

MCQ Answer: b

Department of software engineering

The Effective Risk management plan needs to address which of the following issues

- a. Risk avoidance
- b. Risk monitoring
- c. Risk management and contingency planning
- d. All of the above
- e. None of these

MCQ Answer: d

The Risk Mitigation and risk monitoring is which Risk Activity?

- a. Increasing, Project tracking.
- b. Avoidance, Project tracking.
- c. Project tracking, Avoidance.
- d. Random, Tracking.
- e. None of these

MCQ Answer: b

After deployment of a system, a software incorrectly performs one of its main functionality, at that time the one who is going to determine how badly it will hamper the Organization is _____

- a. QA Personnel
- b. Developer
- c. Business Analysis
- d. Technical People
- e. None of these

MCQ Answer: c

What does the RE represent?

- a. Risk Expense
- b. Related Expense
- c. Risk Evaluation
- d. Risk Exposure
- e. None of these

MCQ Answer: d

1. Choose which effort is required for locating and fixing an error in an operational program

- A. Efficiency
- B. Usability
- C. Maintainability
- D. Testability

Answer - Click Here:

C

2. What is the basic reason for the poor quality in an organization can be...

- A. Lack of knowledge about quality
- B. Lack of involvement by management
- C. Time constraints

Department of software engineering

- D. Both an and b
- E. None of the above

Answer - Click Here:

D

3. The effort required for modifying an operational program.

- A. Availability
- B. Maintainability
- C. Portability
- D. Flexibility

Answer - Click Here:

D

4. What _____ is _____ Integrity.

- A. a program satisfies its specs and fulfills the user's mission and goals
- B. learning, operating, preparing input, interpreting the output of a program
- C. couple one system with another
- D. access to data or software by unauthorized persons can be controlled or accessed
- E. None of the above

Answer - Click Here:

D

5. To achieve the software Quality is easily adaptable only with programming skills?

- A. True
- B. False

Answer - Click Here:

False

6. What is the Failure to enforce standards as a contributor to poor quality is because of...

- A. Lack of knowledge
- B. Lack of involvement by management
- C. None of the above
- D. Both A and B.

Answer - Click Here:

B

7. For the achievement of quality like make the products which have no defect such products and services we require called.

- A. Close cooperation between management and staff
- B. Commitment
- C. An environment in which quality can flourish
- D. All of these

Answer - Click Here:

D

8. Is the quality of the software is a long-term strategy.

- A. True
- B. False

Answer - Click Here:

A

9.Is the 100% Quality of a software is achievable.

- A.YES
- B.NO
- C.depent on tester
- D.envirenment factor involve

Answer - Click Here:

B

10.What is not to be possibly done by black box tester

- A.Find system weakness
- B.Understand the source code
- C.Understand functional specification or requirments document
- D.Motivated to find faults.

Answer - Click Here:

B

11. What type of change do you need before when you are able to obtain a behavior change?

- A. Lifestyle change
- B. Internal change
- C. Vocabulary change
- D. Management change

Answer - Click Here:

C

12. What is the term RE represent in the quantifying risk...

- A. Risk End
- B. Risk behaviour
- C. Risk ratio
- D. None of these

Answer - Click Here:

D

1.Where the Alpha testing is done at...

- a) Developer's end
- b) Developer's & User's end
- c) User's end
- d) None of above

Answer - Click Here:

a

2.Which of the following belong to the testing levels?

- a) Unit Testing

- b) System Testing
- c) Integration Testing
- d) All of above

Answer - Click Here:

d

3.In which testing Boundary value analysis belong to?

- a) None of below
- b) Black Box Testing
- c) White Box & Black Box Testing
- d) White Box Testing

Answer - Click Here:

b

4.Select White box technique in the statement given below?

- a) Statement Testing
- b) Condition Coverage
- c) Decision Testing
- d) All of the above

Answer - Click Here:

d

5.Which of the below is to be possible for Exhaustive testing

- a) always adoptable
- b) possible
- c) impractical and impossible
- d) impractical but possible

Answer - Click Here:

d

6.White Box techniques are also classified as

- a) Error guessing technique
- b) Structural testing
- c) Design based testing
- d) None of above

Answer - Click Here:

b

7.Maintenance testing is performed by using which methodology in the below statements can be possible?

- a) Retesting
- b) Sanity testing
- c) Confirmation testing
- d) Breadth test and depth test

Answer - Click Here:

d

8.Lower and upper limits are present in which chart?

- a) Run chart
- b) Bar chart
- c) Control chart
- d) None of above

Answer - Click Here:

a

9. Which of the below statements are possible for Cyclomatic complexity?

- a) Black box testing technique
- b) White box testing technique
- c) Yellow box testing technique
- d) Green box testing technique

Answer - Click Here:

b

10. The testing is described by which of the following terms?

- a) Finding errors in functions
- b) Evaluating software to find errors
- c) A stage of all projects
- d) all of these

Answer - Click Here:

b

11. Select what is the expected result of software testing is

- a) Only important in system testing and its outcomes.
- b) Most useful when specified in advance
- c) Only used in component testing
- d) All of above

Answer - Click Here:

a

12. The normal operational capacity testing is ...

- a) Load testing
- b) Performance testing
- c) Stress testing
- d) All of above.

Answer - Click Here:

c

What is the Shortcut key to open an existing business or scripted component?

1. CTRL+ALT+O
2. CTRL+O
3. SHIFT+ALT+O
4. CTRL+SHIFT+O
5. None of these

Multiple Choice Question Answer: d

What is the Shortcut key for Low Level Recording?

1. SHIFT+ALT+F3
2. CTRL+SHIFT+F3
3. SHIFT+ALT+F4
4. None of these

Department of software engineering

Multiple Choice Question Answer: b

Which of the following is the value from other sources during the run session?

1. Environmental parameter
2. Action parameter
3. Data table parameter
4. Test parameter
5. None of these

Multiple Choice Question Answer: a

_____ is not true in case of Exit Synchronization

1. syntax is bVal = ObjectName.Exist ()
2. The Existing method is called through an object of type window or the dialog
3. We have to Wait till the timeout is mentioned in the exit method.
4. is a procedure.
5. None of these

Multiple Choice Question Answer: d

_____ is not used for adding the test object to the shared object repository

1. Navigate and learn
2. Active screen
3. Choose to add only a selected test object
4. Add all test objects of a specific type
5. None of these

Multiple Choice Question Answer: b

Which of the following will be called through an object, and it will wait for an expected property value of object?

1. Wait
2. WaitForProperty
3. Exit
4. All of these
5. None of these

Multiple Choice Question Answer: b

_____ is not WinObject test in the Low-Level Recording

1. Click
2. DbClick
3. Activate
4. Type
5. None of these

Multiple Choice Question Answer: c

The given syntax is related to _____

inputDataTable = TestArgs("InputDataTable")

1. Action parameter
2. Test parameter
3. Data table parameter

Department of software engineering

4. Environmental parameter
5. None of these

Multiple Choice Question Answer: b

Which of the following is used for adding an object to the local object repository?

1. Update from Application
2. Object Spy
3. Highlight in Application
4. All of these
5. None of these

Multiple Choice Question Answer: b

The odd one out is _____

1. .mta
2. .vbs
3. .qfl
4. .txt
5. None of these

1. Which quality is measured as a foundation of requirement...?

- a) Hardware
- b) Programmers
- c) Software
- d) None of the mentioned

Answer - Click Here:

c

2. Select which option is not true about SQA...?

- a) Audits and reviews to be performed by the team
- b) Amount of technical work to be performed
- c) Evaluations to be performed
- d) Documents that are produced by the SQA team.

Department of software engineering

Answer - Click Here:

c

3. A product which is manufactured by using the degree of the design specification...

- a) Quality of conformance
- b) Quality Control
- c) Quality Assurance
- d) None of the above.

Answer - Click Here:

a

4. Software quality assurance consists of which function of management.

- a) reporting functions
- b) auditing functions
- c) both a and b
- d) all of the above

Answer - Click Here:

c

5. Which of the following is not included in prevention cost?

- a) equipment calibration and maintenance
- b) formal technical reviews
- c) test equipment reviews
- d) quality planning reviews

Answer - Click Here:

a

6. Select what is the primary objective of formal technical reviews to find during the process so that after the release of the software they do not become the defect...

- a) failure
- b) faults
- c) errors
- d) none of the mentioned

Answer - Click Here:

c

7. Select the people who identify the document and verifies the correctness of the software...

- a) Project manager
- b) SQA team
- c) Project team
- d) All of the mentioned

Answer - Click Here:

b

8. Select the option which is not an appraisal in SQA?

- a) inter-process inspection
- b) maintenance
- c) testing
- d) quality planning

Answer - Click Here:

d

9. Select which one is not an External failure costs?

- a) testing
- b) helpline support
- c) warranty work
- d) complaint resolution

Answer - Click Here:

a

10. What happened if an expected result is not specified then

- a. we cannot run the test
- b. we cannot automate the user input values
- c. it may be difficult to determine if the test has passed or failed
- d. it may difficult to repeat the test

Answer - Click Here:

d

11. Loop Testing methodology includes which of the following.

- a. Simple Loops
- b. Nested Loops
- c. Concatenated Loops
- d. All of the above

Answer - Click Here:

d

12. Faults are found most cost-effectively in which test activity?

- a. design
- b. execution
- c. planning
- d. Check Exit criteria completion

Answer - Click Here:

c

1. A flexible product development strategy where a development team works together to reach a specific goal called what?

- a) Scrum
- b) FDD
- c) DevOps
- d) MDD
- e) Both a & b
- f) All of the above

Answer: a

2. A key principle of Scrum is _____

- a) Strict requirements
- b) Requirements volatility
- c) Fixed scale development
- d) Cross-functional development
- e) Both a & b
- f) All of the above

Answer: b

Department of software engineering

3. The _____ represents the product's stakeholders and the voice of the customer

- a) Development Team
- b) Scrum Master
- c) Product Owner
- d) Servant-leader
- e) Both a & b

f) All of the above

Answer: c

4. What is the basic unit of development in Scrum?

- a) Class
- b) Manifesto
- c) Slice
- d) Sprint
- e) Both a & b
- f) All of the above

Answer: d

5. The Sprint is an _____ effort.

- a) Time boxed
- b) Closed
- c) Sandboxed
- d) Open
- e) Both a & b
- f) All of the above

Answer: a

6. The team holds a _____ with specific guidelines every day during a Sprint

- a) Impediment
- b) Daily Scrum
- c) Backlog refinement
- d) Sum of Scrums
- e) Both a & b
- f) All of the above

Answer: b

7. On what the team reflects on the past Sprint.

- a) Sprint Review
- b) Daily Scrum
- c) Sprint Retrospective
- d) Sprint Reflection
- e) Both a & b
- f) All of the above

Answer: c

8. What are the various Testing Levels?

- a) Unit Testing
- b) System Testing
- c) Integration Testing
- d) None of these
- e) Both a & b
- f) All of the above

Answer: d

9. The value of boundary analysis belong to?

- a) White Box Testing
- b) Black Box Testing
- c) White Box & Black Box Testing
- d) None of the mentioned
- e) Both a & b
- f) All of the above

Answer: b

10. Alpha testing is done at

- a) Developer's end
- b) User's end
- c) Developer's & User's end
- d) None of these
- e) Both a & b
- f) All of the above

Answer: a

11) In which step the testing of real-time software is to test each task independently.

- a) First step
- b) Second step
- c) Third step
- d) Fourth step
- e) Both a & b
- f) All of the above

Answer: a

Let us see the important Black Box Testing Solved MCQs questions answers.

1. What is testing?

- A. Finding broken code
- B. Evaluating deliverable to find errors
- C. A stage of all projects
- D. None of the mentioned

Answer: b

2. What is Cyclomatic complexity?

- A. Black box testing
- B. White-box testing
- C. Yellow box testing
- D. Green box testing

Answer: b

3. Which chart Lower and upper limits are present in?

- A. Run chart
- B. Bar chart
- C. Control chart
- D. None of the mentioned

Answer: a

4. Which methodology Maintenance testing is performed using?

- A. Retesting
- B. Sanity testing
- C. Breadth test and depth test
- D. Confirmation testing

Answer: c

5. White Box Techniques are also classified as

- A. Design based testing
- B. Structural testing
- C. Error guessing technique
- D. None of the mentioned

Answer: b

6. Exhaustive testing is

- A. Always possible
- B. Practically possible
- C. Impractical but possible
- D. Impractical and impossible

Answer: c

7. What is the White box technique?

- A. Statement Testing
- B. Decision Testing
- C. Condition Coverage
- D. All of the mentioned

Answer: d

8. What are the various Testing Levels?

- A. Unit Testing
- B. System Testing
- C. Integration Testing
- D. All of the mentioned

Answer: d

9. Analysis of Boundary value belong to?

- A. White Box Testing
- B. Black Box Testing
- C. White Box & Black Box Testing
- D. None of the mentioned

Answer: b

10. Alpha testing is done at

- A. Developer's end
- B. User's end
- C. Developer's & User's end
- D. None of the mentioned

_____ is the characteristic of Exploratory Testing

- a. Minimum planning and maximum execution.
- b. Formal testing techniques are also used.
- c. Test design and test execution are always done in the parallel.
- d. It is always Useful in situations with poor specification and the limited time.
- e. All of these.
- e. None of these

Multiple Choice Question Answer: e

_____ is software metric which provides a quantitative measure of the logical complexity of a program

- a. Cyclomatic Complexity
- b. LOC
- c. Function Point
- d. None of the above.
- e. None of these

Multiple Choice Question Answer: a

_____ Review Technique is not time bound

- a. Inspection
- b. walkthrough
- c. Both of These
- d. None of These

Department of software engineering

e. None of these

Multiple Choice Question Answer: b

_____ categories, Black-box testing attempts for finding the errors

a. Incorrect or missing functions

b. Interface errors

c. Behavior or performance errors

d. All of these

e. None of these

Multiple Choice Question Answer: d

The Equivalence Partitioning always come under _____ type of Testing

a. White Box Testing

b. Black Box Testing

c. Grey Box Testing

d. None of the above

e. None of these

Multiple Choice Question Answer: b

_____ comes under the Control Structure Testing

a. Condition testing

b. Loop testing

c. Data Flow Testing

d. All of these

e. None of these

Multiple Choice Question Answer: d

_____ are the characteristics of testable software

a. Observability

b. Simplicity

c. Stability

d. All of these

e. None of these

Multiple Choice Question Answer: d

_____ type of errors are not done by Black-Box Testing and are uncovered by the White-Box Testing

a. Logic errors

b. Performance errors

c. Behavioral errors

d. None of the above

e. None of these

Multiple Choice Question Answer: a

Select the white-box testing technique that was first proposed by Tom McCabe?

a. Equivalence Partitioning

b. Basis Path Testing

c. Boundary Value Analysis

d. None of the above.

e. None of these

Multiple Choice Question Answer: b

What is the Black Box Testing called?

a. Behavioral Testing

b. Flow Testing

c. Data Testing

d. None of the above

e. None of these

Multiple Choice Question Answer: a

1 The basic difference between MRP and MRP-II is:

A Finance

B Capacity Planning

C Bom

D Inventory

[View Answer](#)

Answer: Finance

2 Bill of material structure is used to

A calculate man power requirements

B calculate due dates

C calculate net requirements

D all of the mentioned

[View Answer](#)

Answer: calculate net requirements

Advertisement

DOWNLOAD CURRENT AFFAIRS PDF FROM APP

3 CRP takes material requirements from MRP and converts to

A standard hours of load

B standard hours of machine

C standard hours of man power

D all of the mentioned

[View Answer](#)

Answer: insensitive

4 Capacity planning is concerned with

A how much labour required

B how many machines required

C all of the mentioned

D none of the mentioned

[View Answer](#)

Answer: all of the mentioned

5 MRP-II system is called a closed loop system because it considers

Department of software engineering

- A** finance
- B** man power
- C** inventory
- D** none of the mentioned

[View Answer](#)

Answer: finance

6 For a small scale industry, the fixed cost per month is Rs. 5000. The variable cost per product is Rs. 20 and sales price is Rs. 30 per piece. The break even production per month will be

- A** 500
- B** 1000
- C** 300
- D** none of the above

[View Answer](#)

Answer: 500

7 What does QA and QC stand for?

- A** Quality Adjustment and Queuing control
- B** Quality Assurance and Quality control
- C** Quality Adjustment and Quality completion
- D** Quality Assurance and Queuing Control

[View Answer](#)

Answer: Quality Assurance and Quality control

8 Which of the following option involves material and component control?

- A** Quality control
- B** Feedback
- C** Development of standards
- D** Development of specification

[View Answer](#)

Answer: Quality control

9 Which of the following is an example of QA?

- A** Validation

B Software testing

C Verification

D Documentation

[View Answer](#)

Answer: Verification

10 Which of the following option is not correct regarding QA and QC?

A QA depends on the activities of the entire company

B Process capabilities should be monitored on intermittent basis

C Measuring equipment's must have a calibration certificate

D Normally many inspections are done during the process of manufacturing

[View Answer](#)

Answer: Process capabilities should be monitored on intermittent basis

11 Where the nodal point for National Measurement System is located?

A New Delhi

B Bombay

C Patna

D Bangalore

[View Answer](#)

Answer: New Delhi

12 Process control is carried out

A during production

B after production control

C before production

D All of the above

[View Answer](#)

Answer: during production

13 Low cost, higher volume items requires

A intensive inspection

B no inspection

C little inspection

D 100% inspection

[View Answer](#)

Answer: little inspection

14 Faults are found most cost-effectively in which test activity?

A design

B planning

C Check Exit criteria completion

D execution

[View Answer](#)

Answer: planning

15 Loop Testing methodology includes which of the following.

A Concatenated Loops

B Simple Loops

C Nested Loops

D All of the above

[View Answer](#)

Answer: All of the above

16 What happened if an expected result is not specified then

A it may be difficult to determine if the test has passed or failed

B it may difficult to repeat the test

C we cannot run the test

D we cannot automate the user input values

[View Answer](#)

Answer: it may difficult to repeat the test

17 Select which one is not an External failure costs?

A complaint resolution

B testing

C helpline support

D warranty work

[View Answer](#)

Answer: testing

18 Select the option which is not an appraisal in SQA?

A inter-process inspection

B maintenance

C testing

D quality planning

[View Answer](#)

Answer: quality planning

19 Select the people who identify the document and verifies the correctness of the software...

A SQA team

B Project team

C Project manager

D All of the mentioned

[View Answer](#)

Answer: SQA team

20 Select what is the primary objective of formal technical reviews to find during the process so that after the release of the software they do not become the defect...

A faults

B errors

C failure

D none of the mentioned

[View Answer](#)

Answer: errors

Questions

Download PDF

21 Which of the following is not included in prevention cost?

A equipment calibration and maintenance

B formal technical reviews

C test equipment reviews

D quality planning reviews

[View Answer](#)

Answer: equipment calibration and maintenance

22 Software quality assurance consists of which function of management.

A reporting functions

B auditing functions

C both and b

D all of the mentioned

[View Answer](#)

Answer: both and b

Advertisement

DOWNLOAD CURRENT AFFAIRS PDF FROM APP

23 A product which is manufactured by using the degree of the design specification...

A Quality of conformance

B Quality Control

C Quality Assurance

D None of the above

[View Answer](#)

Answer: Quality of conformance

24 Select which option is not true about SQA...?

A Evaluations to be performed

B Documents that are produced by the SQA team.

C Audits and reviews to be performed by the team

D Amount of technical work to be performed

[View Answer](#)

Answer: Evaluations to be performed

25 Which quality is measured as a foundation of requirement...?

A Software

Department of software engineering

- B** Programmers
- C** Hardware
- D** None of the mentioned

[View Answer](#)

Answer: Software

26 A six sigma process has defect level below _____ defects per million opportunities.

- A** 6.7
- B** 3.4
- C** 5.6
- D** none of the above

[View Answer](#)

Answer: 3.4

27 The process capability is calculated as

- A** $(USL - LSL) / 6\sigma$
- B** $(USL + LSL) / 6\sigma$
- C** $(USL - LSL) / 3\sigma$
- D** $(USL + LSL) / 3\sigma$

[View Answer](#)

Answer: $(USL - LSL) / 6\sigma$

28 The control chart used for the number of defects per unit is

- A** p-chart
- B** c-chart
- C** Mean chart
- D** Range chart

[View Answer](#)

Answer: c-chart

29 The control chart used for the fraction of defective items in a sample is

- A** c-chart
- B** p-chart

C Range chart

D Mean chart

[View Answer](#)

Answer: p-chart

30 Dispersion of a process is monitored in

A Range chart

B c-chart

C Mean chart

D p-chart

[View Answer](#)

Answer: Range chart

31 Central tendency of a process is monitored in

A c-chart

B Range chart

C Mean chart

D p-chart

[View Answer](#)

Answer: Mean chart

32 The chart used to monitor attributes is

A p-chart

B Mean chart

C Range chart

D All of the above

[View Answer](#)

Answer: p-chart

33 The chart used to monitor variable is

A Range chart

B c-chart

C p-chart

D All of the above

[View Answer](#)

Answer: Range chart

34 The dividing lines between random and non random deviations from mean of the distribution are known as

A two sigma limits

B control limits

C lower control limit

D upper control limit

[View Answer](#)

Answer: control limits

35 The percent of the sample means will have values that are within ± 3 standard deviations of the distribution mean is

A 99.7

B 97.6

C 95.5

D 96.7

[View Answer](#)

Answer: 99.7

36 The mean of sampling distribution is

A equal to mean of process distribution

B more than mean of process distribution

C less than mean of process distribution

D any of the above

[View Answer](#)

Answer: equal to mean of process distribution

37 High cost, low volume items requires

A 100% inspection

B intensive inspection

C no inspection

D little inspection

[View Answer](#)

Answer: intensive inspection

38 Match the following:

- A) Quality assurance - 1) Process oriented
- B) Quality control - 2) National physical laboratory
- C) Quality management - 3) Product oriented
- D) National measurement system - 4) Overall programmer of QA

A A-3, B-4, C-2, D-1

B A-2, B-3, C-1, D-4

C A-1, B-3, C-4, D-2

D A-4, B-1, C-3, D-2

[View Answer](#)

Answer: A-1, B-3, C-4, D-2

39 What is the first step of QA?

- A** Identification of customer need
- B** Servicing
- C** Development of standards
- D** Material control

[View Answer](#)

Answer: Identification of customer need

40 Arrange the steps of QA in ascending order?

- A** Customer needs, design development, material control, process control, finished product
- B** Material control, servicing, process control, material control, design development
- C** Material control, process control, customer need, design development, finished product
- D** Customer needs, material control, design development, process control, marketing

[View Answer](#)

Answer: Customer needs, design development, material control, process control, finished product

41 Which of the following option is correct regarding QA and QC?

- A** QC is an integral part of QA

Department of software engineering

B QA is an integral part of QC

C QA and QC are independent to each other

D QC may or may not depend on QA

[View Answer](#)

Answer: QC is an integral part of QA

42 What is QA?

A Any systematic process used to ensure quality in the process

B It is a corrective tool

C Process of identifying defects

D It is the measurement of degree to which a product satisfies the need

[View Answer](#)

Answer: Any systematic process used to ensure quality in the process

Advertisement

DOWNLOAD CURRENT AFFAIRS PDF FROM APP

43 Two alternatives can produce a product. First has a fixed cost of Rs. 2000 and a variable cost of Rs. 20 per piece. The second method has a fixed cost of Rs. 1500 and a variable cost of Rs.30. The break even quantity between the two alternatives is

A 50

B 100

C 75

D None of the above

[View Answer](#)

Answer: 50

44 M.T.M is used to

A develop effective methods in advance of the beginning of production

B establish time standards

C improve existing methods

D all of the mentioned

[View Answer](#)

Answer: all of the mentioned

45 P.M.T.S(Predetermined Motion Time System) include

Department of software engineering

A B.M.T.S (Basic Motion Time Study)

B M.T.M (Method Time Measurement)

C W.F.S (Work Factor Systems)

D All of the mentioned

[View Answer](#)

Answer: All of the mentioned

46 Forecasting is used for

A independent demand items

B dependent demand items

C all of the mentioned

D none of the above

[View Answer](#)

Answer: independent demand items

47 Just in time manufacturing philosophy emphasizes on

A profit

B inventory

C man power

D manufacturing

[View Answer](#)

Answer: inventory

48 Inventory record file gives the following information

A lot size

B customer name

C machine details

D none of the mentioned

[View Answer](#)

Answer: lot size

1. QMS, TQM, and QIP all corresponds to –

- a. Quality techniques
- b. Quality abbreviations
- c. Quality parameters
- d. None of the above

View Answer

Answer: (b)

2. QIP stands for –

- a. Quality improvement program
- b. Quality imparts process
- c. Quality import procedure
- d. None of the above

View Answer

Answer: (a)

3. Quality improvement program focuses on –

- a. Procedure
- b. Process and organization structure
- c. Research and responsibilities
- d. All are true

View Answer

Answer: (d)

4. Quality management is a method for –

- a. Design
- b. Testing
- c. System
- d. Logic

View Answer

Answer: (a)

5. The ____ quality measure “inspection of the user interface”.

- a. Static analytical
- b. Dynamic analytical
- c. ISO
- d. SEI

View Answer

Answer: (d)

6. ____ of an entity that bears on its ability to satisfy stated and implied need.

- a. Static analysis
- b. Quality management
- c. The totality of characteristics
- d. SEI

View Answer

Answer: (b)

7. SCQ stands for –

- a. Source code quality
- b. Source criteria quality
- c. Specific criteria quality
- d. None of the above

View Answer

Answer: (a)

8. Software reliability determine for –

- a. Quality
- b. Integrity

- c. Low complexity
- d. Logic

View Answer

Answer: (a)

9. Goal of reliability –
- a. Software quality
 - b. S/W application
 - c. Infiltration
 - d. None of the above

View Answer

Answer: (a)

10. Which are not S/W quality factors?
- a. Understandability
 - b. Completeness
 - c. Conciseness
 - d. Portability

View Answer

Answer: (c)

11. Design define –
- a. Modules
 - b. Hierarchy
 - c. Architecture
 - d. Components

View Answer

Answer: (c)

12. Quality schemes are considered under –
- a. Cost
 - b. Timeliness and maintainability
 - c. Reliability and functionality
 - d. All are true

View Answer

Answer: (d)

13. A review focus on –
- a. Agenda and discussion
 - b. All are true
 - c. Preparation and aspect
 - d. Resources, attendance, and review records

View Answer

Answer: (b)

14. Testing is applicable throughout the –
- a. Design
 - b. Development
 - c. Maintenance
 - d. All are true

View Answer

Answer: (d)

15. For convenient and practicable S/W –
- a. Curability
 - b. Testability
 - c. Source
 - d. None of the above

View Answer

Answer: (a)

16. Major changes to the S/W process start for –
- a. Top

- b. Breadth
- c. Middle
- d. Bottom

View Answer

Answer: (a)

17. Software quality assurance activities are planned, having standards and requirements are verified.

- a. True
- b. False

View Answer

Answer: (a)

18. The purpose of S/W quality assurance is to monitor the S/W process used on the project.

- a. True
- b. False

View Answer

Answer: (a)

19. S.P.A stands for –

- a. Software process assessment
- b. Software procedure access
- c. Software prompt action
- d. Software process advance

View Answer

Answer: (a)

20. Quality systems-production installation and servicing comes under –

- a. ISO 9000
- b. ISO 9001
- c. ISO 9004
- d. ISO 9003

View Answer

Answer: (b)

21. CMM stands for –

- a. Capability maturity model
- b. Capability management model
- c. Calibre measuring mode
- d. Capability measuring model

View Answer

Answer: (a)

22. EFQM stands for –

- a. European foundation for quality management
- b. Efficiency founder for quality manager
- c. Efficiency fundamental for quality margin
- d. European founder for quality management

View Answer

Answer: (a)

23. ISO is responsible for the creation of –

- a. QMS
- b. QMB
- c. QMR
- d. QMP

View Answer

Answer: (a)

24. ISO is an abbreviation for –

- a. Indian standard organization
- b. International standard organization
- c. International organization for standardization
- d. Internet standard organization

View Answer

Answer: (c)

25. Level 2 focus on –

- a. Requirement management
- b. Software project planning
- c. Software configuration
- d. All of the above

View Answer

Answer: (d)

26. IPM stands for –

- a. Internet project manager
- b. Intranet project manager
- c. Integrated project management
- d. Integration process management

View Answer

Answer: (c)

27. Beneficial element of CMM levels 2 and 3.

- a. Software specification
- b. Technical specification
- c. Peer review of code
- d. Version control
- e. All of the above

View Answer

28. Quality of conformance is the degree to which for –

- a. Design specifications
- b. Manufacturing
- c. Intuitive
- d. Implementation

View Answer

Answer: (a)

29. External failure costs are associated with –

- a. Defects
- b. Repair
- c. Initial
- d. Quality

View Answer

Answer: (a)

30. Quality metrics cover levels are –

- a. Mean time to failure
- b. Defect density
- c. Customer problems
- d. All of the above

View Answer

Answer: (d)

31. MTTI stands for –

- a. Maximum time to failure
- b. Minimum time to failure
- c. Minimum time to false
- d. None of the above

View Answer

Answer: (a)

32. Defect density metric used for –

- a. Finding defects
- b. Application
- c. Software
- d. Frames

View Answer

Answer: (a)

33. LOC stands for –

- a. Lines of code
- b. Line of control
- c. Logic code
- d. Logic of control

View Answer

Answer: (a)

34. Function points used in –

- a. Metric
- b. Software measurement
- c. Logic
- d. Code

View Answer

Answer: (b)

35. Early defect removed from the S/W by doing –

- a. S/W product engineering
- b. Peer review
- c. Training program
- d. Cost

View Answer

Answer: (b)

36. ____ is a workload statement for software maintenance.

- a. NMI
- b. BMI
- c. Fix backlog
- d. Delinquent fix

View Answer

Answer: (c)

37. Principle of quality.

- a. Prevent defects
- b. Ensure that defect defects
- c. Eliminate the courses as well as the symptoms of the defects
- d. Functional metrics to monitor requirement growth, since metrics are normally

View Answer

Answer: (d)

38. The ISO 91000 series is based on principle.

- a. Fitness response
- b. Right, first-time
- c. Both a & b
- d. None of the above

View Answer

Answer: (c)

39. SCM is not described in CMM.

- a. True
- b. False

View Answer

Answer: (a)

40. The ability of S/W to be easily verified by execution of –

- a. Testability
- b. Attributes
- c. Conflict
- d. Modifiability

View Answer

Department of software engineering

Answer: (a)

41. Software product engineering performs a well-defined engineering process that integrates all S/W engineering activities to produce.

- a. Correct
- b. Consistent
- c. Efficient products
- d. All are true

View Answer

Answer: (d)

42. A quantitative understanding of both the S/W process and S/W work product being built and described in.

- a. Level 1
- b. Level 2
- c. Level 3
- d. Level 4

View Answer

Answer: (d)

43. Quantitative process, management S/W quality management focus on.

- a. Continuous improvement
- b. Quality goals
- c. Quantitative analysis
- d. None of the above

View Answer

Answer: (c)

44. Level 5KPA covers the issue that both the organization and the project must address to implement continuous and measurable S/W process improvement.

- a. True
- b. False
- c. Can't predict
- d. None of the above

View Answer

Answer: (a)

45. DP, TM and PC comes under –

- a. Level 2
- b. Level 3
- c. Level 4
- d. Level 5

View Answer

Answer: (d)

46. World-class business places a ____ emphasis on quality.

- a. Quality
- b. Strategic
- c. Goal
- d. Objective

View Answer

Answer: (b)

47. Quality system-model for quality assurance in design development production installation and servicing comes under.

- a. ISO 9000
- b. ISO 9003
- c. ISO 9004
- d. ISO 9001

View Answer

Answer: (d)

48. CMM appraisal & ISO 9001 certification considers.

- a. Reliability
- b. Consistency

- c. Assessments
- d. All are true

View Answer

Answer: (d)

49. In the CMM configuration management KPA concentrate on –

- a. Procedures
- b. Standard
- c. All are true
- d. Document

View Answer

Answer: (c)

50. ISO 9000-1 require procedures for –

- a. Handling
- b. All are true
- c. Storage
- d. Packaging and delivery

View Answer

Answer: (b)