



WOLLO University

Department of software engineering

Exit multiple choice questions for

Software information and security

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Department of software engineering

Question: 1

First boot sector virus is

- (A) Computed
- (B) Mind
- (C) Brain
- (D) Elk cloner

Ans: C

Brain

Question: 2

The linking of computers with a communication system is called

- (A) Assembling
- (B) Interlocking
- (C) Pairing
- (D) Networking

Ans: D

Networking

Question: 3

The phrase ____ describe viruses, worms, Trojan horse attack applets and attack scripts.

- (A) Spam
- (B) Phishing
- (C) Malware
- (D) Virus

Ans: C

Malware

Question: 4

Abuse messaging systems to send unsolicited is

(A) Phishing

(B) Adware

(C) Firewall

(D) Spam

Ans: D

Spam

A person who uses his or her expertise to gain access to other people's computers to get information illegally or do damage is a

(A) Hacker

(B) Analyst

(C) Spammer

(D) Programmer

Ans: A

Hacker

Question: 6

Malicious access are unauthorized

(A) Destruction of data

(B) Modification of data

(C) Reading of data

(D) All of these

Ans: C

Reading of data

Question: 7

Encrypted passwords are used for

- (A) Security purpose
- (B) Passwords list secret
- (C) Faster execution
- (D) Both (a) and (b)

Ans: D

Both (a) and (b)

Question: 8

A firewall

- (A) Separates a network into multiple domains
- (B) May need to allow http to pass
- (C) Limits network access between the two security domains and maintains and logs all connections
- (D) is a computer or router that sits between the trusted and untrusted

Ans: A

Separates a network into multiple domains

Question: 9

Link encryption

- (A) Is used only to detect errors
- (B) Cannot be used in a large network
- (C) Is less secure than end-to-end encryption

Department of software engineering

(D) Is more secure than end-to-end encryption

Ans: C

Is less secure than end-to-end encryption

Question: 10

A high paging rate

(A) Always creates a slow system

(B) Is a symptom of too much processor activity

(C) Keeps the system running well

(D) May also cause a high I/O rate

Ans: D

May also cause a high I/O rate

1.

Identify the term which denotes that only authorized users are capable of accessing the information

Confidentiality

Availability

Integrity

Non-repudiation

Hide

Wrong Answer

Answer: B) The term which denotes that only authorized users are capable of accessing the information is known as availability.

2.

State whether True or False: Data encryption is primarily used to ensure confidentiality.

True

False

Cannot be interpreted

None

Hide

Wrong Answer

Answer: A) True. Data encryption is primarily used to ensure confidentiality.

3.

Identify the Debian-based OS which has 2 virtual machines and focuses on preserving users' data.

Ubuntu

Fedora

Whonix

Kubuntu

Hide

Wrong Answer

Department of software engineering

Answer: C) Whonix has two virtual machines and focuses on preserving users' data.

4.

Identify the oldest phone hacking technique used by hackers to make free calls.

Spamming

Phreaking

Cracking

Phishing

Hide

Wrong Answer

Answer: B) Phreaking is the oldest phone hacking technique used by hackers to make free calls.

5.

Which of the following platforms is used for the safety and protection of information in the cloud?

AWS

Cloud workload protection platforms

Cloud security protocols

One Drive

Hide

Wrong Answer

Answer: B) Cloud workload protection platforms are used for the safety and protection of information in the cloud.

6.

Identify the type of attack which uses a fraudulent server with a relay address.

MITM

NTLM

SMB

NetBIOS

Hide

Wrong Answer

Answer: A) MITM uses a fraudulent server with a relay address.

7.

Identify the port used to connect to Active Directory in Windows 2000.

139

445

80

389

Hide

Wrong Answer

Answer: D) The port used to connect to Active Directory in Windows 2000 is 389.

8.

Choose among the following techniques, which are used to hide information inside a picture.

Image rendering

Steganography

Rootkits

Bitmapping

Hide

Wrong Answer

Answer: B) Steganography is the technique used to hide information inside a picture.

9.

Identify among the following which is used to avoid browser-based hacking.

Adware remover in browser

Incognito mode in the browser

Anti-malware in browser

Remote browser access

Hide

Wrong Answer

Answer: D) Remote browser access is used to avoid browser-based hacking.

10.

EDR stands for ____?

Endless detection and response

Endpoint detection and response

Department of software engineering

Endless detection and recovery
Endpoint detection and recovery
Hide

Wrong Answer

Answer: B) EDR stands for Endpoint detection and response.

11.

Which of the following is used for monitoring traffic and analyzing network flow?

Managed detection and response
Cloud access security broker

Network traffic analysis

Network security firewall

Hide

Wrong Answer

Answer: C) Network traffic analysis is used for monitoring traffic and analyzing network flow.

12.

In which category does compromising confidential information fall?

Threat

Bug

Attack

Vulnerability

Hide

Wrong Answer

Answer: A) Compromising confidential information falls under threat.

13.

In which category does the lack access control policy fall?

Threat

Bug

Attack

Vulnerability

Hide

Wrong Answer

Answer: D) Lack of access control policy falls under Vulnerability.

14.

Identify the class of computer threats.

Phishing

DOS attack

Soliciting

Both B and C

Hide

Wrong Answer

Answer: B) DOS attacks can be considered a class of computer threats.

15.

Which software is mainly used to help users detect viruses and avoid them?

Antivirus

Adware

Malware

None of the above

Hide

Wrong Answer

Answer: A) Antivirus is used to help users detect viruses and avoid them.

16.

Identify the term which denotes the violation of principle if the computer is no more accessible.

Access control

Availability

Confidentiality

All of the above

Hide

Wrong Answer

Answer: B) Availability denotes the violation of principle if a computer is no more accessible.

17.

Department of software engineering

Which of the following tool is used in Wi-fi hacking?

Aircrack-ng

Wireshark

Norton

None

Hide

Wrong Answer

Answer: A) Aircrack-ng is used in Wi-fi hacking.

18.

Total types of scanning in cyber security is?

1

2

3

4

Hide

Wrong Answer

Answer: C) There are a total of 3 types of scanning in cyber security.

19.

Identify the incorrect type of scanning?

SYN Stealth

Null Scan

Xmas tree Scan

Cloud scan

Hide

Wrong Answer

Answer: D) Cloud scan is an incorrect type of scanning.

20.

Identify the first computer virus among the following.

Blaster

Creeper

Sasser

Both b and c

Hide

Wrong Answer

Answer: B) Creeper is the first computer virus identified.

21.

Which of the following is considered an element of cyber security?

Network security

Operational security

Application security

All of the above

Hide

Wrong Answer

Answer: D) All of the above are considered elements of cyber security.

22.

Which protocol is mostly used in Wi-fi security?

WPS

WPA

WPA2

Both b and c.

Hide

Wrong Answer

Answer: C) WPA2 is mostly used in Wi-fi security.

23.

Full form of TCP/IP?

Transmission Control Protocol/ internet protocol

Transmission Control Protocol/ internet protocol

Transaction Control protocol/ internet protocol

Transmission Contribution protocol/ internet protocol

Hide

Wrong Answer

Answer: A) TCP/IP is Transmission Control Protocol/ internet protocol.

24.

Why is response and transit time used?

To measure reliability

To measure security

To measure longevity

To measure performance

Hide

Wrong Answer

Answer: C) Response and transit time are used to measure longevity.

25.

Identify which of the following can be considered instances of Open design.

DVD Player

CSS

Only B

Both A and B

Hide

Wrong Answer

Answer: D) Both DVD Player and CSS are instances of open design and their documentation is publicly available.

26.

What is transformed using cipher algorithms?

Scalar text

Complex text

Plain text

None

Hide

Wrong Answer

Answer: C) Plain text is transformed using cipher algorithms.

27.

CHAP stands for?

Challenge Hardware Authentication Protocols

Circuit Hardware Authentication Protocols

Challenge Handshake Authentication Protocols

Circuit Handshake Authentication Protocols

Hide

Wrong Answer

Answer: C) CHAP stands for Challenge Handshake Authentication Protocols.

28.

Identify the malware which does not replicate or clone through an infection?

Trojans

Worms

Rootkits

Virus

Hide

Wrong Answer

Answer: A) Trojans do not replicate or clone through infection.

29.

Choose the features which violate cyber security.

Exploit

Attack

Compliance

None

Hide

Wrong Answer

Answer: B). Attack violates cyber security.

30.

Identify the legal form of hacking.

Cracking

Department of software engineering

Non-ethical hacking

Ethical hacking

Hactivism

Hide

Wrong Answer

Answer: C) Ethical hacking is a legal form of hacking.

31.

Malware stands for?

Multipurpose software

Malfunctioned software

Malicious software

Malfunctioning of security

Hide

Wrong Answer

Answer: C) Malware stands for Malicious software.

32.

Identify the least strong security encryption.

WPA2

WEP

WPA3

WPA

Hide

Wrong Answer

Answer: B) WEP is the least strong security encryption

33.

Identify the security protocol which is not strong.

SMTP

SSL

SFTP

HTTPS

Hide

Wrong Answer

Answer: A) SMTP is not a strong security protocol.

34.

Identify the mail transferring methodology which isn't secured.

SSMTP

S/MIME

POP3

Mail using PGP

Hide

Wrong Answer

Answer: C) POP3 isn't a secured mail transferring methodology.

35.

Which of the following is used for encrypting data at the network level?

HTTPS

SMTP

S/MIME

IPSec

Hide

Wrong Answer

Answer: D) IPSec is used for encrypting data at the network level.

36.

PCT stands for _____

Private Communication Technique

Private Connecting Technology

Private Communication Technology

Personal Communication Technology

Hide

Wrong Answer

Answer: C) PCT stands for private Communication Technology.

37.

Identify the private search engine.

Bing

Duckduckgo

Google

Yahoo

Hide

Wrong Answer

Answer: B) Duckduckgo is a private search engine.

38.

The most common way to maintain data availability?

Data clustering

Data Altering

Data Backup

Data Recovery

Hide

Correct Answer

Answer: C) Data backup is a common way to maintain data availability.

39.

Identify the term among the following which is the first phase of ethical hacking.

Footprinting

ARP Poisoning

DNS Poisoning

Enumeration

Hide

Wrong Answer

Answer: A) The first phase of ethical hacking is footprinting.

40.

Which of the following suite is used for NTP enumeration?

DNS

SNMP

NTP

HTTP

Hide

Wrong Answer

Answer: NTP suite is used for NTP enumeration.

41.

Why is the proxy server used by a hacker?

For obtaining remote access connection

Hiding malicious activity on the network

Create a ghost server on the network

Create a stronger connection with the target

Hide

Wrong Answer

Answer: B) A proxy server is used to hide malicious activity on the network.

42.

Identify the type of symmetric key algorithm which uses a streaming cipher to encrypt information.

SHA

MD5

RC4

Blowfish

Hide

Wrong Answer

Answer: C) RC4 uses a streaming cipher to encrypt information.

43.

Identify the maximum character which Linux OS supports in its file names.

32

64

128

256

Department of software engineering

Hide

Wrong Answer

Answer: D) Linux OS supports 256 character limit in its file names.

44.

Among the following, identify the one which does not need any host program and is independent.

Worm

Virus

Trojan horse

Trap door

Hide

Wrong Answer

Answer: A) Worm does not need any host program and is independent.

45.

Why is Code red?

Antivirus

Virus

Word processing software

Photo editing software

Hide

Wrong Answer

Answer: B) Code red is a virus.

46.

Which of the following is considered as the unsolicited commercial email?

Virus

Malware

Spam

All of the above

Hide

Wrong Answer

Answer: C) It is a type of unsolicited email which is generally sent in bulk to an indiscriminate recipient list for commercial purposes.

47.

Which one of the following can be considered as the class of computer threats?

Dos Attack

Phishing

Soliciting

Both B and C

Hide

Wrong Answer

Answer: A) A dos attack refers to the denial of service attack.

48.

Choose the default port number for Apache and other web servers.

20

27

80

87

Hide

Wrong Answer

Answer: C) Default port number of apache and another webserver is 80.

49.

To what does a DNS translate a domain name

Hex

IP

Binary

URL

Hide

Wrong Answer

Answer: B) A DNS translates a domain name to IP.

50.

Identify the element which is not considered in the triad, according to the CIA.

Department of software engineering

Authenticity

Availability

Integrity

Confidentiality

Hide

Wrong Answer

Answer: D) Confidentiality is not considered in the triad according to the CIA.

51.

What is the CIA triad also known as?

AIC(Availability, Integrity, Confidentiality)

NIC(Non-repudiation, Integrity, Confidentiality)

AIN(Availability, Integrity, Non-repudiation)

ANC(Availability, Non-repudiation, Confidentiality)

Hide

Wrong Answer

Answer: A) CIA triad is also known as AIC(Availability, Integrity, Confidentiality).

52.

Identify the term which denotes the protection of data from modification by unknown users.

Confidentiality

Authentication

Integrity

Non-repudiation

Hide

Wrong Answer

Answer: C) The term which denotes the protection of data from modification by unknown users is known as integrity.