



WOLLO University

Department of software engineering

Exit multiple choice question for

Software project management

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

Department of software engineering

Information Security MCQ Quiz

1) In The SSL Record Protocol Operation Pad_2 Is -

- A. Is The Byte 0x36 Repeated 40 Times For MD5
- B. Is The Byte 0x5C Repeated 48 Times For MD5
- C. Is The Byte 0x5C Repeated 48 Times For SHA-1
- D. Is The Byte 0x36 Repeated 48 Times For MD5

2) The DSS Signature Uses Which Hash Algorithm?

- A. MD5
- B. SHA-2
- C. SHA-1
- D. Does Not Use Hash Algorithm

3) The Certificate_request Message Includes Two Parameters, One Of Which Is-

- A. Certificate_extension
- B. Certificate_creation
- C. Certificate_exchange
- D. Certificate_type

4) In The Handshake Protocol Which Is The Message Type First Sent Between Client And Server ?

- A. Server_hello
- B. Client_hello
- C. Hello_request
- D. Certificate_request

5) Which Of The Following Malicious Program Do Not Replicate Automatically?

- A. Trojan Horse
- B. Virus
- C. Worm
- D. Zombie

Download Free : [Information Security MCQ PDF](#)

6) Which Of The Following Is An Independent Malicious Program That Need Not Any Host Program?

- A. Trap Doors
- B. Trojan Horse
- C. Virus
- D. Worm

Department of software engineering

7) Why Would A Hacker Use A Proxy Server?

- A. To Create A Stronger Connection With The Target.
- B.To Create A Ghost Server On The Network.
- C.To Hide Malicious Activity On The Network
- D.To Obtain A Remote Access Connection.

8) Which Of The Following Is Not A Factor In Securing The Environment Against An Attack On Security?

- A. The System Configuration
- B.The Business Strategy Of The Company
- C.The Education Of The Attacker
- D.The Network Architecture

9) To Hide Information Inside A Picture, What Technology Is Used?

- A. Rootkits
- B.Bitmapping
- C.Steganography
- D.Image Rendering

10) What Type Of Rootkit Will Patch, Hook, Or Replace The Version Of System Call In Order To Hide Information?

- A. Library Level Rootkits
- B.Kernel Level Rootkits
- C.System Level Rootkits
- D.Application Level Rootkits

11) What Is The Sequence Of A TCP Connection?

- A. SYN-ACK-FIN
- B.SYN-SYN ACK-ACK
- C.SYN-ACK
- D.SYN-SYN-ACK

12) What Tool Can Be Used To Perform SNMP Enumeration?

- A. DNSlookup
- B.Whois
- C.Nslookup
- D.IP Network Browser

13) The First Phase Of Hacking An IT System Is Compromise Of Which Foundation Of Security?

- A. Availability

Department of software engineering

- **B.Confidentiality**

- **C.Integrity**

- **D.Authentication**

14) What Port Does Telnet Use?

- **A. 22**

- **B.80**

- **C.20**

- **D.23**

15) Performing Hacking Activities With The Intent On Gaining Visibility For An Unfair Situation Is Called

- **A. Cracking**

- **B.Analysis**

- **C.Hacktivism**

- **D.Exploitation**

16) What Is The Most Important Activity In System Hacking?

- **A. Information Gathering**

- **B.Cracking Passwords**

- **C.Escalating Privileges**

- **D.Covering Tracks**

17) Phishing is a form of

- **A. Impersonation**

- **B.Spamming**

- **C.Identify Theft**

- **D.Scanning**

18) Enumeration Is Part Of What Phase Of Ethical Hacking?

- **A. Reconnaissance**

- **B.Maintaining Access**

- **C.Gaining Access**

- **D.Scanning**

19) Keyloggers Are A Form Of

- **A. Spyware**

- **B.Shoulder Surfing**

- **C.Trojan**

- **D.Social Engineering**

Department of software engineering

20) When A Person Is Harrassed Repeatedly By Being Followed, Called Or Be Written To He/she Is A Target Of

- A. Bullying
- B.Identity Theft
- C.Phishing
- D.Stalking

21) Which Of The Following Is A Class Of Computer Threat

- A. DoS Attacks
- B.Phishing
- C.Stalking
- D.Soliciting

22) Compromising confidential information comes under

- A. Bug
- B.Threat
- C.Attack
- D.Vulnerability

23) Which of the following is not a reconnaissance tool or technique for information gathering?

- A. NMAP
- B.Hping
- C.Nexpose
- D.Google Dorks

24) Which hacking tools and techniques hackers' do not use for maintaining access in a system?

- A. Trojans
- B.Rootkits
- C.Backdoors
- D.Wireshark

25) Which of the following is the ability of an individual to gain physical access to an authorized area?

- A. Remote accessing
- B.Physical accessing
- C.Network accessing
- D.Remote accessing

1 .

What is Cyber Security?

A)

Cyber Security provides security against malware

B)

Cyber Security protects a system from cyber attacks

C)

Cyber Security provides security against cyber-terrorists

D)

All of the Above

Correct Answer : Option (D) : All of the Above

Explanation : **Cyber Security** is the practice of **protecting critical systems** and **sensitive information** from **digital attacks**. Also known as information technology (IT) security, cybersecurity measures are designed to combat threats against networked systems and applications, whether those threats originate from inside or outside of an organization.

Source : F T L

Show Answer

2 .

Who is the father of Computer Security or Cyber Security?

A)

Robert

B)

Charles

C)

Bob Thomas

D)

August Kerckhoffs

Correct Answer : Option (D) : August Kerckhoffs

Explanation : **August Kerckhoffs**, a linguist and German professor at HEC, wrote an essay in the Journal of Military Science in **February 1883**. Kerckhoff had unwittingly established the foundations for contemporary encryption, earning him the title of “**Father of Computer Security.**”

Show Answer

3 .

Who is the founder of Cyber Security?

A)

Vint Cerf

B)

Bob Thomas

C)

Marcian Hoff

D)

Tim Berners-Lee

Show Answer

4 .

In which of the following, a person is constantly followed/chased by another person or group of several peoples?

A)

Stalking

B)

Bulling

C)

Phishing

D)

Identity theft

Correct Answer : Option (A) : Stalking

Explanation :

In general, Stalking refers to continuous surveillance on the target (or person) done by a group of people or by the individual person.

Cyber Stalking is a type of cybercrime in which a person (or victim) is being followed continuously by another person or group of several people through electronic means to harass the victim. We can also say that the primary goal of Stalking is to observe or monitor each victim's actions to get the essential information that can be further used for threatening, harassing, etc.

Show Answer

5 .

Which of the following is defined as an attempt to steal, spy, damage or destroy computer systems, networks, or their associated information?

A)

Cryptography

B)

Digital hacking

C)

Cyber attack

D)

Computer security

Correct Answer : Option (C) : Cyber attack

Explanation : An effort to steal, spy on, damage, or destroy diverse components of cyberspace, such as computer systems, related peripherals, network systems, and information, is known as a cyber attack.

Show Answer

6 .

The full form of Malware is _____

A)

Department of software engineering

Multipurpose Software

B)

Malicious Software

C)

Malfunctioned Software

D)

Malfunctioning of Security

Correct Answer : Option (C) : Malicious Software

Explanation : Different types of harmful software and programs that can pose threats to a system, network or anything related to cyberspace are termed as Malware. Examples of some common malware are Virus, Trojans, Ransomware, spyware, worms, rootkits etc.

Show Answer

7 .

In general how many key elements constitute the entire security structure?

A)

3

B)

4

C)

5

D)

6

Correct Answer : Option (B) : 4

Explanation : The 4 key elements that constitute the security are:

* confidentiality

* integrity

* authenticity

* availability

Authenticity is not considered as one of the key elements in some other security models, but the popular CIA Triad eliminates this as authenticity at times comes under confidentiality & availability.

Show Answer

8 .

_____ is the practice and precautions taken to protect valuable information from unauthorised access, recording, disclosure or destruction.

A)

Physical Security

B)

Network Security

C)

Database Security

D)

Information Security

Correct Answer : Option (D) : Information Security

Explanation : **Information Security** (abbreviated as InfoSec) is a process or set of processes used for protecting valuable information for alteration, destruction, deletion or disclosure by unauthorised users.

Show Answer

9 .

Which one of the following can be considered as the class of computer threats?

A)

Dos Attack

B)

Soliciting

C)

Phishing

D)

None of the Above

Correct Answer : Option (A) : Dos Attack

Explanation : **A dos attack** refers to the denial of service attack. It is a kind of cyber attack in which one tries to make a machine (or targeted application, website etc.) unavailable for its intended users. It is usually accomplished by disturbing the service temporarily or indefinitely of the target connected to the internet.

Show Answer

10 .

Which of the following is a type of cyber security?

A)

Network Security

B)

Cloud Security

C)

Application Security

D)

All of the Above

Correct Answer : Option (D) : All of the Above

Explanation :

Since technology is improving, the threat and attacks against the technology are also increasing. Hence, to provide security, it is divided into the following types:

Network Security : Protects the internal network from threats.

Cloud Security : Provides security for the data stored on the cloud.

Application Security : Protects data stored in the application software.

1. Cyber Security provide security against what?

1.

- A. Against Malware
- B. Against cyber-terrorists
- C. Defends a device from threat.
- D. All mentioned options

Answer: D

2. Who is popularly known as the father of cyber security?

1.

- A. Robert
- B. August Kerckhoffs
- C. Bob Thomas
- D. Charles

Answer: B

3. Which of the below is a kind of cyber security?

1.

- A. Cloud Security
- B. Application Security
- C. Cloud Security
- D. All options mentioned above

Answer: D

4. Which of the below does not constitute a cybercrime?

1.

- A. refusal of service
- B. Man in the middle
- C. Phishing
- D. AES

Department of software engineering

Answer: D (AES stands for Advanced Encryption Standard) safeguards data by encoding it)

5. Which of the below benefits of cyber security is not true?

1.

- A. System getting slower
- B. Computer lagging and crashes
- C. provide privacy to users
- D. Secures system against viruses

Answer: A

6. Who coined the term “ Cyberspace”?

1.

- A. William Gibson
- B. Andrew Tannenbaum
- C. Scott Fahlman
- D. Richard Stallman

Answer: A

7. Which of the below is a hacking technique in which cybercriminals create fictitious web pages or domains to deceive or obtain more traffic?

1.

- A. Pharming
- B. Mimicking
- C. Spamming
- D. Website-Duplication

Answer: A (Pharming is a method and technique used by cybercriminals to deceive people by creating fake websites and domains)

8. Which of the below is a popular victim of cyber attackers looking to gain the IP address of a target or victim user?

1.

- A. emails

Department of software engineering

- B. websites
- C. IP tracer
- D. web pages

Answer: B

9. Which of the below does not qualify as a form of peer-to-peer cybercrime?

1.

- A. Trojans are implanted into a targeted device.
- B. On the deep web, payment information is leaked.
- C. mm
- D. Phishing

Answer: B

10. An act to injure, corrupt, or threaten a system or network is characterised as which of the below?

1.

- A. Digital crime
- B. Threats
- C. System hijacking
- D. Cyber Attack

Answer: D

11. Any company or agency's IT protection is managed and maintained by?

1.

- A. Software Security Specialist
- B. CEO of the organisation
- C. Security Auditor
- D. IT Security Engineer

Answer: D (This is a profession in which a professional develops and maintains various systems and security devices for the firm or organisation)

12. Which of the below is an internet fraud in which a consumer is digitally persuaded to reveal personal data by cybercriminals?

1.

- A. MiTM attack
- B. Phishing attack
- C. Website attack
- D. DoS attack

Answer: B

13. Which of the below security encryption standards is the weakest?

1.

- A. WPA3
- B. WPA2
- C. WPA
- D. WEP

Answer: D (WEP stands for wired Equivalent Privacy. It is a most insecure encrypted protocol)

14. Which of the below measures can help reduce the risk of data leakage?

1.

- A. Steganography
- B. Chorography
- C. Cryptography
- D. Authentication

Answer: A (Steganography functions as concealing information in a non-suspicious manner)

15. This is the concept for guiding information security policy within a corporation, firm, or organisation. What exactly is “this” in this context?

1.

- A. Confidentiality
- B. Non-repudiation
- C. CIA Triad
- D. Authenticity

Department of software engineering

Answer: C (CIA Triad is the most popular and frequently used approach, focusing on the confidentiality of information)

16. _____ means the security of data from tampering by unidentified users.

1.

- A. Confidentiality
- B. Integrity
- C. Authentication
- D. Non-repudiation

Answer: B

17. Which of the below implemented is not a good means of safeguarding privacy?

1.

- A. Biometric verification
- B. ID and password-based verification
- C. 2-factor authentication
- D. switching off the phone

Answer: D

18. When ____ and ____ are in charge of data, the integrity of the data is imperilled?

1.

- A. Access control, file deletion
- B. Network, file permission
- C. Access control, file permission
- D. Network, system

Answer: C

19. The authenticity and security of data travelling over a network are ensured by?

1.

- A. Firewall
- B. Antivirus
- C. Pentesting Tools

Department of software engineering

D. Network-security protocols

Answer: D (Network-security protocols govern the procedures and processes used to protect network data against illegal content collection)

20. _____ creates an isolated passage across a public network that enables computing devices to communicate and receive data discreetly as though they were directly linked to the private network.

1.

- A. Visual Private Network
- B. Virtual Protocol Network
- C. Virtual Protocol Networking
- D. Virtual Private Network

Answer: D

21. _____ is one of the safest Linux operating systems, offering invisibility and an incognito mode to protect user data.

1.

- A. Fedora
- B. Tails
- C. Ubuntu
- D. OpenSUSE

Answer: B

22. What is a single entrance for multiple connectivities called?

1.

- A. Web services
- B. phishing
- C. Directory service
- D. worms

Answer: C (A directory service is the following system of software and protocols that keep track of knowledge about the company, clients, or sometimes both)

23. Circuit-level gateway firewalls have which of the below disadvantages?

1.

- A. They're expensive
- B. They're complex in architecture
- C. They do not filter individual packets
- D. They're complex to setup

Answer: C

24. The initial phase of ethical hacking is?

1.

- A. DNS poisoning
- B. Footprinting
- C. ARP-poisoning
- D. Enumeration

Answer: B (In this Phase, The attacker attempts to find as many attack vectors as he can, reconnaissance is another term for footprinting)

25. Which of the below can be classified as a type of computer threat?

1.

- A. Dos Attack
- B. Phishing
- C. Soliciting
- D. Both A and C

Answer: A (A denial of service attack is referred to as a dos attack, it's a type of cyber-attack in which someone tries to prevent a machine from serving its intended consumers)

26. In system hacking, which of the below is the most crucial activity?

1.

- A. Information gathering
- B. Covering tracks
- C. Cracking passwords
- D. None of the above

Department of software engineering

Answer: C

27. When the number of users surpasses the network's capacity, which of the below network factors suffers the most?

1.

- A. Reliability
- B. Performance
- C. Security
- D. Longevity

Answer: D

28. Which of the below cyber security principles states that the security system should be as compact and straightforward as possible?

1.

- A. Open-design
- B. The economy of the Mechanism
- C. Least privilege
- D. Fail-safe Defaults

Answer: B

29. Which of the below malware types permits the hackers to access administrative controls and do nearly everything he wants with the infected systems?

1.

- A. RATs
- B. Worms
- C. Rootkits
- D. Botnets

Answer: A (RATs stands for Remote Access Trojans which gives the attacker administrative power over your device, just as if they had physical access)

30. The first hacker's conference was held in which of the below locations?

1.

- A. OSCON
- B. DEVON
- C. DEFCON
- D. SECTION

Answer: C (DEFCON is one of the most well-known and biggest hackers and security consultant conferences in the world. It's often conducted in Las Vegas, Nevada, once a year)

31. When any IT device, service, or system requires security checks, the term “security testing” is employed.?

1.

- A. Threat
- B. Vulnerability
- C. Objective of evaluation
- D. Attack

Answer: C (When any IT system, device, or platform requires assessment for safety purposes or to address any faults after being evaluated by security researchers, the term “objective of evaluation” is used)

32. Which of the below is used to analyse network flow and monitor traffic?

1.

- A. Managed detection and response
- B. Cloud access security broker
- C. Network traffic analysis
- D. Network traffic analysis

Answer: C

33. Which of the below is a method of gaining access to a computer program or an entire computer system while circumventing all security measures?

1.

- A. Backdoor
- B. Masquerading
- C. Phishing
- D. Trojan Horse

Department of software engineering

Answer: Backdoor (A backdoor is a sort of malware that bypasses standard authentication mechanisms to gain access to a system)

34. The term “protection from _____ of source code” refers to limiting access to the source code to just authorised individuals.

1.

- A. disclosure
- B. alteration
- C. destruction
- D. log of changes

Answer: C

35. _____ are programmes or procedures that enable hackers to maintain control of a computer system.?

1.

- A. Exploits
- B. Antivirus
- C. Firewall by-passers
- D. Worms

Answer: A (Exploits are programs or algorithms that allow hackers to gain total control of a computer system)

1. In computer security, means that computer system assets can be modified only by authorized parities.

- A) Confidentiality
- B) Integrity
- C) Availability
- D) Authenticity

2. In computer security, means that the information in a computer system only is accessible for reading by authorized parities.

- A) Confidentiality
- B) Integrity
- C) Availability
- D) Authenticity

Department of software engineering

3. The type of threats on the security of a computer system or network is.....
- Interruption
 - Interception
 - Modification
 - Creation
 - Fabrication
- A) i, ii, iii and iv only
 B) ii, iii, iv and v only
 C) i, ii, iii and v only
 D) All i, ii, iii, iv and v
4. Which of the following is an independent malicious program that need not any host program?
- Trap doors
 - Trojan horse
 - Virus
 - Worm
5. The is code that recognizes some special sequence of input or is triggered by being run from a certain user ID or by unlikely a sequence of events.
- Trap doors
 - Trojan horse
 - Logic Bomb
 - Virus
6. The is a code embedded in some legitimate program that is set to “explode” when certain conditions are met.
- Trap doors
 - Trojan horse
 - Logic Bomb
 - Virus
7. Which of the following malicious program do not replicate automatically?
- Trojan Horse
 - Virus
 - Worm
 - Zombie
8. programs can be used to accomplish functions indirectly that an unauthorized user could not accomplish directly.
- Zombie
 - Worm
 - Trojan Horses
 - Logic Bomb
9. State whether true or false.
- A worm mails a copy of itself to other systems.
 - A worm executes a copy of itself on another system.
- True, False
 - False, True
 - True, True
 - False, False

Department of software engineering

10. A is a program that can infect other programs by modifying them, the modification includes a copy of the virus program, which can go on to infect other programs.

- | | |
|---------------|--------|
| A) | Worm |
| B) | Virus |
| C) | Zombie |
| D) Trap doors | |

ANSWERS:

1.B) Integrity

2.A) Confidentiality

3. C) i, ii, iii and vonly

4. D) Worm

5. A) Trap doors

6. C) Logic Bomb

7. A) Trojan Horse

8. C) Trojan Horses

9. C) True, True

10.B) Virus