



WOLLO University

Department of software engineering

Exit multiple choice questions for

Computer programming

Prepared by:

@Neyatibeb

KOMBOLCHA, Ethiopia

2015 E.C

1. Which of the following is a programming language?

Join Telegram



Join Whatsapp Groups



- a) Python
- b) Photoshop
- c) Microsoft Word
- d) Adobe Illustrator

Answer: a) Python.

Explanation – Python is a high-level, interpreted programming language used for a wide range of purposes including web development, data analysis, and artificial intelligence.

2. Which programming paradigm emphasizes on writing code that is easy to read and maintain?

- a) Procedural programming
- b) Object-oriented programming
- c) Functional programming
- d) Structured programming

Answer: b) Object-oriented programming.

Explanation – Object-oriented programming (OOP) emphasizes on writing code that is easy to read, maintain and understand by dividing the code into small, self-contained objects.

3. What is the term used for a block of code that is executed repeatedly until a certain condition is met?

- a) Function
- b) Loop
- c) Condition
- d) Variable

Answer: b) Loop.

Explanation – A loop is a block of code that is executed repeatedly until a certain condition is met. There are different types of loops in programming languages, such as for loop, while loop, and do-while loop.

4. Which data structure is used for storing a collection of elements in a non-linear fashion?

- a) Array
- b) Stack
- c) Queue
- d) Tree

Answer: d) Tree.

Explanation – A tree is a non-linear data structure used for storing a collection of elements. It is composed of nodes, where each node contains a value and a pointer to its child nodes.

5. Which operator is used for exponentiation in most programming languages?

- a) ^
- b) *

- c) %
- d) **

Answer: d) **.

Explanation – The ** operator is used for exponentiation in most programming languages, such as Python and JavaScript.

6. Which programming language is used for developing Android apps?

- a) Java
- b) C#
- c) Python
- d) Swift

Answer: a) Java.

Explanation – Java is a popular programming language used for developing Android apps, along with Kotlin.

7. Which of the following is not a valid variable name in most programming languages?

- a) myVariable
- b) 123Variable
- c) _myVariable
- d) my_variable

Answer: b) 123Variable.

Explanation – Variable names in programming languages cannot start with a number.

8. Which of the following is a type of sorting algorithm?

- a) Binary search
- b) Quick sort
- c) Depth-first search
- d) Breadth-first search

Answer: b) Quick sort.

Explanation – Quick sort is a popular sorting algorithm used for sorting arrays and lists in ascending or descending order.

9. Which of the following is not a web browser?

- a) Chrome
- b) Safari
- c) Firefox
- d) Photoshop

Answer: d) Photoshop.

Explanation – Photoshop is not a web browser, but rather a graphics editing software.

10. Which keyword is used for defining a function in most programming languages?

- a) def
- b) fun
- c) sub
- d) function

Answer: a) def.

Explanation – The def keyword is used for defining a function in most programming languages, such as Python and Ruby.

11. Which of the following is not a data type in most programming languages?

- a) Integer
- b) Float
- c) Double
- d) String

Answer: c) Double.

Explanation – Double is not a data type in some programming languages, such as Python, but it is a data type in others, such as Java.

12. Which programming language is used for developing iOS apps?

- a) Java
- b) C#
- c) Python
- d) Swift

Answer: d) Swift.

Explanation – Swift is a programming language developed by Apple and used for developing iOS and macOS apps.

13. Which of the following is not a relational operator in most programming languages?

- a) =
- b) ==
- c) !=
- d) ++

Answer: d) ++.

Explanation – The ++ operator is not a relational operator in most programming languages, but rather an increment operator used for increasing the value of a variable by 1.

14. Which data structure is used for implementing a Last-In-First-Out (LIFO) behavior?

- a) Queue
- b) Stack
- c) Tree
- d) Linked list

Answer: b) Stack.

Explanation – A stack is a data structure used for implementing a LIFO behavior, where the last element inserted is the first one to be removed.

15. Which of the following is not a programming language?

- a) HTML
- b) CSS
- c) JavaScript
- d) MySQL

Answer: d) MySQL.

Explanation – MySQL is a relational database management system, not a programming language.

16. Which of the following is a type of conditional statement?

- a) If statement
- b) For loop

- c) While loop
- d) Switch statement

Answer: a) If statement.

Explanation – An if statement is a type of conditional statement used for executing a block of code if a certain condition is true.

17. Which of the following is a type of database?

- a) Relational database
- b) Object-oriented database
- c) NoSQL database
- d) All of the above

Answer: d) All of the above.

Explanation – There are different types of databases, including relational databases, object-oriented databases, and NoSQL databases.

18. Which of the following is a type of computer network?

- a) Local Area Network (LAN)
- b) Wide Area Network (WAN)
- c) Metropolitan Area Network (MAN)
- d) All of the above

Answer: d) All of the above.

Explanation – There are different types of computer networks, including LAN, WAN, and MAN.

19. Which of the following is a type of web development framework?

- a) Django
- b) React
- c) Angular
- d) All of the above

Answer: d) All of the above.

Explanation – Django, React, and Angular are all popular web development frameworks used for building web applications.

20. Which of the following is a type of web hosting?

- a) Shared hosting
- b) Dedicated hosting
- c) Virtual Private Server (VPS) hosting
- d) All of the above

Answer: d) All of the above.

Explanation – There are different types of web hosting, including shared hosting, dedicated hosting, and VPS hosting.

21. Which of the following is not a data structure?

- a) Stack
- b) Queue
- c) Function
- d) Linked list

Answer: c) Function

Explanation – A function is not a data structure, but rather a block of code that performs a specific task.

22. Which programming paradigm emphasizes on writing code as a series of mathematical functions?

- a) Procedural programming
- b) Object-oriented programming
- c) Functional programming
- d) Structured programming

Answer: c) Functional programming.

Explanation – Functional programming emphasizes on writing code as a series of mathematical functions, where each function takes input and produces an output without modifying the input.

23. Which of the following is a type of database management system?

- a) MySQL
- b) Oracle
- c) Microsoft SQL Server
- d) All of the above

Answer: d) All of the above.

Explanation – MySQL, Oracle, and Microsoft SQL Server are all popular database management systems used for managing relational databases.

24. Which of the following is a type of cloud computing service?

- a) Infrastructure as a Service (IaaS)
- b) Platform as a Service (PaaS)
- c) Software as a Service (SaaS)
- d) All of the above

Answer: d) All of the above.

Explanation – There are different types of cloud computing services, including IaaS, PaaS, and S.

25. Which of the following is not a commonly used programming language for web development?

- a) Java
- b) Ruby
- c) Python
- d) Swift

Answer: d) Swift.

Explanation – Swift is a programming language developed by Apple for iOS, macOS, watchOS, and tvOS development, and is not commonly used for web development.

26. Which of the following is used for creating and managing virtual environments in Python?

- a) pip
- b) venv
- c) virtualenv
- d) conda

Answer: b) venv.

Explanation – venv is a built-in module in Python used for creating and managing virtual environments.

27. Which of the following is a popular open-source database management system?

- a) MongoDB
- b) Oracle
- c) Microsoft SQL Server
- d) IBM DB2

Answer: a) MongoDB.

Explanation – MongoDB is a popular open-source NoSQL database management system used for managing document-oriented databases.

28. Which of the following is not a commonly used web development framework in JavaScript?

- a) React
- b) Angular
- c) Vue.js
- d) Django

Answer: d) Django.

Explanation – Django is a web development framework for Python, not for JavaScript.

29. Which of the following is not a commonly used programming language for artificial intelligence (AI) and machine learning (ML)?

- a) Python
- b) R

- c) C++
- d) Java

Answer: d) Java.

Explanation – While Java can be used for AI and ML, it is not as commonly used as Python and R.

30. Which of the following is a type of loop in programming?

- a) For loop
- b) While loop
- c) Do-while loop
- d) All of the above

Answer: d) All of the above.

Explanation – There are different types of loops in programming, including for loops, while loops, and do-while loops.

31. Which of the following is a commonly used markup language for web development?

- a) HTML
- b) XML
- c) JSON
- d) YAML

Answer: a) HTML.

Explanation – HTML is a markup language used for creating web pages.

32. Which of the following is not a commonly used relational database management system?

- a) MySQL
- b) PostgreSQL
- c) MongoDB
- d) Oracle

Answer: c) MongoDB.

Explanation – MongoDB is a NoSQL database management system, not a relational database management system.

33. Which of the following is a commonly used version control system?

- a) Git
- b) SVN
- c) Mercurial
- d) All of the above

Answer: d) All of the above.

Explanation – Git, SVN, and Mercurial are all commonly used version control systems.

34. Which of the following is a commonly used integrated development environment (IDE) for Python?

- a) Visual Studio Code
- b) PyCharm
- c) Eclipse
- d) Sublime Text

Answer: b) PyCharm.

Explanation – PyCharm is a commonly used IDE for Python development.

35. Which of the following is a commonly used web application framework for Ruby?

- a) Django
- b) Flask
- c) Ruby on Rails
- d) Express.js

Answer: c) Ruby on Rails.

Explanation – Ruby on Rails is a popular web application framework for Ruby.

36. Which of the following is a type of web server?

- a) Apache HTTP Server
- b) Nginx
- c) Microsoft IIS
- d) All of the above

Answer: d) All of the above.

37. Which of the following is a commonly used object-oriented programming language?

- a) C
- b) Python
- c) Perl
- d) Shell

Answer: b) Python.

Explanation – Python is a commonly used object-oriented programming language.

38. Which of the following is a commonly used programming language for game development?

- a) Java
- b) Python
- c) C#
- d) Ruby

Answer: c) C#.

Explanation – C# is a commonly used programming language for game development, particularly for development with the Unity game engine.

39. Which of the following is a commonly used programming language for mobile app development?

- a) Java
- b) Swift
- c) Kotlin
- d) All of the above

Answer: d) All of the above.

Explanation – Java, Swift, and Kotlin are all commonly used programming languages for mobile app development, depending on the platform.

40. Which of the following is a commonly used web development framework for PHP?

- a) Laravel
- b) Flask
- c) Ruby on Rails
- d) Express.js

Answer: a) Laravel.

Explanation – Laravel is a popular web development framework for PHP.

41. Which of the following is not a commonly used operating system for servers?

- a) Windows Server
- b) Linux
- c) macOS
- d) FreeBSD

Answer: c) macOS.

Explanation – While macOS can be used for server purposes, it is not as commonly used as Windows Server or Linux.

42. Which of the following is a commonly used scripting language for web development?

- a) Java
- b) Ruby
- c) Python
- d) JavaScript

Answer: d) JavaScript.

Explanation – JavaScript is a commonly used scripting language for web development.

43. Which of the following is a commonly used web development framework for JavaScript?

- a) Django
- b) Flask
- c) Ruby on Rails
- d) React

Answer: d) React.

Explanation – React is a popular web development framework for JavaScript.

44. Which of the following is a commonly used web development framework for Java?

- a) Django
- b) Flask
- c) Ruby on Rails
- d) Spring

Answer: d) Spring. Spring is a popular web development framework for Java.

45. Which of the following is a commonly used web development framework for Ruby?

- a) Django
- b) Flask
- c) Ruby on Rails
- d) Express.js

Answer: c) Ruby on Rails.

Explanation – Ruby on Rails is a popular web development framework for Ruby.

46. Which of the following is a commonly used programming language for scientific computing?

- a) Java
- b) Python
- c) Ruby
- d) C#

Answer: b) Python.

Explanation – Python is a commonly used programming language for scientific computing, particularly with libraries like NumPy, Pandas, and Matplotlib.

47. Which of the following is a commonly used programming language for data analysis?

- a) Java
- b) Python
- c) Ruby
- d) C++

Answer: b) Python.

Explanation – Python is a commonly used programming language for data analysis, particularly with libraries like NumPy, Pandas, and Matplotlib.

48. Which of the following is a commonly used web development framework for Python?

- a) Django
- b) Flask
- c) Ruby on Rails
- d) Express.js

Answer: a) Django.

Explanation – Django is a popular web development framework for Python.

49. Which of the following is a commonly used programming language for server-side web development?

- a) JavaScript
- b) Ruby
- c) PHP
- d) All of the above

Answer: d) All of the above.

Explanation – JavaScript, Ruby, and PHP are all commonly used programming languages for server-side web development.

50. What is the purpose of a loop in programming?

- a) To execute a set of instructions a specified number of times.
- b) To terminate the program.
- c) To print output to the console.
- d) To declare variables.

Answer: a) To execute a set of instructions a specified number of times.

PROGRAMMING FUNDAMENTALS MCQs

Q.1

A _____ is a shorthand notation for a simple assignment.

- simple assignment
- compound assignment
- complex assignment
- None of above

[Show Answer](#)

Answer: compound assignment [Option: B]

Q.2

A piece of data is called logical if it conveys the idea of _____.

- undefine
- true
- false
- Both B & C
- None of above

[Show Answer](#)

Answer: Both B & C [Option: D]

Q.3

_____ are used to compare two quantities and depending on their relation to take certain decisions for that comparison.

- relational operators
- arithmetic operators
- expression
- logical operators

[Show Answer](#)

Answer: relational operators [Option: A]

Q.4

An expression is a sequence of _____ that reduces to a single value.

- character
- operands
- operators
- Both B & C
- None of above

[Show Answer](#)

Answer: Both B & C [Option: D]

Q.5

An _____ is a symbol which represents a particular operation that can be performed on data.

- operand
- operator
- expression
- None of above

[Show Answer](#)

Answer: operator [Option: B]

Q.6

ASCII stands for _____?

- American Standard Code for International Interchange
- American Sequence Code for Information Interchange
- American Standard Code for Information Interchange
- American Standard Collection for Information Interchange

[Show Answer](#)

Answer: American Standard Code for Information Interchange [Option: C]

PROGRAMMING FUNDAMENTALS MCQs

Q.7

An integer number with an optional plus (+) or minus (-) sign called _____?

- Exponent
- Mantissa
- Octal integer
- Variable

[Show Answer](#)

Answer: Exponent [Option: A]

Q.8

The real number expressed in decimal notation or an integer notation called _____.

- Octal integer
- ASCII
- Exponent
- Mantissa

[Show Answer](#)

Answer: Mantissa [Option: D]

Q.9

_____ consists of set of digits, 0 to 9 and alphabets A, B, C, D, E, and F.

- Hexadecimal character
- Hexadecimal integer
- Double
- Float

[Show Answer](#)

Answer: Hexadecimal integer [Option: B]

Q.10

_____ refer to values that do not change during the execution of a program.

- Variable
- Double
- Constants
- Float
- Int

[Show Answer](#)

Answer: Constants [Option: C]

Q.11

The data types defined by the user are known as _____?

- System defined data types
- User defined data types
- Defined data types
- Undefined data types

[Show Answer](#)

Answer: User defined data types [Option: B]

Q.12

Examples of derived data types are _____?

- Arrays
- Pointer
- References
- All of above
- None of above

[Show Answer](#)

Answer: All of above [Option: D]

PROGRAMMING FUNDAMENTALS MCQs

Q.13

_____ is used to specify the return type of functions.

- Static
- char
- int
- Void

[Show Answer](#)

Answer: Void [Option: D]

Q.14

Double floating point data type occupies 8 bytes of memory giving _____ digits of precision.

- 12
- 6
- 14
- 4

[Show Answer](#)

Answer: 14 [Option: C]

Q.15

Floating point number represents a real number with 6 digits precision occupies _____ bytes of memory

- 4
- 6
- 3
- 2
- 1

[Show Answer](#)

Answer: 4 [Option: A]

Q.16

A _____ data type occupies one byte of memory for storage of character.

- Integer
- Float

- Double
- Character

[Show Answer](#)

Answer: Character [Option: D]

Q.17

_____ integers use all 16 bits to store the magnitude.

- signed
- Unsigned
- undefined
- None of above

[Show Answer](#)

Answer: Unsigned [Option: B]

Q.18

Which one is not a data type in programming?

- float point data type
- void data type
- integer data type
- boolean data type
- symbolic data type

[Show Answer](#)

Answer: symbolic data type [Option: E]

PROGRAMMING FUNDAMENTALS MCQs

Q.19

A _____ is used to indicate the type of data value stored in a variable.

- namespace
- data type
- identifier
- scope

[Show Answer](#)

Answer: data type [Option: B]

Q.20

_____ is used to define a scope that could hold global identifiers

- Global scope
- Data type
- Identifier
- Namespace

[Show Answer](#)

Answer: Namespace [Option: D]

Q.21

The function components of a class are called _____.

- member class

- member functions
- member objects
- data members

[Show Answer](#)

Answer: member functions [Option: B]

Q.22

The data components of a class are known as _____?

- class member
- data members
- functions member
- objects member

[Show Answer](#)

Answer: data members [Option: B]

Q.23

A _____ is a collection of data and functions that act or manipulate the data.

- class
- object
- function
- data

[Show Answer](#)

Answer: class [Option: A]

Q.24

_____ means the code associated with a given procedure call is not known until the time of call at run time.

- Data abstraction
- Message passing
- Dynamic binding
- Encapsulation

[Show Answer](#)

Answer: Dynamic binding [Option: C]

PROGRAMMING FUNDAMENTALS MCQs

Q.25

_____ is the process by which one object can acquire the properties of another.

- Polymorphism
- Inheritance
- Message passing
- Encapsulation

[Show Answer](#)

Answer: Inheritance [Option: B]

Q.26

Ability to take more than one form is known as _____.

- Polymorphism
- Data abstraction
- Encapsulation

- Message passing

[Show Answer](#)

Answer: Polymorphism [Option: A]

Q.27

A _____ refers to the act of representing essential features without including the background details or explanation.

- Dynamic binding
- Polymorphism
- Encapsulation
- Abstraction

[Show Answer](#)

Answer: Abstraction [Option: D]

Q.28

Wrapping of data and functions together as a single unit is known as _____.

- Polymorphism
- Encapsulation
- Data abstraction
- Dynamic binding

[Show Answer](#)

Answer: Encapsulation [Option: B]

Q.29

A programmer who write code with special instructions for a specific user is called _____ ?

- Application Programmer
- Designer
- Debugger
- Tester
- None of above

[Show Answer](#)

Answer: Application Programmer [Option: A]

Q.30

A Programmer who writes code for system software is called _____ ?

- Application programmer
- Database programmer
- Master Programmer
- System programmer

[Show Answer](#)

Answer: System programmer [Option: D]

PROGRAMMING FUNDAMENTALS MCQs

Q.31

Different programming languages support different styles of programming called _____.

- Program paradigms
- Programming preference
- Programming paradigms

- Parallel processes

[Show Answer](#)

Answer: Programming paradigms [Option: C]

Q.32

COBOL stand for _____ ?

- Common Business Objective Language
- Common Business Oriented Language
- Common Object Business Oriented Language
- Common Objective Business Language

[Show Answer](#)

Answer: Common Business Oriented Language [Option: B]

Q.33

Implementation techniques include _____ ?

- Imperative languages
- Functional languages
- Logic languages
- All of above
- None of above

[Show Answer](#)

Answer: All of above [Option: D]

Q.34

ER Modeling stand for _____ ?

- Entity Regular Modeling
- Element Relationship Modeling
- Element Record Modeling
- Entity Relationship Modeling

[Show Answer](#)

Answer: Entity Relationship Modeling [Option: D]

Q.35

UML stands for _____ ?

- Universal Modeling Language
- Uniform Modeling Language
- Unified Modern Language
- Universal Modern Language
- Unified Modeling Language

[Show Answer](#)

Answer: Unified Modeling Language [Option: E]

Q.36

MDA stands for _____ ?

- Model Driven Architecture
- Model Driven Algorithm
- Modern Driven Architecture
- Modern Driven Algorithm

[Show Answer](#)

Answer: Model Driven Architecture [Option: A]