

HiLCoE

School of Computer Science & Technology

Web Programming

Sample Review Question - #90

December 2023

1. _____ create a rough sketch of what the website will look when completed.
 - A. Wireframes
 - B. Webflows
 - C. Wirefalls
 - D. Webframes
2. Which statement refers to HTTP?
 - A. The path of a URL
 - B. Rules that handle what we do on the web
 - C. A webpage that is secure
 - D. Elements of a webpage
3. What does URL stand for?
 - A. Universal Resource Locator
 - B. Uniform Receiving Looks
 - C. Uniform Resource Locator
 - D. Universal Receiving Landslide
4. What is a web browser?
 - A. A program that can display a web page
 - B. A program used to view html documents
 - C. It enables user to access the resources of internet
 - D. All of the mentioned
5. The latest HTML standard is
 - A. XML
 - B. HTML4.0
 - C. SGML
 - D. HTML5.0
6. What is the purpose of HTML?
 - A. Used to add few logics in your web page
 - B. Used to create a structure of the document
 - C. Used to create an interaction between user and web page
 - D. Used to create server side operation

7. Most markup languages are human readable.
- A. True B. False
8. _____ tell us more about the content of some given elements
- A. Tag B. Opening and closing angle bracket (<>) C. Attributes D. HTML
9. Which of the following statements is **false** about HTML
- A. It is easy to learn and easy to use
B. It is platform dependent
C. It is a markup language
D. It is used to create static website
10. What is the extension of HTML file?
- A. .html B) .htm C).css D)A and B
11. From the basic structure of HTML file, which can be called the HTML root element?
- A. <HTML> B. <BODY> C. <HEAD> D. <!DOCTYPE>
12. From the basic structure of HTML file, which used to enclose all of the visible content of a webpage?
- A. <HTML> B. <BODY> C. <HEAD> D. <!DOCTYPE>
13. Select a heading HTML tag?
- A. <H1> B. <P> C. D. <I>
14. _____ are where each item in the list is numbered?
- A. Unordered lists B. Dictionary lists C. Ordered lists D. A and C
15. Which of the following HTML code is **correct** to display the image 'myimage.png' with 300px for width and height
- A.
B.
C.
D.

16. Which order of HTML table tag should be **correct** in your code

- A. <table> </table> <tr> </tr> <td> </td>
- B. <table> <tr> <td> </td> </tr> </table>
- C. <table> <td> <tr> </tr> </td> </table>
- D. <td> <tr> <table> </table> </tr> </td>

17. _____ defines a **header table cell** in HTML code.

- A. <tr>
- B. <th>
- C. <td>
- D. <caption>

18. Which HTML **image attribute** that provides a text description of the image which describes the images if you cannot see it?

- A. src
- B. alt
- C. title
- D. id

19. _____ used to collect information from visitors to your site.

- A. HTML Table
- B. HTML Form
- C. HTML Image
- D. HTML Link

20. An attribute of textbox that shows text in the textbox until the user click in that area

- A. title
- B. legend
- C. placeholder
- D. maxlength

21. All HTML elements can carry _____ attribute that used to identify the element uniquely on the page

- A. name
- B. id
- C. class
- D. title

22. Parts of a webpage that create rules to specify how the content of an element should appear?

- A. Hypertext Markup Language
- B. Cascading Style Sheet
- C. Java Script
- D. Hypertext Preprocessor

23. _____ is one part of CSS rule that indicates **which element** the rule applies to.

- A. Selector
- B. Properties
- C. Declaration
- D. Values

24. How many invisible boxes are available in the following HTML page (including the body)?

```
<body>
  <h2>Lab Session 3</h2>
  <p>
    Welcome to the <b>third</b> session<br>
    Three parts of exercises:
    <h6>pre-lab, In-lab and Post-lab</h6> exercises.
  </p>
</body>
```

- A. 5 B. 3 C. 2 D. 1

25. From the following CSS rules, name the number tags

```
<style>
  .myclass1
  {
    font-size: 21px;
  }
</style>
```

2 3

- A. Selector, Properties, Value
 B. Properties ,Selector, Value
 C. Value , Properties ,Selector
 D. Declaration, Value, Properties

26. Which list of CSS rules that can affect **the first paragraph (ONLY)** of the given page?

```
<body>
  <h1>Lab Session 3</h1>
  <p>Paragraph 1</p>
  <p>Paragraph 2</p>
  <p>Paragraph 3</p>
</body>
```

- A. h1 p {color: red;} C. h1,p {color: red;}
 B. h1~p {color: red;} D. h1+p {color : red;}

27. What is the color of <h1> tag using the following CSS rules?

```
<style>
    h1{color: red;}
    h1{color: yellow;}
    h1{color: green;}
    h1{color: blue;}
</style>
```

- A. Red B. Blue C. Yellow D. Green

28. Which type of **attribute** used to create an **inline CSS style** in given HTML element

- A. <link> B. style C. src D. type

29. CSS3 has introduced an **extra value for RGB colors** to indicate **opacity**. It is known as **RGBA**.

- A. True
B. False

30. Which CSS property sets the **color of the background** for the HTML box?

- A. background C. background-color
B. color D. bg-color

31. _____ property allows you to **specify the typeface** that should be used for any text inside the element(s) to which a CSS rule applies.

- A. font-size C. font-family
B. font-weight D. font-style

32. CSS treats each HTML element as if it has its own box.

- A. True B. False

33. Which of the following statement is **false** about **pseudo-classes** for anchor tag

- A. **:hover** This is applied when a user hovers over an element with a pointing device such as a mouse.
B. **:active** This is applied when an element is being activated by a user; for example, when a button is being pressed or a link being clicked.
C. **:focus** This is applied when an element has focus.
D. **:visited** This allows you to set styles for links that have not yet been visited.

34. What is the purpose of **text-transform** property

- A. Used to create italic text
- B. Used to use fonts which is not installed
- C. Used to change the case of text
- D. Used to control the alignment of text

35. Which line of code that can set the element horizontally

- A. with: 5px 5px 5px 5px;
- B. margin: 5px auto 5px auto;
- C. padding: 5px 5px 5px 5px;
- D. height: 5px auto 5px auto;

36. Which of the following statement is **true** about **JS expression and statement**?

- A. The expression (x > y && a < b) is true if either x > y is true or a < b is true.
- B. An expression containing the || operator is true if either or both of its operands is true
- C. The break statement is required in the last case of a switch selection statement.
- D. All

37. Write the output of the following JavaScript block of code

```
var n=1;
switch ( n )
{
    case 1:
        document.writeln( "The number is 1" );
    case 2:
        document.writeln( "The number is 2" );
        break;
    default:
        document.writeln( "The number is not 1 or 2" );
}
```

- A. The number is 1
- B. The number is 2
- C. The number is 1 The number is 2
- D. The number is 2 The number is not 1 or 2

38. What is the value of 'total' variable after executing the following JavaScript block of code successfully?

```
var total = 5;  
while ( total < 0 )  
{  
    --total;  
}
```

- A. 0 B. 5 C. -1 D. 4

39. Which of the following calling statement is valid to call the function **calculate()**?

- A. calculate() C. calculate(5.67, "Hello")
B. calculate("Hello") D. All

40. Function arguments may be **constants**, **variables** or **expressions**.

- A. True B. False

41. Identify true statement about local variable?

- A. Local variables are declared in function definitions
B. They can be accessed only in the function in which they are defined
C. A function's parameters are considered to be local variables
D. All

42. The _____ statement in a called function can be used to pass the value of an expression back to the calling function.

- A. function C. return
B. parameter D. argument

43. Which object methods allow you to perform many common mathematical calculations?

- A. Date B. Math C. String D. Number

44. Objects are a natural way of thinking about the world and about scripts that manipulate HTML documents.

- A. True B. False

45. OOP characteristic that allows us to consider complex ideas while ignoring irrelevant detail that would confuse us
- A. Encapsulation
 - B. **Abstraction**
 - C. Inheritance
 - D. Polymorphism
46. JavaScript **DOM** acronym represents?
- A. Data Object Manuscript
 - B. Data Object Model
 - C. Document Object Manuscript
 - D. **Document Object Model**
47. The **easiest way** to find an **HTML element in the DOM** is by using _____
- A. Tag name
 - B. Element name
 - C. **Element id**
 - D. Class name
48. Which of the JavaScript code that can **access the element <p>**?
- A. `document.getElementsById("p");`
 - B. **`document.getElementsByTagName("p");`**
 - C. `document.getElementsByClassName("p");`
 - D. `document.getElementsByQuery("p");`
49. The **innerHTML** property sets or returns the HTML content of an element.
- A. **True**
 - B. False
50. Which of following statement is **TRUE** about **JavaScript events**?
- A. The **onload** event fires whenever an element starts loading
 - B. **The `onclick` event fires when the user clicks the mouse on an element**
 - C. The **onfocus** event fires when an element loses focus.
 - D. All
51. Identify **FALSE** statements about **PHP program**?
- A. **It is executed on the client**
 - B. It is executed on any platform
 - C. It can be easily embedded in HTML
 - D. It uses to create dynamic web pages
52. What is the file extension of PHP program?
- A. .html
 - B. .css
 - C. **.php**
 - D. .http

53. Which of the following is used to display the output in PHP?

- A. echo B. write C. print D. Both (a) and (c)

54. All variables names in PHP are **case-sensitive**.

- A. True B. False

55. Data submitted through the HTTP post method is stored in array_____

- A. \$_POST B. \$_GET C. \$_SESSION D. \$_COOKIES

56. Which of the following is the correct way to open the file "sample.txt" as readable only?

- A. fopen("sample.txt", "r"); C. fopen("sample.txt", "r+");
B. fopen("sample.txt", "read"); D. fopen("sample.txt");

57. What is the use of isset() function in PHP?

- A. The isset() function is used to check whether variable is set or not
B. The isset() function is used to check whether the variable is free or not
C. The isset() function is used to check whether the variable is string or not
D. None of the above

58. Which of the following is the correct way to create an array in PHP?

- A. \$season = array["summer" , "winter" , "spring" , "autumn"];
B. \$season = array("summer" , "winter" , "spring" , "autumn");
C. \$season = "summer" , "winter" , "spring" , "autumn";
D. All of the above

59. What will be the output of the following program?

```
<?php
    $var1 = "Hello";
    $var2 = "World";
    echo "$var1$var2";
?>
```

- A. HelloWorld C. "\$var1\$var2"
B. Hello World D. None of the above

60. _____ allows you to initialize an object's properties upon creation of the object.

- A. __destructor C. constructor

- B. new D. OOP
61. Which of the following access modifiers where the property and method can be accessed within the class and by the derived from that class?
- A. public C. **protected**
B. private D. internal
62. Array with named keys is called
- A. Indexed Array C. **Associative Arrays**
B. Multidimensional Arrays D. Normal Array
63. Which PHP method use to return the length of the string?
- A. length() C. count()
B. **strlen()** D. size()
64. Which PHP method use to convert a string into uppercase?
- A. **strtoupper()** C. ucfirst()
B. ucwords() D. textTransssform()
65. Which one of the following PDO SQL queires execution methods to be used if data is coming from an untrusted source, such as from a web form, to prevent an SQL injection attack?
- A. **PDO::prepare** C. PDO::query
B. PDO::exec D. PDO::rowCount
66. Which of the following is **False** about AJAX?
- A. It is Asynchronous JavaScript And XML
B. **It is a programming language**
C. It allows web pages to be updated asynchronously
D. It uses to update parts of a web page, without reloading the whole page.
67. In Ajax, data is stored in?
- A. **XML** B. XHTML C. XPHP D. ASP.NET
68. XML stands for ____.
- A. eXtensible Margin Language C. Xtensible Markup Language

- B. eXtensible Markup Language D. Xtensible Margin Language
69. XML is designed to ____ and ____ data.
- A. design, style C. design, send
- B. store, style D. store, transport
70. In an XML document, a tag is a markup construct that starts with ____ and ends with ____.
- A. <, > B. <!--, --> C. <#, > D. @, @
71. In an XML document, the comments are written within ____.
- A. /* and */ B. <!-- and --> C. <# and > D. @ and @
72. In XML, DTD stands for ____.
- A. Document Type Declaration C. Data Type Definition
- B. Document Type Definition D. Document To Declaration
73. XML tags are case-sensitive?
- A. Yes B. No
74. _____ is a platform that allows developers to write server side JavaScript applications using the same language and runtime environment as front-end web development.
- A. React C. Angular.js
- B. Node.js D. Bootstrap
75. What kind of script has been created to guarantee browser compatibility for web pages?
- A. VBScript C. TEXTScript
- B. ECMAScript D. Type Script

76. Which of the following protocol that used to define how message are formatted and transmitted on the World Wide Web?
- A. IP
 - B. FTP
 - C. HTTP
 - D. SMTP
77. Which type of web developemessagesr focus on coding the database and server using advanced programming languages such as PHP, C#, Java, Ruby, and SQL, as well as NodeJS and other server-side frameworks?
- A. UX Developer
 - B. Back-end Developer
 - C. Front-end Developer
 - D. UI Developer
78. In HTML, which attribute is used to create a link that opens in a new window tab?
- A. src="_blank"
 - B. target="_self"
 - C. src="_self"
 - D. target="_blank"
79. Which of the following attribute is used for merging two or more adjacent columns?
- A. COLSPAN
 - B. ROWSPAN
 - C. CELLSPACING
 - D. CELLPADDING
80. Which tag is used to create a dropdown in HTML Form?
- A. <input>
 - B. <text>
 - C. <select>
 - D. <textarea>
81. Which of the following is the correct syntax to link an external style sheet in the HTML file?
- A. <style rel="stylesheet" link="style.css" />
 - B. <link rel="stylesheet" href="style.css" />
 - C. <style rel="stylesheet" src="style.css" />
 - D. <link rel="stylesheet" src="style.css" />
82. Which of the following CSS style properties is used to specify an italic text?
- A. font-weight
 - B. font-family
 - C. font-size
 - D. font-style

83. Which of the following CSS selectors is used to specify a rule to bind a particular unique element?

- A. Tag B. **Id** C. Class D. Name

84. Identify the function in JavaScript which is used to send messages to users requesting for text input?

- A. **prompt ()** C. alert()
B. display() D. getInput()

85. Which of the following is the correct output for the following JavaScript code:

```
function check(option)
{
    return(option ? "true" : "false");
}
let ans=true;
console.log(check (ans));
```

- A. false C. **true**
B. Runtime Error D. Compilation Error

86. In which HTML element, we put the JavaScript code?

- A. <javascript>...</javascript> C. <js>...</js>
B. **<script>...</script>** D. <css>...</css>

87. Which of the following is used for concatenation in PHP?

- A. **.(dot)** B. *(Asterisk) C. + (plus) D. append()

88. Which of the following function is used to create a session?

- A. isset() C. session_destroy()
B. \$_SESSION() D. **session_start()**

89. Which one of the following is not used to generate dynamic web pages?

- A. PHP B. ASP.NET C. **CSS** D. JSP

90. What makes AJAX unique?

- A. It works the same with all web browsers
B. It works as a stand-alone web-development tool
C. It uses C++ as its programming language
D. **It makes data requests asynchronously**