

Model exam for 4th year nursing students

1. A 36-year-old came to the emergency department with complaints of abdominal cramps, watery diarrhea, low-grade fever and fatigue. On physical assessment, BP 90/60mmhg, PR 96bpm, RR 20bpm and temperature febrile to touch.

Which of the following objective finding would indicate presence of dehydration?

A. Reduction in urine output

C. Excessive sweating

B. Sunken fontanel

D. Restlessness

2. A 55 year-old man is a known hypertensive patient. Blood pressure measurement of the patient revealed 190/100mmHg. The treating physician initiated patient with furosemide 40mg twice a day to control the increased blood pressure.

What would be the most possible potential nursing diagnosis to this patient?

A. Risk for decreased serum K⁺ levels related to released potassium

B. Hypotension related to increased urine flow

C. Risk for increased blood glucose levels related to increased metabolism

D. Fatigue related to nutrition less than body requirement

3. A 26 year-old man with lost consciousness is brought to the emergency department. On arrival his BP 85/55mmHg, HR 108bpm, RR 28/bpm. Patient was initiated with oxygen 60% via facemask and resuscitated with normal saline and taken for immediate cardiac catheterization.

What would be the primary goal of intervention for this patient following the procedure?

- A. Decrease workload of myocardial cells
- B. Administer diuretics
- C. Give volume to increase preload
- D. Perform suctioning to improve oxygenation

4. A 62 year-old woman who is known to have severe hypertension came to the emergency department with complaints of elevated blood pressure severe headache, visual disturbance and vertigo. Intravenous hydralazine was ordered and administered aiming on lowering the blood pressure as an immediate goal. What would be the nurse's evaluation as an outcome after the intravenous administration?

A. Significant production of urine

B. Significant reduction of blood pressure

C. Improved target organ perfusion

D. Decreased serum levels of angiotensin converting enzyme.

5. Tirhas is a 32-year-old bank secretary who was admitted to the hospital for unilateral Buck's extension traction to the left leg after a hip injury. Bernadette is the single parent of three children younger than 12 years of age. On the basis of her knowledge of running traction, the nurse knows to expect that:

A. The patient's leg will be flat on the bed to allow for a straight pulling force.

B. The patient's leg will be flexed at the knee to allow for mobility without disruption of the pulling force.

C. The traction will be applied directly to the bony skeleton to maintain a constant pulling force.

D. The traction will allow the patient's leg to be suspended off the bed so that no further damage can occur to the hip.

6. Tom is a 62-year-old athletic coach at a high school. Sports activities, especially baseball, have been the focus of his energies since he was in high school and college. Because of prior hip joint injuries and degenerative joint disease, he is scheduled for a total hip replacement. The nurse teaches Tom how to minimize hip extension during transfers and while sitting. The nurse should encourage him to:

A. Rotate the hip inward slightly during sitting to prevent pressure on the external border of the hip.

B. Hyperextend the leg during transfers so the hipsocket will not "pop out."

C. Maintain adduction and flexion when moving around to minimize strain at the

surgical site.

D. Always pivot on the un-operated leg to protect the operated leg from unnecessary work.

7. A 50-year-old male with a diagnosis of leukemia is responding poorly to treatment. He is tearful and trying to express his feelings, but he is having difficulty. The nurse should first:

A. tell him that she will leave for now but she will be back.

B. offer to call pastoral care.

C. ask if he would like her to sit with him while he collects his thoughts

D. tell him that she can understand how he is feeling

8. A 28-year-old woman is scheduled for a glucose tolerance test. She asks the nurse what results indicate diabetes mellitus. The nurse should respond that the minimum parameter for indication of diabetes mellitus is a 2-hour blood glucose level greater than:

A. 120 mg/dL..

B. 200 mg/dL..

C. 150 mg/dL.

D. 250 mg/dL

9. Keria, a 45-year-old, single executive with a major oil company, lives alone in a high-rise city apartment. She is recovering from a right radical

mastectomy performed 3 days ago. Keria refuses to acknowledge that her breast was removed. She believes that her breast is intact under the dressings. The nurse should:

A. call the physician to change the dressings so that Keria can see the incision

B. recognize that Kathy is experiencing denial, a normal stage of the grieving process

C. reinforce Keria's belief for several days, until her body can adjust to the stress of surgery

D. remind Keria that she needs to accept her diagnosis so that she can begin rehabilitation exercises

10. Hiwot, 30 years old, has been admitted to the burn treatment center with full-thickness burns over 30% of her upper body. Her diagnosis is consistent with extracellular fluid volume deficit (FVD). Nursing intervention for Hiwot includes all of the following except:

A. monitoring urinary output to assess kidney perfusion

B. placing the patient in the Trendelenburg position to maximize cerebral blood flow

C. positioning the patient flat in bed with legs elevated to maintain adequate circulating volume

D. teaching leg exercises to promote venous return and prevent postural hypotension when the patient stands

11. Ato Alemu is a 45-year-old executive with a major oil firm. Lately he has experienced frequent episodes of chest pressure that are relieved with rest. He has requested a complete physical examination. The nurse conducts an initial cardiac assessment. The nurse immediately inspects the patient's skin. She observes a bluish tinge around the patient's lips. She knows that this is an indication of:

A. central cyanosis

B. pallor

C. peripheral cyanosis

D. xanthelasma

12. Eleni, a 64-year-old retired secretary, is admitted to the medical-surgical area for management of chest pain caused by angina pectoris. Eleni has nitroglycerin at her bedside to take PRN. The nurse knows that nitroglycerin acts in all of the following ways except:

A. causing venous pooling throughout the body

B. constricting arterioles to lessen peripheral blood flow

C. dilating the coronary arteries to increase the oxygen supply

D. lowering systemic blood pressure

13. Ato Lema, a 46-year-old bricklayer, is brought to the emergency department by ambulance with a suspected diagnosis of myocardial infarction. He appears ashen, is diaphoretic and tachycardiac, and has severe chest pain. The nursing diagnosis is decreased cardiac output, related to decrease myocardial tissue perfusion. The nurse knows that the most critical time period for his diagnosis is:

A. the first hour after symptoms begin

B. within 24 hours after the onset of symptoms

C. within the first 48 hours after the attack

D. between the third and fifth day after the attack

14. Frew, a 43-year-old construction worker, has a history of hypertension. He smokes two packs of cigarettes a day, is nervous about the possibility of being unemployed, and has difficulty coping with stress. His current concern is calf pain during minimal exercise, which decreases with rest. The nurse assesses Fred's symptoms as being associated with peripheral arterial occlusive disease. The nursing diagnosis is probably:

A. Alteration in tissue perfusion related to compromised circulation.

B. Dysfunctional use of extremities related to muscle spasms.

C. Impaired mobility related to stress

associated with pain.

D. Impairment in muscle use associated with pain on exertion.

15. Eyerus is to receive one unit of packed red cells because he has a hemoglobin level of 8 g/dL and a diagnosis of gastrointestinal bleeding. If a transfusion reaction occurs, the nurse should:

A. Call the physician and wait for directions based on the specific type of reaction.

B. Stop the transfusion immediately and keep the vein patent with a saline or dextrose solution.

C. Slow the infusion rate and observe for an increase in the severity of the reaction.

D. Slow the infusion and request a venipuncture for retyping to start a second transfusion.

16. A patient, age 32, is admitted with a tentative diagnosis of acquired immuno-deficiency syndrome (AIDS). The practitioner orders a biopsy of his facial lesions; the preliminary biopsy report indicates Kaposi's sarcoma. Which of the following would be the nurse's best approach?

A. Tell the patient that Kaposi's sarcoma is common in people with AIDS.

B. Pretend not to notice the lesions on the patient's face.

C. Inform the patient of the biopsy results, and support him emotionally.

D. Explore the patient's feelings about his facial disfigurement

17. A mother who had already contracted one type of STIs gave birth in a labour ward 30 minutes ago. The midwife applied TTC eye ointment to the baby's eyes. Which one of the following STIs cause the infant develop Ophthalmia neonatorum who born to this woman with untreated STI if eye prophylaxis is not provided

A. N. gonorrhoea

C. Chancroid

B. Trichomonas vaginalis

D. Syphilis

18. A 26 year old Term primigravida woman comes to health center with a complaint of gush of fluid and vaginal bleeding. When the nurse checks her vital signs; BP 110/70mmHg, pulse 85beat/min, Temperature 37.2°C. Her cervix was 4 cm dilated, presentation vertex and membrane intact. What is most the likely priority nursing intervention?

A. Ask the woman to walk around

B. Follow up the labor with parthograph

C. Send the women back to hospital

D. Advice C/s

19. Meskerem was diagnosed with TB and was on anti TB for a duration of 3 weeks. Currently she come to hospital with a complain of low grade fever, loss of appetite, and wt loss. She discounted the drug for the duration of 3 months and was foand smear positive. The most likely treatment of this patient?

A. 2(RHZE)/6EH

B.2(SRHZE)/1(RHZE)/5RHE

C. 2(RHZE)/4RH

D. 1S(RHZE)/2(RHZE)/5EHR

20. A 28 year old pregnant women complains vaginal bleeding for 03 days. She was amenorrhic for the last 3 months. When the nurse checks the fetal heart beat it was positive and the Cx was closed. Her vital sign was Bp: 110/70mmhg. What is the most likely diagnosis ?

A. Threatened abortion

B. Ectopic pregnancy

C. Incomplete abortion

D. Vaginal lech

21. A 40 year old patient come to hospital with burn injury which covers 40% of his total body surface. After one month of hospital admission, he has open wound, input and output balanced and his condition is stable. What the most priority nursing intervention ?

A. Wound care

B. Prevention of scare and contracture

C. Functional and cosmetic reconstruction

D. Monitoring vital sign

22. A cardiac patient who was on follow come to the health center with a

complain of dyspnea, crackle, hepatjugular reflex, and SOB. Which finding most likely indicative of right sided heart failure?

A. Crackle

B. SOB

C. Hepatjugular reflex

D. dyspnea

23. You are working in a place where chewing tobacco is common. you planned to give health education on the impact of chewing tobacco and to prevent the existence of new user. What is the most likely preventive strategies used?

A. Primary Prevention

B. Secondary

C. Rehabilitation prevention

D. 3 prevention

24. A 47-year-old nurse presents to Hospital complaining of a poorly healing ulcer of her left second digit. The ulcer started a week ago and is painless.

The patient has tried using over the-counter antibacterial and hydrocortisone creams without improvement. She denies trauma to the hand. The patient has a temperature of 38.4° C (101.1° F) and left-sided epitrochlear and axillary adenopathy. She has a 4-cm ulcer on the dorsal side of the left second digit covered by a

black eschar and surrounded by an extensive amount of nonpitting edema.

Which of the following is the most likely diagnosis?

a. Smallpox infection

B. Cutaneous anthrax

c. Cat-scratch disease

d. Leprosy infection

25. A 26-year-old business manager came to a clinic complaining of persistent inability to speak in front of people. This results in repeated failure to win projects to sustain his company. The problem lasted six years and he

usually delegates other person in those situations.

What is the best psychological approach to manage his problem?

A. Help him in uncovering and analysing unconscious conflicts

B. Expose him to the phobic situation for as long as they can tolerate

C. Help him actively confront the phobic situation with help of therapist

D. Expose him serially to a predetermined list of anxiety-provoking situation

26. A 12-year-old boy was brought to a clinic. His mother reported that he has

difficulty to attend school, unable to sit still and fail to follow instructions at school. The nurse observed him in the health center that, he touches everything around him and throw weight scale from the table.

What is the best treatment approach for this child?

- A. Consult specialist for further evaluation
- B. Calm the child with small dose of antipsychotic
- C. Advise the mother to give him special attention over other children
- D. Reassure the mother that symptoms

may improve as the child grow up

27. A 36-year-old woman came to a hospital reporting three weeks of feeling sad, hopeless, easily tiredness, excessive sleep and thought of ending her life. She has been treated for symptoms totally opposite to the current one for the last six months.

What is the most likely diagnosis of this patient?

A. Bipolar II disorder

B. Major depressive disorder

C. Bipolar I disorder mixed episode

D. Bipolar I disorder depressive episode

28. A 35-year-old single man was hospitalized for a minor head injury

secondary to group conflict. During the conflict, he witnessed that many people were massacred in a way that no one can expect from human action. He has no history of mental illness but currently chews khat?

What is the most likely risk factor for stress related disorder in this person?

A. Head injury

B. Substance use

C. Hospitalization

D. Trauma severity

29. A 49-year-old woman was admitted to a gynecologic ward with the

diagnosis of uterine prolapse. She is frightened and is suffering from repeated occurrence of a sudden leakage of urine with activities which increases abdominal pressure.

What is the priority nursing diagnosis for the woman?

- A. Stress urinary incontinence
- B. Urge urinary incontinence
- C. Impaired urinary elimination
- D. Reflex urinary incontinence

30. A six-year-old child was brought to a pediatric OPD with the complaints of

vomiting and acute abdominal pain. On examination, the clinician found classic features of appendicitis.

What is the most appropriate next step in the management of the child?

- A. Resuscitate with appropriate fluid
- B. Administer analgesics with caution
- C. Start appropriate antibiotic treatment
- D. Perform confirmatory diagnostic tests

31. A two-year-old child with the complaints of choking and coughing of unknown duration came to a hospital. On examination, the physician found wheezing asymmetrically and the child

was suspected to have foreign body aspiration.

What is the primary diagnostic method for this child?

A. MRI

B. Ultrasound.

C. Chest X-ray

D. CT scan

32. A 60-year-old male hypertensive patient, who was otherwise healthy, deteriorates within hours after admission for an elective surgery. Occasionally, he becomes confused. His current medications include Enalapril 10

mg PO/day and Furosemide 20 mg IV BID. He drank three standard drinks of alcohol every day but no history of psychiatric illness.

What is the most likely diagnosis of the above case?

- A. Delirium
- B. Dementia
- C. Amnesia
- D. Depression

33. A nurse is taking care of a 52-year-old male patient hospitalized with a diagnosis of dementia. In contrary to the reality, the patient believes and argues

that the nurse is his daughter and currently he is at his office chairing a meeting with his workmates.

What is the best nursing intervention to deal with the patient's belief?

- A. Attempt to challenge his delusion logically
- B. Accept his idea and advise to evaluate yours
- C. Tell him that his false idea is due to the illness
- D. Acknowledge his feelings and reinforce reality

34. A nurse who is appointed as CEO of

a hospital, made introduction with the staff presented his interest in managing the hospital. The CEO mainly focuses on the proper use of population based data, global standards and tools for successful implementation of health sector reforms in the facility.

What is the most likely organizational building block focused by the CEO?

A. Governance

B. Information

C. Human Resource

D. Service delivery

35. A Zonal health administration

inspection team visits woreda health offices every quarter. One of a leader from a woreda explains his experience of leadership for the participants as he involves staffs in the decisions, shares responsibilities and creates chances for staffs to be innovative.

What leadership style is most likely used by the woreda administrator?

A. Democratic

B. Laissez faire

C. Authoritarian

D. Transformational

36. A nurse student came to Ethiopia

from Europe for student exchange program In one of Ethiopian university Drug the first visit of the ministry of Health (MOH) the nurse wants to know the general health strategies of the nation. The communication officer of MOH explained that major parts of decision making, organization, capacity building, planning, implementation and monitoring is transferred to the regions with clear definitions of roles.

What is the most likely health care policy strategy explained for the nurse

(A) Democratization

(B) Decentralization

(C) Community participation

(D) Inter-sectorial collaboration

37. A nurse is taking care of patient coming to an emergency unit all the day without rest. A mother with her sick child came at the end of the day looking for help. The nurse told her to wait for the night shift nurse who will come just in few moments. However the mother is begging him to help her sick child who is crying. After three minutes, the shift nurse arrived and managed the child and reassured the mother.

What is the most likely threat of compassion for the nurse in the day shift?

A. Compassion fatigue

B. Health facility context

C. Stress and burnout

D. Unbalanced focus.

38. A 32-year-old female patient who is diagnosed with cholelithiasis was admitted to a medical ward. A nurse in charge while preparing the patient for surgery urinary catheter in the ward without screen. The patient complained that her privacy was violated but the nurse denied the action.

What is the most likely law used to charge the nurse?

A. Contract law

B. Criminal law

C. Public law

D. Tort law

39. A 34-year-old nurse encountered a patient suffering from cardiac arrest on street. He tried to manage the patient. However, the patient died while he is giving CPR. The victim's family prosecuted the nurse in court.

What is the most likely law that handles such case?

A. Criminal law

B. Common law

C. Statute of limitations

D. Good samaritan statute

40. A nurse working in a health center has life and death issues in court at 3:00 pm. While the nurse is leaving the health center, a mother with her sick child comes looking for help. The child is in severe distress and will die if aggressive management is not given.

What principle of professionalism is most likely challenged in this case?

A. Accountability

B. Altruism

C. Excellence

D. Humanism

41. A 28-year-old patient came to a health center suspecting that he might have STL. During discussion with the nurse, he was afraid of telling what he feels. The nurse while waiting for answer, waited with silence and look at the eye of the patient.

What question most likely open door for a discussion for this case?

A. Are you in pain?

B. Tell me about your family?

C. Tell me about your pain

D. Tell me what you want to talk about?

42. A nurse working in district X with the catchment population of 45,000. Out of this, 600 were women in child bearing age and from them 240 have given live birth. Twelve (12) infants have died within 28 days of birth and 24 died before they celebrate their first birth day in 2010.

What is the neonatal mortality rate in this finding?

A. 20 neonates died per 1000 live births

B. 33 neonates died per 1000 live births

C. 12 neonates died per 1000 live births

D. 50 neonates died per 1000 live births

43. A nurse, who is working in a teaching hospital which has 100 health workers, wants to know the health burden of common cold among health workers in the hospital in a month. On the first and second day, the nurse investigates 10 and 38 health workers respectively, who had common cold. There is no change in the number of residents who had common cold over the month.

What is the prevalence of common cold among health workers over a month?

A. 1.0%

B. 1.8%

C. 4.8%

D. 3.8%

44. A researcher conducted a study on risk factor of acute appendicitis among patients in hospital. The finding indicated that 40 had history of urinary tract infection from 160 who developed acute appendicitis and 12 had history of urinary tract infection from 320 individuals who were healthy.

What is the most likely interpretation of association in this research?

A. Urinary tract infection not risk factor

for acute appendicitis

B. Acute appendicitis is the risk factor for urinary tract infection

C. Acute appendicitis is not risk factor for urinary tract infection

D. Urinary tract infection is the risk factor for acute appendicitis

45. A nurse in a health center gathered patients and provided them a health education session concerning proper use of condom with demonstration in order to encourage utilization of condom to prevent HIV/AIDS and unplanned pregnancies.

What is the most likely behavioural

factor the nurse addressed?

A. Enabling

B. Reinforcing

C. Predisposing

D. Emphasizing

46. A team of nurses was assigned to give health services to a community. The team wants to plan activities and services to be given at home. After a while, the team agreed to services on the basis of nurse's responsibilities.

What is the most likely responsibility of nurses during home visit in this town?

A. to minimize clients' level of independence

B. to give institutionalized care for clients

C. to give critical and specialized health care services

D. to address disabilities with non-institutional services

47. A 20-day old male baby was brought to pediatrics OPD with complaint of being unable to feed and convulsion. On examination his temperature was 38°C heart rate 98/min and CSF finding showed that his leukocytes were 30/mm², protein 10 mg/dl and 60% of the blood glucose.

What is the most likely diagnosis of this baby?

A. Neonatal seizure

C. Neonatal asphyxia

B. Neonatal sepsis

D. Neonatal meningitis

48. A three-year-old male child goes to supermarket with his mother and asked his mother buy him extra chocolate. The mother told him that she didn't have sufficient money and promised him to buy next time. however, the baby didn't agree dropped to the floor and started crying screaming and kicking in rage at

the middle of supermarket.

What is the most likely behavioral characteristic of this child?

A. Dawdling

C. Regression

B. Negativism

D. Temper tantrums

49. A 20-year-old woman came to a clinical and reported that she has not been getting asleep for one week. She was more talkative than usual on mental status examination; she is uncooperative, easily annoyed, and seductive and has flight of ideas.

What is the most important mental status finding to support her diagnosis?

A. Irritable

B. Seductive

C. Flight of idea

D. Uncooperative

50. A 25-year-old woman came to a clinical and complained about persistent feeling of sadness hopelessness sleep disturbance and loss of interest, the mental status examination revealed that she had difficulty to sustain attention.

What are the core symptoms in the

diagnosis of the above patient?

A. Hopelessness and/or distractibility.

B. Loss of interest and/or hopelessness.

C. distractibility and/or sleep.

D. Depressed mood and/or loss of interest.

51. A-17-year-old boy gets 5mg of haloperidol to control his aggression. After an hour of his first injection, he starts to experience brief contractions of muscles that result in obviously abnormal movement, tongue protrusion and difficulty of swallowing.

What is the most likely diagnosis of the

above patient?

A. Dystonia

B. Akathesia

C. Parkinsonism

D. Epilepsy

52. A 35-year-old patient with a diagnosis of delusion was brought to a hospital. He stopped his hazardous drinking habit before one year. Despite his false belief interferes with his functioning. he performs well during the mental status examination. He has never been met criteria for schizophrenia.

What is the most appropriate explanation for his diagnosis?

- A. He has abnormal false belief
- B. He has functional impairment
- C. He has history of excessive alcohol use
- D. He has never met criteria for schizophrenia

53. A group of patients with substance use disorder were admitted to substance rehabilitation center. Most of them deny their problem. The nurse is preparing a teaching plan for them to help them recovery.

What is the most appropriate information to be included in the nursing plan?

A. Communicate one can use substance for their stress relieving effect

B. Focus on change in the patient's motivation probably has the best impact

C. Persons with substance-related problems can recover without formal treatment

D. Communicate that substance use is a problem not related to individual weakness

54. A university board assigned committee in order to review curriculum

vitae of applicants for managerial position as president of a university, the committee understands that an applicant is experienced in analyzing the external environment of institutions and engaging in problem. solving activities that can bring major changes.

What is the most appropriate managerial skill the applicant had based on this scenario?

A. Technical Skill

B. Conceptual Skill

C. Human relation Skill

D. Communication Skill

55. A newly appointed head of the health center had discussion with catchment kebele leaders to identify real health problems that occurred in the community. The head identified trachoma as major health problem following poor latrine utilization though they have constructed latrine.

What would be the most appropriate good care deliver approach used by the head?

- A. Disease control programs
- B. Conventional care in clinics
- C. People-centered primary care
- D. Conventional care in referral hospitals

56. A newly appointed CEO of a hospital decides to decentralize activities to subordinates after performing situational analysis. The process was done using the service regulations and consistent discussion with community members in the catchment area.

What is the most likely health service building block focused by the CEO?

A. Governance

B. Financing

C. Human resource

D. Service Delivery

57. Job Evaluation Grading (JEG) implementation committee in zonal health administration works in the new staff job appointment. During the course a nurse who is working in disease prevention directorate raised complains about his current appointment and takes the case to the court. The court accepted employee's complaint and ordered the organization cancel the decision.

What is the most likely conflict resolution used in this scenario?

A. Win-Lose

B. Lose-Lose

C. Win-Win

D. Lose-Win

58. An experienced public health expert comes to Ethiopia from abroad and wants information about the current health delivery system of the country. During their discussion, the woreda health manager explained about the current health care tier system used by the nation.

What is the most likely explanation expected from the manager?

A. Ethiopia has four tier system

B. Primary hospital serves 15,000-25,000

C. General hospitals are grouped under

tertiary level

D. Specialized Hospital serves 3.5-5.0 million people

59. A hospital board discusses with the management team on how to mobilize a resource to provide quality health service. They decided to improve income by collecting service cost from health care, diagnostic services, consultancies and training.

What is the most likely part of health care financing reform used by the board?

A. Health Insurance

B. Revenue Retention

C. Fee waiver System

D. Exemption System

60. The ministry of health organized a review meeting with representatives of health professionals. On the meeting nurse from different hospitals discuss on the difference between monitoring and evaluation but they could not reach an agreement.

What is the most likely characteristic that differentiate the two concepts?

A. Monitoring is continuous whereas evaluation is periodic

B. Monitoring is intermittent whereas evaluation is continuous

C. Monitoring can be done after a project ends but not evaluation

D. Monitoring used to have a lesson, whereas evaluation prevent distraction

61. A 32-year-old female patient came to health center for wound care. A nurse in charge provided the wound care. The patient developed infection and referred to a hospital. In the hospital, she got treated and cured. After six years she is informed that the infection she developed in the health center was due to inappropriate dressing. The patient filed malpractice act against the nurse in health center and prosecuted the nurse for malpractice act.

What is the first thing the nurses attorney should have as a defense?

A. Assumption risk

B. Comparative negligence

C. Contributory negligence

D. Statute of limitations

62. A 30-year-old nurse was working in a hospital oncology unit. Every day, he cares for patient from different parts of Ethiopian by respectful and dignified manner. Every day he tried to maintain the provision of dignified care.

What principle of respectful care helps

to achieve nurses' dreams?

(A). Recognize diversity and individual uniqueness

(B). Uphold responsibility to shape care and support service

(C). Communicate with individuals in a meaningful way to them

(D). Value workplace culture that promote respect for every body

63. A 28-year-old nurse has been doing every routine nursing activity process The nurse also participates in monitoring activities at her institution that improve quality of nursing practice, in order to keep her knowledge base and

skills and current practice with the guidelines, statutes, rules and regulations

What is the most likely nursing law that nurse is practicing?

A. The scope of nursing practice

B. The standards of practice

C. The nursing policy statements

D. The positions statements

64. A nurse works in a district where health service is 100% available and with more than 80% expected coverage of rotavirus vaccination among under-five children. However, at the end of the

year rotavirus vaccination coverage in the district was found to be 16%.

What is the most likely research problem needed to study in the district?

A. Expected rotavirus vaccination for under-five children

B. Availability of rotavirus vaccination for under-five children

C. Rotavirus vaccination coverage among under-five children

D. Factors influencing low rotavirus vaccination coverage

65. A nurse was assigned in a woreda health office where immigration and out

migration of the people is high from different parts of the country. Monthly health report of the office indicated that tuberculosis incidence is stable. But, the prevalence of tuberculosis increased highly in the woreda.

What is the most likely reason for increment of tuberculosis patient's in the woreda?

- A. Out-migration of cases
- C. Out-migration of healthy people
- B. Improved cure rate of disease
- D. High-case fatality rate from disease

66. The nurse wants to test whether the

mean age of adult who visited the youth friendly service is not different from 25 years. The nurse took sample of 196 adult patients from population. The mean age of sampled adults was 20 years and the given population standard deviation was 6 years.

What is the most appropriate statistical test used for the test given hypothesis?

- A. paired-t test
- B. student-t test
- C. chi-square test
- D. standard normal Z-test

67. A nurse works in a district at which

most of the communities cannot read and write. He delivered health education program how prevent diarrheal disease on the community of district when the nurse delivers health education session he used locally spoken and word proverbs.

What is most likely health education principles applied by the nurse?

A Health education aims at changes of behavior

B. Health education is based on scientific finding

C. the health educators have to make themselves acceptable

D. the health educators has to adjust his talk and action to suit the group

68. An epidemic investigation team in the regional health bureau found an epidemic disease in a community. The investigators found that the disease occurred due to consumption of contaminated community water supply and the disease has an epidemic curve with a wide peak.

What is the most likely type of epidemic in this community?

A. Mixed epidemic

B. Progressive epidemic

C. Point source epidemic

D. Continuous common source epidemic

69. Ministry of health of Ethiopia wanted to get epidemiologic data for decision making purpose. Based on the situation, the ministry decided to use sentinel surveillance and wanted to use reports for surveillance purpose.

What is the most likely source of reports to be used by this ministry?

A. solicit reports of disease gained from professionals

B. reports sent by professionals with a known set of rules

C. pre-arranged sample of reporting

sources about all cases

D. report sent about disease when it reaches to epidemic level.

70. Nurses working in a health center were assigned to give school health service. During designing training, the nurses disagreed on the importance of school health services to the students and for teaching learning process.

What is the most likely importance of school health to be mentioned by the nurse?

A. Helping to build and use of educational facilities

B. Making teachers and students

anxious about disease

C. Providing a healthy and safe environment in all-round

D. Treating communicable and non-communicable disease

71. A nurse who was assigned as member of malaria epidemic management team wanted use a permanent measure to remove the mosquito breeding site with the participation of villagers in the woreda.

What is the most appropriate vector control method to be used by the team?

A. Indoor residual sprayer

B. Use of window screens

C. Drainage of stagnant water

D. Use of insecticide treated bed net

72. A 24-year-old patient came to adult OPD with complaint of polyphagia, polydipsia and polyuria. On history, the patient reported that "previously a doctor told me that I have diabetes but I am not taking drug till now because I believe God can cure me soon". However, the clinical and lab finding indicate the worsening of the patient's condition and he needs to start insulin injection.

What is the most appropriate health education to influence his behavior?

- A. Education him about indication of medication use
- B. Tell him about the consequences of resisting medication
- C. Education him about use of medication despite God's help
- D. Encourage him to practice spiritual action without use of drugs

73. A 57-year-old known diabetic man came with chills, Chest pain and Dyspnea of five days. The patient has cough with mucopurulent sputum and headache. He has no history of antibiotics use in the last 6 months. On assessment, he has crackles,

Temperature 39.2 °C, Respiratory rate 32/min and opacity on chest X-ray.

What is the most likely diagnosis for this patient?

(A) Asthma

(C) Bronchitis

(B) Plueritis

(D) Pneumonia

74. A 28-year-old woman presented with upper air way obstruction underwent Tracheostomy. After eight hours of the procedure, she has developed dullness over the right chest, stridor and rhonchi. She has poor concentration and her respiratory rate is 26/min and blood pressure 110/70 mmHg.

What is the most likely priority nursing intervention for this case?

(A) Wound care

(C) Proper positioning

(B) Airway suctioning

(D) Oxygen administration

75. A 34-year-old man is admitted in medical ward with diagnosis of bronchial asthma. He was exposed to known allergen yesterday. On assessment, he has wheezing, chest tightness and coughing.

What is the initial pathophysiological

process that takes place to occur the above manifestations?

(A) Neutrophils infiltration

(B) Lymphocytes production

(C) Mast cells activation

(D) Eosinophils release

76. A 64-year-old male client came to hospital for his follow up visit. The Patient has a BMI of 27 kg/m². He was breathing heavily after climbing the stairs before entering the room. The results of laboratory investigation showed LDL-2.8 mmol/L (reference 3.8 mmol/l), HDL-1.01 mmol/l and triglycerides 4.2 mmol/l.

What is the priority potential nursing diagnosis for this client?

(A) Altered tissue perfusion

(C) Activity intolerance

(B) Ineffective breathing

(D) Altered nutrition

77. A 36-year-old male patient admitted to medical ICU with congestive heart failure secondary to staphylococcal infection from tooth extraction procedure. He manifested with high grade fever, petechiae and heart murmur at the apical area. Echocardiography showed destructed valves.

What is the most likely cause of the heart failure?

(A) Epicarditis

(B) Pericarditis

(C) Myocarditis

(D) Endocarditis

78. An infant who was born from a known HIV positive mother is brought to a pediatric OPD with the clinical features of cough, stridor and oral thrush. The HIV status of the infant was positive for antibody test and unknown for DNA/PCR test due to unavailability of the test.

What is the appropriate management for the child according to IMNCI? (Tikimt 2013/October 2020)

A. Initiate PMTCT care

B. Initiate ARV treatment

C. Advise on HIV prevention

D. Advise to stop breastfeeding

79. A four-year-old child was presented to the health center with diarrhea of five days duration. On physical examination, the skin pinch goes back within two seconds. And the child was very eager to drink water and had WFH z-score-1.

What is the most appropriate

management of this child according to IMNCI?
(Tikimt2013/October 2020)

A. Give ORS over 4-hours period

B. Give ORS solution in each loss

C. Give ReSOMAL solution in each loss.

D. Give RL solution intravascular over three hours

81. A low birth weight neonate was brought to NICU with the clinical feature of unable to breast feed, difficulty of breathing and yellowish discoloration of a body part. The neonatal nurse classifies the neonate as jaundice according to IMNCI. What is the most likely finding used to confirm this classification?

A. Yellowish discoloration of palm and sole

B. She has some dehydration

C. She has severe dehydration

D. Exemption System

99. A client is attempting to deliver vaginally despite the fact that her previous delivery was by cesarean birth. Her contractions are 2 to 3 minutes apart, lasting from 75 to 100 seconds. Suddenly, the client complains of intense abdominal pain, and the fetal monitor stops picking up contractions. The nurse recognizes that which of the following has occurred?

A Abruptio placentae

B. Prolapsed cord

C. Partial placenta previa

D. Complete uterine rupture

A nurse is caring for a 78 year old client hospitalized with bilateral pneumonia. Shortly after admission, he became extremely belligerent, confused, and hypotensive, and he developed tachypnea. The nurse prepares the client for intubation, administers anti-infectives stat, and requests that the computed tomography (CT) scan of his head be delayed. Why?

- A His change in mental status was related to hypoxia, metabolic encephalopathy, and sepsis
- B. Taking this client to the radiology department would jeopardize his condition
- C. The client exhibited no signs of focal neurologic impairment.

93. A home health nurse visits an 82-year-old client who has experienced multiple strokes and is unable to change position independently in bed. The nurse teaches family caregivers techniques to move and reposition the client, who is in a hospital bed. Which technique should be included in the teaching plan for this client?

A. Before moving the client, family caregivers should raise the hospital bed to the level of their waists. After completing the move, the bed must be returned to the lowest level.

B. Family members should tighten their abdominal muscles and buttocks while keeping their feet about 12 inches apart when using a lift sheet to pull the client up in bed.

68. Dagim is a 62-year-old athletic coach at a high school. Sports activities, especially baseball, have been the focus of his energies since he was in high school and college. Because of prior hip joint injuries and degenerative joint disease, he is scheduled for a total hip replacement. The nurse teaches Tom how to minimize hip extension during

transfers and while sitting. The nurse should encourage him to:

A. Rotate the hip inward slightly during sitting to prevent pressure on the external border of the hip.

B. Maintain adduction and flexion when moving around to minimize strain at the surgical site.

C. Always pivot on the un-operated leg to protect the operated leg from unnecessary work.

67. A client in the 28th week of gestation comes to the emergency department because she thinks that she's in labor. To confirm a diagnosis of preterm labor, the nurse would expect the physical examination to reveal:

A. irregular uterine contractions with no cervical dilation.

B. painful contractions with no cervical dilation.

C. regular uterine contractions with cervical dilation.

D. regular uterine contractions with no cervical dilation.

71. The physician has ordered mannitol IV for a client with a head injury with moderate TBI (traumatic brain injury). What should the nurse closely monitor because the client is receiving mannitol?

A. Deep tendon reflexes

B. Urine output

C. Level of orientation

D. Pulse rate

66. A nurse who is a member of disease prevention team in a woreda health office has notified the occurrence of an epidemic. Based on the available information the team visited patients, performed other tests and confirmed that there is a measles epidemic among children in the community which is expanded from border villages of the country. What epidemic investigation step is best explained by the team in the above case?

A Verify the diagnosis

B. Intervention and follow-up

C. Verify the existence of an epidemic

D. Make a decision on the tested hypotheses

75 (Multiple Choice! A nurse assessed the progress of a two-year old child who was on phase one management of severe acute malnutrition. The child was improved clinically with an evidence of reduced edema to grade two and complications were completely treated. What is the most likely additional finding used to proceed to the transition phase?

- A. The edema has to be reduced to grade for a days
- B. The edema has to be lost completely for consecutive days
- C. Improved appetite evidenced by finishing F-75 food easily
- D. Improved appetite evidenced by finishing F-100 food easily

87. A 76-year-old client is admitted to a long term care facility with a diagnosis of Alzheimer's-type dementia. The client has been wearing the same dirty clothes for several days and the nurse contacts the family to bring in clean clothing. Which intervention would best prevent further regression in the client's personal

hygiene?

- A. Encouraging the client to perform as much self-care as possible
- B. Making the client assume responsibility for physical care
- C. Assigning a staff member to take over the client's physical care
- D. Accepting the client's desire to go without bathing

