

Gech BSC NURSE:

1 which of the following cm is right side CHF

- A organomegaly B orthopnea
- C nausea D hematemesis

2 which of the is important for assessment of severe allergic reaction

- A skin color
- B blood pressure
- C heart rate
- D none

3 Action of the drug that is suspected effect than therapeutically

- A side effect
- B adverse effects
- C allergic reaction
- D therapeutic

4 which vaccine contradicted during pregnancy?

- A rubella B OPV C measles D influenza

5 which of the following is not link to CRC (compassionate respectful and caring)

- A. Take pride in her or his profession
- B. Consider the pt as a case
- C. Respect pt and his/her family
- D all

6 All of the following are CF of strangulation

- A tachycardia
- B. Disappearance of abdominal pain
- C .fever
- D. Acidosis

7 clinical feature of bowel obstruction?

- A. colicky abdominal pain
- B. Abdominal distension
- C. Diarrhea
- D. vomiting

8 Clinical manifestation of bladder stone

- A. pain on tests
- B. Hematuria
- C. Strangury
- D none

9 All of the following are complications of pharyngo esophageal junction

- A. Stroke
- B. Ansa esophagitis
- C. laryngoesophitis
- D A&C

10 which of the following complication of epiglottitis in neonate?

- A. Laryngomalacia
- B. Asphyxia
- C tonsillitis
- D Pharyngitis

10 Which route of administration is best for adrenaline during severe anaphylactic shock?

- A. Im
- B. Iv
- C. Sc
- D all

11 Helen is working in adult OPD at that time, the patient comes with sudden excessive vomiting. Helen immediately before assessing physical examination she takes history. The patient says 6 episodes of projectile vomiting in previous history of gastric problem. In addition he had a history of drinking. Smoker and gastric problem.

In the above scenario which one of the following is the best assessment of nurses?

- A. Initial
- B. Focused
- C. Time lapsed
- D. Emergency

12. Correct order of wound dressing?

- A. Irrigate, cleans, debris and apply medication
- B cleans, irrigate, debriment and apply medication
- C debris, irrigate, cleans and apply medication
- D cleans, debris, irrigate and medication

13 w/c one of the following is the most important aspect of burn mgt in the first 24 hours

- A, wound dressing
- B, fluid Resuscitation
- C. Antibiotics
- D. none

14 All of the following events occur in the proliferation phase of wound healing, except?

- A. Wound contract
- B. Collagen formation
- C. Epithelization

D release of vasoactive substance

15 w/c of the following is true about physiological jaundice?

- A. Immature hepatic enzymes
- B. breast feeding
- C. Increasing Bilirubin production
- D none

16 w/c one of the following is true about CPR?

- A. 30 compression and 2 breath in adult
- B. 15 compression and 2 breath in adult
- C. 30 compression and 1 breath in adult
- D. 15 compression and 1 breath in pediatrics

17. A 27 years old adult patient said to nurse I have high blood glucose and have DM but it doesn't compromise my future vision and I can do everything. The above explanation of a patient describes

- A. Self perception and self concept pattern
- B. Coping stress mechanism pattern
- C. Role and relationship pattern
- D. Value belief pattern

18 In Hypotension w/c fluid is given?

- A. Dextrose 5%
- B. NS 3%
- C. NS
- D. RL

19 w/c one of the following is given in phase 1 treatment of severe malnourished?

- A. F75 B. Iron C. Vitamin A D. Measles vaccine

24 . 23 years Old Student Fear Talking With Teacher, In Class even with her class mates. her teacher told Her not to fear to talk but she can't to do that. what is the most likely personal disorder ...

- A. Specific phobia
- B. Ant social disorder
- C. Schizophrenia
- D. Borderline

25. A 28 yrs old primipara woman comes with a complaint of pushing down pain for 2 hr duration. On examination 2 contractions per 10min last for 15 seconds. After 4 hr you get that 3 contractions per 10min last for 30 min and cervical dilatation 3 then she isstage of labor

- A. Active 1st stage
- B. 2nd stage
- C. Latent 1st stage
- D. 3rd stage

26. A nurse is working in the community where home delivery is being common and traditionally acceptable. The nurse planned to mobilize the community so that to increase the number of mothers delivered at health institution. Which method is the most appropriate method of social mobilization by the nurse?

- A. Using students
- B. using religious leader
- C. Non pregnant women
- D. ?

Licensure exam of nursing student, 2019/2011

27. A nurse working in NICU observe one day child who loses heat by convection. What is appropriate action of a nurse.

- A. Dry baby
- B. Cover head
- C. Warm the room
- D. Skin to skin contact

Nursing licensure exam

28. A 5 year old child comes to health center with a complaint of swelling on his leg. When the nurse checks the child his entire lower extremity was found edematous. What is the most likely intervention by the nurse

- A. Reduction
- B. Retention
- C. Elevation
- D. Hot compress

Nursing licensure exam

30. A para III, gravida IV mother was just delivered at health facility and she complains vaginal bleeding after delivery. When the nurse checks her uterus, it was not in its place and the nurse notes/feels membrane slightly via PV.

What is the most priority nursing intervention ?

- A. manual uterine Return

- B. Bimanual utrine compression
- C. Oxytocin IV infusion
- D. Positioning the mother

Nursing licensure exam

Toyib Ibn abdellah:

31. A one day infant who is unable to breast feed with weight of 2.1kg comes to hospital and admitted NICU. what will be the total amount of maintainance given to him?

- A. 189ml C. 144ml
- B. 168ml D. 126ml

Nursing licensure exam

TI Abdella

32. A Mother brought her 4 day infant with respiratory distress and secretion. The baby was admitted to NICU and he has severe fluid deficit. What is the most likely way of administering fluid to this infant?

- A. breast feeding
- B. feeding by tube
- C. feeding by cup
- D. giving IV fluids

TI Abdella

32. A Mother brought her 4 day infant with respiratory distress and secretion. The baby was admitted to NICU and he has severe fluid deficit. What is the most likely way of administering fluid to this infant?

- A. breast feeding
- B. feeding by tube
- C. feeding by cup
- D. giving IV fluids

33. ?? A 42-year-old man attends the GP reporting hearing loss. He reports sudden-onset right hearing loss that has remained continuous for the past three weeks. He notes that the day prior to this he hit his head with some force. Additionally, he mentions he has been experiencing some dizzy episodes over the same time frame. He goes onto have a

pure-tone audiogram that demonstrates significant sensorineural hearing loss on the right side.

What is the most likely diagnosis?

- A. Stroke
- B. Benign paroxysmal positional vertigo (BPPV)
- C. Meniere's disease
- D. Subdural haemorrhage

34. A 8 year old child come to hospital with a complain of fever, SOB and cough. The cough is aggravated during night.

What is the most likely diagnosis

- A. Pneumonia
- B. Bronchial asthma
- C. Bronchitis
- D. Empyema

Nursing licensure exam

35. A 47-year-old nurse presents to Hospital complaining of a poorly healing ulcer of her left second digit. The ulcer started a week ago and is painless.

The patient has tried using over the-counter antibacterial and hydrocortisone creams without improvement. She denies trauma to the hand.

The patient has a temperature of 38.4°C (101.1°F) and left-sided epitrochlear and axillary adenopathy. She has a 4-cm ulcer on the dorsal side of the left second digit covered by a black eschar and surrounded by an extensive amount of nonpitting edema.

Which of the following is the most likely diagnosis?

- a. Smallpox infection
- b. Cutaneous anthrax
- c. Cat-scratch disease
- d. Leprosy infection

36. A 23 year old primigravida mother delivered at health facility. After giving birth she complains vaginal bleeding, and a nurse in charge examined her found tear in her perineum which involves the anal sphincter but not rectal mucosa.

What is the most likely stage of genital tear?

- A. Stage I
- B. Stage II
- C. Stage III
- D. Stage IV

Nursing licensure exam

37. A nurse working in x hospital collects instrumentes after procedure. What is the first stage of instrument processing that the nurse follows?

- A. Disinfection
- B. Decontamination
- C. Stralization
- D. HLD

Nursing licensure exam

38. A 8 year baby come to hospital with a complain of fever, SOB and cough. His vital sign reading shows BP 85/50 mmhg, Temperature 37.2 oc and O2 80%.

What is the most priority nursing intervention?

- A. Administering IV fluid
- B. Clearing airway
- C. Administering oxygen
- D. Adiministering analgesics

Nursing licensure exam

39. A 45 year old male patient come to health facilities with a complain of cough. He has thick tenacious secretion. His vital sign was Bp 90/60 mmhg, pulse 105 beat/min, Temperature 36.5 oc, and RR 22 breath/min.

What is the most priority nursing diagnosis ?

- A. Ineffective airway clearance
- B. Ineffective brathing patteren
- c. Impaired tissue perfusion
- D.?

40. A 42 year old COPD patient come to hospital with a complain of fever, cough and

difficulty of breathing. He has stridor breathing sound. His vital sign was Bp 110/70mmhg, pulse 96 beat/min, Temperature 38.3 oc and O2 85%.

What is the most priority nursing intervention ?

- A. Clear breath sound
- B. Airway clearance
- C. Oxygen administration
- D. Improving tissue perfusion

Nursing licensure exam.

41. Mr.x come to hospital with a complain of vague abdominal pain 3 days ago. The physician ordered cleansing enema. The nurse in charge assessed the patient vital sign as follows, Bp 160/90 mmhg, pulse rate 100 beat/min, Temperature 37.5 oc and RR 20 breath per min.

Which solution for cleansing enema most likely the nurse will use?

- A. Soap solution
- B. Normal saline
- C. Tap water
- D. Kcl solution

Nursing licensure exam

42. A 18 year old patient come to hospital with swelling over his lower extremity. When the nurse checks his lower extremity it has pitting type odema. His vital sign was Bp 80/50mmhg, pulse 96beat/min, temperature 37.8oc and Respiration 18 breath/min.

What is the most priority nursing intervention ?

- A. Administering fluid
- B. Administering diuretics
- C. Elevation
- D. Positioning

Nursing licensure exam

1. A mother brought her 9 month old child at health center for immunization. A nurse adminstered 0.5ml of measles vaccine subcutaneous at right upper arm. What is the most likely missed?

- A. Route

- B. Site
- C. Dose
- D. Schedule

2. You are working in a place where chewing chat is common. you planned to give health education on the impact of chewing chat and to prevent the existance of new user. What is the most likely preventive strategies used?

- A. Primary Prevention
- B. Secondary
- C. Rehabilitation prevention
- D. 3 prevention

3. A nurse recorded the birth weight of newborn in X hospital as follows; 3450, 2900, 4000, 2759, 3500, 2350, and 1500. what is the best method to summarize the data?

- A. Mean
- B. Mode
- C. Range
- D. Midean

4. You are ordered to administer 1000cc of 5%DW for 8 hour using drop rate of 20gtt. What will be the drop rate per min?

- A. 31gtt
- B. 42 gtt
- C. 333gtt
- D. 400gtt

5. A little baby was taken a drug from his mother cabinet. He was convulsing, and during the initial assesement his Bp was 140/90mmhg. After 30 minute the child Bp is 80/50 mmhg. What is the most likely poison ?

- A. Barbiturate
- B. Acetamenopen
- C. Antidepressant

6. A pregnant women come to hospital on 10/11/2011 and whose LNMP was on 30/8/2011. If she ask her gestional age, a nurse in charge will reply:

- A. 10 Week
- B. 12 week
- c. 14Wk
- D. 6 Week.

A nurse working in EPI expose vaccine to sunlight which one is affected firstly

- A. OPV
- B. BCG
- C. PCV
- D. penta

8. A 8yr old child sustained burn injury which covers 20% of total body surface. The child weight 12kg . What is the amount of fluid need during emergency phase?

- A. 480 ml per 8hr
- B. 560ml per 6hr
- C. 960ml per 16hr
- D. 720ml per 24hr

10. A cardiac patient who was on follow come to the health center with a complain of dyspnea, crackle, hepatojugular reflex, and SOB. Which finding most likely indicative of right sided heart failure?

- A. Crackle
- B. SOB
- C. Hepatojugular reflux
- D. dyspnea

11. A 5 day baby of HIV positive mother come to hospital with a complain fever. His mother verified that he was on breast milk. he was HIV positive with an antibody test. What is the most likely classification of the infant?

- A. HIV infection unlikely
- B. HIV infected
- C. HIV exposed
- D?

12. A 40 year old patient come to hospital with burn injury which covers 40% of his total body surface. After one month of hospital admission, he has open wound, input and output balanced and his condition is stable. What the most priority nursing intervention ?

- A. Wound care
- B. Prevention of scar and contracture
- C. Functional and cosmetic reconstruction
- D. Monitoring vital sign

13. You are going to conduct a research on prevalence of female condom utilization among commercial sex worker in whose community sex other than one partner is taboo and prohibited. What is your most likely sampling technique to conduct your research ?

- A. Snow ball

- B. Convenient
- C. Purposive
- D. Qasi...

9. A nurse is exposed to needle stick injury, checked the sero status of the patient and the patient was found HIV positive. What is most likely intervention by the nurse?

- A. Wait 3day to start treatment
- B. Consider post exposure prophylaxis
- D. Repeat the test after 6 week

14. A mother come to hospital for immunozation asks the nurse when will be BCG, measles and inactivated polio given to her child. The most likely response of the nurse

- A. at 9month, birth and 14 week respectively
- B. At bith, 14 week, and 9month respectively
- C. At 14week, 9month and birth respectively
- D. At bith, 9month and 14week respectively

15. A nurse plan to administer 1.5ml gentamicin (IM) for a patient with spica cast on trunk and upper lower extremities. Which is appropriate site of administration.

- A. Deltiod
- B. Glutus maximus
- C. Vestus lateralis
- D. Glutus minimus

17. A 28 year old pregnant women complains vaginal bleeding for 03 days. She was amenorrhic for the last 3 months. When the nurse checks the fetal heart beat it was positive and the Cx was closed. Her vital sign was Bp: 110/70mmhg. What is the most likely diagnosis ?

- A. Threatened abortion
- B. Ectopic pregnancy
- C. Incomplete abortion
- D. Vaginal lech

Nursing licensure exam(COC)

16. A nurse working at labour and delivery room conducted delivery and collected placenta as waste. What's the mostly likely method of placenta disposal ?

- A. Onsite burial
- B. Incernation
- C. Sandfill dump

D. ?

Nursing licensure exam(COC)

19. A 26 year old Term primigravida woman comes to health center with a complaint of gush of fluid and vaginal bleeding. When the nurse checks her vital signs; BP 110/70mmHg, pulse 85beat/min, Temperature 37.2°C. Her cervix was 4 cm dilated, presentation vertex and membrane intact. What is most the likely priority nursing intervention ?

- A. Ask the woman to walk around
- B. Follow up the labor with partograph
- C. Send the woman back to hospital
- D. Advise C/s

Nursing licensure exam(COC)

18. Meskerem was diagnosed with TB and was on anti TB for a duration of 3 weeks. Currently she comes to hospital with a complaint of low grade fever, loss of appetite, and weight loss. She discontinued the drug for the duration of 3 months and was found smear positive. The most likely treatment of this patient?

- A. 2(RHZE)/6EH
- B. 2(SRHZE)/1(RHZE)/5RH
- C. 2(RHZE)/4RH
- D. 1S(RHZE)/2(RHZE)/5EH

Nursing licensure exam(COC)

20. A mother using IUCD for 3 months comes with a complaint of dysmorphic, heavy vaginal bleeding what will you do as a nurse?

- A. Reassure and send her to home
- B. Reassure, give iron and send her to home
- C. Remove IUCD and use other fp
- D. ?

Nursing licensure exam(COC)