



Official telegram channel !

📖••Join us,| @Keleme_2013
@Keleme_2013



MoEEE

MoE - Exit Exam

Back

Time left 2:24:33

Question 1

Not yet
answered

Marked out of
1.00

Flag question

You install a new NIC for a user, and he asks "what it does?". Which of the following best characterizes the functions of this device?

- ☐ a. Input/Output
- ☐ b. Multimedia
- ☐ c. Communications
- ☐ d. Storage

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 2:12:45

Question 4

Answer saved

Marked out of
1.00[Flag question](#)

What is the importance of ssh command?

- ☐ a. to restricted set of commands
- ☒ b. to connect remote hosts via an authenticated and encrypted channel.
- ☐ c. performed in real-time
- ☐ d. performed in a synchronous way
- ☐ e. to restrict actions available to users

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 2:12:52

Question 3

Answer saved

Marked out of
1.00[Flag question](#)

What command will stop all plain-text password displays in a router configuration files for unencrypted passwords?

- ☐ a. Router (config)# service password-encryption
- ☐ b. Router(config)# enable password secret
- ☐ c. Router (config)# service-password-encryption
- ☒ d. Router (config)# service password encryption

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 2:18:40

Question 2Not yet
answeredMarked out of
1.00[Flag question](#)

Which information does the TCP header contain but the UDP header does not?

- ☐ a. Application layer data
- ☐ b. Checksum
- ☐ c. Source port
- ☐ d. Window

[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 2:06:51

Question 7Not yet
answeredMarked out of
1.00[Flag question](#)

A Communication between applications and the Android Operating System is handled by ____.

- ☐ a. Service
- ☐ b. Content Provider
- ☐ c. Broadcast Receivers
- ☐ d. Activities

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 2:07:08

Question 6

Answer saved

Marked out of
1.00[Flag question](#)

Which of the following is a physical memory format installed directly in today's desktop computer systems?

- ☒ a. SSD
- ☐ b. DIMM
- ☐ c. HDD
- ☐ d. eMMC

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 2:09:39

Question 5Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following is true about carrier Sense Multiple Access/Collision Detection (CSMA/CD) process on Ethernet LAN switch that configured with full-duplex?

- ☐ a. Collision never occur the two devices transmit at the same time
- ☐ b. Data sent by both devices will not be corrupted and will need to be resent
- ☐ c. Devices will not detect the collision on the network
- ☒ d. If two devices transmit at the same time, a collision will occur

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**[1](#) [2](#) [3](#) [4](#) **[5](#)** [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#)



MoEEE

MoE - Exit Exam

Back

Time left 1:57:38

Question 10

Not yet
answered

Marked out of
1.00

Flag question

During system design, what mechanisms/analysis is used to regulate how objects collaborate relative to the system's architecture?

- ☐ a. Class diagrams
- ☐ b. Process diagrams
- ☐ c. Object diagrams
- ☒ d. Module diagrams

[Clear my choice](#)

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75



MoEEE

MoE - Exit Exam

Back

Time left 1:59:28

Question 10

Not yet
answered

Marked out of
1.00

Flag question

During system design, what mechanisms/analysis is used to regulate how objects collaborate relative to the system's architecture?

- ☐ a. Class diagrams
- ☐ b. Process diagrams
- ☐ c. Object diagrams
- ☐ d. Module diagrams

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 2:03:42

Question 8Not yet
answeredMarked out of
1.00[Flag question](#)

Which OSI reference model layer is responsible for translating data in a form that can be understood by the receiver?

- ☐ a. Application layer
- ☐ b. Session layer
- ☐ c. Transport layer
- ☐ d. Presentation layer

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:53:36

Question 13Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following assigns the value 3 to the 0th index of the temp array?

- ☐ a. temp[0]=3;
- ☐ b. temp(0)=3
- ☐ c. 3=temp[0];
- ☒ d. temp[3]=0;

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 1:51:43

Question 15Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is a tool that are applicable to object-oriented development and we often used to examine class variables associated with an object and, as a stress tester, which stress the capacity of the software

- ☐ a. Incremental compiler
- ☐ b. Version control
- ☐ c. Configuration management
- ☐ d. Debugger

[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:56:52

Question 11Not yet
answeredMarked out of
1.00[Flag question](#)

HTTP response line with a status code that starts with 2xx means _____.

- ☐ a. success, action was successfully received, understood and accepted
- ☐ b. request received, processing continues
- ☐ c. further action must be taken to complete the request
- ☐ d. server error occurred

[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:49:08

Question 16Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is a valid name for a variable?

- ☐ a. 4 Tutorials
- ☒ b. T4_Tutorials
- ☐ c. T4 Tutorials
- ☐ d. T4.Tutorials

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:46:59

Question 18Not yet
answeredMarked out of
1.00[Flag question](#)

Suppose that the selector in a Select Case block is the string variable myVar. Which of the following Case clause is Invalid?

- ☐ a. Case (myVar.Substring(0, 1))
- ☐ b. Case myVar.Length
- ☐ c. Case "Adams"
- ☐ d. Case "739"

[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:42:28

Question 21Not yet
answeredMarked out of
1.00[Flag question](#)

What is the maximum data transfer rate of USB High Speed?

- ☐ a. 480 Mbps
- ☒ b. 5 Gbps
- ☐ c. 12 Mbps
- ☐ d. 10 Gbps

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:35:26

Question 30Not yet
answeredMarked out of
1.00[Flag question](#)

In ER diagrammatic notation, _____ has its name underlined inside the oval describes

- ☐ a. Complex attribute
- ☐ b. Multivalued Attribute
- ☐ c. Key attribute
- ☐ d. Derived attribute

[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:38:24

Question 26Not yet
answeredMarked out of
1.00[Flag question](#)

What programming language is used to create system calls in UNIX?

- ☐ a. Fortran
- ☐ b. Assembly Language
- ☐ c. C++
- ☐ d. C

[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:39:48

Question 25Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following is the correct tag to place an image on the right side of the window with the text filling the area to the left of the image?

- ☐ a. ``
- ☐ b. `<img ="mountains.jpg" src align="right">`
- ☐ c. ``
- ☐ d. `<img src align="mountains.jpg" "right">`

[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:35:04

Question 30Not yet
answeredMarked out of
1.00[Flag question](#)

In ER diagrammatic notation, _____ has its name underlined inside the oval describes

- ☐ a. Complex attribute
- ☐ b. Multivalued Attribute
- ☒ c. Key attribute
- ☐ d. Derived attribute

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 1:32:53

Question 31Not yet
answeredMarked out of
1.00[Flag question](#)

On a router, you have numerous routes set up. What command only displays static routes?

- ☐ a. Router#show ip routes static
- ☐ b. Router#show static routes
- ☒ c. Router#show ip static routes
- ☐ d. Router#show ip routes

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 1:32:33

Question 32Not yet
answeredMarked out of
1.00[Flag question](#)

The mathematical terms relation and tuple are referred to as?

- ☒ a. Table and Row
- ☐ b. Table and Field
- ☐ c. Table and key
- ☐ d. Table and Column

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:27:43

Question 35Not yet
answeredMarked out of
1.00[Flag question](#)

Assume: a computer lab where student demands the Administrator access to a Windows 11 system to install SQL Server; but that right should not be given to the student unless he/she is member of an employee. Which principle of cyber security is considered here?

- ☐ a. Least privileges
- ☐ b. Separation of privileges
- ☐ c. Fail-safe
- ☒ d. Open design

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:28:13

Question 34Not yet
answeredMarked out of
1.00[Flag question](#)

DES works by using _____.

- ☐ a. Permutation and substitution on 64 Bit blocks of plain text
- ☐ b. 4 rounds of substitution on 64 bit blocks with 56 bit keys
- ☐ c. exclusive ORing key bits with 64 bit blocks
- ☒ d. only permutations on blocks of 128 bits

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 1:31:05

Question 33Not yet
answeredMarked out of
1.00[Flag question](#)

Based on the following source code, which page will be displayed?

- ☐ a. Login page
- ☐ b. Password change page
- ☐ c. Index page
- ☒ d. Logout page

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:26:39

Question 36Not yet
answeredMarked out of
1.00[Flag question](#)

What needs to be configured, according to the topology below, to allow traffic to be routed to the host if it enters Router A with the destination address 198.44.4.21?

- ☐ a. RouterA(config)#ip route 198.44.4.0 255.255.255.0 fast 0/1
- ☐ b. RouterA(config)#ip route 198.44.4.0/24 fast 0/1
- ☐ c. Nothing needs to be done
- ☒ d. RouterA(config)#ip route 198.44.4.0 255.255.255.0 198.44.4.5

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:24:09

Question 37Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following statement is not true when you analyzing a Java application that produces an output?

- ☐ a. In the method header `public static void main(String[] args)`, the word `static` is an access specifier
- ☐ b. In the method header `public static void main(String[] args)`, the word `void` means that the `main()` method is an empty method
- ☐ c. In the method header `public static void main(String[] args)`, the word `public` means that a method is accessible and usable, even though no objects of the class exist
- ☒ d. In the method header, `public static void main(String[] args)`, the contents between the parentheses, `String[] args`, represent the type of argument that can be passed to the `main()` method

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:23:14

Question 38Not yet
answeredMarked out of
1.00[Flag question](#)

_____ defined for a simple connectionless communication that provides no error recovery and no delivery guarantee.

- ☐ a. File transfer protocol
- ☐ b. User Datagram Protocol
- ☐ c. Internet Protocol
- ☒ d. Simple mail transfer protocol

[Clear my choice](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:17:11


Question 41

Answer saved

Marked out of
1.00[Flag question](#)

Select the task involves when you write object-oriented programs.

- ☐ a. Creating objects, which are blueprints for classes
- ☐ b. Creating applications that manipulate or use objects
- ☐ c. Creating classes, which are specific instances of objects
- ☒ d. Creating a GUI environment for users is a natural use for object orientation

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:20:22

Question 41Not yet
answeredMarked out of
1.00[Flag question](#)

Select the task involves when you write object-oriented programs.

- ☐ a. Creating objects, which are blueprints for classes
- ☐ b. Creating applications that manipulate or use objects
- ☐ c. Creating classes, which are specific instances of objects
- ☒ d. Creating a GUI environment for users is a natural use for object orientation

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 1:22:34

Question 39Not yet
answeredMarked out of
1.00[Flag question](#)

When you design a class diagram, which class hierarchies' relationship you are not going to apply?

- ☒ a. Application
- ☐ b. Instantiation
- ☐ c. Aggregation
- ☐ d. Association

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 1:16:39

Question 42Not yet
answeredMarked out of
1.00[Flag question](#)

Which access/contention method is used for Ethernet?

- ☒ a. 802.2
- ☐ b. Token passing
- ☐ c. CSMA/CD
- ☐ d. CSMA/CA

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoEEE

MoE - Exit Exam

Back

Time left 1:16:20

Question 43

Not yet answered

Marked out of 1.00

Flag question

_____ describe when an activity will start interacting with the user.

- ☒ a. onCreate
- ☐ b. onResume
- ☐ c. onDestroy
- ☐ d. onStop

[Clear my choice](#)

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 1:15:37

Question 44Not yet
answeredMarked out of
1.00[Flag question](#)

What is the correct HTML code for referring an external JavaScript?

- ☐ a. `< script href="myscript.js" type="text/javascript"> </script>`
- ☐ b. `<style scr="myscript.js"/> </style>`
- ☐ c. `< script>mystyle.css</script>`
- ☒ d. `< script scr="myscript.js" type="text/javascript"> </script>`

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:13:15

Question 47Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following operators is utilized in Java to allocate memory to an array variable?

- ☐ a. alloc
- ☐ b. new malloc
- ☒ c. new
- ☐ d. malloc

[Clear my choice](#)[Previous question](#)[Next question](#)



MoEEE

MoE - Exit Exam

Back

Time left 1:13:54

Question 46

Not yet answered

Marked out of 1.00

Flag question

Which one of following will be the result of the below Java code?

- ☐ a. 1
- ☒ b. 0
- ☐ c. 1.5
- ☐ d. 6

[Clear my choice](#)

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75



Type:

ID:

Exam Center: Wachamo University

Department:

Information Technology (BSC)

Back

Time left 1:14:42

Question 45

Not yet answered

Marked out of 1.00

Flag question

To support the 802.1Q protocol, a trunk interface needs to be configured. What command will accomplish this?

- ☐ a. Switch(config-if)#switchport 802.1q
- ☐ b. Switch(config-if)#switchport encapsulation trunk 802.1q
- ☐ c. Switch(config-if)#switchport trunk encapsulation 802.1q
- ☒ d. Switch(config-if)#switchport mode trunk 802.1q

Clear my choice

Previous question

Next question



MoEEE

MoE - Exit Exam

Back

Time left 1:09:43

Question 49

Not yet
answered

Marked out of
1.00

Flag question

Which factor that measures the quality of the management process?

- ☐ a. Project team
- ☐ b. Project plan
- ☐ c. Budget management
- ☒ d. Results

[Clear my choice](#)

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 1:08:58

Question 50Not yet
answeredMarked out of
1.00[Flag question](#)

Eavesdropping and packet sniffing are considered to be attacks of _____.

- ☒ a. Integrity
- ☐ b. Authentication
- ☐ c. Non-repudiation
- ☐ d. Confidentiality

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:06:55

Question 52Not yet
answeredMarked out of
1.00[Flag question](#)

When you develop a project management plan, which of the following ensures that the objectives of the project are achieved in the most appropriate way?

- ☒ a. Planning
- ☐ b. Execution
- ☐ c. Initiating
- ☐ d. Controlling

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:06:27

Question 53Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is an insertion operator which is used for overloading.

- ☐ a. Overloading <<
- ☒ b. Overloading ||
- ☐ c. Overloading &&
- ☐ d. Overloading +=

[Clear my choice](#)[Previous question](#)[Next question](#)



MoEEE

MoE - Exit Exam

Back

Time left 1:05:52

Question 54

Not yet answered

Marked out of 1.00

Flag question

The result of the following Java code will be _____.

- ☒ a. Runtime Error
- ☐ b. 05
- ☐ c. Compilation Error
- ☐ d. 0

[Clear my choice](#)

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 1:04:46

Question 55Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following access methods used in a dedicated management channel?

- ☐ a. In-band
- ☐ b. MAC
- ☒ c. Telnet
- ☐ d. SSH

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 1:01:35

Question 57Not yet
answeredMarked out of
1.00[Flag question](#)

Referencing the following HTML listing, how would you style only the first paragraph inside the footer element to have a smaller font size?

- ☐ a. footer=>p,first-child { font-size: x-small; }
- ☐ b. footer:p:first-child { font-size: x-small; }
- ☐ c. footer p:first-child { font-size: x-small; }
- ☒ d. footer p.first-child { font-size: x-small; }

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#)<https://exitexam3.ethernet.edu.et/mod/quiz/attempt.php?a...>



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:01:13

Question 58Not yet
answeredMarked out of
1.00[Flag question](#)

The ../ notation in a relative path of hypertext reference matches

- ☐ a. Go down a folder
- ☐ b. Search a folder
- ☐ c. Create a folder
- ☐ d. Open the parent folder

[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:03:08

Question 56Not yet
answeredMarked out of
1.00[Flag question](#)

In Public key encryption, if A wants to send an encrypted message to B, which statement is true?

- ☒ a. A encrypts message using B's public key
- ☐ b. A encrypts message using public key
- ☐ c. A encrypts message using his private key
- ☐ d. A encrypts message using B's private key

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 1:00:00

Question 58Not yet
answeredMarked out of
1.00[Flag question](#)

The ../ notation in a relative path of hypertext reference matches

- ☐ a. Go down a folder
- ☐ b. Search a folder
- ☐ c. Create a folder
- ☒ d. Open the parent folder

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 0:59:28

Question 59Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following is true regarding the command switchport mode dynamic auto?

- ☐ a. The interface will remain an access link if the neighboring port is configured as a trunk.
- ☐ b. The interface will remain an access link if the native VLAN is changed
- ☐ c. The interface will become a trunk if requested on the neighboring port.
- ☒ d. The interface will become a trunk if the neighboring port is configured the same.

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 0:58:44

Question 60Not yet
answeredMarked out of
1.00[Flag question](#)

Referencing the following HTML listing, how would you style only the first paragraph inside the footer element to have a smaller font size?

- ☐ a. footer p:first-child { font-size: x-small; }
- ☐ b. footer=>p,first-child { font-size: x-small; }
- ☐ c. footer:p:first-child { font-size: x-small; }
- ☒ d. footer p.first-child { font-size: x-small; }

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 0:52:41

Question 64Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following creates a connection-oriented connection that provides reliable end-to-end transfer and uses window mechanism for flow control?

- ☐ a. Internet Protocol
- ☒ b. Transmission Control Protocol
- ☐ c. Transport layer
- ☐ d. Session Layer

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:50:44

Question 65Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is a database schema that depicts key dependencies between the primary key and foreign key.

- ☐ a. Relation Schema
- ☐ b. Schema Diagram
- ☐ c. Database Diagram
- ☒ d. ER Diagram

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 0:56:15

Question 61Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is HTTP status code for client error such as page not found.

- ☒ a. 3xx
- ☐ b. 1xx
- ☐ c. 5xx
- ☐ d. 4xx

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:48:52

Question 66Not yet
answeredMarked out of
1.00[Flag question](#)

During installing a new video card into a desktop computer, what type of expansion slot is preferred today for high-performance graphics adapters?

- ☐ a. AGP
- ☐ b. PCIe
- ☐ c. SATA
- ☒ d. PCI

[Clear my choice](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 0:48:39

Question 66Not yet
answeredMarked out of
1.00[Flag question](#)

During installing a new video card into a desktop computer, what type of expansion slot is preferred today for high-performance graphics adapters?

- ☐ a. AGP
- ☐ b. PCIe
- ☐ c. SATA
- ☒ d. PCI

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:47:20

Question 67Not yet
answeredMarked out of
1.00[Flag question](#)

What command is used to show the amount of space that a certain directory takes up on the disk?

- ☐ a. ds
- ☐ b. dd
- ☒ c. du
- ☐ d. dds

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:44:12

Question 70Not yet
answeredMarked out of
1.00[Flag question](#)

In order to establish a neighborhood, which is a need for EIGRP routers?

- ☐ a. Matching bandwidth metrics
- ☐ b. Matching K metrics
- ☐ c. Matching delay metrics
- ☒ d. Matching areas

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:45:47

Question 69Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following statement correctly describe the feature of object Oriented programming?

- ☐ a. Inheritance allows you to treat all of an object's methods and data as a single entity
- ☐ b. A method is a self-contained block of program code that carries out some action, similar to a procedure in a procedural program.
- ☒ c. Objects are the characteristics that define an attribute; they are properties of the attribute.
- ☐ d. Encapsulation allows a class to be a subclass of a superclass and thereby inherit public and protected variables and methods of the superclass.

[Clear my choice](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:46:45

Question 68Not yet
answeredMarked out of
1.00[Flag question](#)

Assume a concept denoted by $X \rightarrow Y$, between two sets of attributes X and Y that are subsets of a relation R specifies a constraint on the possible tuples that can form a relation state r of R . The constraint is that, for any two tuples t_1 and t_2 in r that have $t_1[X] = t_2[X]$, they must also have $t_1[Y] = t_2[Y]$. Which normalization level describes this concept?

- ☐ a. 2NF
- ☐ b. 1NF
- ☐ c. 3NF
- ☒ d. BCNF

[Clear my choice](#)



MoEEE

MoE - Exit Exam

Back

Time left 0:42:40

Question 72

Not yet
answered

Marked out of
1.00

Flag question

_____ is the tag for the heading that is the largest and the most bold.

- ☒ a. H1
- ☐ b. H2
- ☐ c. H3
- ☐ d. H4

[Clear my choice](#)

Previous question

Next question

Exam Navigation

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75



MoE - Exit Exam

MoEEE

[Back](#)

Time left 0:40:29

Question 73Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is threats of a database, which can occur due to creation, insertion, updating, changing the status of data, and deletion.

- ☐ a. Loss of accountability
- ☐ b. Loss of availability
- ☐ c. Loss of integrity
- ☒ d. Loss of confidentiality

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 0:38:35

Question 74Not yet
answeredMarked out of
1.00[Flag question](#)

Which one of the following directories contains the configuration files?

- ☒ a. /dev/
- ☐ b. /root/
- ☐ c. /etc/
- ☐ d. /bin/

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 0:29:32

Question 80Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following approaches is best for state decision support system software project management activities?

- ☐ a. Product-based approach
- ☐ b. Project execution
- ☐ c. Activity-based approach
- ☒ d. Hybrid approach

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:33:26

Question 77Not yet
answeredMarked out of
1.00[Flag question](#)

_____ is a device that filters the information coming through an internet connection to a network or computer system

- ☒ a. Firewall
- ☐ b. Cyber safety
- ☐ c. Anti-virus
- ☐ d. Cookies

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

Back

Time left 0:33:38

Question 76

Not yet
answered

Marked out of
1.00

Flag question

What command alters the group owner of a file?

- ☐ a. chgrp
- ☒ b. change
- ☐ c. group
- ☐ d. cgrp

[Clear my choice](#)

Previous question

Next question



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 0:28:39

Question 81Not yet
answeredMarked out of
1.00[Flag question](#)

In object-oriented development, through which diagrams we are not analyze the dynamic semantics of a problem or its implementation?

- ☐ a. Process diagrams
- ☐ b. Script diagram
- ☐ c. State transition diagrams
- ☒ d. Interaction diagram

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [21](#) [22](#) [23](#) [24](#) [25](#)



MoEEE

MoE - Exit Exam

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

Back

Time left 0:28:05

Question 82

Not yet
answered

Marked out of
1.00

Flag question

Which of the following variable holds information about the web server and page

- ☐ a. \$_POST[]
- ☐ b. \$_REQUEST[]
- ☐ c. \$_SERVER[]
- ☒ d. \$_SESSION[]

Clear my choice

Previous question

Next question



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:26:16

Question 83Not yet
answeredMarked out of
1.00[Flag question](#)

The object cannot be_____.

- ☐ a. passed as function
- ☐ b. passed by reference
- ☐ c. passed by copy
- ☒ d. passed by value

[Clear my choice](#)[Previous question](#)[Next question](#)<https://exitexam3.ethernet.edu.et/mod/quiz/attempt.php?a...>



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 0:19:23

Question 87Not yet
answeredMarked out of
1.00[Flag question](#)

Assume: Biruk wants to send a secure message M to Alem, and they want to assure its integrity and confidentiality. How do they make it possible if they use public crypto? (Consider public and Private key pair $K+B$, and $K-B$ respectively for Biruk, $K+A$, and $K-A$ respectively for Alem).

- ☐ a. $K+B (K-B \neg(M))$
- ☐ b. $K+B (K-A \neg(M))$
- ☒ c. $K-B (K+A (M))$
- ☐ d. $K-A \neg(K-B (M))$

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 0:21:07

Question 86Not yet
answeredMarked out of
1.00[Flag question](#)

Which function is operated in layer 2 (function of a switch)?

- ☐ a. Determining the forwarding interfaces based upon the destination MAC address and tables
- ☒ b. Learning the MAC address by examining the destination MAC addresses
- ☐ c. Forwarding the data based upon logical addressing
- ☐ d. Repeating the electrical signal to all ports

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 0:18:18

Question 88Not yet
answeredMarked out of
1.00[Flag question](#)

OSPF uses what multicast address for neighbor discovery?

- ☐ a. 224.0.0.7
- ☐ b. 224.0.0.5
- ☐ c. 224.0.0.6
- ☒ d. 224.0.0.4

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)

[Back](#)

Time left 0:17:40

Question 89Not yet
answeredMarked out of
1.00[Flag question](#)

Which function is not relevant to protect your site from characters that can potentially do damage to your system.

- ☐ a. mysql_real_escape_string()
- ☐ b. addslashes()
- ☐ c. urlencode()
- ☒ d. eval()

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:16:59

Question 90Not yet
answeredMarked out of
1.00[Flag question](#)

One of the following is not the disadvantage of simple file processing?

- ☐ a. Concurrent access anomalies
- ☐ b. Data redundancy and inconsistency
- ☒ c. Data Separation and isolation
- ☐ d. Program-Data independence

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:12:53

Question 93Not yet
answeredMarked out of
1.00[Flag question](#)

A system is in a ____ state if there exists a set of transactions such that every transaction in the set is waiting for another transaction in the set.

- ☒ a. Deadlock
- ☐ b. Waiting
- ☐ c. Idle
- ☐ d. Ready

[Clear my choice](#)



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:14:01

Question 92Not yet
answeredMarked out of
1.00[Flag question](#)

Assume the relation Staff(eid: integer, ename: string, age: integer, salary: real) Write SQL statement that increases employee salary by 5%?

- ☐ a. UPDATE Staff SET salary = salary*1.05
- ☐ b. MODIFY Staff SET salary = salary*.05
- ☐ c. ALTER Staff SET salary = 0.05
- ☒ d. CHANGE Staff SET salary = salary + 0.05

[Clear my choice](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 0:14:37

Question 91Not yet
answeredMarked out of
1.00[Flag question](#)

What is the proper syntax when using a message dialog box?

- ☒ a. `MessageBox.Show "Hi There", "Hi"`
- ☐ b. `MessageBox.Show(Hi there, Hi)`
- ☐ c. `MessageBox.Show Hi There, Hi`
- ☐ d. `MessageBox.Show("Hi there", "Hi")`

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Type:

ID:

Exam Center: Wachamo
University

Department:

Information Technology (BSC)

[Back](#)

Time left 0:11:44

Question 94Not yet
answeredMarked out of
1.00[Flag question](#)

Which of the following programming style employs Invariant relationships abstractions?

- ☐ a. Logic-oriented
- ☐ b. Constraint-oriented
- ☒ c. Object-oriented
- ☐ d. Procedure-oriented

[Clear my choice](#)[Previous question](#)[Next question](#)



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 0:10:45

Question 95Not yet
answeredMarked out of
1.00[Flag question](#)

What is the correct way to open the file "time.txt" as readable?

- ☐ a. `open("time.txt","read");`
- ☒ b. `fopen("time.txt","r+");`
- ☐ c. `open("time.txt");`
- ☐ d. `fopen("time.txt","r");`

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoE - Exit Exam

MoEEE

Information Technology (BSC)


[Back](#)

Time left 0:09:22

Question 96Not yet
answeredMarked out of
1.00[Flag question](#)

Identify the function that changes the output of `intSalary= InputBox("What is your salary")` into numerical representation

- ☐ a. `Int()`
- ☐ b. `Convert()`
- ☐ c. `Parse()`
- ☒ d. `Val()`

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**



MoEEE

MoE - Exit Exam

[Back](#)

Time left 0:06:28

Question 98Not yet
answeredMarked out of
1.00[Flag question](#)

The super global array variables are accessible

- ☐ a. Only outside functions
- ☐ b. Anywhere except in classes
- ☐ c. Anywhere
- ☒ d. Only inside functions

[Clear my choice](#)[Previous question](#)[Next question](#)**Exam Navigation**

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75
76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100