

Question 1

1 Points

Which one of the following sentence correctly state Algorithm?

A)

all of the above

B)

Algorithm is a way to store data

C)

Algorithm tells us how data can be represented in different structure

D)

Algorithm is about how to solve different problems

< Previous Question

119:23

Next Question >

Question 2 of 97

1 Points

Which linux command used for printout concatinating string/text?

A)

pwd

B)

cat

C)

ls -l

D)

ls -la

Previous Question

113:39

Next Question

Question 3 of 97

1 Points

Which one of the following is not a primary activity of project controlling?

A)

Measuring the status of work performed

B)

Conducting project closure

C)

Comparing to baseline

D)

Planning performance

Previous Question

113:30

Next Question

Question 5 of 97

1 Points

If a transaction does not modify the database until it has committed, it is said to use the_____ technique.

A)

Immediate-modification

B)

Deferred-modification

C)

Late-modification

D)

Undo

Previous Question

112:32

Next Question

Question 6 of 97

1 Points

What is the primary function of the kernel in an operating system?

A)

Handling communication between hardware and software

B)

Providing a graphical user interface (GUI)

C)

Running application programs

D)

Managing files and directories

Previous Question

112:00

Next Question

Question 7 of 97

1 Points

A network device that provides the physical interface between computer and cabling is known as_____.

A)

Switch

B)

Router

C)

NIC

D)

Repeater

Previous Question

111:07

Next Question



Type here to search



10:18 PM

6/10/2024



Question 8 of 97

1 Points

In a circular queue, how do you determine if the queue is full?

A)

$\text{front} == \text{rear} + 1$

B)

$\text{front} == \text{rear}$

C)

$\text{front} == (\text{rear} + 1) \% \text{size}$

D)

$\text{front} == (\text{rear} - 1) \% \text{size}$

Previous Question

110:13

Next Question



Type here to search



10:19 PM

6/10/2024

Consider the following code snippet. Which of the following statements is true?

```
public class Base {  
    public void display() {  
        System.out.println("Base display()");  
    }  
}  
public class Derived extends Base {  
    public void display() {  
        System.out.println("Derived display()");  
    }  
}  
public static void main(String[] args) {  
    Base obj = new Derived();  
    obj.display();  
}
```

A)

The output will be "Base display()".

B)

The output will be "Derived display()".

C)

The code will not compile because display() is overridden.

D)

There will be a runtime error.

< Previous Question

108:43

Next Question >

What will be the output of the following code?

```
class A {  
    public A() {  
        System.out.println("A's constructor");  
    }  
}  
class B extends A {  
    public B() {  
        System.out.println("B's constructor");  
    }  
}  
public class Test {  
    public static void main(String[] args) {  
        B b = new B(  

```

A)

B's constructor

B)

A's constructor

C)

A's constructor B's constructor

D)

B's constructor A's constructor

< Previous Question

108:33

Next Question >

Question 11 of 97

1 Points

Which attribute of INPUT tag defines the maximum number of characters displayed on text input box?

A)

SIZE

B)

MAXLENGTH

C)

VALUE

D)

TYPE

Previous Question

107:23

Next Question

Question 12 of 97

1 Points

What is a compiler?

A)

system program that writes instructions to perform

B)

system program that converts machine language to high-level language

C)

system program that converts instructions to machine language

D)

Its is a cpu of computer.

Previous Question

107:07

Next Question



Type here to search



10:22 PM
6/10/2024



Question 14 of 97

1 Points

Which one of the following refers to the technique used for verifying the integrity of the message?

A)

Protocol

B)

Digital signature

C)

Decryption algorithm

D)

Message Digest

Previous Question

104:46

Next Question



Type here to search



10:24 PM

6/10/2024

Question 15 of 97

1 Points

In system modeling, which model depicts a system's dynamic nature?

A)

Functional model

B)

Use case model

C)

State chart model

D)

Object model

Previous Question

103:55

Next Question

Question 16 of 97

1 Points

which one of the following is data/information not allow writable permission for un authorized party?

A)

Cryptography

B)

Availability

C)

integrity

D)

Confidentiality

Previous Question

103:01

Next Question



Type here to search



10:26 PM

6/10/2024

Question 17 of 97

1 Points

You are working on a library management system. You have classes Book, Member, and Library. Members can borrow books from the library. Which relationship best describes the interaction between Member and Book classes?

A)

Composition

B)

Inheritance

C)

Association

D)

Aggregation

Previous Question

102:33

Next Question

Question 18 of 97

1 Points

Which loop statement is used to iterate through an array in PHP?

A)

do-while

B)

foreach

C)

for

D)

while

< Previous Question

102:03

Next Question >

Question 19 of 97

1 Points

What is the main purpose of encryption algorithm/systems?

A)

To encrypt information

B)

To improve data/information confidentiality, availability and integrity

C)

To encrypt text

D)

To encrypt data

< Previous Question

101:28

Next Question >



10:28 PM
6/10/2024

Question 20 of 97

1 Points

Which of the following operating system runs on the server?

A)

Distributed OS

B)

Batch OS

C)

Network OS

D)

Real-time OS

Previous Question

100:58

Next Question



Question 21 of 97

1 Points

Which data structure would be most appropriate for implementing a browser's back and forward navigation feature?

A)

Linked List

B)

Stack

C)

Queue

D)

Binary Search Tree

Previous Question

100:19

Next Question



Question 22 of 97

1 Points

A program in HTML can be rendered and read by –

A)

server

B)

web browser

C)

client

D)

interpreter

< Previous Question

99:45

Next Question >



Question 23 of 97

1 Points

The ability to query data, as well as insert, delete, and alter tuples, is offered by _____

A)

DML (Data Manipulation Language)

B)

TCL (Transaction Control Language)

C)

DDL (Data Definition Language)

D)

DCL (Data Control Language)

Previous Question

99:26

Next Question



Question 24 of 97

1 Points

_____ is responsible for converting the higher level protocol addresses to physical Network Addresses.

A)

Internet Control Message Protocol (ICMP)

B)

Address Resolution Protocol (ARP)

C)

Reverse Address Resolution Protocol (RARP)

D)

Bootstrap Protocol (BOOTP)

Previous Question

98:58

Next Question



Question 25 of 97

1 Points

One of the following is not the use/function of firewall, which one is?

A)

protects a local or network of systems from network-based security threats by checking the weakness of system and policy

B)

protects a local or network of systems from network-based security threats

C)

monitors & controls incoming & outgoing network traffic based on predetermined security rules.

D)

a program or network devices which filters access to a protected network from the internet connection.

Previous Question

98:05

Next Question



Question 26 of 97

1 Points

Which of the following is a part of a compiler that takes as input a stream of characters and produces as output a stream of words along with their associated syntactic categories?

A)

Optimizer

B)

Syntax Analyzer

C)

Parser

D)

Lexical Analyzer

< Previous Question

96:33

Next Question >



Question 27 of 97

1 Points

What is not the objective of network security.

A)

Identification

B)

Access control

C)

Lock

D)

Authentication

< Previous Question

95:54

Next Question >



10:33 PM
6/10/2024

Question 29 of 97

1 Points

Given the array `arr = [10, 7, 8, 9, 1, 5]`, apply the Quick Sort algorithm. What will be the array after the first partitioning step, using the last element as the pivot?

A)

[1, 5, 8, 9, 10, 7]

B)

[1, 5, 7, 9, 8, 10]

C)

[7, 8, 1, 5, 9, 10]

D)

[1, 5, 7, 8, 9, 10]

Previous Question

93:40

Next Question

Question 30 of 97

1 Points

Which of the following demonstrates the best approach to debugging an issue in a method of a class that is not producing the expected output?

A)

Adding print statements within the method to trace variable values

B)

Rewriting the entire class from scratch

C)

Changing random parts of the code until the issue seems to go away

D)

Ignoring the issue and hoping it resolves itself

Previous Question

90:41

Next Question



Question 31 of 97

1 Points

In which of the following attribute type the attribute value can be calculated from other related attribute?

A)

Composite Attribute

B)

Derived Attribute

C)

Multi-valued Attribute

D)

Simple Attribute

Previous Question

89:37

Next Question

Question 32 of 97

1 Points

Which one of the following is true about agile scrum methodology?

A)

project management that emphasizes no progress

B)

project management that emphasizes incremental progress

C)

project management that emphasizes decrement progress

D)

project management that emphasizes neutral progress

Previous Question

88:50

Next Question



Question 33 of 97

1 Points

Which of the following is a project scheduling method that can be applied to software development?

A)

Agile Scrum

B)

Gantt Charts

C)

CPM (Critical Path Method)

D)

PERT (Program Evaluation Review Technique)

Previous Question

88:04

Next Question

Question 34 of 97

1 Points

What is the not main issue of system administration?

A)

Resource management

B)

Fault handling

C)

System monitoring and controlling

D)

System design and rationalization

Previous Question

86:26

Next Question



Question 35 of 97

1 Points

Consider the following code:

```
public class Calculator {  
    public int add(int a, int b) {  
        return a + b;  
    }  
}
```

// Which statement will print the result of the addition of 5 and 3?

A)

System.out.println(Calculator.add(5, 3));

B)

Calculator calc = new Calculator(); System.out.println(add(5, 3));

C)

Calculator calc = Calculator.add(); System.out.println(calc(5, 3));

D)

Calculator calc = new Calculator(); System.out.println(calc.add(5, 3));

Previous Question

86:07

Next Question

Question 36 of 97

1 Points

You have a queue implemented using a linked list with front and rear pointers. After performing the operations Enqueue(10), Enqueue(20), Dequeue(), and Enqueue(30), what are the front and rear values?

A)

Front = 30, Rear = 10

B)

Front = 20, Rear = 20

C)

Front = 20, Rear = 30

D)

Front = 10, Rear = 30

Previous Question

85:22

Next Question

Question 37 of 97

1 Points

ABC company want to be test weakness of own systems, from the following which one tool test is appropriate to test their internal system?

A)

Grey test

B)

Black test

C)

White test/penetration test/pen test

D)

Cyber-attack test

Previous Question

84:07

Next Question



10:45 PM
6/10/2024

Question 38 of 97

1 Points

Among the given options, which is also known as inference rule?

A)

Product

B)

Reference

C)

Resolution

D)

Reform

< Previous Question

83:19

Next Question >



Question 39 of 97

1 Points

Which of the following is not an OOPS concept?

A)

Polymorphism

B)

Encapsulation

C)

Exception

D)

Abstraction

Previous Question

82:34

Next Question



Question 40 of 97

1 Points

What does DHCP stand for?

A)

Domain Hosting Configuration Protocol

B)

Dynamic Host Configuration Protocol

C)

Dynamic Hosting Control Protocol

D)

Domain Host Configuration Protocol

Previous Question

82:21

Next Question

Question 41 of 97

1 Points

What term refers to the process of defining a common interface for a group of related classes?

A)

Polymorphism

B)

Encapsulation

C)

Abstraction

D)

Inheritance

Previous Question

82:08

Next Question



Question 42 of 97

1 Points

Which feature of OOPS described the reusability of code?

A)

Encapsulation

B)

Abstraction

C)

Inheritance

D)

Polymorphism

Previous Question

81:35

Next Question



Question 43 of 97

1 Points

What PHP variable is used to access URL variables?

A)

\$_FORM

B)

\$_FILES

C)

\$_GET

D)

\$_POST

Previous Question

81:13

Next Question



Question 44 of 97

1 Points

Which is not true about chmod 564 nsa.txt?

A)

For the other group readable permission

B)

For the owner readable and executable permission while for the group readable and writeable permission.

C)

For owner readable and executable permission while for group readable and executable permission.

D)

For the group readable and writeable permission while for the owner readable and executable permission.

Previous Question

80:36

Next Question



10:49 PM
6/10/2024



Question 45 of 97

1 Points

An agent that uses its own experience rather than built-in knowledge of the environment by the designer is known as...

A)

Rational agent

B)

Learning agent

C)

Goal-based agent

D)

Autonomous agent

Previous Question

79:09

Next Question

Question 46 of 97

1 Points

Which searching Algorithm uses the problem specific knowledge beyond the definition of the problem?

A)

Breadth-first search

B)

Uninformed search

C)

Depth-first search

D)

Informed search

Previous Question

78:38

Next Question



10:51 PM
6/10/2024

Question 47 of 97

1 Points

When data is encapsulated, which is the correct order?

A)

Data, frame, packet, segment, bit

B)

Data, segment, frame, packet, bit

C)

Segment, data, packet, frame, bit

D)

Data, segment, packet, frame, bit

< Previous Question

77:46

Next Question >

Question 48 of 97

1 Points

A company needs to efficiently track inventory levels of thousands of products in its warehouses. Which data structure would be most appropriate for quickly retrieving product information based on a unique identifier such as a barcode?

A)

Array

B)

Graph

C)

Hash Map

D)

Queue

Previous Question

76:52

Next Question



Question 49 of 97

1 Points

Which of the following protocols is commonly used for secure communication over a network?

A)

SMTP

B)

FTP

C)

HTTP

D)

HTTPS

Previous Question

76:25

Next Question



Question 50 of 97

1 Points

In Artificial Intelligence concept, What is meant by agent's percept sequence?

A)

Complete history of actuator

B)

Complete history of perceived things

C)

Used to perceive the environment

D)

Sensor

Previous Question

75:55

Next Question



Question 51 of 97

1 Points

Assume the R is a relation on a set A , aRb is partially ordered such that a and b are _____

A)

Reflexive

B)

reflexive and transitive

C)

Transitive

D)

Symmetric

< Previous Question

75:37

Next Question >

Question 52 of 97

1 Points

Given the network address of 172.16.0.0/19, which of the following is correct?

A)

It provides 8 subnets, 32 IP addresses each

B)

It provides 8 subnets, 2,046 IP addresses each

C)

It provides 8 subnets, 30 hosts each

D)

It provides 8 subnets, 8,190 hosts each

Previous Question

73:40

Next Question



Question 53 of 97

1 Points

In which scenario would you prefer using linear search over binary search?

A)

When the array has fewer elements

B)

When the array is unsorted

C)

When the array is sorted in descending order

D)

When the array is sorted in ascending order

Previous Question

71:37

Next Question

Question 54 of 97

1 Points

Who provides the interface to access the services of the operating system?

A)

System call

B)

Assembly instruction

C)

API

D)

Library

Previous Question

70:28

Next Question

Question 55 of 97

1 Points

The project schedule does not provide information about:

A)

Dependencies

B)

Milestones

C)

Resource requirements

D)

Expected task duration and deadlines

Previous Question

69:42

Next Question

Question 56 of 97

1 Points

project management that emphasizes no progress

A)

main()

B)

int

C)

length()

D)

double

Previous Question

68:59

Next Question



11:00 PM
6/10/2024

Question 57 of 97

1 Points

How do we compare the time efficiency of two algorithms that solve the same problem?

A)

We can compare the efficiency of two algorithms by comparing computer used.

B)

We can compare the efficiency of two algorithms by comparing their time proportional requirement.

C)

A & B

D)

We can compare the efficiency of two algorithms by comparing their growth rates.

Previous Question

67:57

Next Question



11:01 PM
6/10/2024

Question 58 of 97

1 Points

Which hackers first identifies a target to launch an attack, extract maximum information regarding this target, understand its vulnerabilities, and then only explore the best ways to exploit it?

A)

Spyware

B)

Brute-force attack

C)

DoS

D)

Reconnaissance

Previous Question

66:59

Next Question



Question 59 of 97

1 Points

XYZ Company have automated system, which is functional of the system is responsibility for security, user management, take backup and recovery, etc.so, for company which professional is mainly appropriate for those of list role above?

A)

Network administration

B)

Network administrator

C)

Database administrator

D)

System administrator

Previous Question

65:35

Next Question



11:04 PM
6/10/2024

Question 60 of 97

1 Points

Which one is not considered a software failure?

A)

Over budget

B)

Using resources optimally

C)

Delivered late

D)

Unsuccessful in meeting user requirements

Previous Question

64:57

Next Question



Question 61 of 97

1 Points

Which one of the following is not the use lexical analyzer in Compiler?

A)

Checking grammar of the programming language

B)

Removing whitespace

C)

Breaking the syntaxes in the set of tokens

D)

Removing comments

< Previous Question

64:25

Next Question >

Question 62 of 97

1 Points

Which one of the following is example of algorithm?

A)

all

B)

sorting movies by rating

C)

finding fast route in GPS

D)

finding what users search for

Previous Question

63:53

Next Question



Question 63 of 97

1 Points

Assume you are a system administrator of ABC plc company and you create the user's name and password for user's this company and provided the user's name and password for the user. But, the user unable to login on client-side by using that username and password. Hence, what is the not reason's unable to log into the system?

A)

He /she has forgotten password and/or username.

B)

The user's name and password are incorrect fill-up

C)

The login day user is restricted

D)

There is a time restriction login user

< Previous Question

63:29

Next Question >



11:06 PM

6/10/2024

Question 64 of 97

1 Points

How can we write comment along with CSS code ?

A)

<'a comment'>

B)

/* a comment */

C)

//a comment //

D)

/ a comment/

Previous Question

60:25

Next Question



11:09 PM
6/10/2024

Question 65 of 97

1 Points

Which of the following concept of Finite State Autotma(FSA) is used in the compiler?

A)

Parser

B)

Code optimization

C)

Lexical analysis

D)

Code generation

Previous Question

60:01

Next Question

Question 66 of 97

1 Points

What does the term "bandwidth" refer to in networking?

A)

The speed at which data is transmitted over a network

B)

The amount of data that can be transmitted over a network in a given amount of time

C)

The range of frequencies that can be used for communication

D)

The physical distance between devices on a network

Previous Question

59:26

Next Question



11:10 PM
6/10/2024

Question 67 of 97

1 Points

What does isset() function do in php?

A)

It checks whether variable is set or not.

B)

It checks whether variable is string or integer.

C)

It checks whether variable is free or not.

D)

There is no such function in php

Previous Question

59:08

Next Question



Question 68 of 97

1 Points

Which of the following error can a compiler check?

A)

Both Logical and Syntax Error

B)

Compiler cannot check errors

C)

Logical Error

D)

Syntax Error

Previous Question

58:36

Next Question



Question 69 of 97

1 Points

Project progress monitoring rates depend on:

A)

Criticality of the phases of the project

B)

Stakeholder engagement

C)

Project duration

D)

Project complexity

Previous Question

57:35

Next Question

Question 70 of 97

1 Points

You are given an array of integers and need to sort it using the Quick Sort algorithm. During the partitioning step, which element is typically chosen as the pivot?

A)

The first element of the array

B)

#Any of the options that are given here will be ok

C)

The last element of the array

D)

A randomly selected element

< Previous Question

56:45

Next Question >



Question 71 of 97

1 Points

Which operator is used for string concatenation in PHP?

A)

+

B)

..

C)

&

D)

:

Previous Question

55:53

Next Question



Question 72 of 97

1 Points

Which CSS property is used to control the text size of an element?

A)

font-style

B)

text-size

C)

text-style

D)

font-size

Previous Question

55:14

Next Question



Question 73 of 97

1 Points

You are analyzing a program that uses a stack to reverse a string. Which sequence of operations will correctly reverse the string "DATA"?

A)

Push D, Push A, Push T, Push A, Pop, Pop, Pop

B)

Push D, Push A, Push T, Push A, Pop, Pop, Push T, Pop

C)

Push D, Push A, Push T, Push A, Pop, Pop, Pop, Pop

D)

Push D, Push A, Push T, Push A, Pop, Push T, Pop, Pop

Previous Question

54:47

Next Question

Question 74 of 97

1 Points

What is algorithm complexity?

A)

all of the above

B)

factors of algorithm complexity defines the efficiency of one Algorithm

C)

Algorithm complexity can be the space it need to store data

D)

complexity of algorithm refers to the measure of time it take to execute

Previous Question

53:27

Next Question



Question 76 of 97

1 Points

The art of creating a machine that perform functions that require intelligence when performed by people is best described as...

A)

Thinking Rationally

B)

Acting Humanly

C)

Acting Rationally

D)

Thinking Humanly

Previous Question

52:01

Next Question



Question 77 of 97

1 Points

Which one of the following is not true about persistent objects?

A)

Persistent data lives for a single execution time of the system

B)

There are some boundary objects which are persistent

C)

Persistent objects are not limited to entity objects

D)

All entity objects are not persistent

Previous Question

50:24

Next Question



Question 78 of 97

1 Points

A machine learning technology that gives computers the ability to interpret, manipulate, and comprehend human language is known as_____

A)

Robotics

B)

Image Processing

C)

Computer Vision

D)

Natural Language Processing

Previous Question

49:53

Next Question

Question 79 of 97

1 Points

What data structure is used for breadth first traversal of a graph?

A)

Graph

B)

Queue

C)

Stack

D)

List

Previous Question

49:11

Next Question



Question 80 of 97

1 Points

Which MySQL function in PHP is used to execute a query?

A)

query_mysql()

B)

execute_query()

C)

mysql_query()

D)

mysqli_query()

Previous Question

49:00

Next Question

Question 81 of 97

1 Points

Many of the system is exposed for risk, because of _____.

A)

Hacker attack

B)

Cyber attack

C)

Virus attack

D)

Any vulnerability of the system

Previous Question

48:40

Next Question

Question 82 of 97

1 Points

What is the use of a symbol table in compiler design?

A)

Keeping all of the names of all entities in one place

B)

Finding name's scope

C)

Type checking

D)

All of the mentioned

< Previous Question

48:08

Next Question >

Question 83 of 97

1 Points

In C++ programming, a variable which stores a reference to another variable is called

A)

Pointer

B)

Structure

C)

Constructor

D)

Asterisks

< Previous Question

47:33

Next Question >

Question 84 of 97

1 Points

Which one of the following is not Properties of Growth-Rate Functions in Algorithm Analysis?

A)

If an algorithm is $O(n^3 + 4n^2 + 3n)$, it is also $O(4n^2)$.

B)

We can ignore a multiplicative constant in the higher-order term.

C)

We can ignore low-order terms in an algorithm's growth-rate function.

D)

If an algorithm is $O(n^3) + O(4n)$, it is also $O(n^3 + 4n^2)$.

Previous Question

47:05

Next Question



Question 85 of 97

1 Points

Which network address translation protocol solves the task of address resolution using port number?

A)

Dynamic Address Translation

B)

Port Address Translation

C)

Phyiscal Address Translation

D)

Network Address Translation

Previous Question

46:03

Next Question



Question 86 of 97

1 Points

Polymorphism in object-oriented programming allows:

A)

Methods and properties of an object to be hidden from other objects.

B)

Objects to be destroyed automatically when they go out of scope.

C)

Multiple classes to inherit from multiple parent classes.

D)

Methods to do different things based on the object it is acting upon, even if they share the same name.

Previous Question

44:56

Next Question

Question 87 of 97

1 Points

Which one of the following is not characteristics of Algorithm?

A)

Finiteness

B)

feasible

C)

Well defined inputs

D)

language dependent

Previous Question

44:36

Next Question



Question 88 of 97

1 Points

Which of the following is a system program that integrates a program's individually compiled modules into a form that can be executed?

A)

Interpreter

B)

Assembler

C)

Linking Loader

D)

Compiler

Previous Question

44:08

Next Question



Question 89 of 97

1 Points

Which of the following circuit is used to store one bit of data?

A)

Flip Flop

B)

Encoder

C)

Decoder

D)

Register

Previous Question

43:33

Next Question

Question 90 of 97

1 Points

Which one of the following does not affect the running time in algorithm analysis

A)

Input to the algorithm

B)

Computational time

C)

compiler used

D)

Algorithm used

Previous Question

42:52

Next Question

Question 91 of 97

1 Points

_____ is a probabilistic algorithm where a data packet is sent by the router to any one of its neighbors randomly.

A)

Adaptive routing algorithm

B)

Random walks routing algorithm

C)

Distributed routing algorithm

D)

Flooding routing algorithm

< Previous Question

42:01

Next Question >

Question 92 of 97

1 Points

If the array is already sorted, which of these algorithms will exhibit the best performance

A)

Heap Sort

B)

Merge Sort

C)

Quick Sort

D)

Insertion Sort

< Previous Question

41:10

Next Question >

Question 94 of 97

1 Points

A symbolic name for memory location in which data can be stored and subsequently recalled is called.

A)

Literals

B)

Variable

C)

Keyword

D)

Reservedwords

Previous Question

37:30

Next Question

Question 95 of 97

1 Points

In which data structure the Best-First search algorithm can be implemented?

A)

Circular Queue

B)

Stack

C)

Queue

D)

Priority Queue

Previous Question

37:02

Next Question

Question 96 of 97

1 Points

From the following, which is not allow piracy/personal information data readable permission for un authorized users?

A)

Integrity

B)

Confidentiality

C)

Cryptography

D)

Availability

Previous Question

36:40

Next Question



Type here to search



11:33 PM

6/10/2024



Question 97 of 97

1 Points

Which of the following is an example of a preemptive multitasking operating system?

A)

Linux

B)

Windows 98

C)

MS-DOS

D)

Windows 3.1

Previous Question

36:18

Next Question



Type here to search



11:33 PM

6/10/2024