



SEEK WISDOM, ELEVATE YOUR INTELLECT AND SERVE HUMANITY !



Addis Ababa University

College of Health Science

Department of Pharmacy

Epidemiology Group Assignment

Group Members

- | | |
|------------------------------------|---|
| 1. Abebe Bekele... UGR/1605/15 | 14. Basliel Adenew... UGR/3969/15 |
| 2. Abenezer Alice... UGR/7733/15 | 15. Beamlak Amare... UGR/3890/15 |
| 3. Abirham Munye... UGR/3192/15 | 16. Beimnet Tefera... UGR/2638/15 |
| 4. Abisa Mesfin.... UGR/8353/15 | 17. Besufikad Gebrehiwot... UGR/9030/15 |
| 5. Afrah Ismail..... UGR/0372/15 | 18. Betelhem Gezahegn... UGR/5626/14 |
| 6. Ahlam Shemsu... UGR/5071/15 | 19. Bonson Adem... UGR/8310/15 |
| 7. Aiesha Ahmed... UGR/3936/15 | 20. Chala Abdisa... UGR/8002/15 |
| 8. Alebes Mamo... UGR/8602/15 | 21. Danayit Seid... UGR/6239/15 |
| 9. Amanuel Debebe... UGR/6075/15 | 22. Dereje Belay... UGR/2715/15 |
| 10. Amanuel Walie... UGR/1518/13 | 23. Ebisa Tesfaye... UGR/9933/15 |
| 11. Amen Zeleke... UGR/0324/15 | 24. Elias Asaye...UGR/8224/15 |
| 12. Amir Nurhussein... UGR/4972/15 | 25. Eman Jemal... UGR/8972/15 |
| 13.Andamlak Takle... UGR/5355/15 | 26. Ermiyas Wubet... UGR/8067/15 |

Submitted to: *Tesfa B. (BSc, MPH in Epidemiology)*

Submission date: *June 2, 2024*

Table of contents

Introduction.....	1
Census.....	2
Vital statistics.....	4
Health service records-disease registries.....	8
Health survey.....	10
Notification.....	12
Other-insurance claim forms and billing records.....	14
Conclusion.....	16
References.....	17

INTRODUCTION

Epidemiological data is essential for understanding the distribution and determinants of disease in populations. It is used to develop and evaluate public health programs and policies, and to make informed decisions about the allocation of healthcare resources.

There are different sources of data on health and health related conditions in the community. Each source has advantages and limitations. The information obtained from these sources is used for health planning, programming and evaluation of health services. The major sources are the following.

- I. Census
- II. Vital statistics
- III. Health service records-**disease registries**
- IV. Health survey
- V. Notification-
- VI. Other-**insurance claim forms and billing records**

I. CENSUS

Census is an important source of health information. It is taken in most countries of the world at regular intervals, usually of 10 years. A census is defined by United Nations as the total process of collecting, compiling and publishing demographic, economic and social data pertaining at specific time or times to all persons in a country or delimited territory. It is a massive undertaking to contact every member of the population in a given time and collect a variety of information.

In the field of epidemiology, census data is an essential source of information for understanding the health status and healthcare needs of a population. The census contains a mine of information on subject not only demographic, but also social and economic characteristics of the people, the conditions under which they live, how they work, their income and other basic information. These data provide a frame of reference and baseline for planning, action and research in public health.

The process of conducting a census involves gathering demographic information such as age, gender, race, and socioeconomic status from every individual in a given area. This data is then used to calculate key health indicators such as mortality rates, disease prevalence, and healthcare utilization patterns.

In Ethiopia census was conducted three times, i.e., in 1984, 1994 and 2007(G.C) Data was collected on:

- Age, sex and size of the population
 - Mortality, fertility
 - Language, ethnicity
 - Housing

There are two procedures for collecting census data: de jure and de facto approaches

• **De jure approach:** it involves counting people according to their usual place of residence (where he/she lives most of the time). This system gives a picture of the total permanent population of an area thereby making it suitable for planning and administrative purposes.

• **De facto approach:** Under this approach each individual is recorded at the place where he/she was found at the time of the census. The de facto enumeration may give enlarged totals to holiday resorts.

Applications of census data in Public Health

Census data is used in a wide range of public health applications, including:

- Identifying population characteristics and risk factors associated with disease
- Monitoring disease trends and patterns
- Studying the spatial distribution of diseases
- Analyzing socioeconomic determinants of health
- Identifying vulnerable populations
- Planning and evaluating public health interventions
- Allocating resources for health service

Advantages of Census Data

- **Comprehensive:** Census data provides a complete picture of a population, including vulnerable and hard-to-reach groups.
- **Representative:** Census data is collected randomly, ensuring a representative sample of the population.
- **Longitudinal:** Census data is collected regularly, allowing for longitudinal studies to track changes in health outcomes over time.
- **Geographic Detail:** Census data includes detailed geographic information, enabling spatial analysis of disease patterns.
- **Avoiding sampling errors:** When working with a sample size, there's a decent amount of estimation and assumption involved in survey results. With a survey that targets a complete population, there is little to no room for sampling errors or incorrect assumptions.

Disadvantages of Census Data in Public Health

- **Data Confidentiality:** Census data must be protected to maintain privacy. This can limit the availability of certain data for epidemiological research.
- **Time Sensitivity:** Census data is only collected periodically, which may not be timely enough for rapid response to emerging health threats.
- **Reliability of Self-Reported Data:** Some census data, such as self-reported health status, can be subject to inaccuracies.
- **Time-consuming and costly:** Conducting a census is a complex and expensive process.
- **Data Suppression:** To protect confidentiality, small population groups or geographic areas may have their data suppressed, limiting the availability of data for certain analyses.

II. VITAL STATISTICS

Vital statistics encompass a formally recorded set of vital events that occur throughout the human lifespan.

- These events include births, deaths, marriages, and dissolutions of marriage.

Vital records have been utilized in many ways to better elucidate the factors relating to the prevalence of various diseases. **Death certificates have an essential role for researchers studying disease.** They allow scientists to track how often diseases strike different groups of people and how long people survive after being diagnosed. Birth certificates are just as valuable. They provide clues about risk factors for health problems that appear later in life. Researchers can also use birth records to create groups of people to study over time. Personal particulars on birth and marriage records have served to identify family units as well as individuals, and have made possible more positive linking of different records.

What Information Do Vital Statistics Capture?

It mainly talks about four important vital events in human life. These are:

A. Births

Birth is a fundamental event in human life. It is the act or process of bearing or bringing forth [offspring](#), also referred to in technical contexts as **parturition**.

When a birth occurs, a birth certificate is typically issued by a government agency. A **birth certificate** is a copy of an official record of a person's date and place of birth and parentage. It is

required for establishing vital statistics on births. **This document captures details** like name, place and date of birth, Sex of the child, Birth weight.

Birth certificates are valuable tools in the epidemiologist's toolbox. Here's how they're used to understand disease:

- **Uncovering Risk Factors:** Birth record, often contains information about the mother's health during pregnancy, including things like weight gain, prenatal care visits, and even pre-existing medical conditions.
- **Building Study Groups:** Researchers use birth records to identify groups of people born around the same time in a specific location.
- **Connecting the Dots:** Birth records often include details about the parents, including their ages and birthplaces. By linking these details with marriage records, researchers can create a more complete picture of family units.
- **Pinpointing Geographic Trends:** Birth records often include the location of birth, allowing researchers to identify geographic variations in health outcomes.

B. Deaths

Death is the [irreversible](#) cessation of all [biological functions](#) that sustain a [living organism](#).

When a death occurs, a death certificate is issued by a medical examiner or coroner. This document serves as the official record of the death and captures details like Date and time of death, Location of death, Cause of death (based on medical examination), Decedent's information

Mortality Statistics can be used in epidemiology to get information on:

- **Cause of Death.**
- **Monitoring Trends**
- **Excess Mortality**
- **Occupational Hazards**

Two measures commonly used for epidemiological surveillance are **morbidity and mortality**. While similar and often related, morbidity and mortality, however, are not identical.

Morbidity is the state of being unhealthy for a disease or condition. It is usually estimated using prevalence or incidence.

- **Prevalence** describes the proportion of the population with a given symptom or quality.

- **Incidence** shows the frequency at which individuals within a specific population develop a given symptom.

Mortality is related to the number of deaths caused by the health event under investigation. It can be communicated as a rate or as an absolute number.

C. Marriages

Marriage is legally or [formally](#) recognized union of two people as partners in a personal relationship. Unlike birth and death, it doesn't affect the population growth directly but gives information on family structures and social trends.

A **marriage license** is a [document](#) issued, either by a [religious organization](#) or state [authority](#), authorizing a couple to [marry](#). It serves as official record of the marriage.

Information included in marriage licenses may include: Date of marriage, Residency, Names and ages of spouses, Witnesses' information, Blood tests (for certain diseases, such as syphilis).

This data about marriage provides information about:

- **Social Determinants of Health**
- **Reproductive Health**
- **Infectious Disease Transmission**
- **Migration Patterns**

Key Distinction from Births and Deaths:

Unlike births and deaths, which are relatively fixed events with clear biological markers, Marriage, on the other hand, is a social idea and its definition can be different depending on the culture or even the time period. This difference can affect how information about marriages is collected and what conclusions are drawn from that data.

D. Divorce: is the act by which a valid marriage is dissolved, usually freeing the parties to remarry. A divorce certificate is an official document that's issued by a state's bureau of vital records.

This information can help in determining:

- **Social Stress and Health**
- **Child Health**
- **Socioeconomic Factors and Health**

➤ **Family Dynamics and Disease Transmission**

Who Collects Vital Statistics?

Government Agencies, Hospitals and Medical Institutions, Public Health Surveillance Systems, Research Institutions and Universities

For what purposes do we use vital statistics data?

- As source data for the measurement of the incidence and prevalence of disease. These measurements serve administrative as well as epidemiologic purposes.
- For comparison of disease rates in different populations, indifferent parts of the same population, and in similar groups over a period of time, in order to develop hypotheses regarding the etiology of disease.
- For identification of groups of people at high risk of particular diseases. Such groups may be of significance in disease control or they may be particularly suitable for studies of etiology and therapy.
- To record births, deaths, and other major life events that are essential to understanding social and biological events relation to disease.

Vital and health records Advantages

- **Complete and accurate:** Vital statistics are collected by government agencies and are therefore considered to be complete and accurate.
- **Longitudinal data:** Vital statistics data is collected over time, which allows for the tracking of trends and changes in the health status of a population.
- **Standardized data:** Vital statistics data is collected using standardized definitions and procedures, which makes it possible to compare data from different sources and over time.
- **Publicly available:** Vital statistics data is typically publicly available, which makes it accessible to researchers and policymakers.

Disadvantage of vital statistic

Despite their usefulness, Vital statistics have some drawbacks that epidemiologists need to be aware of:

- **Data Quality and Accuracy:** Reporting of vital events, especially in birth and death certificates, can be incomplete or inaccurate. This can be due to factors like lack of awareness, limited access to healthcare facilities, or mistakes during data entry.

- **Limited Detail:** Vital statistics often provide a basic snapshot of events like births and deaths. They lack detailed information about risk factors, socioeconomic status, or lifestyle habits that could be crucial for understanding health outcomes.
- **Timeliness:** There can be a lag between when a vital event occurs and when it's recorded in official statistics. This can hinder real-time disease outbreak detection.
- **Geographic Limitations:** Data collection and reporting practices for vital statistics can vary by region or country. This makes it difficult to compare health trends across different locations or populations.
- **Privacy Concerns:** Vital statistics often contain personal information. Balancing the need for public health data with individual privacy is an ongoing challenge.

III. HEALTH SERVICE RECORDS – DISEASE REGISTRIES

Health service records are a valuable source of data for epidemiological studies. They can provide information on a wide range of health conditions, risk factors, and exposures. This data can be used to track disease trends, identify risk factors, and evaluate the effectiveness of public health interventions.

All health institutions report their activities to the Ministry of Health through the regional health bureaus. The Ministry compiles, analyzes and publishes it in the health service directory. It is therefore the major source of health information in Ethiopia.

Types of Health Service Records

There are many different types of health service records that can be used for epidemiological research, including:

- Hospital discharge summaries
- Electronic health records (EHRs)
- Physician office visit records
- Laboratory test results
- Pharmacy records
- Insurance claims data

Advantages

- **Comprehensiveness:** Health service records can provide data on a wide range of health conditions, risk factors, and exposures. This data can be used to track disease trends, identify risk factors, and evaluate the effectiveness of public health interventions.
- **Longitudinal data:** Health service records can provide longitudinal data on patients over time. This data can be used to track the progression of disease, identify risk factors for disease development, and evaluate the effectiveness of treatments
- **Easily obtainable**
- **Available at low cost**
- **Continuous system of reporting**
- **Causes of illness and death available.**

Limitations

- Lack of completeness – health service coverage is low.
- Lack of representativeness – a small proportion of diseased population seeks medical advice. Those patients who remained at home are not reported.
- Lack of denominator – catchment area is not known in the majority of cases.
- Lack of uniformity in quality.
- Diagnosis varies across the level of health institutions.
- Lack of compliance with reporting.
- Irregularity and incompleteness of published compilations.

Notification of Infectious Diseases

- ★ There are some internationally notifiable diseases. WHO member states report on Plague, Cholera, and Yellow fever. Moreover, every country has its own list of notifiable diseases.
- ★ The major problems related to this source (health service records) are low compliance and delays in reporting.

Examples of Epidemiological Studies Using Health Service Records

Health service records have been used in a wide range of epidemiological studies, including:

- A study of the incidence of cancer in the United States used data from the National Cancer Institute's Surveillance, Epidemiology, and End Results (SEER) program. This study found that the incidence of cancer has been declining in the United States since the early 1990s.
- A study of the risk factors for heart disease used data from the Framingham Heart Study. This study found that smoking, high blood pressure, high cholesterol, and obesity are all risk factors for heart disease.
- A study of the effectiveness of influenza vaccine used data from the Centers for Disease Control and Prevention's FluSurv program. This study found that influenza vaccine is effective in reducing the risk of influenza-related hospitalization and death.

IV. HEALTH SURVEYS

Health surveys are systematic data collection tools used to gather information on the health status, behaviors, and conditions of a population. They are crucial for understanding public health trends, identifying health needs, and evaluating the effectiveness of health programs and policies.

Health survey data is used to:

- Assess population health status and trends.
- Identify risk factors and health behaviors.
- Evaluate health services and interventions.

Types of Health Surveys

National Health Surveys: Large-scale surveys conducted by governments to monitor the health of the nation (e.g., National Health and Nutrition Examination Survey (NHANES) in the U.S.).

Behavioral Risk Factor Surveys: Focus on behaviors that influence health (e.g., Behavioral Risk Factor Surveillance System (BRFSS)).

Special Population Surveys: Target specific groups (e.g., elderly, children, or minority groups).

Health surveys Data collection methods

- **Questionnaires:** Self-administered or interviewer-led.
- **Physical Examinations:** Assessments by healthcare professionals.
- **Laboratory Tests:** Biological samples to assess health conditions.
- **Electronic Health Records (EHRs):** Data extracted from medical records.

Survey Design and Sampling

Sampling Methods: Random sampling to ensure representativeness.

Survey Instruments: Validated tools to collect reliable data.

Pilot Testing: Testing survey instruments on a small scale before full implementation.

Examples of Health Surveys

NHANES: Provides data on the health and nutritional status of adults and children in the U.S.

BRFSS: Collects data on health-related risk behaviors, chronic health conditions, and use of preventive services.

V. NOTIFICATION

Notification data is a critical component of public health surveillance systems, providing essential information on the occurrence and spread of infectious diseases, outbreaks, and other health events that may pose a threat to public health. This data is typically reported to designated public health authorities by healthcare providers, laboratories, or individuals in accordance with legal requirements or guidelines.

By collecting and analyzing notification data, public health officials can monitor disease trends, identify outbreaks, track the effectiveness of control measures such as vaccination campaigns, and inform public health policies and interventions. This data is particularly important for tracking vaccine-preventable illnesses, emerging infectious diseases, and other conditions of public health significance.

Notification data plays a key role in early detection and response to public health threats, allowing for timely interventions to prevent further spread of disease and protect the health of the population. It is an invaluable tool for epidemiologists, healthcare providers, policymakers, and public health professionals in their efforts to safeguard community health and well-being.

Characteristics of notification data

- **Timeliness:** reports are typically required to be submitted within a specific timeframe, often within 24-48 hours of diagnosis or suspicion of a particular disease. This rapid reporting allows public health authorities to promptly identify and respond to potential outbreaks or emerging health threats, enabling timely interventions to prevent further transmission.
- **Granularity:** refers to the level of detail included in notification data. In addition to basic demographic information, notification reports may include detailed data on symptoms, exposure history, and laboratory test results. This detailed information enables public health officials to gain a comprehensive understanding of the characteristics and dynamics of a particular disease or outbreak, facilitating targeted response strategies and interventions.
- **Accuracy:** reports are typically based on clinical or laboratory findings, ensuring that the data is rooted in scientific evidence. However, it's important to note that notification data may also include self-reported information from individuals, which can introduce some level of subjectivity. Ensuring the accuracy of reported data is essential for making informed public health decisions.

- **Completeness:** vary based on reporting practices, jurisdictional requirements, and the specific disease being reported. Discrepancies in reporting practices may lead to potential underreporting of cases, which can impact the overall understanding of disease trends and hinder effective public health responses. Addressing issues related to completeness is crucial for obtaining a comprehensive and accurate picture of the public health landscape.

Applications in Epidemiology

Notification data plays a crucial role in epidemiological surveillance, which involves the systematic collection, analysis, interpretation, and dissemination of health data for the purpose of disease monitoring and control. Here are some key applications of notification data in epidemiology:

Surveillance

- Monitoring trends and patterns of disease occurrence.
- Identifying outbreaks and clusters.
- Assessing the effectiveness of public health interventions.

Disease monitoring and early warning systems

- Early detection of emerging health threats.
- Rapid response to public health emergencies.

Disease control and prevention

- Targeted interventions
- Public health policy development

Limitations of Notification Data

- **Underreporting:** Reporting may be incomplete due to various factors such as lack of awareness, diagnostic challenges, or delayed notification.
- **Misclassification:** Errors in diagnosis or reporting can result in misattribution of cases or conditions.
- **Data Quality:** Data may be inconsistent or incomplete, especially when based on self-reporting.
- **Confidentiality:** Concerns about patient confidentiality may hinder reporting.

- **Interpretation:** Analysis of notification data requires careful consideration of its limitations and biases.

VI. OTHER-INSURANCE CLAIM FORMS AND BILLING RECORDS

Insurance claim forms and billing records are valuable source of epidemiological data that the wealth of information has been contained within them

They provide researchers with a wealth of information on the distribution and determinants of health-related events in specified populations. These forms, also known as claims data, contain detailed information on patient demographics, medical diagnoses, treatments, and healthcare services received. By analyzing these forms, researchers can identify patterns and trends in healthcare utilization, disease prevalence, and treatment outcomes.

Beyond the clinical data, insurance claim forms also often include demographic information on the patients, such as age, gender, and geographic location. This data can be particularly valuable for identifying patterns and trends within specific demographic groups, as well as for understanding the impact of social and environmental factors on health outcomes.

Billing records, which are the detailed financial documents generated by healthcare providers to track the services rendered and the associated costs, can also serve as an important source of epidemiological data. These records can provide insights into the utilization of healthcare services, including the frequency and volume of different types of interventions and treatments. Additionally, billing records can offer information on the costs associated with various medical conditions and therapies, which can be used to assess the economic burden of diseases and the cost-effectiveness of healthcare interventions.

The increasing integration of healthcare data systems has led to the development of comprehensive databases that combine information from insurance claim forms, billing records, and other healthcare data sources. These integrated databases can provide a more holistic view of patient populations and enable more advanced epidemiological analyses, such as the identification of disease prevalence and incidence rates, the assessment of treatment patterns and outcomes, and the evaluation of healthcare resource utilization and costs.

The types of data available in insurance claim forms and billing records include:

1. Patient demographics: Age, gender, race, ethnicity, and other demographic information.
2. Diagnosis codes: ICD-10 codes that identify the underlying cause of the patient's encounter.
3. Procedure codes: CPT codes that describe the treatments or services provided.

4. Treatment outcomes: Information on the effectiveness of treatments, including hospitalization rates, length of stay, and readmission rates.
5. Utilization patterns: Data on healthcare services utilization, including emergency department visits, hospital admissions, and outpatient services.
6. Cost data: Information on the costs associated with patient care, including charges, payments, and payment patterns.

Advantages of using insurance claim forms and billing records as a source of epidemiological data:

- **Large sample size:** Insurance claims data can provide access to a large and diverse population, which increases the statistical power of studies.
- **Longitudinal data:** Insurance claims data is often collected over time, which allows for the tracking of trends and changes in the health status of a population.
- **Detailed data:** Insurance claims data can include detailed information on diagnoses, procedures, medications, and other healthcare services. This data can be used to identify risk factors, evaluate the effectiveness of treatments, and track the progression of diseases.
- **Automated data collection:** Insurance claims data is often collected electronically, which reduces the risk of errors and makes it easier to analyze.

Challenges in using insurance claim forms and billing records as a source of epidemiological data

- **Incomplete data:** Insurance claims data may be incomplete, especially for individuals who are uninsured or underinsured. This can lead to biased estimates of the health status of a population.
- **Lack of standardization:** Insurance claims data is not always collected using standardized definitions and procedures. This can make it difficult to compare data from different sources and over time.
- **Privacy concerns:** Insurance claims data contains sensitive personal information, which raises concerns about privacy and confidentiality.

- **Data ownership:** Insurance claims data is owned by insurance companies, which may restrict access to the data for research purposes.

Despite these challenges, the benefits of using insurance claim forms and billing records for epidemiological research often outweigh the limitations. As the healthcare industry continues to generate vast amounts of data, the integration and utilization of insurance claim forms, billing records, and other healthcare data sources will become increasingly important for epidemiological research. By addressing the methodological and ethical considerations, researchers can leverage these data sources to uncover insights that can ultimately improve the health and well-being of populations.

CONCLUSION

Epidemiological data can be collected from a variety of sources, including census data, vital statistics, health service records, health surveys, notification data, and other sources such as insurance claim forms and billing records. Each of these sources has its own strengths and weaknesses. Census data provides a complete count of the population, but it is only collected every 10 years. Vital statistics data is collected more frequently, but it only includes data on births, deaths, marriages, and divorces. Health service records and disease registries can provide detailed information on individual patients, but they may not be representative of the population as a whole. Health surveys can collect data on a wide range of health topics, but they are subject to recall bias and other sources of error.

Epidemiologists often use multiple sources of data to triangulate their findings and get a more complete picture of the health status of a population. For example, they may use census data to get an overall picture of the population, vital statistics data to track trends in births and deaths, and health survey data to collect information on specific health topics. Epidemiological data is essential for understanding the distribution and determinants of disease in populations. It is used to develop and evaluate public health programs and policies, and to make informed decisions about the allocation of healthcare resources.

References

- Biostatistics lecturers note
- Census data issues for epidemiology and health risk assessment: David Briggs, Daniela Fecht and Kees de Hoogh Imperial College London, UK 2006
- <https://www.britannica.com/topic/death>
- <https://www.britannica.com/topic/divorce>
- <https://www.britannica.com/topic/marriage>
- <https://www.britannica.com/topic/marriage-license>
- <https://www.cvent.com/en/blog/events/advantages-disadvantages-census-surveys>.
- <https://ec.europa.eu/eurostat/web/microdata/european-health-interview-survey>
- <https://en.wikipedia.org/wiki/Death>
- <https://en.wikipedia.org/wiki/Divorce>
- https://en.wikipedia.org/wiki/Marriage_license
- <https://www.medicine.mcgill.ca/epide> •
<https://www.medicine.mcgill.ca/epidemiology/hanley/c609/Material/VitalStatisticsEoB.pdf>
- Last, J. M. (2001). A Dictionary of Epidemiology (4th ed.). Oxford University Press
- Mausner and Bahn. Introductory text of epidemiology. Second Edition. W. B. Saunders.
- <https://www.slideshare.net/slideshow/sources-of-information-in-epidemiologypptx/266452754>
- <https://www.who.int/healthinfo/survey/en>

