

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

Time left 2:56:15

QUESTION 1

Answer saved

Marked out of 1.00

🚩 Flag question

A cryptographic algorithm that uses the same key for encryption and decryption is

☒ a. Symmetric Algorithm

☐ b. Public-key Algorithm

☐ c. Steganography

☐ d. Asymmetric Algorithm

Clear my choice

QUESTION 2

Answer saved

Marked out of 1.00

🚩 Flag question

Active Directory data is stored in the _____ ESE database file.

☐ a. NTD

☐ b. Ntds.dit

☐ c. NTDS

☐ d. In Server manager

QUESTION 3

Answer saved

Marked out of 1.00

🚩 Flag question

Altering (portion of) a packet so that the overall packet remains structurally legitimate is _____.

☐ a. Spoofing

☐ b. Sniffing

🖥️

🔍 Search

🖨️

💬

🌐

📁

✉️

🌱

🛡️

📄

📊

🔴

📶

🔊

🔌

2:47 PM

6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 3

Answer saved

Marked out of 1.00

🚩 Flag question

Time left 2:56:11

←

Altering (portion of) a packet so that the overall packet remains structurally legitimate is ____.

☐ a. Spoofing

☐ b. Sniffing

☒ c. Poisoning

☐ d. Buffering

[Clear my choice](#)

QUESTION 4

Answer saved

Marked out of 1.00

🚩 Flag question

An algorithm that enable the computers to learn from data, and even improve themselves without being explicitly programmed.

☐ a. Deep Learning

☒ b. Machine Learning

☐ c. Machine perception

☐ d. Artificial Intelligence

[Clear my choice](#)

Next page

?

🪟

🔍 Search

🦁

💻

💬

🌐

📁

✉️

🌿

🛡️

📄

📊

🔴

🔼

📶

🔊

🔌

2:47 PM

6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=1

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

Back

☰

Time left 2:55:50

QUESTION 5

Answer saved

Marked out of 1.00

🚩 Flag question

If an algorithm requires $4n^2 - 3n + 10$ seconds to solve a problem of size n . What is the order of the algorithm?

- ☐ a. $O(n^2 - 3n)$
- ☐ b. $O(n^2)$
- ☐ c. $O(4n^2 - 3n + 10)$
- ☐ d. $O(4n^2 - 3n)$

QUESTION 6

Answer saved

Marked out of 1.00

🚩 Flag question

If there are two languages $L1 = \{a, bb\}$ and $L2 = \{cc, d\}$, which one of the following is not an element of $L1L2$?

- ☐ a. acc
- ☐ b. bbcc
- ☐ c. bbd
- ☒ d. da

Clear my choice

QUESTION 7

Answer saved

In an array implementation of binary heap tree, if a node is stored at index i , then its right child will be stored at index

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=1#

🖥️

🔍 Search

🦎

🖨️

💬

🌐

📁

📧

🌿

🛡️

📄

📊

🔴

📶

🔊

🔌

2:48 PM

6/4/2024

🔔

QUESTION 7
Answer saved
Marked out of 1.00
[Flag question](#)

In an array implementation of binary heap tree, if a node is stored at index i , then its right child will be stored at index

Time left 2:55:34

- ☐ a. $2 * i + 1$
- ☐ b. $2 * i$
- ☐ c. $i / 2$
- ☐ d. $(i + 1) / 2$

QUESTION 8
Answer saved
Marked out of 1.00
[Flag question](#)

In the permission '-rwxr--r--', what is the permission of the group?

- ☐ a. rwx
- ☐ b. wxr
- ☐ c. r--
- ☐ d. xr-

Previous page

Next page

ABOUT US

Ambo University is dedicated to serve the Ethiopian

IMPORTANT LINKS

[Future students](#)

QUICK LINKS

[Accessibility](#)

[Contact us](#)

CONTACT US

[Ambo University, Oromiya, Ethiopia](#)

[Phone: \(+251\) 1112 36 31 60](#)



Search



Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=2

Home Dashboard My courses

Back

Time left 2:53:56

QUESTION 9

Answer saved

Marked out of 1.00

Flag question

In which type of AI environment, the next state of the environment is completely fixed by the current state?

- ☐ a. Dynamic environment
- ☐ b. Sequential environment
- ☒ c. Deterministic environment
- ☐ d. Fully Observable environment

Clear my choice

QUESTION 10

Not yet answered

Marked out of 1.00

Flag question

Let Context free grammar $CFG = (V, \{a,b\}, P, S)$, where V is set of variables, $\{a,b\}$ is set of terminal symbols, S is start variable and P is set of productions. Then which one of the following is not an element of the language(L) which is generated from CFGG. Given: $P: S \rightarrow aSbb \ S \rightarrow ab$

- ☐ a. aaabbbbb
- ☐ b. aabbb
- ☐ c. aabb
- ☐ d. ab

QUESTION 11

Linked list data structure is type of data structure.

2:50 PM 6/4/2024

Flag question

- ☐ a. Non-linear data structure
- ☐ b. Dynamic data structure
- ☐ c. Fixed size data structure
- ☐ d. Static data structure

Flag question

- ☐ a. 1st generation languages
- ☐ b. 3rd generation languages
- ☐ c. 2nd generation languages
- ☐ d. 4th generation languages
- ☐ e. 4th generation languages

Next page



Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=3

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

Back

☰

Time left 2:50:55

QUESTION 13

Not yet answered

Marked out of 1.00

🚩 Flag question

 tag makes the enclosed text bold. What is other tag to make text bold?

- ☐ a.
- ☐ b. <dar>
- ☐ c. <black>
- ☐ d. <emp>

QUESTION 14

Not yet answered

Marked out of 1.00

🚩 Flag question

The act of establishing a protected network connection over a public network is termed as

- ☐ a. Virtual Private Network
- ☐ b. Local Area Network
- ☐ c. Protected Public Network
- ☐ d. Internet

QUESTION 15

Not yet answered

Marked out of 1.00

🚩 Flag question

The bit used to signify that the cache location is updated is _____

- ☐ a. Flag bit
- ☐ b. Dirty bit

🪟

🔍 Search

🦉

💻

💬

🌐

📁

✉️

🌿

🛡️

📄

📊

🔴

📶

🔊

🔌

2:53 PM

6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=3

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 15

Not yet answered

Marked out of 1.00

🚩 Flag question

☐ d. Internet

Time left 2:50:52

The bit used to signify that the cache location is updated is _____

☐ a. Flag bit

☐ b. Dirty bit

☐ c. Update bit

☐ d. Reference bit

QUESTION 16

Not yet answered

Marked out of 1.00

🚩 Flag question

The famous Greek philosopher - Aristotle was one of the first to attempt to codify one of the following AI approaches?

☐ a. Thinking Humanly

☐ b. Thinking Rationally

☐ c. Acting Humanly

☐ d. Acting Rationally

Previous page

Next page

ABOUT US

IMPORTANT LINKS

QUICK LINKS

CONTACT US

🏠

🔍 Search

🦁

💻

💬

🌐

📁

✉️

🌿

🛡️

📄

📊

🔴

🔼

📶

🔊

🔌

2:53 PM

6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=4

Home Dashboard My courses

Back

Time left 2:44:55

QUESTION 17

Not yet answered

Marked out of 1.00

Remove flag

The purpose of deployment diagrams can be described as –

- ☐ a. Visualize the hardware topology of a system.
- ☐ b. Describe the hardware components used to deploy software components.
- ☐ c. Describe the runtime processing nodes.
- ☐ d. All
- ☐ e. None

QUESTION 18

Not yet answered

Marked out of 1.00

Flag question

The small extremely fast, RAM's all called as _____

- ☐ a. Accumulators
- ☐ b. Heaps
- ☐ c. Cache
- ☐ d. Stacks

QUESTION 19

The _____ model helps in representing the system's dynamic behavior.

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=4#

Search

2:59 PM 6/4/2024

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=4

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

1.00

🚩 Flag question

☐ b. Heaps

☐ c. Cache

☐ d. Stacks

Time left 2:44:52

QUESTION 19

Not yet answered

Marked out of 1.00

🚩 Flag question

The _____ model helps in representing the system's dynamic behavior.

☐ a. Object Model

☐ b. Context Model

☐ c. Behavioral Model

☐ d. Data Model

☐ e. None

QUESTION 20

Not yet answered

Marked out of 1.00

🚩 Flag question

UML is

☐ a. a method

☐ b. a process

☐ c. Specific notation and the related grammatical rules for constructing software models.

☐ d. All

☐ e. None

Previous page

Next page

?

🪟

🔍 Search

🦁

🖨

💬

🌐

📁

✉

🌱

🛡

📄

📊

🌐

🖼

📶

🔊

🔌

🕒 2:59 PM

📅 6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=5

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

⌵

Back

Time left 2:36:17

QUESTION 21

Answer saved

Marked out of 1.00

🚩 Flag question

What is a deadlock in operating systems?

☐ a. A situation where two processes continuously exchange resources without making progress.

☐ b. A condition where a process is waiting indefinitely for a resource held by another process, which is also waiting indefinitely for a resource held by the first process.

☐ c. A state where a process gets stuck in an infinite loop.

☐ d. A scenario where a process is terminated abruptly due to a system error.

QUESTION 22

Not yet answered

Marked out of 1.00

🚩 Remove flag

What is a semaphore in operating systems?

☐ a. A variable used for thread synchronization and mutual exclusion.

☐ b. A mechanism for inter-process communication.

☐ c. A data structure used for file system management.

☐ d. A device used for disk storage.

QUESTION 23

Not yet answered

Marked out of 1.00

What is a view in a database?

☐ a. A physical storage location for data.

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=5#

USD/EUR

+0.38%

🏠

🔍 Search

🐉

🖨

💬

🌐

📁

📧

🌱

🛡

📄

📊

📅

📌

📌

3:07 PM

6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=5

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 23

Not yet answered

Marked out of 1.00

Remove flag

○ d. A device used for disk storage.

Time left 2:36:13

What is a view in a database?

○ a. A physical storage location for data

○ b. A virtual table based on one or more underlying tables

○ c. A program used to manage the database

○ d. A user account with specific permissions

QUESTION 24

Answer saved

Marked out of 1.00

Flag question

What is C++?

○ a. C++ is an object oriented programming language

○ b. C++ is a procedural programming language

○ c. C++ supports both procedural and object oriented programming language

○ d. C++ is a functional programming language

Previous page

Next page

ABOUT US

IMPORTANT LINKS

QUICK LINKS

CONTACT US

?

👤 USD/EUR +0.38%

🪄 Search

🐸

🖨

💬

🌐

📁

✉

🌱

🛡

📄

📊

🌐

🖼

📶

🔊

🔌

3:07 PM

6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=6

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

Back

Time left 2:35:44

QUESTION 25

Answer saved

Marked out of 1.00

🚩 Flag question

What is computer architecture?

☐ a. Set of categories and methods that specify the functioning, organisation, and implementation of computer systems

☐ b. set of functions and methods that specify the functioning, organisation, and implementation of computer systems

☐ c. Set of principles and methods that specify the functioning, organisation, and implementation of computer systems

☐ d. none of the mentioned

QUESTION 26

Answer saved

Marked out of 1.00

🚩 Flag question

What is Inheritance in C++?

☐ a. Classes with same names

☐ b. Overloading of classes

☐ c. Deriving new classes from existing classes

☐ d. Wrapping of data into a single class

QUESTION 27

Not yet answered

What is output of the following java fragment code?

?

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=6#

USD/CAD

+0.37%

🔍 Search

🐸

🖨

💬

🌐

📁

📧

🌱

🛡

📄

📊

🌐

📌

3:08 PM

6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=6

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

Time left 2:35:39

QUESTION 27

Not yet answered

Marked out of 1.00

Remove flag

What is output of the following java fragment code?

```
for( int I = 2; I <= 11; I = I + 2) {  
    If( I % 4 == 0){  
        System.out.print((I * I) + " ");  
    }  
}
```

☐ a. 4 8 10

☐ b. 4 8

☐ c. 16 64 100

☐ d. 16 64

QUESTION 28

Not yet answered

Marked out of 1.00

Remove flag

What is the benefit of using indexes in a database?

☐ a. They provide security for the data.

☐ b. They improve the speed of data retrieval.

☐ c. They allow for easier data manipulation.

☐ d. They create backups of the database

USD/CAD

+0.37%

🔍 Search

🐸

🖨

💬

🌐

📁

📧

🌱

🛡

📄

📊

🔴

📌

📶

🔊

🔌

3:08 PM

6/4/2024

🔔

Back

Time left 2:34:27

QUESTION 29

Not yet answered

Marked out of 1.00

Flag question

What is the correct HTML for adding a background color?

- ☐ a. `<body color="yellow">`
- ☐ b. `<body bgcolor="yellow">`
- ☐ c. `<background>yellow</background>`
- ☐ d. `<body background="yellow">`

QUESTION 30

Not yet answered

Marked out of 1.00

Flag question

What is the difference between delete and delete[] in C++?

- ☐ a. delete is syntactically correct but delete[] is wrong and hence will give an error if used in any case
- ☐ b. delete is used to delete normal objects whereas delete[] is used to pointer objects
- ☐ c. delete is a keyword whereas delete[] is an identifier
- ☐ d. delete is used to delete single object whereas delete[] is used to multiple(array/pointer of) objects

QUESTION 31

What is the primary goal of software testing?

☐ c. delete is a keyword whereas delete[] is an identifier

☐ d. delete is used to delete single object whereas delete[] is used to multiple(array/pointer of) objects

Time left 2:34:21

Flag question

- ☐ a. Writing code
- ☐ b. Finding defects in the software
- ☐ c. Debugging
- ☐ d. Documenting requirements
- ☐ e. Planning to find error

Flag question

- ☐ a. To define the structure of a table
- ☐ b. To enforce relationships between tables
- ☐ c. To create indexes for faster searching
- ☐ d. To grant permissions to users

Next page

Back

Time left 2:23:44

QUESTION 33

Answer saved

Marked out of 1.00

Flag question

What is the time complexity of any general Sorting Algorithm?

- ☐ a. $O(n \log n)$
- ☐ b. $O(\log 2n)$
- ☐ c. $O(n^3)$
- ☐ d. $O(n^2)$

QUESTION 34

Answer saved

Marked out of 1.00

Flag question

What is the time complexity order of binary searching algorithm?

- ☐ a. $O(n^3)$
- ☐ b. $O(1)$
- ☐ c. $O(n^2)$
- ☐ d. $O(\log 2n)$

QUESTION 35

Answer saved

Marked out of 1.00

What is the time complexity order of Quick sort algorithm?

- ☐ a. $O(n^2)$

QUESTION 35

Answer saved

Marked out of 1.00

Flag question

What is the time complexity order of Quick sort algorithm?

- ☐ a. $O(n^2)$
- ☐ b. $O(n \log n)$
- ☐ c. $O(2^{11})$
- ☐ d. $O(n \log n)$

QUESTION 36

Answer saved

Marked out of 1.00

Flag question

What is virtual memory in the context of memory management?

- ☐ a. A physical memory unit connected directly to the CPU
- ☐ b. A memory module that provides random access to stored data
- ☐ c. A memory management technique that uses disk storage as an extension of RAM
- ☐ d. A cache memory used to store frequently accessed instructions and data

Previous page

Next page

ABOUT US

Ambo University is dedicated to serve the Ethiopian

IMPORTANT LINKS

Future students

QUICK LINKS

Accessibility

CONTACT US

Ambo University Oromiya Ethiopia



90°F
Sunny



Search



3:20 PM
6/4/2024

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=9

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

Back

Time left 2:22:57

QUESTION 37

Answer saved

Marked out of 1.00

🚩 Remove flag

What technology is commonly used for long-range wireless communication?

☐ a. Microwave

☐ b. Infrared

☐ c. Satellite communication

☐ d. Radiowave

QUESTION 38

Answer saved

Marked out of 1.00

🚩 Flag question

What type of database model stores data as a collection of interconnected nodes?

☐ a. Relational model

☐ b. Hierarchical model

☐ c. Network model

☐ d. Object-oriented model

QUESTION 39

?

What type of join in SQL allows you to combine data from two tables based on a matching condition in multiple columns?

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=9#

90°F Sunny

🪟

🔍 Search

🦉

🖨

💬

🌐

📁

✉

🌱

🛡

📄

📊

🔴

🖼

⬆

📶

🔊

🔌

3:21 PM 6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=9

Not secure

☆

📄

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 39

Answer saved

Marked out of 1.00

🚩 Flag question

What type of join in SQL allows you to combine data from two tables based on a matching condition in multiple columns?

☐ a. Inner join

☐ b. Left join

☐ c. Right join

☐ d. Full join

QUESTION 40

Answer saved

Marked out of 1.00

🚩 Flag question

What type of SQL statement is used to retrieve data from a database?

☐ a. DDL (Data Definition Language)

☐ b. DML (Data Manipulation Language)

☐ c. DCL (Data Control Language)

☐ d. DTL (Data Transaction Language)

Previous page

Next page

ABOUT US

Ambo University is dedicated to serve the Ethiopian

IMPORTANT LINKS

QUICK LINKS

CONTACT US

Ambo University, Oromia, Ethiopia

90°F Sunny

🪟 🔍 Search 🦉

🖨️ 🗨️ 🌐 📁 📧 🌱 🛡️ 📄 📊 🖼️

3:21 PM 6/4/2024 🔊 🔌 📶 🗺️

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=10

Home Dashboard My courses

Back

Time left 2:22:20

QUESTION 41

Not yet answered

Marked out of 1.00

Remove flag

What will be the value of $|S|$ if it is given that string $S = \text{bacabbaa}$?

- ☐ a. 8
- ☐ b. 2
- ☐ c. 3
- ☐ d. 1

QUESTION 42

Answer saved

Marked out of 1.00

Flag question

When should we use path along with file name of picture in IMG tag?

- ☐ a. path is optional and not necessary
- ☐ b. when the location of image file and html file are different
- ☐ c. when image file and html file both are on same location
- ☐ d. path is always necessary when inserting image

QUESTION 43

Answer saved

Which access control model is based on assigning users to roles, and permissions are associated with these roles?

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=10#

90°F Sunny

Search

3:21 PM 6/4/2024

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=10

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 43

Answer saved

Marked out of 1.00

🚩 Flag question

Which access control model is based on assigning users to roles, and permissions are associated with these roles?

☐ a. Mandatory Access Control

☐ b. Discretionary Access Control

☒ c. Role-Based Access Control

☐ d. Rule-Based Access Control

Clear my choice

QUESTION 44

Answer saved

Marked out of 1.00

🚩 Flag question

Which asymptotic notation describes average case analysis?

☐ a. $f(n) = O(n)$

☐ b. $f(n) = o(n)$ (little omega)

☐ c. $f(n) = \Omega(n)$ (Big omega)

☐ d. $f(n) = \Theta(n)$ (thetha)

Previous page

Next page

?

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=10#

90°F Sunny

🪟

🔍 Search

🦉

🖨

💬

🌐

📁

📧

🌱

🛡

📄

📊

📅

📶

🔊

🔌

3:22 PM 6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=11

Home Dashboard My courses

Back

Time left 2:21:29

QUESTION 45

Answer saved

Marked out of 1.00

Flag question

Which asymptotic notation describes worst case analysis?

- ☒ a. $f = \text{little-}O$
- ☐ b. $f = \Omega$ (Big omega)
- ☐ c. $f = \text{little-} \omega$ (little omega)
- ☐ d. $f = \Theta$ (thetha)

Clear my choice

QUESTION 46

Not yet answered

Marked out of 1.00

Remove flag

Which branch of study deals with what can/cannot be computed by the model?

- ☐ a. Automata Theory and Formal Languages
- ☐ b. Computability Theory
- ☐ c. Complexity Theory
- ☐ d. Theory of Computation

QUESTION 47

Not yet answered

Marked out of 1.00

Remove flag

Which computer program is used to merge various object files together in order to make an executable file?

90°F Sunny

Search

3:22 PM

6/4/2024

◀

Flag question

Which computer program is used to merge various object files together in order to make an executable file?

- Which concept refers to an object of a subclass can be used wherever its superclass object is used?

- [Previous page](#)

Next page

Model Exit Exam for Computer Science 2012

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=12

Home Dashboard My courses

DA

MODEL EXIT EXAM FOR COMPUTER SCIENCE 2012 ENTY STUDENTS

Back

Time left 2:12:30

QUESTION 49

Answer saved

Marked out of 1.00

Flag question

Which data structure is the most appropriate for sharing a printer in a networked environment?

- ☐ a. Stack
- ☐ b. Full binary tree
- ☐ c. Binary search tree
- ☐ d. Queue

QUESTION 50

Answer saved

Marked out of 1.00

Flag question

Which is not true concerning DNS?

- ☐ a. It used for the Internet and on many Intranets.
- ☐ b. DNS used to name domains, computers, servers, and locate services.
- ☐ c. DNS on the Internet, it is used to map a domain name to an IP address.
- ☐ d. None

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=12#

90°F Sunny

Search

3:31 PM 6/4/2024

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=12

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 51

Answer saved

Marked out of 1.00

🚩 Remove flag

Which keyword is used to define the macros in c++?

☐ a. #define

☐ b. define

☐ c. macro

☐ d. #macro

QUESTION 52

Answer saved

Marked out of 1.00

🚩 Flag question

Which of the following agent deals with happy/unhappy states?

☐ a. Simple reflex agent

☐ b. Utility-based agent

☐ c. Learning agent

☐ d. Model-based agent

Previous page

Next page

ABOUT US

IMPORTANT LINKS

QUICK LINKS

CONTACT US

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=12#

Accessibility

📍 Ambo University, Oromiya, Ethiopia

90°F Sunny

🔍 Search

🐸

🖨

💬

🌐

📁

✉

🌱

🛡

📄

📊

🌐

🖼

📶

🔊

🔌

3:31 PM 6/4/2024

Model Exit Exam for Computer Science 2012 Enty Students

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=13

Home Dashboard My courses

Model Exit Exam for Computer Science 2012 Enty Students

QUIZ

MODEL EXIT EXAM FOR COMPUTER SCIENCE 2012 ENTY STUDENTS

Back

Time left 2:03:22

QUESTION 53

Answer saved

Marked out of 1.00

Flag question

Which of the following devices commonly utilizes buffering?

☐ a. CPU

☐ b. Hard disk

☐ c. RAM

☐ d. Monitor

QUESTION 54

Answer saved

Marked out of 1.00

Remove flag

Which of the following file systems is commonly used in Linux operating systems?

☐ a. NTFS

☐ b. HFS+

☐ c. EXT4

☐ d. FAT32

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=13#

90°F Sunny

Search

3:40 PM 6/4/2024

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=13

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 55

Answer saved

Marked out of 1.00

🚩 Flag question

Time left 2:03:11

<

Which of the following is a function of a router in a computer network?

☐ a. Transmitting data between devices on the same network segment

☐ b. Determining the optimal path for data packets to reach their destination across multiple networks

☐ c. Providing physical connections for devices to connect to the network

☐ d. Converting digital data into analog signals for transmission over telephone lines

QUESTION 56

Answer saved

Marked out of 1.00

🚩 Flag question

Which of the following is a primary function of the OSI model in data communication?

☐ a. Encoding data for transmission

☐ b. Providing a framework for understanding network protocols

☐ c. Establishing physical connections between devices

☐ d. Generating encryption keys for secure communication

Previous page

Next page

ABOUT US

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=13#

IMPORTANT LINKS

Accessibility

QUICK LINKS

CONTACT US

📍 Ambo University, Oromiya, Ethiopia

?

90°F Sunny

🪟 🔍 Search 🦉 🖨️ 🗨️ 🌐 📁 📧 🌱 🛡️ 📄 📖 🌐

3:40 PM 6/4/2024 🔊 🔌 📶 📶



Back

Time left 2:02:50

QUESTION 57

Not yet answered

Marked out of 1.00

🚩 Flag question

Which of the following is NOT a mechanism for inter-process communication (IPC)?

- ☐ a. Shared memory
- ☐ b. Message passing
- ☐ c. Semaphore
- ☐ d. Paging

QUESTION 58

Not yet answered

Marked out of 1.00

🚩 Flag question

Which of the following is not the function of a Proxy Server?

- ☐ a. It controls internet usage of employees of an organization
- ☐ b. It saves network bandwidth and improves network speed
- ☐ c. It provides security benefits on top of the privacy benefits
- ☐ d. It uses machine learning to understand patterns and emerging threats

QUESTION 59

Not yet answered

Marked out of

Which of the following is not true about DCPROMO?

- ☐ a. Install and uninstall domain server operating system



90°F
Sunny



🔍 Search



3:41 PM
6/4/2024

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=14

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

Marked out of 1.00

Flag question

☐ a. It controls internet usage of employees of an organization

☐ b. It saves network bandwidth and improves network speed

☐ c. It provides security benefits on top of the privacy benefits

☐ d. It uses machine learning to understand patterns and emerging threats

Time left 2:02:48

QUESTION 59

Not yet answered

Marked out of 1.00

Flag question

Which of the following is not true about DCPROMO?

☐ a. Install and uninstall domain server operating system

☐ b. Install user and computer directory on the server as a database

☐ c. Uninstall domain controller database services

☐ d. Promote server computer to domain controller

QUESTION 60

Not yet answered

Marked out of 1.00

Flag question

Which of the following is the correct syntax of including a user defined header files in C++?

☐ a. #include [userdefined]

☐ b. #include "userdefined"

☐ c. #include <userdefined.h>

☐ d. #include <userdefined>

Previous page

Next page ?

90°F Sunny

🪟 🔍 Search 🦉 🖨️ 🗨️ 🌐 📁 📧 🌱 🛡️ 📄 📖 🌐 📱

3:41 PM 6/4/2024 📶 🔊 🔌 🌡️ 🌧️



Back

Time left 1:57:51

QUESTION 61

Not yet answered

Marked out of 1.00

Flag question

Which of the following is used to terminate the function declaration in C++?

- ☐ a. ;
- ☐ b.]
- ☐ c.)
- ☐ d. :

QUESTION 62

Not yet answered

Marked out of 1.00

Flag question

Which of the following physical layer devices regenerates signals to extend the reach of a network?

- ☐ a. Router
- ☐ b. Switch
- ☐ c. Repeater
- ☐ d. Bridge

QUESTION 63

Not yet answered

Which of the following symbol is used to declare the preprocessor directives in C++?



Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=15

Not secure

☆

📄

🔴

Error

Home

Dashboard

My courses

🔔

DA

Marked out of 1.00

Flag question

☐ a. Router

☐ b. Switch

☐ c. Repeater

☐ d. Bridge

Time left 1:57:49

QUESTION 63

Not yet answered

Marked out of 1.00

Flag question

Which of the following symbol is used to declare the preprocessor directives in C++?

☐ a. \$

☐ b. #

☐ c. ^

☐ d. *

QUESTION 64

Not yet answered

Marked out of 1.00

Flag question

Which of the following term refers to a finite, non-empty set of symbols?

☐ a. Length

☐ b. Alphabet

☐ c. Word

☐ d. Symbol

Previous page

Next page ?

90°F Sunny

🪟 🔍 Search 🦎 🖨️ 💬 🌐 📁 📧 🍀 🛡️ 📄 📖 🌐

📶 🔊 🔌 🔄

3:46 PM 6/4/2024 🗯️

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=16

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 65

Not yet answered

Marked out of 1.00

🚩 Flag question

Which of these commands will set the permissions on file textfile to read and write for the owner, read for the group, and nothing for everyone else?

☐ a. chmod 046 textfile

☐ b. chmod 640 textfile

☐ c. chmod 310 textfile

☐ d. None

Time left 1:54:48

<

QUESTION 66

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one is the Responsibility of Software Project Managers?

☐ a. Project Estimation

☐ b. Scheduling

☐ c. Staffing

☐ d. Risk Management

☐ e. All

QUESTION 67

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following algorithm is recursively perform its tsk as nature?

☐ a. Greedy method

☐ b. Divide and Conquer method

☐ c. Transform and conquer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=16#

90°F Sunny

🪟

🔍 Search

🦉

💻

💬

🌐

📁

✉️

🌱

🛡️

📄

📊

🌐

🖼️

🔼

📶

🔊

🔌

3:49 PM 6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=16

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 67

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following algorithm is recursively perform its task as nature?

☐ a. Greedy method

☐ b. Divide and Conquer method

☐ c. Transform and conquer

☐ d. Linear programming

QUESTION 68

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following does not show non-functional requirement of software system

☐ a. Response time

☐ b. Memory requirement

☐ c. Reliability

☐ d. Displaying information

☐ e. All

Previous page

Next page

ABOUT US

IMPORTANT LINKS

QUICK LINKS

CONTACT US

90°F Sunny

🔍 Search

🦉

🖨

💬

🌐

📁

✉

🌱

🛡

📄

📊

🌐

🖼

📶

🔊

🔌

3:49 PM 6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=17

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

Back

Time left 1:52:24

QUESTION 69

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following involves making and using codes to secure messages?

- ☐ a. Cryptology
- ☐ b. Cryptanalysis
- ☐ c. Cryptography
- ☐ d. All of the above

QUESTION 70

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following is false about arrays in C++?

- ☐ a. We use [] square bracket at the time of array declaration
- ☐ b. Size of an array should be constant at the time of array declaration
- ☐ c. We can access elements of arrays without using index number
- ☐ d. An array is a collection of similar data objects

QUESTION 71

Not yet answered

Which one of the following is false about break statement in C++?

?

90°F Sunny

🪟 🔍 Search 🐸 🖨️ 🗨️ 🌐 📁 📧 🍃 🛡️ 📄 📖 🌐 🖼️

3:51 PM 6/4/2024 🔔

- 6. Size of an array should be constant at the time of array declaration.

- 6. Size of an array should be constant at the time of array declaration.

Flag question

- ☐ a. break statement can be used in switch...case statements
- ☐ b. break statement can be used in do...while loop
- ☐ c. break statement in nested loops terminates its nearest loop
- ☐ d. break statement can be used in if... else statements assuming the if...else statements are not inside any

- ☐ a. break statement can be used in switch...case statements
- ☐ b. break statement can be used in do...while loop
- ☐ c. break statement in nested loops terminates its nearest loop
- ☐ d. break statement can be used in if... else statements assuming the if...else statements are not inside any

Flag question

- ☐ a. Sequential and binary searching algorithms are not equal in terms of memory efficiency
- ☐ b. Binary searching algorithm can work on list of data which is sorted in descending order
- ☐ c. Sequential searching algorithm can work on sorted and unsorted list of data
- ☐ d. Considering worst case analysis binary searching algorithm is faster than sequential searching on sorted.

- ☐ a. Sequential and binary searching algorithms are not equal in terms of memory efficiency
- ☐ b. Binary searching algorithm can work on list of data which is sorted in descending order
- ☐ c. Sequential searching algorithm can work on sorted and unsorted list of data
- ☐ d. Considering worst case analysis binary searching algorithm is faster than sequential searching on sorted.

Next page

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=18

Home Dashboard My courses

Back

Time left 1:47:57

QUESTION 73

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is false regarding abstract classes and abstract methods?

- ☐ a. Implementation of abstract methods is provided by the subclass
- ☐ b. We can create instance of abstract classes using the new operator.
- ☐ c. A class that contains abstract methods must be defined as abstract.
- ☐ d. Abstract method is defined without implementation in the superclass.

QUESTION 74

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is not an example of divide and conquer algorithms?

- ☐ a. Heap sort
- ☐ b. Merge sort
- ☐ c. Quick sort
- ☐ d. Binary Searching

QUESTION 75

Not yet answered

Which one of the following is NOT desired in a good Software Requirement Specifications (SRS) document?

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=18#

90°F Sunny

Search

3:56 PM 6/4/2024

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=18

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

🚩 Flag question

☐ b. Merge sort

☐ c. Quick sort

☐ d. Binary Searching

Time left 1:47:54

QUESTION 75

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following is NOT desired in a good Software Requirement Specifications (SRS) document?

☐ a. Functional Requirements

☐ b. Non-Functional Requirements

☐ c. Goals of Implementation

☐ d. Algorithms for Software Implementation

QUESTION 76

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following is not the task of lexical analyzer?

☐ a. Group characters into lexemes

☐ b. Generates a sequence of tokens

☐ c. Read the input character by character

☐ d. Build parse tree

Previous page

Next page

?

90°F Sunny

🪟 🔍 Search 🐸 🖨️ 💬 🌐 📁 📧 🍀 🛡️ 📄 📖 🌐

📶 🔊 🔌 🔋

3:56 PM 6/4/2024 🗓️

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=19

Not secure

☆

📄

D

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 77

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following is not true

☐ a. Both coupling and cohesion are important factors in determining the maintainability, scalability, and reliability of a software system.

☐ b. High coupling and low cohesion can make a system difficult to change and test

☐ c. Low coupling and high cohesion make a system easier to maintain and improve.

☐ d. It's good for software to have low coupling and high cohesion.

☐ e. None of the above

QUESTION 78

Not yet answered

Marked out of 1.00

🚩 Flag question

which one of the following is not true about Association class

☐ a. have attributes and operations similar to classes

☐ b. Depicted by a class symbol that contains the attributes and operations and is connected to the association symbol with a dashed line.

☐ c. Any association class can be transformed into a class and simple associations

☐ d. All

☐ e. None

QUESTION 79

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following is true about Cohesion?

☐ a. It is a measure of the degree to which the elements of the module are functionally related.

☐ b. It is the degree to which all elements directed towards performing a single task are contained in the component.

Time left 1:45:32

⏪

90°F Sunny

🪟 🔍 Search 🐸 🖨️ 🗨️ 🌐 📁 📧 🍃 🛡️ 📄 📊 🌐

3:58 PM 6/4/2024 📶 🔊 🔌 🌐

☐ e. None

Time left 1:45:29

QUESTION 79

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is true about Cohesion?

- ☐ a. It is a measure of the degree to which the elements of the module are functionally related.
- ☐ b. It is the degree to which all elements directed towards performing a single task are contained in the component.
- ☐ c. Basically, cohesion is the internal glue that keeps the module together.
- ☐ d. A good software design will have high cohesion
- ☐ e. All

QUESTION 80

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is true about coupling?

- ☐ a. refers to the degree of interdependence between software modules
- ☐ b. High coupling means that modules are closely connected and changes in one module may affect other modules
- ☐ c. Low coupling means that modules are independent, and changes in one module have little impact on other modules.
- ☐ d. All
- ☐ e. None

[Previous page](#)

Next page

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=20

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

Back

Time left 1:40:58

QUESTION 81

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following is true about Queue data structure?

☐ a. Queue data structures cannot be implemented using linked list

☐ b. Queue data structure does not have efficient basic operations

☐ c. Queue data structure applies first come first served policy

☐ d. Queue data structure uses last in first out rule

QUESTION 82

Not yet answered

Marked out of 1.00

🚩 Flag question

Which one of the following is used for the purpose of lexical analysis?

☐ a. Parser

☐ b. Scanner

☐ c. Editor

☐ d. Loader

QUESTION 83

Not yet answered

Marked out of 1.00

Which one of the following phase is done after semantic analysis phase of compiling process?

☐ a. Code generation

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=20#

90°F

Sunny

🪟

🔍 Search

🦉

🖨

💬

🌐

📁

📧

🌱

🛡

📄

📊

📅

📶

🔊

🔌

4:03 PM

6/4/2024

🔔

Flag question

- ☐ a. Complexity analysis is concerned with determining the efficiency of algorithms
- ☐ b. The space complexity of an algorithm is the amount of memory it needs to run
- ☐ c. It will be difficult for us to determine the run time of a program exactly.
- ☐ d. All

Flag question

- ☐ a. This algorithm can work only on unordered list
- ☐ b. Its time complexity is $O(n)$
- ☐ c. Its time complexity is $O(\log n)$
- ☐ d. All

Flag question

- ☐ a. Merge sort
- ☐ b. Quick sort
- ☐ c. Insertion sort

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=21

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

Flag question

○

b. Its time complexity is $O(n)$

○

c. Its time complexity is $O(\log n)$

○

d. All

Time left 1:40:11

QUESTION 87

Not yet answered

Marked out of 1.00

Flag question

Which one of the following sorting algorithms requires additional large memory space to sort data?

○

a. Merge sort

○

b. Quick sort

○

c. Insertion sort

○

d. Selection sort

QUESTION 88

Not yet answered

Marked out of 1.00

Flag question

Which one of the following translator is used to convert high-level language into machine language?

○

a. Compiler

○

b. Interpreter

○

c. Assembler

○

d. Dev C++

Previous page

Next page

90°F Sunny

🪟

🔍 Search

🦉

💻

💬

🌐

📁

✉️

🌱

🛡️

📄

📊

🌐

🖼️

📶

🔊

🔌

🕒 4:03 PM

📅 6/4/2024

🔔

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=22

Not secure

☆

📄

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

Time left 1:30:57

QUESTION 89

Not yet answered

Marked out of 1.00

🚩 Flag question

Which operator is used to create an array?

☐ a. New

☐ b. Static

☐ c. Declare

☐ d. Constructor

QUESTION 90

Not yet answered

Marked out of 1.00

🚩 Flag question

Which phase of compiling process is considered as the first phase in the process?

☐ a. Syntax analysis

☐ b. Code generation

☐ c. Semantic Analysis

☐ d. Lexical analysis

QUESTION 91

Not yet answered

Marked out of 1.00

🚩 Flag question

Which program puts together the entire executable object files into memory for execution or running?

☐ a. Debugger

☐ b. Editor

☐ c. Linker

?

90°F Sunny

🪟 🔍 Search 🦉 🖨️ 🗨️ 🌐 📁 📧 🍀 🛡️ 📄 📖 🌐

4:13 PM 6/4/2024 🔊 🔌 📶 📶

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=22

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 91

Not yet answered

Marked out of 1.00

🚩 Flag question

☐ d. Lexical analysis

Time left 1:30:54

Which program puts together the entire executable object files into memory for execution or running?

☐ a. Debugger

☐ b. Editor

☐ c. Linker

☐ d. Loader

QUESTION 92

Not yet answered

Marked out of 1.00

🚩 Flag question

Which statement is false about universal hashing technique?

☐ a. Universal hashing reduces the chance of data collision

☐ b. In universal hashing a hash function is selected from set of hash functions independent of keys.

☐ c. Single fixed hash function technique is better than universal hashing technique in terms of collision reduction

☐ d. In universal hashing a hash function is selected randomly from set of hash functions for each key.

Previous page

Next page

ABOUT US

IMPORTANT LINKS

QUICK LINKS

CONTACT US

?

🌤️ 90°F Sunny

🪟 🔍 Search

🦉

💻

💬

🌐

📁

✉️

🌱

🛡️

📄

📊

🌐

🖼️

⬆️

📶

🔊

🔌

🕒 4:13 PM

📅 6/4/2024

🔔

Model Exit Exam for Computer Science 2012 ENTY STUDENTS

Home Dashboard My courses

DA

MODEL EXIT EXAM FOR COMPUTER SCIENCE 2012 ENTY STUDENTS

Back

Time left 1:28:02

QUESTION 93

Not yet answered

Marked out of 1.00

Flag question

Which statement is true about pop() operation of Stack data structures?

- ☐ a. pop() inserts new element at the beginning/bottom of stack
- ☐ b. pop() removes the end/top element from stack
- ☐ c. pop() returns the end/top element but it doesn't delete that element
- ☐ d. pop() inserts new element at the middle of stack

QUESTION 94

Not yet answered

Marked out of 1.00

Flag question

Which tag allows us to add a row in a table?

- ☐ a. <td> and </td>
- ☐ b. <cr> and </cr>
- ☐ c. <th> and </th>
- ☐ d. <tr> and </tr>

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=23# ML?

90°F Sunny

Search

4:16 PM 6/4/2024

Time left 1:26:33

QUESTION 97

Not yet answered

Marked out of 1.00

Flag question

_____ represents persistent information tracked by the system

- ☐ a. Entity object
- ☐ b. Boundary object
- ☐ c. Control Object
- ☐ d. All
- ☐ e. None

QUESTION 98

Not yet answered

Marked out of 1.00

Flag question

Which one of the following is correct array initialization?

- ☐ a. `int list[] = (23, 24, 5, 7, 14);`
- ☐ b. `int list[6];`
`list[] = (12, 1, 13, 2, 3, 5);`
- ☐ c. `int list[4] = {1, 6, 3, 9};`
`int arr[4] = list;`
- ☐ d. `int list[3] = {2, 4, 6, 8, 10};`

QUESTION 99

A approach used to develop both a user interface and a business logic is called

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=24

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 99

Not yet answered

Marked out of 1.00

🚩 Flag question

Time left 1:26:31

◀

An approach used to check whether a machine can think like a human or not is called...

☐ a. The Turing Test Approach

☐ b. Laws of thought Approach

☐ c. The rational agent Approach

☐ d. Cognitive Modelling Approach

QUESTION 100

Not yet answered

Marked out of 1.00

🚩 Flag question

Assume cities in Ethiopia are represented by vertices of a graph. Edges are weighted and directed. Weights of edge show distance connecting two cities. Which algorithm is appropriate to find shortest distance of all cities from Add Ababa?

☐ a. Dijkstra's algorithm

☐ b. Prim's algorithm

☐ c. Huffman encoding algorithm

☐ d. Kruskal's algorithm

Previous page

Next page

ABOUT US

IMPORTANT LINKS

QUICK LINKS

CONTACT US

90°F Sunny

🪟 🔍 Search 🦉 🖨️ 🗨️ 🌐 📁 📧 🌱 🛡️ 📄 📖 🌐

4:17 PM 6/4/2024 📶 🔊 🔌 🌡️

Model Exit Exam for Computer Science 2012 ENTY STUDENTS

Home Dashboard My courses

DA

Back

Time left 1:24:13

QUESTION 101

Not yet answered

Marked out of 1.00

Flag question

Assume it is given that $f(n) = 2n \log_2 n$ and $g(n) = n^2$, then which asymptotic notation is correct?

☐ a. $f(n) = \Theta(g(n))$

☐ b. $f(n) = O(g(n))$

☐ c. $f(n) = \text{little-oh}(g(n))$

☐ d. $f(n) = \text{little-}\omega(g(n))$

QUESTION 102

Not yet answered

Marked out of 1.00

Flag question

Assume there is a line of patients waiting for a service from a clinic. Seriously sick patients should get service first. Which data structure is the most appropriate for the given type of real-world problem?

☐ a. Stack

☐ b. Queue

☐ c. Tree

☐ d. Priority Queue

QUESTION 103

Not yet answered

Assume you have a weighted graph G with a set of vertices V and set of edges E . Which one of the following problems is an optimization problem on the graph?

90°F Sunny

Search

4:19 PM 6/4/2024

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=25

Not secure

☆

🔖

🔴

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 103

Not yet answered

Marked out of 1.00

🚩 Flag question

Assume you have a weighted graph G with a set of vertices V and set of edges E . Which one of the following problems is an optimization problem on the graph?

☐ a. Is vertex $p \in V$ reachable from vertex $q \in V$ in graph G

☐ b. Traverse all vertices in graph G

☐ c. How many cycles are there in graph G

☐ d. Find minimum spanning tree from graph G

QUESTION 104

Not yet answered

Marked out of 1.00

🚩 Flag question

Assuming there is a rectangle object, what `getArea`, `getPerimeter` can represent?

☐ a. Behavior

☐ b. Property

☐ c. Attribute

☐ d. Data field

Previous page

Next page

?

90°F Sunny

🪟

🔍 Search

🦎

🖨

💬

🌐

📁

✉

🌱

🛡

📄

📊

🌐

🖼

⬆

📶

🔊

🔌

4:19 PM 6/4/2024

🔔

Time left 1:21:32

QUESTION 105

Not yet answered

Marked out of 1.00

Flag question

Consider the following code for the fourth question.

```
int sum = 0;
```

```
for (int i = 0; i < n; i++)
```

```
Sum++;
```

What is the expected runtime of the code above in Big-O notation?

- ☐ a. $O(1)$
- ☐ b. $O(n^2)$
- ☐ c. $O(\log n)$
- ☐ d. $O(2n)$

QUESTION 106

Not yet answered

Marked out of 1.00

Flag question

Deleting minimum node/maximum node from minimum/maximum binary heap tree takes order of time

- ☐ a. $O(\log^2 n)$
- ☐ b. $O(n)$
- ☐ c. $O(n \log^2 n)$
- ☐ d. $O(n^2)$

QUESTION 107

During a write operation if the required block is not present in the cache then ____ occurs.

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=26

Not secure

☆

🔖

D

Error

Home

Dashboard

My courses

🔔

DA

☰

QUESTION 107

Not yet answered

Marked out of 1.00

🚩 Flag question

☐ d. $O(n^2)$

Time left 1:21:29

QUESTION 107

Not yet answered

Marked out of 1.00

🚩 Flag question

During a write operation if the required block is not present in the cache then ____ occurs.

☐ a. Write hit

☐ b. Write miss

☐ c. Write delay

☐ d. Write latency

QUESTION 108

Not yet answered

Marked out of 1.00

🚩 Flag question

During program development, software requirements specify

☐ a. How the program will accomplish the task

☐ b. How to divide the task into subtasks

☐ c. How to test the program when it is done

☐ d. What the task is that the program must perform

Previous page

Next page

90°F Sunny

🪟 🔍 Search 🦉 🖨️ 🗑️ 📧 📁 📧 🛡️ 📄 📄 📄

4:22 PM 6/4/2024 🗓️

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=27

Home Dashboard My courses

Back

Time left 1:17:57

QUESTION 109

Not yet answered

Marked out of 1.00

Flag question

For an input graph, Depth First Traversal algorithm uses ____ data structure to traverse.

☐ a. Priority queue

☐ b. Stack

☐ c. Tree

☐ d. Queue

QUESTION 110

Not yet answered

Marked out of 1.00

Flag question

From the following, which command is used for modifies existing attributes.

☐ a. groupmod

☐ b. usermod

☐ c. chmod

☐ d. all

QUESTION 111

Not yet answered

Marked out of 1.00

Flag question

Given input Alphabet $\Sigma = \{a, b, c\}$ and empty string ϵ . Then, which one of the following is equivalent to Σ^1 ?

☐ a. Σ^*

☐ b. Σ

☐ c. Σ^+

☐ d. Σ^0

90°F Sunny

Search

4:26 PM 6/4/2024

- ☐ c. chmod
- ☐ d. all

Time left 1:17:55

QUESTION 111

Not yet answered

Marked out of 1.00

🚩 Flag question

Given input Alphabet $\Sigma = \{a, b, c\}$ and empty string ϵ . Then, which one of the following is equivalent to Σ^1 ?

- ☐ a. Σ^*
- ☐ b. Σ^+
- ☐ c. a, b, c
- ☐ d. $\{\epsilon\}$

QUESTION 112

Not yet answered

Marked out of 1.00

🚩 Flag question

How can we make an e-mail link?

- ☐ a. `<a href="xxx@yyy">`
- ☐ b. `<mail href="xxx@yyy">`
- ☐ c. `<mail>xxx@yyy</mail>`
- ☐ d. `<a href="mailto:xxx@yyy">`

Previous page

Next page

Model Exit Exam for Computer

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=11662&cmid=555&page=28

Home Dashboard My courses

Back

Time left 1:16:34

QUESTION 113

Not yet answered

Marked out of 1.00

Flag question

How does subnetting help conserve IP addresses?

- ☐ a. By dynamically assigning IP addresses to devices
- ☐ b. By eliminating the need for IP addresses altogether
- ☐ c. By reducing the number of wasted IP addresses in a network
- ☐ d. By expanding the available range of IP addresses

QUESTION 114

Not yet answered

Marked out of 1.00

Flag question

How many usable IP addresses are available in each subnet of the network 172.16.0.0/20 if using a subnet mask of /28?

- ☐ a. 14
- ☐ b. 16
- ☐ c. 30
- ☐ d. 32

Previous page

Finish attempt ...

?

90°F Sunny

Search

4:27 PM 6/4/2024