

▼ General

Announcements

- Computer Science Model Exam

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

QUESTION 1

Not yet answered

Marked out of 1.00

Flag question

Which system call can be used by a parent process to determine the termination of child process?

- ☐ a. wait
- ☐ b. exit
- ☐ c. fork
- ☐ d. get

Time left 2:59:33

QUESTION 2

Not yet answered

Marked out of 1.00

Flag question

In dynamic programming, the technique of storing the previously calculated values is called ____

- ☐ a. Saving value property
- ☐ b. Storing value property
- ☐ c. Memoization
- ☐ d. Mapping

QUESTION 3

Not yet answered

Marked out of 1.00

Flag question

A network of Windows machine utilizing the same name to share resources

- ☐ a. Forest
- ☐ b. Domain
- ☐ c. Active Directory
- ☐ d. Workgroup

QUIZ NAVIGATION

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60	61	62	63
64	65	66	67	68	69	70
71	72	73	74	75	76	77
78	79	80	81	82	83	84

Computer Science Model Exam

Not secure 197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498

Guest

Home Dashboard My courses

TS

QUESTION 4

Not yet answered

Marked out of 1.00

Flag question

Look at the following PHP line: \$list=array (20,12,23,19,18): What is the index of data value 19?

☐ a. 2

☐ b. 0

☐ c. 1

☐ d. 3

QUESTION 5

Not yet answered

Marked out of 1.00

Flag question

What is the difference between Generalization and Specialization?

☐ a. Generalization and Specialization is like the Top-Down Approach

☐ b. Generalization is like a Bottom-Up approach and Specialization is like a Top-Down Approach

☐ c. Generalization and Specialization is like the Bottom-Up Approach

☐ d. Generalization is like the Top-Down approach and Specialization is like the Bottom- Up Approach

Time left 2:58:46

Next page

QUIZ NAVIGATION

1	2	3	4	5	6	7
8	9	10	11	12	13	14
15	16	17	18	19	20	21
22	23	24	25	26	27	28
29	30	31	32	33	34	35
36	37	38	39	40	41	42
43	44	45	46	47	48	49
50	51	52	53	54	55	56
57	58	59	60	61	62	63
64	65	66	67	68	69	70
71	72	73	74	75	76	77
78	79	80	81	82	83	84

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

ABOUT US

Ambo University is dedicated to serve the Ethiopian society

IMPORTANT LINKS

Future students

QUICK LINKS

Accessibility

CONTACT US

Ambo University, Oromiya, Ethiopia

21°C Mostly sunny

Search

10:18 AM 5/23/2024

Announcements

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

Not yet answered

Marked out of 1.00

Flag question

Not yet answered

Marked out of 1.00

Flag question

Not yet answered

Marked out of 1.00

Flag question

Time left 2:56:18

- ☐ a. 3 dequeue and 4 enqueue operations
- ☐ b. 3 dequeue and 3 enqueue operations
- ☐ c. 3 dequeue and 2 enqueue operations
- ☐ d. 3 enqueue and 4 dequeue operations

- ☐ a. Quadratic
- ☐ b. $n \log n$
- ☐ c. $\log n$
- ☐ d. Polynomial

Quality programming that comes from good program design is necessary for the economic and correct solution of problems. Assume you are the program designer and the program that you design cannot adapt one type of computer to another with minimum modification. So, what need of a good program design is failed?

- ☐ a. Portability
- ☐ b. Reliability
- ☐ c. Maintainability
- ☐ d. Efficiency

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=1

Guest

HomeDashboardMy courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 6

Not yet answered

Marked out of 1.00

Flag question

The initial configuration of the queue is having the elements 'B, C, D, A' forming a queue. To get the new configuration 'A, D, C, B' one needs a minimum of _____

☐ a. 3 dequeue and 4enqueue operations

☐ b. 3 dequeue and 3enqueue operations

☐ c. 3 dequeue and 2 enqueue operations

☐ d. 3 enqueue and 4 dequeue operations

QUESTION 7

Not yet answered

Marked out of 1.00

Flag question

What is the complexity of Quick sort algorithm?

☐ a. Quadratic

☐ b. nLogn

☐ c. Logn

☐ d. Polynomial

QUESTION 8

Not yet answered

Marked out of 1.00

Flag question

Quality programming that comes from good program design is necessary for the economic and correct solution of problems. Assume you are the program designer and the program that you design cannot adapt one type of computer to another with minimum modification. So, what need of a good program design is failed?

☐ a. Portability

☐ b. Reliability

☐ c. Maintainability

☐ d. Efficiency

Time left 2:56:04

?

21°C
Mostly sunny

Search

10:21 AM
5/23/2024

[Clear my choice](#)[Clear my choice](#)

Flag question

☒ a. 5

☐ b. 4

☐ c. 32

☐ d. 1

Flag question

- ☐ a. Inferential Efficiency
- ☐ b. Inferential Adequacy
- ☐ c. Representational Adequacy
- ☐ d. Representational Verification

Next page

CONTACT US



Time left 2:42:53

Flag question

- ☐ a. Polymorphism
- ☐ b. Encapsulation
- ☐ c. Abstract Classes
- ☐ d. Inheritance

Flag question

- ☐ a. ATTACH TABLE Employee ADD PRIMARY KEY (empid)
- ☐ b. ADD TABLE Employee ADD PRIMARY KEY (empid)
- ☐ c. ADD TABLE Employee ATTACH PRIMARY KEY (empid)
- ☐ d. ALTER TABLE Employee ADD PRIMARY KEY (empid)

Next page



Marked out of 1.00

Among the following, which one best describes a database management system (DBMS)?

- Time left 2:39:20



Marked out of 1.00

What is the degree of multiprogramming?

- ### QUESTION 23

Marked out of 1.00

A linear data structure that follows the Last-In-First-Out (LIFO) principle, where elements are inserted and deleted only from one side is termed as:

- ☐ a. Linked list
- ☐ b. Queue
- ☐ c. Array
- ☐ d. Stack

Announcements

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

Not yet answered

Marked out of 1.00

Flag question

Select the correct statement about network connectivity.

- ☐ a. Every computer is equal in client/server network.
- ☐ b. Client /Server network is less expensive than peer-to- peer.
- ☐ c. In peer-to-peer connectivity, there is no dedicated Server.
- ☐ d. There is high security in peer-to-peer network than client /server.

Not yet answered

Marked out of 1.00

Flag question

An interface that has multiple lines connecting input/output module and peripheral device and assures multiple bits to be transferred at the same time is:

- ☐ a. Bus interface
- ☐ b. One line
- ☐ c. Parallel interface
- ☐ d. Serial interface

[Previous page](#)

Next page

Computer Science Model Exam

Not secure 197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=5

Guest

Home Dashboard My courses

TS

✕

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 26

Not yet answered

Marked out of 1.00

Flag question

A job is to translate virtual addresses into physical addresses is _____.

☐ a. MMU's

☐ b. Virtualization

☐ c. Paging

☐ d. Segmentation

QUESTION 27

Not yet answered

Marked out of 1.00

Flag question

Assume you make modification to your software. Then you want to make sure that the modification has not had introduced new errors. Which software testing level is required?

☐ a. Regression testing

☐ b. Beta testing

☐ c. Static testing

☐ d. Dynamic testing

QUESTION 28

Not yet answered

Marked out of 1.00

Flag question

In the cache organization method that permits data to be stored in any cache block instead of forcing each memory address into one particular block is _____.

☐ a. LRU

☐ b. Fully Associative

☐ c. Direct Mapped

☐ d. Set Associative

Time left 2:34:50

?

21°C Mostly sunny

Search

10:42 AM 5/23/2024

▼ Topic 4

Flag question

Flag question

- Time left 2:34:47

- ☐ a. Dynamic programming
- ☐ b. Back tracking
- ☐ c. Greedy algorithm
- ☐ d. Branch and bound

- ☐ a. absolute address
- ☐ b. logical address
- ☐ c. physical address
- ☐ d. Static address

Next page

Announcements

- Computer Science Model Exam

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

Not yet answered

Marked out of 1.00

Flag question

Not yet answered

Marked out of 1.00

Flag question

Not yet answered

Marked out of 1.00

Flag question

A rule assigned to a column in a table that prevents certain types of inconsistency data value from being inserted or placed in the column?

- ☐ a. Tuple
- ☐ b. Attribute
- ☐ c. Constraint
- ☐ d. Keys


Time left 2:29:57

In which of the storage placement strategies a program is placed in the largest available hole in the main memory?

- ☐ a. Buddy
- ☐ b. First fit
- ☐ c. Worst fit
- ☐ d. Best fit

Which of the following are Advantages of modularization in software design?

- ☐ a. Smaller components are difficult to maintain
- ☐ b. Program can be divided based on functional aspects
- ☐ c. Components with high cohesion can be re-used again
- ☐ d. Desired from security aspect




Time left 2:29:55

Announcements

QUESTION 34

Not yet answered

Marked out of 1.00



- ☐ b. Program can be divided based on functional aspects
- ☐ c. Components with high cohesion can be re-used again
- ☐ d. Desired from security aspect

A data structure in which elements can be inserted or deleted at/from both ends but not in the middle is?

- ☐ a. Dequeue
- ☐ b. Priority queue
- ☐ c. Queue
- ☐ d. Circular queue

QUESTION 35

Not yet answered

Marked out of 1.00



A reference variable can refer to_____.

- ☐ a. An object of subclass's or its class type
- ☐ b. An object of the superclass
- ☐ c. An object of any class
- ☐ d. An object of its class type only

[Previous page](#)

Next page





▼ General

Announcements

- Computer Science Model Exam

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

QUESTION 36

Not yet answered

Marked out of 1.00

Flag question

The intersection of a context-free language and a regular language is _____

- ☐ a. regular but not context-free
- ☐ b. neither context-free nor regular.
- ☐ c. context-free
- ☐ d. both regular and context-free

Time left 2:23:53

QUESTION 37

Not yet answered

Marked out of 1.00

Flag question

If Ambo University main Campus wants to develop a network for main branch that linked with Hachau Campus, what network type is applicable for this situation in order to share information between the two Campuses?

- ☐ a. WAN
- ☐ b. MAN
- ☐ c. LAN
- ☐ d. WLAN

QUESTION 38

Not yet answered

Marked out of 1.00

Flag question

If a grammar produces more than one leftmost derivation for a sentence, it is called as: _____

- ☐ a. Associative grammar
- ☐ b. Precedence
- ☐ c. Perfect grammar
- ☐ d. Ambiguous grammar



Time left 2:23:48

-

Announcements

Flag question

- ☐ a. Automatic
- ☐ b. Simplex
- ☐ c. full-duplex
- ☐ d. Half-duplex

▼ Topic 4

Flag question

- ☐ a. Acceptance testing
- ☐ b. System testing
- ☒ c. Integration testing
- ☐ d. Unit testing

Next page



Computer Science Model Exam

Not secure 197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=8

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 41

Not yet answered

Marked out of 1.00

Flag question

A protocol that relies on TCP connections to provide authentication, authorization and accounting is ____

☐ a. HTTPS

☐ b. RADIUS

☐ c. HTTP

☐ d. TACACS+

QUESTION 42

Not yet answered

Marked out of 1.00

Flag question

An algorithm traverses a graph in a Breadth-ward motion and uses a queue to remember to get the next vertex to start a search, when a dead end occurs in any iteration is _____

☐ a. Binary search

☐ b. Beam Search

☐ c. Depth first search

☐ d. Breadth first search

QUESTION 43

Not yet answered

Marked out of 1.00

Flag question

How do you write "Hello World" in an alert box?

☐ a. alertBox("Hello World");

☐ b. msgBox("Hello World");

☐ c. alert("Hello World");

☐ d. msg("Hello World");

Time left 2:21:04

?

21°C Mostly sunny

Search

10:56 AM 5/23/2024

Announcements

QUESTION 44

Not yet answered

Marked out of 1.00

Flag question

▼ Topic 1

▼ Topic 2

▼ Topic 3

▼ Topic 4

QUESTION 45

Not yet answered

Marked out of 1.00

Flag question

[Previous page](#)

Time left 2:21:01

- ☐ c. `alert("Hello World");`
- ☐ d. `msg("Hello World");`

If relation R has 5 tuples and relation S has also 7 tuples, then Cartesian product of R and S will have

- ☐ a. 5/7 tuples
- ☐ b. 7-5 tuples
- ☐ c. 5X7 tuples
- ☐ d. 5+7 tuples

The number of comparisons done by sequential search is _____

- ☐ a. $(N/2)+1$
- ☐ b. $(N-1)/2$
- ☐ c. $(N-2)/2$
- ☐ d. $(N+1)/2$

Next page



Marked out of 1.00


What is a mechanism for enforcing limits on access to a resource in an environment where there are many threads of execution?

- ☐ a. Locking
- ☐ b. Concurrency control
- ☐ c. Transaction
- ☐ d. Time stamping



An Active Directory container used to organize a network's users and resources into logical administrative units?

- ☐ a. Container object
- ☐ b. Organizational Units
- ☐ c. Users Units
- ☐ d. Leaf object



How can you open a link in a new tab/browser window?

- ☐ a. `<a href="url" new>`
- ☐ b. `<a href="url" target="_blank">`
- ☐ c. `<a href="url" target="new">`
- ☐ d. `<a href="url">new tab</a>`



- ☐ a. `<a href="url" new>`
- ☐ b. `<a href="url" target="_blank">`
- ☐ c. `<a href="url" target="new">`
- ☐ d. `<a href="url">new tab</a>`

Announcements

- Computer Science Model Exam

▼ Topic 1

▼ Topic 2

▼ Topic 3

▼ Topic 4

QUESTION 49

Not yet answered

Marked out of 1.00

 Flag question

The data structure required for Breadth First Traversal on a graph is?

- ☐ a. Array
- ☐ b. Stack
- ☐ c. Queue
- ☐ d. Tree

QUESTION 50

Not yet answered

Marked out of 1.00

Flag question

If a problem can be broken into sub problems which are reused several times, the problem possesses _____ property.

- ☐ a. Overlapping subproblems
- ☐ b. Greedy
- ☐ c. Optimal substructure
- ☐ d. Memoization

[Previous page](#)

Next page

▼ Topic 4

Flag question

- ☐ a. Deep learning
- ☐ b. Robotics
- ☐ c. Artificial intelligence
- ☐ d. Machine Learning





Announcements

QUESTION 54

Not yet answered

Marked out of 1.00

Flag question

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

- ☐ a. Deep learning
- ☐ b. Robotics
- ☐ c. Artificial intelligence
- ☐ d. Machine Learning

Time left 2:13:12

QUESTION 54

Not yet answered

Marked out of 1.00

Flag question

If You need to produce a report for mailing labels for customers, the mailing label must have only the customer name and address. The CUSTOMERS table has these columns, ID , NAME, ADDRESS, PHONE, the SELECT statement to accomplishes this task is ?

- ☐ a. SELECT*FROM customers;
- ☐ b. SELoooECT name,address FROM customers;
- ☐ c. SELECT cust_name,cust_address FROM customers;
- ☐ d. SELECT id, name, address, phone FROM customers;

QUESTION 55

Not yet answered

Marked out of 1.00

Flag question

How do change the PRICE of BOOK whose id =B001 to value of 600 ?

- ☐ a. UPDATE TO CHANGE BOOK SET PRICE =600 Where ID ='Boot';
- ☐ b. UPDATE BOOK SET PRICE =600 Where ID ='Boot';
- ☐ c. GRANT BOOK SET PRICE =600 Where ID ='Boot';
- ☐ d. CHANGE BOOK SET PRICE =600 Where ID ='Boot';

[Previous page](#)

Next page

Computer Science Model Exam

Not secure 197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=11

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 56

Not yet answered

Marked out of 1.00

Flag question

QUESTION 57

Not yet answered

Marked out of 1.00

Flag question

QUESTION 58

Not yet answered

Marked out of 1.00

Flag question

What is the error of the following for loop? for (int i=10; i > 0; i) cout << "" << i;

Time left 2:07:35

<

☐ a. Brace should be opened and must be closed before and after the cout statement

☐ b. The cout statement is empty string so that noting to display

☐ c. The for loop counter remain unchanged so that unable to loop

☐ d. Omission of semicolon after the end of the first line

Removal of transitivity property should be full filled in

☐ a. Fourth Normal form

☐ b. Second Normal form

☐ c. Third Normal form

☐ d. First Normal form

An algorithm design technique often used in problems that can be solved using a brute force approach is

☐ a. Divide and conquer

☐ b. Greedy technique

☐ c. Dynamic programming

☐ d. Backtracking

?

21°C
Mostly sunny

Search

11:09 AM
5/23/2024

Flag question

Time left 2:07:32

▼ General

Announcements

- Computer Science Model Exam

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

QUESTION 59

Not yet answered

Marked out of 1.00

Flag question

- ☐ b. Greedy technique
- ☐ c. Dynamic programming
- ☐ d. Backtracking

The equivalent infix expression and value for the postfix form $1\ 2 + 3^* 4\ 5^* -$ will be _____

- ☐ a. $1+2^*3-4^*5$ and -13
☐ b. $(1+2)^*3-(4^*5)$ and -11
☐ c. $1+2^*(3-4)^*5$ and -11
☐ d. $(2+1)^*(3-4)^*5$ and 13

QUESTION 60

Not yet answered

Marked out of 1.00

Flag question

Which sorting algorithm is frequently used when n is small where n is total number of elements.

- ☐ a. Heap
- ☐ b. Bubble
- ☐ c. Insertion
- ☐ d. Quick

[Previous page](#)

Next page

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=12

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 61

Not yet answered

Marked out of 1.00

Flag question

What is the Class of the IP Address 132.21.34.78?

☐ a. Class D

☐ b. Class A

☐ c. Class C

☐ d. Class B

QUESTION 62

Not yet answered

Marked out of 1.00

Flag question

If a problem can be solved by combining optimal solutions to non-overlapping problems, the strategy is called _____

☐ a. Divide and conquer

☐ b. Greedy

☐ c. Recursion

☐ d. Dynamic programming

QUESTION 63

Not yet answered

Marked out of 1.00

Flag question

How many languages are over the alphabet R?

☐ a. uncountable infinite

☐ b. countably finite

☐ c. uncountable finite

☐ d. countably infinite

Time left 2:00:00

?

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=12#

21°C
Mostly sunny

Search

11:17 AM
5/23/2024

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=12

Guest

Home Dashboard My courses

TS

✕

General

Announcements

Computer Science Model Exam

Topic 1

Topic 2

Topic 3

Topic 4

QUESTION 64

Not yet answered

Marked out of 1.00

Flag question

QUESTION 65

Not yet answered

Marked out of 1.00

Flag question

Previous page

Time left 1:59:57

☐ a. uncountable infinite

☐ b. countably finite

☐ c. uncountable finite

☐ d. countably infinite

A technique that was developed to determine whether a machine could or could not demonstrate the artificial intelligence is known as the__

☐ a. Logarithm

☐ b. Turing Test

☐ c. Boolean Algebra

☐ d. Algorithm

Algorithms must terminate after a finite number of steps; This characteristics is called_____

☐ a. Finiteness

☐ b. Unambiguous

☐ c. Independent

☐ d. Feasibility

Next page

?

21°C
Mostly sunny

Search

11:17 AM
5/23/2024

▼ General

Announcements

- Computer Science Model Exam

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

QUESTION 66

Not yet answered

Marked out of 1.00

Flag question

A symbolic name for memory location in which data can be stored and subsequently recalled is called ____.

- ☐ a. Literals
- ☐ b. Variable
- ☐ c. Reserved words
- ☐ d. Keyword

Time left 1:57:48

QUESTION 67

Not yet answered

Marked out of 1.00

Flag question

An information system that processes sensitive information is configured to require a valid userid and strong password from any user. This process of accepting and validating this information is known as_____

- ☐ a. Strong authentication
- ☐ b. Authentication
- ☐ c. Single sign-on
- ☐ d. Two-factor authentication

QUESTION 68

Not yet answered

Marked out of 1.00

Flag question

Searching in a state space by agent involves the following except

- ☐ a. Expanding the child node of the current node
- ☐ b. Searching down the search space until it finds the goal node
- ☐ c. Making goal test on every current node
- ☐ d. Revisiting the previous explored nodes

Computer Science Model Exam

Not secure 197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=13

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 68

Not yet answered

Marked out of 1.00

Flag question

QUESTION 69

Not yet answered

Marked out of 1.00

Flag question

QUESTION 70

Not yet answered

Marked out of 1.00

Flag question

Searching in a state space by agent involves the following except

☐ a. Expanding the child node of the current node

☐ b. Searching down the search space until it finds the goal node

☐ c. Making goal test on every current node

☐ d. Revisiting the previous explored nodes

Identify the incorrect statement from the following

☐ a. Implementing a linked list is more complex than implementing an array

☐ b. Linked lists use memory more efficiently than arrays

☐ c. Linked lists provide random access to elements like arrays

☐ d. Linked lists require extra memory compared to arrays

What is the correct HTML for creating a hyperlink?

☐ a. Google.com

☐ b. Google.com

☐ c. <a>http://www.google.com

☐ d. Google

Time left 1:57:46

?

21°C Mostly sunny

Search

11:19 AM 5/23/2024

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=14

Guest

Home Dashboard My courses

TS

Computer Science Model Exam

Topic 1

Topic 2

Topic 3

Topic 4

QUESTION 71

Not yet answered

Marked out of 1.00

Flag question

An organization wants to prevent SQL and script injection attacks on its Internet web application. The organization should implement a/an ____

☐ a. Firewall

☐ b. Intrusion detection system

☐ c. Application firewall

☐ d. SSL certificate

QUESTION 72

Not yet answered

Marked out of 1.00

Flag question

DFA Transition function can be defined as ____.

☐ a. $\delta: Q \times \Sigma \rightarrow F$

☐ b. $W: Q \times \Sigma \rightarrow Q$

☐ c. $\delta: Q \times \Sigma \rightarrow W$

☐ d. $\delta: Q \times \Sigma \rightarrow Q$

QUESTION 73

Not yet answered

Marked out of 1.00

Flag question

You have a DNS server that contains corrupt information. You fix the problem with the DNS server, but one of your users is complaining that they are still unable to access Internet resources. You verify that everything works on another computer on the same subnet. Which command can you use to fix the problem?

☐ a. PING /flush

☐ b. GROPE /flushdns

☐ c. IPCONFIG /flush

☐ d. IPCONFIG /flushdns

Time left 1:50:54

?

21°C
Mostly sunny

Search

11:26 AM
5/23/2024

Announcements

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

Not yet answered

Marked out of 1.00

Flag question

You have a DNS server that contains corrupt information. You fix the problem with the DNS server, but one of your users is complaining that they are unable to access Internet resources. You verify that everything works on another computer on the same subnet. Which command can you use to fix the problem?

- ☐ a. PING /flush
- ☐ b. GROPE /flushdns
- ☐ c. IPCONFIG /flush
- ☐ d. IPCONFIG /flushdns

Time left 1:50:51

Not yet answered

Marked out of 1.00

Flag question

When a class must not be inherited, it must be declared using the _____ keyword.

- ☐ a. This
- ☐ b. Final
- ☐ c. abstract
- ☐ d. Super

Not yet answered

Marked out of 1.00

Flag question

While checking normalization process, the problem that doesn't exist on transitive dependency is

- ☐ a. Insertion Anomaly
- ☐ b. Deletion Anomaly
- ☐ c. Revoke Anomaly
- ☐ d. Modification Anomaly

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=15

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 76

Not yet answered

Marked out of 1.00

Flag question

The Application Layer Protocol that dynamically assigns IP addresses to hosts is called_____

☐ a. HTTP

☐ b. DHCP

☐ c. SMTP

☐ d. SNMP

QUESTION 77

Not yet answered

Marked out of 1.00

Flag question

One of the following is the Default Mask of Class B)

☐ a. 255.0.0.0

☐ b. 255.255.0.0

☐ c. 255.248.0.0

☐ d. 255.255.255.0

QUESTION 78

Not yet answered

Marked out of 1.00

Flag question

One of the following is correct about transmission mode.

☐ a. Data can be transmitted in both directions simultaneous in half duplex.

☐ b. Data is transmitted in both directions alternatively in full duplex.

☐ c. Telephone communication is a typical example of full duplex.

☐ d. In simplex mode, data transmitted from the source to the receiver in both directions.

Time left 1:46:54

?

21°C
Mostly sunny

Search

11:30 AM
5/23/2024

Time left 1:46:50

QUESTION 78

Not yet answered

Marked out of 1.00

Flag question

One of the following is correct about transmission mode.

- ☐ a. Data can be transmitted in both directions simultaneously in half duplex.
- ☐ b. Data is transmitted in both directions alternatively in full duplex.
- ☐ c. Telephone communication is a typical example of full duplex.
- ☐ d. In simplex mode, data transmitted from the source to the receiver in both directions.

QUESTION 79

Not yet answered

Marked out of 1.00

Flag question

A set of rules and statistical techniques used to learn patterns from data and draw significant information is _____.

- ☐ a. Model
- ☐ b. Algorithm
- ☐ c. Predictor variable
- ☐ d. Response Variable

QUESTION 80

Not yet answered

Marked out of 1.00

Flag question

In html, which attribute is used to specify that an input field must be filled out?

- ☐ a. placeholder
- ☐ b. form validate
- ☐ c. required
- ☐ d. validate

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=16

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 81

Not yet answered

Marked out of 1.00

Flag question

The recognizer to syntax analysis is ____

☐ a. deterministic push down automata

☐ b. Non-deterministic finite automata

☐ c. non-deterministic pushdown automat

☐ d. Deterministic finite automata

QUESTION 82

Not yet answered

Marked out of 1.00

Flag question

The output of lexical analyzer is

☐ a. A set of tokens

☐ b. set of regular expressions

☐ c. Syntax tree

☐ d. Strings of characters

QUESTION 83

Not yet answered

Marked out of 1.00

Flag question

From the following, which one is not the role of lexical analyzer?

☐ a. stripping out blanks, tabs, new lines

☐ b. produce as output a sequence of tokens

☐ c. group them into syntax tree

☐ d. to read a stream of tokens from the source program

Time left 1:42:55

?

21°C
Mostly sunny

Search

11:34 AM

5/23/2024

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=16

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 83

Not yet answered

Marked out of 1.00

Flag question

From the following, which one is not the role of lexical analyzer?

☐ a. stripping out blanks, tabs, new lines

☐ b. produce as output a sequence of tokens

☐ c. group them into syntax tree

☐ d. to read a stream of tokens from the source program

QUESTION 84

Not yet answered

Marked out of 1.00

Flag question

Which one of the following does not show non-functional requirement of software systems?

☐ a. Memory requirement

☐ b. Reliability

☐ c. Response time

☐ d. Displaying information

QUESTION 85

Not yet answered

Marked out of 1.00

Flag question

Identify which a combinational logic circuit which sends data from a single source to two or more separate destinations?

☐ a. Demultiplexer

☐ b. Decoder

☐ c. Encoder

☐ d. Multiplexer

Time left 1:42:52

?

21°C Mostly sunny

Search

11:34 AM 5/23/2024

Announcements

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

Not yet answered

Marked out of 1.00

Flag question

What is the preferred way for adding a background color in HTML?

- ☐ a. <body style="background-color: yellow">
- ☐ b. <body background="yellow">
- ☐ c. <background>yellow</background>
- ☐ d. <background color="yellow">text<background>

Not yet answered

Marked out of 1.00

Flag question

Combinational logic circuit which converts binary information from n coded inputs to a maximum of 2^n unique outputs is termed as _____

- ☐ a. Demultiplexer
- ☐ b. Encoder
- ☐ c. Decoder
- ☐ d. Multiplexer

Not yet answered

Marked out of 1.00

Flag question

Segmentation of a data stream happens at which layer of the OSI model?

- ☐ a. Transport
- ☐ b. Physical
- ☐ c. Network
- ☐ d. Data Link

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=17

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 88

Not yet answered

Marked out of 1.00

Flag question

QUESTION 89

Not yet answered

Marked out of 1.00

Flag question

QUESTION 90

Not yet answered

Marked out of 1.00

Flag question

Segmentation of a data stream happens at which layer of the OSI model?

☐ a. Transport

☐ b. Physical

☐ c. Network

☐ d. Data Link

Time left 1:28:57

<

The science of encryption and decryption that encompasses two disciplines is:

☐ a. Cryptography

☐ b. Steganography

☐ c. Cryptanalysis

☐ d. Cryptology

Which statement is false?

☐ a. PHP can generate dynamic page content.

☐ b. When using the POST method, variables are displayed in the URL.

☐ c. if statement is used to execute some code only if a specified condition is true.

☐ d. PHP scripts are executed on the server.

?

21°C
Mostly sunny

Search

11:48 AM
5/23/2024

▼ General

Announcements

- Computer Science Model Exam

▼ Topic1

▼ Topic 2

▼ Topic 3

▼ Topic 4

QUESTION 91

Not yet answered

Marked out of 1.00

Flag question

The sequence of computational steps to solve a problem is called _____

- ☐ a. Information
- ☐ b. Data Processing
- ☐ c. Data Structure
- ☐ d. Algorithms

Time left 1:26:18

QUESTION 92

Not yet answered

Marked out of 1.00

Flag question

In C++ programming, assume that the value of the variable A is 0 and the value of the variable B is 10. Which one of the following alternatives is false?

- ☐ a. $(A = 0) \&\& (B < 20)$
- ☐ b. $(B == 10) || (x < y)$
- ☐ c. $(A > 10) \&\& (x < y)$
- ☐ d. $(A > 20) || (B > 5)$

QUESTION 93

Not yet answered

Marked out of 1.00

Flag question

How is generalization implemented in Object-Oriented software engineering?

- ☐ a. Encapsulation
- ☐ b. Inheritance
- ☐ c. Abstract Classes
- ☐ d. Polymorphism

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=18

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 93

Not yet answered

Marked out of 1.00

Flag question

QUESTION 94

Not yet answered

Marked out of 1.00

Flag question

QUESTION 95

Not yet answered

Marked out of 1.00

Flag question

How is generalization implemented in Object-Oriented software engineering?

☐ a. Encapsulation

☐ b. Inheritance

☐ c. Abstract Classes

☐ d. Polymorphism

What does these code possibly refers to<link rel="stylesheet" href="styles.css"> ?

☐ a. Defines a new CSS by the name styles

☐ b. Calls an external style sheet called styles

☐ c. Calls an internal style sheet called styles

☐ d. Defines an inline CSS by the name styles

How do you define a transition function of NFA?

☐ a. $\delta: Q \times \Sigma \rightarrow FQ$

☐ b. $\delta: Q \times \Sigma \rightarrow 2Q$

☐ c. $\delta: Q \times \Sigma \rightarrow 4Q$

☐ d. $\delta: Q \times \Sigma \rightarrow 3Q$

Time left 1:26:16

?

21°C Mostly sunny

Search

11:50 AM 5/23/2024

Announcements

▼ Topic 1

▼ Topic 2

▼ Topic 3

▼ Topic 4

Flag question

- ☐ a. To turn off
- ☐ b. Install the program
- ☐ c. To scan
- ☐ d. Restarting computer

Flag question

- ☐ a. For loop
- ☐ b. While loop
- ☐ c. Do...while loop
- ☐ d. Switch

Flag question

- ☐ a. Logical link control
- ☐ b. Hardware Addressing
- ☐ c. Media access control
- ☐ d. Network Addressing

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=19

Guest

Home Dashboard My courses

TS

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 99

Not yet answered

Marked out of 1.00

Flag question

QUESTION 100

Not yet answered

Marked out of 1.00

Flag question

Previous page

Next page

Time left 1:23:02

Identify the technique that is not used to describe syntax analysis

☐ a. Pattern matching

☐ b. Context-free grammar

☐ c. Parsing algorithm

☐ d. Error detection

If you plan a software test to be done by clients to demonstrate that the system satisfies their requirements, which phase of software testing is appropriate?

☐ a. Integration testing

☐ b. System testing

☐ c. Acceptance testing

☐ d. Unit testing

21°C

Mostly sunny

Search

11:54 AM

5/23/2024

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=20

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION101

Not yet answered

Marked out of 1.00

Flag question

In order to get the information stored in a binary search tree in the descending order, one should traverse it in which of the following order?

☐ a. Right, left, parent

☐ b. Right, parent, left

☐ c. Left, parent, right

☐ d. Parent, left, right

QUESTION102

Not yet answered

Marked out of 1.00

Flag question

A database management system (DBMS) has _____ to control locks.

☐ a. Lock Manager

☐ b. Lock Table

☐ c. Query Optimizer

☐ d. Query Processor

QUESTION103

Not yet answered

Marked out of 1.00

Flag question

In a system, there are several processes running in parallel. These processes are accessing the same data set and the outcome of the execution depends on the particular order in which the access takes place. What describes this situation best?

☐ a. Deadlock

☐ b. Race condition

☐ c. Starvation

☐ d. Synchronization

Time left 1:14:51

?

21°C
Mostly sunny

Search

12:02 PM

5/23/2024



Flag question

- ☐ a. Deadlock
- ☐ b. Race condition
- ☒ c. Starvation
- ☐ d. Synchronization

Flag question

- ☐ a. Supervised learning
- ☐ b. Innate learning
- ☐ c. Semi-supervised learning
- ☐ d. Unsupervised learning

Flag question

- ☐ a. Complete
- ☐ b. Intractable
- ☐ c. Tractable
- ☐ d. Decision

▼ Topic 4

Flag question

- ☐ a. segmentation
- ☐ b. Internal fragmentation
- ☐ c. paging
- ☐ d. External fragmentation

Flag question

- ☐ a. HTTP
- ☐ b. DNS
- ☐ c. TCP
- ☐ d. Telnet

Flag question

- ☐ a. It works on all popular computer operating systems
- ☐ b. It uses an encryption key that can be released to the public
- ☐ c. It is the world standard for HTTPS
- ☐ d. The encryption algorithms reside in the public domain

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=21

Guest

HomeDashboardMy courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION108

Not yet answered

Marked out of 1.00

Flag question

Public key cryptography is so-named because_____

☐ a. It works on all popular computer operating systems

☐ b. It uses an encryption key that can be released to the public

☐ c. It is the world standard for HTTPS

☐ d. The encryption algorithms reside in the public domain

QUESTION109

Not yet answered

Marked out of 1.00

Flag question

All of the following can represent intermediate code except_____

☐ a. Quadruples

☐ b. Three address code

☐ c. Syntax tree

☐ d. lexemes

QUESTION110

Not yet answered

Marked out of 1.00

Flag question

A sequence of steps that replacement of structure names by choices on the right-hand side of grammar rules is ____

☐ a. precedence

☐ b. Parsing

☐ c. Derivation

☐ d. association

Time left 1:11:02

?

Previous page

Next page

21°C
Mostly sunny

Search

12:06 PM
5/23/2024

Computer Science Model Exam

Not secure 197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=22

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 111

Not yet answered

Marked out of 1.00

Flag question

The measure of the longest amount of time possibly taken to complete an algorithm is expressed as ____.

☐ a. Little-O

☐ b. Big-O

☐ c. ig-Omega

☐ d. Little-Omega

QUESTION 112

Not yet answered

Marked out of 1.00

Flag question

One of the following cannot be resolved by concurrency control techniques; identify which ?

☐ a. Write-Read conflict

☐ b. Write-Write conflict

☐ c. Read-Write conflict

☐ d. Read-Read conflict

QUESTION 113

Not yet answered

Marked out of 1.00

Flag question

How do you create a function in JavaScript?

☐ a. function = myFunction()

☐ b. function myFunction()

☐ c. function:myFunction()

☐ d. function = myFunction

Time left 1:05:52

?

21°C Mostly sunny

Search

12:11 PM 5/23/2024

Computer Science Model Exam

Not secure 197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=22

Guest

Home Dashboard My courses

TS

×

General

Announcements

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 113

Not yet answered

Marked out of 1.00

Flag question

QUESTION 114

Not yet answered

Marked out of 1.00

Flag question

QUESTION 115

Not yet answered

Marked out of 1.00

Flag question

How do you create a function in JavaScript?

☐ a. function = myFunction()

☐ b. function myFunction()

☐ c. function:myFunction()

☐ d. function = myFunction

A function is said to be recursive function_____?

☐ a. If the main function calls another one function

☐ b. If the main function calls many functions

☐ c. If the function calls itself

☐ d. If the function calls another function2 & Function3

The Technique that converts Digital data to analogue signal is called ____

☐ a. Decoding

☐ b. Encoding

☐ c. Demodulation

☐ d. Modulation

Time left 1:05:49

?

21°C Mostly sunny

Search

12:11 PM 5/23/2024

Computer Science Model Exam

197.156.83.85/moodle/mod/quiz/attempt.php?attempt=9467&cmid=498&page=23

Guest

HomeDashboardMy courses

Computer Science Model Exam

Topic1

Topic2

Topic3

Topic4

QUESTION 116

Not yet answered

Marked out of 1.00

Flag question

Predict the output of following C++ program #include<iostream> using namespace std; union A { int a; unsigned int b; A() { a = 10; } unsigned int getb() {return b; } }; int main() { A obj; cout << obj.getb(); return 0; }

☐ a. Compiler Error: union can't have functions

☐ b. garbage value

☐ c. Compiler Error: can't access private members of A

☐ d. 10

QUESTION 117

Not yet answered

Marked out of 1.00

Flag question

A function is said to be recursive function_____?

☐ a. If the main function calls many functions

☐ b. If the function calls itself

☐ c. If the function calls another function2 & Function3

☐ d. If the main function calls another one function

Back

Time left 1:02:23

Previous page

Finish attempt?

21°C
Mostly sunny

Search

Task View

Microsoft Edge

File Explorer

Mail

Google Chrome

12:14 PM
5/23/2024