

Questions on Nutrition

- C 1. Which of the following is not true about nutrition?
 - a. It is the science of food dealing with health and disease
 - b. The process includes a range of nutrient metabolism
 - ☒ c. Refers to all edible foods or drinks All
 - d. A and B
- A 2. Which of the following anthropometric measurement is not sensitive to estimate body composition;
 - ☒ a. Height
 - b. Mid-upper arm circumference(MUAC)
 - c. Body mass index (BMI)
 - d. Skin fold thickness measurement
- ☒ 3. Which of the following statement is true about macronutrients?
 - a. All macronutrients have storage form in our body
 - b. The storage form of protein in the body is Amino Acid
 - c. The storage form carbohydrate is Pyruvic acid
 - d. Only fat is stored in the body ☒ None
- B 4. Visual examination of the eye may be useful in diagnosing:
 - ☒ a. Vitamin C deficiency
 - b. Retinol deficiency
 - c. Niacin deficiency
 - d. Vitamin D deficiency
 - e. All of the above
- A 5. A substance that can be converted into a vitamin is known as
 - ☒ a. precursor
 - b. Vitamin antagonist
 - c. Anti vitamin
 - d. a synthetic vitamin
 - e. vitamin synergy
- D 6. One of the following nutrition Index is used to track progress towards the first Millennium Development Goal
 - a. Weight-for-height
 - b. BMI
 - c. Height-for-age
 - d. None
 - ☒ e. Weight-for-age (underweight)
- A 7. Which of the following methods of evaluation of Nutritional indices is recommended by the World Health Organization because of its superior advantages?
 - ☒ a. Percentiles
 - b. Standard deviation scores
 - c. Gomez classification
 - d. Percent of the Median
 - e. Waterlow classification
- A 8. According to various national surveys, the most common form of under nutrition in Ethiopia tends to be:
 - ☒ a. Stunting
 - b. Marasums
 - c. Wasting
 - d. Underweight
 - e. All of the above
- C 9. One of the following statements is true about nutritional assessment:
 - ☒ a. Laboratory/biochemical methods identify the first (earliest) stage of nutritional deficiency
 - b. Nutrition screening methods are well suited to investigate causes of malnutrition

The twenty-four-hour recall method is useful for assessing usual intakes of a large population and could be used for international comparison.

d. One of the advantages of anthropometry is that it is relatively sensitive and can detect changes in nutritional status over short periods of time.

19. Which one of the following is false about anthropometric indices?
- a. Weight-for-Age (WFA) is best for monitoring growth in an individual.
 - b. Height-for-Age (HFA) is indicator of chronic malnutrition.
 - c. Weight-for-Height (WFH) is indicator of Acute malnutrition.
 - d. Body Mass Index is best for Pregnant women.
 - e. None.

Questions on reproductive health

11. One of the following is nowadays considered not an effective component of Antenatal Care

- a. Health education
- b. Birth preparedness
- c. Predicting major obstetric complications
- d. Complications readiness
- e. Screening for STIs

12. Which of the following indicators shows the greatest disparities among population groups?

- a. Neonatal mortality rate
- b. Maternal mortality ratio
- c. Child mortality rate
- d. Infant mortality rate
- e. none of the above

13. What proportion (%) of maternal deaths is due to direct causes?

- a. 20
- b. 80
- c. 90
- d. 40
- e. 35

14. The constellation of methods, techniques and services that contribute to reproductive health and well-being

- a. Reproductive health care
- b. Reproductive health
- c. Reproductive rights
- d. Enabling factor for reproductive health
- e. Maternal and child health

15. Which of the following is true about MDG?

- a. By 2015, CMR and MMR will be reduced by 3/4 and 2/3 respectively
- b. By 2015 CMR and MMR will be reduced by 2/3 and 3/4 respectively
- c. By 2015 both CMR and MMR will be reduced by 3/4
- d. The bench mark for MDG is 1990
- e. B and D are correct

16. Governments and Non-governmental Organizations (NGOs) including other stakeholders are currently emphasizing the need to focus on adolescents and adolescent health. One of the following is not among the main reasons for focusing on adolescent

- a. Adolescents have different needs from adults and need different intervention strategies
- b. Adolescents make 25% of the population in the world and these are the future adults who need care and special attention
- c. Adolescents are exposed to different risky and unfriendly environments during their stage of development and hence they need special attention from all stakeholders
- d. Adolescent health programs are rich and funds can easily be obtained for those stakeholders focusing on adolescents
- e. All of the above

17. Which of the following statement(s) is (are) true about adolescence and adolescent health problems?

- a. The major causes of adolescent sexual and reproductive health problems are early and unprotected sexual intercourse which end up in early and usually unwanted pregnancies
- b. Lack of knowledge on physiology of the reproductive system and human sexuality is one of the main reasons for adolescent sexual and reproductive health problems
- c. Unavailability and inaccessibility of youth-friendly health services and lack of knowledge on contraceptive use and methods contributes less to the occurrence of adolescent sexual and reproductive health problems

A and b are answers

- e. All of the above

18. Which of the following best describes the objective/s of Integrated Management of Childhood Illness?

- a. Reduce mortality associated with all causes of disease in under five children
- b. Reduce morbidity associated with all causes of disease in under five children
- c. Contribute to healthy growth and development of children
- d. All of the above
- e. None of the above

19. Which of the following can directly or indirectly influence the care provided to sick children?

- a. Delayed care seeking
- b. Decentralization of health services
- c. Complete examinations and counseling
- d. all except b
- e. None of the above

