

6. Which of the following is the salient feature of Bronchial Breath Sound ?
- A. intensity of inspiration and expiration phases is the same ✗
  - B. the duration of inspiratory and expiratory phases are the same
  - C. the expiratory phase is heard for a very brief duration ✗
  - ☒ D. there is a silent gap between inspiratory and expiratory phases
  - E. the expiratory phase is longer and harsher than the inspiratory phase.
7. ONE of the following features is not suggestive of inflammatory joint disease ?
- A. warmth and tenderness around the joint ✗
  - B. morning stiffness that disappears with activity
  - C. stiffness of the joints following a brief rest and the stiffness worsens with activity
  - D. systemic inflammatory response
  - E. pain and limitation of movement with active and passive maneuvers
8. Hyperpyrexia is
- A. a body temperature more than 38°C
  - B. an extreme elevation of body temperature like in heat stroke
  - C. an elevation in body temperature due to derangement of heat dissipating mechanisms in the body
  - D. not respondent to antipyretics
  - E. due to elevation of the hypothalamic set point for body temperature
9. the stool will not appear tarry in a person
- A. with massive nasal bleeding
  - B. taking ferrous sulfate
  - C. having a bleeding in the terminal ileum of the intestine
  - D. having bleeding from esophageal varicose veins
  - E. bleeding telangiectasia in the pylorus of the stomach
10. Per rectum examination should be differed in persons with \_\_\_\_\_ ?
- A. bleeding from ectopic pregnancy
  - B. acute myocardial infarction
  - C. sever anal fissure
  - D. rectal bleeding
  - E. B and C are answers

- B 11. Abebe had sustained severe car accident which caused paralysis of his two legs. He comes to hospital within 12 hours of after the accident. Which of the following neurologic findings indicates Abebe's paralysis is upper motor neuron type?
- A. sensory level at C8
  - B up going plantar reflex *Babinski's sign*
  - C. urine retention
  - D. Hypotonia
  - E. Answer is not given
- D 12. ALL of the following statements are correct EXCEPT
- A. the history of the present illness (HPI) should describe the evolution of the symptoms of the illness in chronologic order
  - B. in the chief complaint the duration of the symptom has to be mentioned
  - C. the HPI has to include positive and negative statements to support or refute a potential differential diagnosis
  - D details of family history are part of the HPI
  - E. when interviewing patients open ended questions are preferred to closed ended questions.
- D K 13. In a patient with cyanosis of the lips and tongue.....
- A. deoxyhemoglobine is more than 2g%
  - B. the patient is suffering from chronic renal disease
  - C. the patient may have left to right cardiac shunt
  - D the patient may have chronic obstructive lung disease
  - E. hemoglobin level is less than 10g%
- D 14. When measuring brachial artery blood pressure:
- A. inflate the cuff always up to 300 mmHg
  - B. the fourth Korotcoff sound marks the diastolic pressures
  - C. position the arm to a place below the level of the heart
  - D the first Korotcoff sound marks the systolic pressure ✓
  - E. the systolic pressure is equal to the pressure at a level where the radial Pulse disappears
- R K 15. NOT true about human body temperature is?
- A. body temperature is higher in the afternoon than in the morning
  - B rectal temperature is equal to oral temperature
  - C. rectal temperature is equivalent to the core body temperature
  - D. axillary temperature is lower than oral temperature
  - E. Hyperpyrexia is when body temperature exceeds more than 40°C

- D 16. A force full and downward and laterally displaced apical impulse is a finding suggestive of .....?
- A. right ventricular hypertrophy
  - B. massive pleural effusion in the right chest
  - C. pulmonary hypertension
  - D left ventricular hypertrophy
  - E. mitral stenosis

- B 17. ONE of the following is NOT helpful to identify the JVP.
- A. positive hepatojugular reflux
  - B palpable jugular vein pulsation
  - C. triple pulsation
  - D. elevation of venous column of blood during inspiration
  - E. its pulsation disappears with light compression

- A 18. Murphy's Sign is elicited by: *chondriac's*
- A palpating the RUQ of the patient while patient is breathing in deeply
  - B. deep auscultation at para umbilical area for renal artery bruit
  - C. fist percussion of the cost vertebral angle
  - D. deep palpation at McBurney point and sudden release of the pressure
  - E. Answer is not given

- J 19. The findings of the examination of the chest are:
- Inspection:* right chest is bulged and less expanding
- Palpation:* chest expansion in the right side is poor and trachea is shifted To the left
- Percussion:* Posterior, lateral and anterior lower two-third of the chests is dull

WHICH of the following are *less likely* findings during auscultation of the right chest?

- A. decreased or absent air entry in lower chest
- B. Bronchial breathe sound in the lower chest
- C. ego phony in the upper part of the chest
- D. Bronchial breath sound in the upper part of the chest
- E C and D

- B A 20. The following narration is taken from the conversation of a physician with his HIV positive patient.
- Patient: "I had a blast injury to my abdomen in 1982 EC," the patient
- Paused
- Doctor: Blast injury?
- Patient: Yes, while I was traveling to Assab in 1982 a landmine exploded the bus and I sustained sever blast injury to my liver and intestine. (pause)
- Doctor: OO...K!
- Patient: I was admitted to Assab Hospital where I had undergone three hours of intensive surgery. I was transfused with five units of whole blood. That is the story how I was loaded with HIV. My life was saved to suffer now with HIV.....

The interviewing techniques the doctor has utilized are?

- A. reassurance and clarification
- ☒ B. reflection and facilitation
- C. reflection and empathy
- D. facilitation and empathy
- E. reflection and summarization

Questions 21-23, Choose the physical finding that matches to the disease.

- A. hyper-resonance
- B. dullness
- C. Absent air entry
- D. A and C
- E. B and C

- E 21. massive pleural effusion
- B 22. Lobar pneumonia with patent bronchus
- A 23. pneumothorax
- E A 24. pneumonia with obstructed bronchus

Ques 25-29, Match the breath odors with possible causes

- A. fetid odor
- B. ammonical odor
- C. banana odor
- D. musty odor
- E. none

- C 25. Diabetic Ketoacidosis
- A 26. Lung abscess
- E D 27. Emphysema
- E 28. Bronchiectasis

- D 29. Which of the following physical findings is does not support the presence of a free fluid (Ascites) in the peritoneum?
- A. symmetrical distension abdomen
  - B. shifting of dullness
  - C. presence of fluid thrill
  - D tympanic note in the flanks
  - E. Central umbilicus

Ques 30-32 Match the following growths in the abdomen and the techniques for demonstrating possible area of their origin.

- A. Mass in abdominal wall
  - B. Mass from the intestine
  - C. Mass from the stomach
  - D. B & C
  - E. None of the above
- A 30. remains palpable when the patient raises head from bed
  - D 31. moves freely with respiration up and down
  - E 32. movable from side to side

- B 33. An elderly man had developed stroke. On examination he is in coma and has deviation of the angle of the mouth to the right side with flattening of nasolabial fold in the left. His left eye is partially closed. The finding is consistent with?
- A. left supranuclear facial nerve palsy
  - B left infranuclear facial nerve palsy
  - C. right supranuclear nerve palsy
  - D. right infranuclear nerve palsy
  - E. left pterygoid muscle weakness due to trigeminal palsy

- B 34. A 40 year old farmer from Sululta is brought to the emergency OPD due to diffuse abdominal pain of two days duration. During examination he had fast and shallow breathing. His abdomen was not moving with respiration. Which of the following findings would be expected in the abdominal examination?
- A. soft abdomen
  - B. rigid abdominal wall
  - C. rebound tenderness
  - D. A & C
  - E. B & C

- A 35. All the following signs are suggestive of meningitis EXCEPT
- ☒ A. Babiniski sign
  - B. Kernig's sign
  - C. Brudzinski sign
  - D. Neck stiffness
  - E. None of the above

- C 36. A 55 year old man comes due to chest pain over right mid axillary region of one day duration. The pain is aggravated by breathing. He has associated fever. He is tachypnic with no cyanosis and chest is expanding symmetrically. What is/are the most probable finding/s in the next steps of examination?
- A. absent tactile fremitus in the right axillary region
  - B. absent air entry in right axillary region
  - C. pleural friction rubs in right axillary region
  - D. stony dullness and absent air entry in right axillary region
  - E. hyper resonant note and absent air entry in right axillary region

- C 37. A patient gives history of recurrent epigastric and retrosternal burning pain that is worsened immediately during feeding and relived with antacid suspension. The most probable cause of the complaint is?
- A. cholecystitis
  - B. Duodenal ulcer
  - C. Gastroesophagitis
  - D. Achalasia
  - E. Acute pancreatitis

- A 38. Position dependent expectoration of putrid and copious sputum is a feature of \_\_\_\_\_?
- A. Lung Abscess
  - B. Chronic Bronchitis
  - C. Bronchial Asthma
  - D. Lobar pneumonia
  - E. Emphysema
- D 39. Which of the following auscultatory findings is detected best using the BELL of the Stethoscope?
- A. Bronchial Breath Sound
  - B. Systolic murmur of Aortic regurgitation
  - C. S2 Heart Sound
  - D. S4 Heart Sound
  - E. S1 Heart Sound
- B 40. The most logical and conventional sequence in doing physical examination is.....?
- A. Auscultation → Percussion → Palpation → Inspection
  - ☒ B. Inspection → Palpation → Percussion → Auscultation
  - C. Inspection → Percussion → Palpation → Auscultation
  - D. Inspection → Auscultation → Palpation → percussion
  - E. Palpation → Percussion → Inspection → Auscultation
- C 41. A 35 year old woman has a dilated and non-reactive right pupil. Which of the following are most probable additional findings in the right side of face and eye?
- A. laterally deviated right eye
  - B. inability to frown
  - ☒ C. dropping of the right eyelid
  - D. inability to close right eye
  - E. Answer is not given
- D 42. A patient who is having periods of deep breathing alternating with periods of apnea is having \_\_\_\_\_ type of breathing.
- A. Ataxic
  - B. Kussmaul
  - C. Biot's
  - ☒ D. Cheyne-Stokes
  - E. Apneustic

43. Bimanual palpation is commonly employed in the examination of
- A. the spleen
  - B. the liver
  - ☒ C. the kidney
  - D. inguinal hernia
  - E. All except D are answers

44. True about Virchow's lymph nodes is/are .... ?
- A. they are located in the right supraclavicular area
  - B. they are accompanied by Cullen's sign
  - C. they are sign of disseminated tuberculosis
  - ☒ D. they are signs of stomach cancer
  - E. B and D are answers

45. One of the following findings may not be suggestive of malignancy in the breast tissue?
- ☒ A. a mass with well delineated margins
  - B. retraction of the skin
  - C. blood discharge from the nipple
  - D. a mass firm or hard in consistency
  - E. a mass fixed to pectoral muscle

46. Which if the following is NOT a sign of skin disease?
- A. telangiectasia
  - ☒ B. pruritis
  - C. pustule
  - D. Café au lait lesion
  - E. hypertrichosis

Ques 47-48: Match the following symptoms with the site of infections

- A. dysuria
- B. terminal hematuria
- C. frequency
- D. A and C
- E. None

47. Lower urinary tract infection

48. Pyelonephritis

49. In describing pain in the HPI, a student reported that "the patient has come due to sever colicky pain in the right flank since 4 hours ago that started suddenly when he was in his office". Mention the remaining attribute of pain that need to be described?

49A. Relieved by the pain PGAST

49B. Exacerbation is not ongoing

50. When reporting findings of motor examination of legs examination, A medical student reported as "The bulk is symmetrically normal. Hypertonic left leg, power of left leg 4/5 and that of right 5/5." Which additional information regarding motor system would you have inquired? Mention at least two attributes.

50A. bulk, tone, power

50B. reflex, abnormal motor  
(fasciculation)

colicky pain

que

1. The upper limit of normal pulse pressure of an adult person is:

- A. 100 mmHg
- B. 90 mmHg
- C. 80 mmHg
- D. 70 mmHg
- E. 60 mmHg

30 - 60 mm Hg

60-90  
40-60

2. while reporting a medical history of a patient in a bed side teaching, Dawit said that "the patient has Kussmaul Sign." Dawit is implying that

- A. The patient is having tachypnea
- B. The patient is having parasternal heave
- C. The JVP of the patient does not falling down with inspiration
- D. The patient is having cannon "a" wave.
- E. The patient is in sever distress

3. While reporting a medical history of a patient in a bed side teaching, Dawit said that his patient is sleepy and with sternal pressure he opens his eyes and moans but goes back into his sleep state. The mental state of the patient is:

- A. Sleepy but wakeful
- B. drowsy
- C. comatose
- D. stuporous
- E. vegetative state.

↓  
- alert  
- drowsy  
- stuporous  
- Comatose

4. Wide pulse pressure can be found in all of the following EXCEPT .....

- A. aortic stenosis
- B. sever anemia
- C. patent ductus areriosus (PDA)
- D. A-V fistula
- E. thyrotoxicosis

5. Which of the following CANNOT be considered as external stigmata of chronic liver disease?

- A. loss of axillary and pubic hair ✓
- B. jaundice ✓
- C. atrophy of the thenar eminence ✓
- D. Osler's nodules
- E. pallor of the nail beds ✓

infective endocarditis