

Test 1 questions....by abex

The tendon of which muscle passes through the tarsal tunnel and closest posteriorly to medial malleolus?

Select one:

- a. Flexor hallucis longus
- b. Peroneal tertius
- c. Flexor digitorum longus
- d. **Tibialis posterior**
- e. Tibialis anterior

Question 2

Apocrine sweat glands are:

Select one:

- a. Compound tubuloacinar
- b. Simple branched alveolar
- c. Simple branched alveolar
- d. **Simple coiled tubular**
- e. Compound tubular

Question 3

Which bony marking is used to distinguish the femoral hernia from the inguinal hernia?

Select one:

- a. pubic crest
- b. greater trochanter of femur
- c. **pubic tubercle**
- d. lesser trochanter of femur
- e. ischial spine

Housemaid's knee is an inflammation of which bursa?

Select one:

- a. semimembranosus
- b. suprapatellar
- c. anserinus
- d. prepatellar
- e. infrapatellar

Question 5

Injury to medial collateral ligament is likely to cause damage to which other component of the knee joint?

Select one:

- a. posterior cruciate ligament and medial meniscus
- b. anterior and posterior cruciate ligament
- c. medial meniscus and anterior cruciate ligament
- d. anterior cruciate ligament and lateral meniscus
- e. posterior cruciate ligament and lateral meniscus

Which of the following statements is correct about the cells of cartilage?

Select one:

- a. Chondroblasts have processes which communicate by gap junction with each other.
- b. Chondrocytes located peripherally are round, while those located deeper are oval.
- c. Chondroblasts are found in the lacunae.
- d. Chondrogenic cells can differentiate into chondroblasts as well as osteogenic cells
- e. Chondrocytes have eosinophilic cytoplasm .

Question 7

Which of the following limb defects are caused by constrictive action of amniotic bands?

Select one:

- a. Fused digits
- b. Amputation
- c. Polydactyl
- d. Cleft foot
- e. Phecomalia

Question 8

After a lesion of the tibial part of sciatic nerve, some active flexion may still be possible at the knee joint; the muscles responsible for this remaining flexion is:

Select one:

- a. Plantaris muscle
- b. short head of Biceps femoris
- c. Gastrocnemius muscle
- d. Popliteus muscle
- e. long head of Biceps femoris muscle

Question 9

Which statement is TRUE regarding the knee joint?

Select one:

- a. the anterior cruciate ligament is slacked when the knee joint extended and taut when it was flexed
- b. both the lateral and medial menisci have thick inner border
- c. the lateral meniscus is strongly attached to the lateral collateral ligament
- d. the posterior cruciate ligament that prevents posterior displacement of tibia
- e. C and D

Question 10

Which type of the following cells are located in the Hawship's lacuna?

Select one:

- a. Osteocyte
- b. Chondroblast
- c. Chondrocyte
- d. Osteoblasts
- e. Osteoclast

Which of the following is secreted from the lateral plate mesoderm to initiate limb growth?

Select one:

- a. Fibroblast Growth Factor-4 (FGF-4)
- b. Sonic hedgehog (SHH)
- c. Fibroblast Growth Factor-10 (FGF-10)
- d. Radical fringe
- e. Bone Morphogenesis Proteins

Question 12

All of the following embryonic tissues are origins of the skeletal system, EXCEPT:

Select one:

- a. Lateral plate mesoderm
- b. Somitomeres
- c. Neural crest
- d. Paraxial mesoderm
- e. Pharyngeal pouch

Question 13

The common fibular nerve can be palpated in which region of the knee?

Select one:

- a. as it crosses the lateral condyle of tibia

- b. as it winds around the medial side of the neck of fibula
- c. as it winds around the lateral side of the neck of fibula
- d. as it passes around the medial condyle of tibia
- e. as it passes forward between the tibia and fibula

Question 14

The sarcoplasmic reticulum of skeletal muscle cells are made by:

Select one:

- a. Pinosomes.
- b. Rough endoplasmic reticulum.
- c. Golgi apparatus
- d. Smooth endoplasmic reticulum.
- e. Polyribosomes

Question 15

Which of the following birth defects shows short neck, low hairline and restriction of neck movements?

Select one:

- a. Hemi-vertebra
- b. Spina bifida occulta
- c. Klippel-Feil Syndrome
- d. Scolosis
- e. Spina-bifida cystica

Which of the following birth defects is a result of Cranioschisis?

Select one:

- a. Anecephaly
- b. Achondroplasia

- c. Acrocephaly
- d. Plagiocephaly
- e. Scaphlocephaly

Question 17

Which of the following muscles is derived from paraxial mesoderm?

Select one:

- a. Cardiac muscle
- b. Pupillary muscle
- c. **Skeletal muscle**
- d. Smooth muscle
- e. Mammary gland muscle

Question 18

Which of the following nerves is formed by a combination of the dorsal segmental branches of spinal nerves?

Select one:

- a. Ulnar
- b. Musculocutaneous
- c. **Radial**
- d. Median
- e. Tibial

Question 19

Which of the following somitomeres is an origin for jaw closing muscles?

Select one:

- a. 1
- b. **4**
- c. 6

d. 7

e. 3

Question 20

Incorrect statement regarding the epimeric musculature,

Select one:

- a. Supplied by dorsal primary rami nerves
- b. Forms the back musculature
- c. Expresses muscle specific gene MYO-D
- d. Involves muscle specific gene MYF5
- e. Migration of dorsomedial cells of somites

All of the following structures are passed through the greater sciatic foramen below piriformis muscle EXCEPT:

Select one:

- a. superior gluteal nerve
- b. inferior gluteal vessels
- c. posterior cutaneous nerve of thigh
- d. sciatic nerve
- e. inferior gluteal nerve

Question 22

Which of the following bones is formed by membranous ossification?

Select one:

- a. Chordal neurocranium
- b. Viscerocranium
- c. Cranial vault

- d. Prechordal neurocranium
- e. Cranial base

Lymph from the skin of big toe and medial side of foot drains directly into:

Select one:

- a. external inguinal lymph node
- b. vertical group of superficial inguinal lymph nodes
- c. horizontal group of superficial inguinal lymph nodes
- d. popliteal lymph nodes
- e. internal iliac lymph nodes

Question 24

The chief arterial blood supply for femoral head in children is:

Select one:

- a. lateral circumflex femoral artery
- b. artery to head of femur
- c. perforating arteries
- d. popliteal artery
- e. medial circumflex femoral artery

Anterior thigh muscles are mainly ___ at knee joint

Select one:

- a. rotator
- b. adductor
- c. extensor
- d. flexor

e. abductor

Which of the following statements is not correct regarding to the bone?

Select one:

- a. Spongy bone contains marrow spaces.
- b. Compact bone has outer and inner circumferential laminae known as the Haversian system.
- c. Cell bodies of the osteocytes are found within lacunae.
- d. Canaliculi do not cross cement lines.
- e. Resting osteoblasts form bone lining cells.

Question 27

All of the following syndromes can result midfacial defects, except:

Select one:

- a. Pfeiffer
- b. Crouzon
- c. Apert
- d. Cranioschisis
- e. Achondroplasia

Question 28

The sciatic nerve arises from which of the following segment of spinal cord?

Select one:

- a. L5, S1, S2 and S3
- b. L4, L5, S1 and S2
- c. L2 and L3
- d. L2, L3 and L4
- e. L4, L5, S1, S2 and S3

Question 29

Concerning the sarcomere of skeletal muscle fibers, which statement is true?

Select one:

- a. The Z lines bisect the A bands.
- b. The M lines bisect the H bands.
- c. The I bands represent the dark lines as seen under light microscope.
- d. The diameters of A bands decrease when muscles contract.
- e. It is the region between successive M lines.

Question 30

A newly deposited uncalcified bone matrix is known as:

Select one:

- a. Perosteoid
- b. Cancellous bone
- c. Osteon
- d. Haversian system
- e. Osteoid

Outer coat of hair follicle is:

Select one:

- a. Absent from fine hairs.
- b. Equivalent to the most inner layer of epidermis.
- c. Made by dead cells known as cuticle.
- d. Made by connective tissue continuous with the dermis.
- e. Equivalent to stratum corneum.

Question 32

All of the following are found in the second layer of foot EXCEPT?

Select one:

- a. tendon of flexor hallucis longus
- b. tendon of flexor digitorum longus
- c. adductor hallucis
- d. quadratus plantae
- e. lumbricals

Question 33

Which of the following bones arises from the ventral portion of the first pharyngeal arch?

Select one:

- a. Maxilla
- b. Temporal
- c. Mandible
- d. Temporal
- e. Zygomatic

Question 34

Which statement is FALSE regarding femoral triangle?

Select one:

- a. femoral nerve is a content within a femoral sheath
- b. the lateral border of femoral triangle is formed by sartorius muscle
- c. the contents of femoral triangle from lateral to medial are femoral nerve, artery, vein and canal
- d. femoral ring is the proximal opening in the femoral canal
- e. the superior border of femoral triangle is formed by inguinal ligament

Question 35

Which of the following disorders is caused by a loss of melanocytes?

Select one:

- a. Piebaldism
- b. Albinism
- c. Occulocutaneous albinism
- d. Vitilgo
- e. Waardenburg syndrome

Which of the following cell attachments are normally found along the longitudinal segments of the intercalated discs of the cardiac muscle?

Select one:

- a. Gap junctions
- b. Zonula adherens
- c. Hemidesmosomes
- d. Macula adherens
- e. Zonula occludens

Question 37

True statement regarding the adductor canal and hiatus:

Select one:

- a. the posterior border of adductor canal is formed by adductor longus and magnus
- b. the medial border of adductor canal is formed by vastus medialis muscle
- c. saphenous nerve passes through the adductor hiatus
- d. the adductor hiatus is a space within adductor longus muscle
- e. the lateral border of adductor canal is formed by sartorius muscle

Question 38

All the following arteries are involved in cruciate anastomosis EXCEPT:

Select one:

- a. Superior gluteal artery
- b. Lateral circumflex femoral artery
- c. Inferior gluteal artery
- d. First perforating artery
- e. Medial circumflex femoral artery

Question 39

Which of the following forms nucleus pulposus of the intervertebral disc?

Select one:

- a. Costal processes
- b. Mesenchymal centrum
- c. Neural arch
- d. Cranial sclerotome
- e. Notochord

Question 40

With regard to cartilage, which statement is false?

Select one:

- a. Fibrocartilage is present in regions subjected to high tension.
- b. Hyaline cartilage is characterized by an amorphous glassy matrix.
- c. Elastic cartilage is similar to hyaline cartilage except the abundant elastic fibres it contains.
- d. Fibrocartilage has thick bundles of collagen fibres in the matrix.
- e. Fibrocartilage is used for endochondral bone ossification

Melanocytes are located in which layer of the epidermis?

Select one:

- a. Stratum spinosum
- b. **Stratum basale**
- c. Stratum lucidum
- d. Stratum corneum
- e. Stratum granulosum

Question 42

Endochondral bone ossification includes the following, except:

Select one:

- a. **Chondrocytes changing to osteocytes.**
- b. Proliferation of cartilage cells.
- c. Calcification of the cartilage matrix.
- d. Interruption of diffusion to the cartilage at the area of primary ossification.
- e. A cartilage model.

Question 43

Which femoral bony landmark represents the anterior attachment of the hip joint capsule?

Select one:

- a. intertrochanteric crest
- b. linea aspera
- c. **intertrochanteric line**
- d. pectineal line
- e. gluteal tuberosity

Question 44

Region of the sarcomer containing only the thin myofilaments is represented by:

Select one:

- a. Z disc
- b. A bands
- c. M lines
- d. H bands
- e. I bands

Question 45

Which of the following structures induces proliferation of cells in the progress zone of the developing limb?

Select one:

- a. Paraxial mesoderm
- b. Apical ectodermal ridge
- c. Neural crest cells
- d. Intermediate mesoderm
- e. Lateral plate mesoderm

Which of the following lies on the ventromedial position of the somites?

Select one:

- a. Sclerotome
- b. Intermediate mesoderm
- c. Dermomytome
- d. Myotome
- e. Endoderm

Question 47

Which type of cells act as antigen presenting cells in the epidermis?

Select one:

- a. Mast cell
- b. Langerhan's cells
- c. Keratinocytes
- d. Merkel's cells
- e. Melanocytes

Question 48

Suppose you are sitting on the chair for your mid-exam, which bony landmark is support you while you are sitting?

Select one:

- a. pubic tubercle
- b. ischial tuberosity
- c. ischial spine
- d. iliac tuberosity
- e. iliac crest

Question 49

Which of the following fontanelles of the skull of a new born closes at about 3 months of age through membranous ossification?

Select one:

- a. Anterolateral
- b. Mastoid
- c. Posterior
- d. Anterior
- e. Posterolateral

Question 50

Which of the following muscles is formed from the hypoblasts of cervical hypomeres?

Select one:

- a. Erector spinae
- b. **Scalene**
- c. External intercostals
- d. Rectus abdominus
- e. Trapezius