

Selective alpha 2 agonist used to control intraocular pressure with minimal CNS effect

- ☒ a. Brimonidine
- ☐ b. Clonidine
- ☐ c. Guanabenz
- ☐ d. Guanfacine
- ☐ e. Apraclonidine

Question **2**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Incorrectly associated?

- ☐ a. Erythema Multiforme (EM) with *Mycoplasma pneumoniae* and herpes simplex
- ☒ b. Erysipelas with *S. pyogenes*
- ☐ c. Merkel cell carcinoma (MCC) with Polyoma virus
- ☐ d. Subacute sclerosing panencephalitis (SSPE) with mulluscum contagiosum virus.
- ☐ e. Lichen planus (LP) and Porphyria cutanea tarda with hepatitis C.

Question **3**

Complete

Mark 1.00 out of 1.00

☐ Flag question

A 32-year-old man comes to the physician because he has noticed a lump over his right flank. The lesion is excised and grossly it is circumscribed and has uniform yellow surface. Diagnosis of lipoma was made after histopathology. Which of the following is the best advice to give the patient regarding these findings?

- ☒ a. This mass is benign and will not recur
- ☐ b. Metastasis to regional lymph node is likely
- ☐ c. Antibiotic therapy will be needed
- ☐ d. Other members of the family should be examined for similar disease
- ☐ e. More lesions develop over time

Question **4**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Skeletal muscle metabolism during exercise:

- ☐ a. causes a sharp rise in blood ketone body concentration.
- ☐ b. uses only phosphocreatine in the anaerobic state.
- ☐ c. shifts from primarily glucose to primarily fatty acids as fuel during aerobic exercise.
- ☒ d. uses largely glycogen and phosphocreatine in the aerobic state.
- ☐ e. is the same in both aerobic and anaerobic exercise.

Question **5**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which of the following bacteria is the common pathogen found in otitis media?

- ☐ a. Viridans streptococcus
- ☐ b. *Streptococcus pneumoniae*
- ☐ c. *Streptococcus agalactiae*
- ☐ d. *Staphylococcus saprophyticus*
- ☒ e. *Streptococcus pyogenes*

Question **6**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which one of the following is the correct procedural order in preparing culture media?

1. Incubation at ambient temperature,
2. Inoculation of specimen,
3. Sterilization,
4. Weighing and dissolving ingredients in distilled/ deionized water,
5. pH checking and adjustment

- ☐ a. 1,2,3,4,5
- ☒ b. 2,3,4,5,1
- ☐ c. 4,5,3,2,1
- ☐ d. 3,4,2,1,5

Question **7**

Complete

Mark 0.00 out of

1.00

☐ Flag question

Which one of the following bones of the skull is formed by endochondral ossification?

- ☐ a. Maxillary bones
- ☐ b. Parietal bone
- ☐ c. Ethmoidal bone
- ☒ d. Squamous temporal bones
- ☐ e. Zygomatic bones

Question **8**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Branches of popliteal artery includes all of the following except?

- ☐ a. Inferior lateral genicular artery
- ☐ b. Middle genicular artery
- ☐ c. Superior medial genicular artery
- ☒ d. Descending genicular artery
- ☐ e. Superior lateral genicular artery

Question **9**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Wrong statement about the skeletal muscle

- ☐ a. Increased neuromuscular coordination produces greater force of contraction
- ☒ b. Skeletal muscle fibers that rely mainly on glycolysis are fatigue resistant
- ☐ c. Can be tetanized
- ☐ d. Acetylcholine is the only neurotransmitter which can excite the skeletal muscle
- ☐ e. Skeletal muscles that rely mainly on oxidative phosphorylation have high capillary density

Question **10**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which one of the following fungal diseases was responsible for the recent unprecedented outbreak of mycosis amongst COVID-19 patient in India?

- ☐ a. Mucormycosis
- ☒ b. Pneumocystosis
- ☐ c. Cryptococcosis
- ☐ d. Candidiasis
- ☐ e. Aspergillosis

Question **11**

Complete

Mark 0.00 out of 1.00

☐ Flag question

The following are the structures that make up the tonsillar bed and that could be injured during a tonsillectomy, Except:

- ☐ a. glossopharyngeal nerve
- ☐ b. salpingopharyngeus muscle
- ☐ c. stylohyoid ligament
- ☒ d. internal carotid artery
- ☐ e. middle pharyngeal constrictor

Question **12**

Complete

Mark 0.00 out of 1.00

☐ Flag question

In the management of pheochromocytoma why are beta blockers used after the administration of alpha-blockers

- ☐ a. To avoid uncontrolled vasoconstriction
- ☒ b. To avoid excessive bradycardia
- ☐ c. To avoid drug interaction at absorption site
- ☐ d. To reduce tolerance for beta blockers
- ☐ e. To avoid competition at receptor site

Question **13**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Best beta blocker to be used in asthmatic hypertensive patients

- ☐ a. Pindolol
- ☐ b. Atenolol
- ☐ c. Nadolol
- ☒ d. Propranolol
- ☐ e. Celiprolol

Question **14**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which one of the following statements is correct with regard to the development of the skeletal system?

- ☐ a. Xiphoid process develops during the 6th week
- ☐ b. Failure of fusion of the neural arches of the developing vertebrae could lead to brachycephaly.
- ☐ c. Premature closure of the occipital suture results in acrocephaly.

- ☐ c. Premature closure of the sagittal suture results in scaphocephaly
- ☒ d. Alaoribitalis forms the body of the ethmoid bone
- ☐ e. The upper limbs rotate medially through 90° on their longitudinal axes

Question **15**

Complete

Mark 0.00 out of 1.00

☐ Flag question

"Spaghetti and meatballs" appearance on microscopy of a 10% KOH treated specimen is a characteristic of the fungus causing:

- ☐ a. Candidiasis
- ☐ b. Tinea versicolor
- ☐ c. Tinea nigra palmaris
- ☒ d. Aspergillosis
- ☐ e. Cryptococcosis

Question **16**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which systemic complication of bacterial skin infection is caused mainly by *S. aureus*?

- ☐ a. Abscess
- ☐ b. Sepsis
- ☐ c. Acute poststreptococcal glomerulonephritis (APSGN)
- ☐ d. Staphylococcal scalded-skin syndrome (SSSS)
- ☒ e. A and D

Question **17**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Possible adverse effect from high dose oxymetazoline

- ☐ a. Hypotension
- ☐ b. Increased intraocular pressure
- ☐ c. Sedation
- ☐ d. Miosis
- ☒ e. Hypertension

Question **18**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Long-acting local anesthetic compared to others

- ☒ a. Levobupivacaine
- ☐ b. Procaine
- ☐ c. Prilocaine
- ☐ d. Lidocaine
- ☐ e. Benzocaine

Question **19**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which of the following statements is not true about cartilage?

- ☐ a. Fibrous cartilage is always associated with dense connective tissue and hyaline cartilage
- ☐ b. Fibrous cartilage has chondrocytes that do not occur as isogenous groups
- ☐ c. Chondrocytes located peripherally are flattened, while those located deeper are round
- ☒ d. Hyaline cartilage is characterized by an amorphous glassy matrix.
- ☐ e. Elastic cartilage is similar to hyaline cartilage except for the abundant elastic fibres it contains.

Question **20**

Complete

Mark 0.00 out of 1.00

☐ Flag question

A case of leprosy with good Cell mediated immunity usually presents as the following form of disease:

- ☐ a. Lepromatous
- ☒ b. Multibacillary leprosy
- ☐ c. Borderline
- ☐ d. indeterminate
- ☐ e. Tuberculoid

Question **21**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which of the following is the most common benign soft tissue tumor of adulthood?

- ☐ a. Neurofibroma
- ☐ b. Fibromatosis
- ☒ c. Lipoma
- ☐ d. Rhabdomyoma
- ☐ e. Nodular Fasciitis

Question **22**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which bony marking is used to distinguish the femoral hernia from the inguinal hernia?

- ☐ a. Ischial tuberosity
- ☐ b. Greater trochanter of femur
- ☐ c. Lesser trochanter of femur
- ☒ d. Pubic tubercle
- ☐ e. Ischial spine

Question **23**

Complete

Mark 1.00 out of 1.00

☐ Flag question

All of the following laboratory features are the characteristics of *S. saprophyticus* except

- ☐ a. the bacteria is unable to utilize mannitol
- ☒ b. Sensitive to Novobiocin
- ☐ c. growth on MSA
- ☐ d. negative reaction during slide coagulation test
- ☐ e. gamma hemolytic reaction on blood agar plate

Question **24**

Complete

Mark 1.00 out of 1.00

☐ Flag question

_____ can be often used in patients who are unable to exercise during the cardiac stress test

- ☐ a. Midodrine
- ☐ b. Methoxamine
- ☒ c. Dobutamine
- ☐ d. Isoproterenol
- ☐ e. Norepinephrine

Question **25**

Complete

Mark 1.00 out of 1.00

☐ Flag question

_____ usually causes Transient neurologic symptoms (TNS) when used in spinal administration

- ☐ a. Chloroprocaine
- ☒ b. Lidocaine
- ☐ c. Mepivacaine
- ☐ d. Atricane
- ☐ e. Bupivacaine

Question **26**

Complete

Mark 0.00 out of 1.00

☐ Flag question

If a 5-year-old child presents with pinkish red color of his cheeks ("slapped cheek" appearance), what type of exanthem is depicts the situation?

- ☐ a. Exanthem infectiosum
- ☐ b. Hand-foot-mouth disease
- ☒ c. Exanthem subitum
- ☐ d. Measles
- ☐ e. Varicella

Question **27**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The maxillary nerve leaves the middle cranial fossa and enters the _____ through the _____ foramen.

- ☐ a. Nasal cavity, sphenopalatine foramen
- ☒ b. Pterygopalatine fossa , foramen rotundum
- ☐ c. Orbit, foramen spinosum
- ☐ d. Infratemporal fossa , foramen ovale
- ☐ e. Infratemporal fossa, foramen rotundum

Question **28**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which one of the following laboratory method is used to differentiate *S. pyogenes* from other beta hemolytic gram positive streptococci

- ☐ a. Bile solubility
- ☐ b. PYR test
- ☒ c. Production of catalase
- ☐ d. CO₂ requirement
- ☐ e. CAMP test

Question **29**

Complete

Mark 1.00 out of 1.00

All of the following statements are correct about the skeletal muscle, Except

☐ Flag question

- ☐ a. Produce tetanic contraction with repeated stimulation
- ☒ b. Produces more work when the muscle contracts isometrically than when the muscle contracts isotonicly
- ☐ c. Doesn't exhibit contraction in the absence of external stimuli
- ☐ d. Sarcoplasmic reticulum is the main source of Ca²⁺ for contraction
- ☐ e. Denervation of the muscle results in atrophy

Question **30**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Lymph from the skin of lateral side of foot drains directly into:

- ☐ a. Popliteal lymph nodes
- ☐ b. External inguinal lymph node
- ☐ c. Internal iliac lymph nodes
- ☐ d. Horizontal group of superficial inguinal lymph nodes
- ☒ e. Vertical group of superficial inguinal lymph nodes

Question **31**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Upon physical examination, when the side of the pharyngeal wall is touched with a tongue depressor, the uvula deviated to the left. Which of the following nerves is most likely injured?

- ☐ a. Left glossopharyngeal
- ☐ b. Right vagus
- ☐ c. Right glossopharyngeal
- ☐ d. Left vagus
- ☒ e. Right hypoglossal

Question **32**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Inversion and eversion takes place at all of the following joints EXCEPT?

- ☐ a. Talocalcaneal joint
- ☐ b. Calcaneocuboid joint
- ☐ c. Subtalar joint
- ☐ d. Talonavicular joint
- ☒ e. Ankle joint

Question **33**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which nerve in the submandibular region loops under the submandibular duct?

- ☐ a. facial nerve
- ☐ b. Glossopharyngeal nerve
- ☐ c. Buccal nerve
- ☒ d. Lingual nerve
- ☐ e. Hypoglossal nerve

Question **34**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Duct of parotid gland opens into the vestibule of the mouth opposite of

- ☐ a. The lower 2nd premolar tooth
- ☐ b. The upper 2nd molar tooth
- ☐ c. The lower 2nd molar tooth
- ☒ d. The upper 2nd premolar thooth
- ☐ e. The upper 3rd premolar thooth

Question **35**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which of the following bony features is not found in the posterior cranial cavity?

- ☐ a. Internal acoustic meatus
- ☐ b. Groove for inferior petrosal sinus
- ☐ c. External opening of endolymphatic duct
- ☐ d. Groove for greater petrosal sinus
- ☒ e. Groove for lesser petrosal nerve

Question **36**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Type of melanoma arise in dark colored individual in the palm, sole and subungual area is?

- ☐ a. Superficial spreading melanoma.
- ☐ b. Acral lentiginous melanoma.
- ☒ c. Nodular melanoma.
- ☐ d. Lentigo maligna melanoma

- ☐ d. lentigo maligna melanoma.
- ☐ e. None.

Question **37**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Methemoglobinemia, which may result in clinical anoxia or even death, is associated with

- ☐ a. Cocaine
- ☒ b. Prilocaine
- ☐ c. Lidocaine
- ☐ d. Ropivacaine
- ☐ e. Tetracaine

Question **38**

Complete

Mark 1.00 out of 1.00

☐ Flag question

All of the followings are involved in cruciate anastomosis EXCEPT?

- ☐ a. First perforating artery
- ☐ b. Medial circumflex femoral artery
- ☐ c. Inferior gluteal artery
- ☐ d. Lateral circumflex femoral artery
- ☒ e. Superior gluteal artery

Question **39**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Beta blocker with the shortest duration of action

- ☐ a. Esmolol
- ☐ b. Bisoprolol
- ☒ c. Atenolol
- ☐ d. Acebutolol
- ☐ e. Nebivolol

Question **40**

Complete

Mark 0.00 out of 1.00

☐ Flag question

The superior esophageal sphincter of the cervical esophagus is formed by:

- ☐ a. salpingopharyngeus muscle
- ☒ b. palatopharyngeus muscle
- ☐ c. middle constrictor muscle
- ☐ d. superior constrictor muscle
- ☐ e. inferior constrictor muscle

Question **41**

Complete

Mark 1.00 out of 1.00

☐ Flag question

All of the following appendages of the skin develop from ectoderm, except:

- ☐ a. Sebaceous glands
- ☐ b. Sweat glands.
- ☐ c. Hairs
- ☐ d. Nails.
- ☒ e. Arrector pili muscle

Question **42**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Gram staining can help in the quick identification of presence or absence of fungi in a specimen. Which characteristics of a fungus help us to do so?

- ☒ a. It is hyphae only that stains poorly gram positive
- ☐ b. Both yeasts and hyphae stain poorly gram negative
- ☐ c. Yeasts stain poorly gram negative and are 2 to 3 times bigger than bacterial cocci
- ☐ d. If specimen has hyphae, it should measure 2 to 3 times wider than bacterial bacilli

Question **43**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Concerning walls of the infratemporal fossa, one is incorrect.

- ☒ a. Its roof is continuous with temporal fossa.
- ☐ b. Its inferior boundary is where lateral pterygoid muscle is attached.
- ☐ c. Styloid process of temporal bone forms its posterior wall.
- ☐ d. The lateral wall of the lateral pterygoid plate forms its medial wall.
- ☐ e. The ramus of the mandible forms its lateral wall

Question **44**

Complete

Mark 1.00 out of 1.00

☐ Flag question

In a normal healthy skeletal muscle, which of the following events directly occurs as a result of propagation of an action potential to the presynaptic membrane of α -motor neuron?

- ☐ a. Opening of voltage gated Na^+ channels on the NMJ
- ☐ b. Depolarization of the T tubule membrane
- ☒ c. Opening of voltage-gated Ca^{2+} channels in the presynaptic motor neuron.
- ☐ d. Increase in intracellular Na^+ concentration in the motor neuron terminal
- ☐ e. Contraction of the muscle

Question **45**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which of the following nerves is not found in the posterior triangle of the neck?

- ☐ a. long thoracic nerve
- ☐ b. phrenic nerve
- ☐ c. spinal accessory nerve
- ☒ d. lingual nerve
- ☐ e. suprascapular nerve

Question **46**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The Cervical Part of Trachea is posteriorly related to:

- ☐ a. infrahyoid muscles
- ☒ b. recurrent laryngeal nerve
- ☐ c. left brachiocephalic vein
- ☐ d. thyroid gland
- ☐ e. common carotid artery

Question **47**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which of the following is most likely associated with rigor mortis

- ☐ a. Digestion of muscle proteins by lysosomes
- ☐ b. Rapid sequestration of Ca^{2+} back to the SR
- ☐ c. Damage to actin and myosin filaments
- ☐ d. Increased myosin ATPase activity
- ☒ e. Depletion of ATP

Question **48**

Complete

Mark 0.00 out of 1.00

☐ Flag question

A patient presents to emergency department with a stab wound to the buttock. Injury to the nerve to obturator internus is suspected. Which of the following muscles would be affected?

- ☐ a. Obturator externus
- ☒ b. Inferior gemellus
- ☐ c. Superior gemellus
- ☐ d. Quadratus femoris
- ☐ e. Piriformis

Question **49**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which of the following statements is not correct about the osteoblasts?

- ☐ a. Once they cease producing bone matrix, they are known as bone-lining cells, but could be reactivated and produce matrix again if needed
- ☐ b. Are cuboidal when active, but get flattened when in active
- ☒ c. Have short cytoplasmic processes
- ☐ d. Produce the organic matrix of the bone as osteoid only from their basal aspect
- ☐ e. Lie side by side on the surface in as stratified squamous epithelial layer

Question **50**

Complete

Mark 0.00 out of 1.00

☐ Flag question

The tendon of which muscle passes through the tarsal tunnel and closest posteriorly to medial malleolus?

- ☐ a. Tibialis posterior
- ☐ b. Peroneal tertius
- ☒ c. Tibialis anterior
- ☐ d. Flexor digitorum longus
- ☐ e. Flexor hallucis longus

Question **51**

Complete

Mark 0.00 out of 1.00

☐ Flag question

The common fibular nerve can be palpated in which region of the knee?

- ☒ a. As it winds around the medial side of the neck of fibula
- ☐ b. As it winds around the lateral side of the neck of fibula
- ☐ c. As it passes forward between the tibia and fibula
- ☐ d. As it crosses the lateral condyle of tibia
- ☐ e. As it passes around the medial condyle of tibia

Question **52**

Complete

Mark 1.00 out of 1.00

☐ Flag question

One is true about KOH

- ☐ a. Have no place in specimens containing keratin
- ☐ b. It is always used alone
- ☒ c. It is a wet mount preparation
- ☐ d. Never dissolves debris

Question **53**

Complete

Mark 1.00 out of 1.00

☐ Flag question

One of the following muscles does not act on the angle of the mouth

- ☒ a. Depressor labii inferioris
- ☐ b. Zygomaticus major
- ☐ c. Buccinator
- ☐ d. Risorius
- ☐ e. Depressor anguli inferioris

Question **54**

Complete

Mark 1.00 out of 1.00

☐ Flag question

All of the following concerning Aspergillosis are correct, Except?

- ☒ a. Can easily be diagnosed by detecting branching hyphae microscopically
- ☐ b. Infections with Aspergillus are usually associated with contaminated grains
- ☐ c. Untreated invasive aspergillosis can have mortality approaching 100%
- ☐ d. Aspergillus falvus produces a carcinogenic aflatoxin
- ☐ e. The primary route of infection is through the respiratory tract

Question **55**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Administration of lipid may reverse the toxic effect of LAs by

- ☐ a. Its ability to facilitate the metabolism of LAs
- ☐ b. Its ability to compete with the LAs at receptor site
- ☐ c. Its ability to prevent the absorption of LAs
- ☐ d. Its ability to promote the excretion of LAs
- ☒ e. Its ability to extract lipid soluble drugs form plasma and tissues

Question **56**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The leading etiologic agent for acute osteomyelitis is

- ☐ a. Streptococcus pneumoniae
- ☐ b. Neisseria gonorrhoeae
- ☐ c. Pseudomonas aeruginosa
- ☒ d. Staphylococcus aureus
- ☐ e. Staphylococcus epidermidis

Question **57**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The hamstring portion of adductor magnus muscle innervated by:

- ☐ a. Femoral nerve
- ☐ b. Saphenous nerve
- ☐ c. Common peroneal nerve
- ☐ d. Obturator nerve
- ☒ e. Tibial portion of sciatic nerve

Question **58**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The femoral nerve arises from which of the following segment of spinal cord?

- ☐ a. L5, S1, S2 and S3
- ☐ b. L4, L5, S1 and S2
- ☐ c. L4, L5, S1, S2 and S3
- ☒ d. L2, L3 and L4

- ☒ d. L2, L3 and L4
- ☐ e. L2 and L3

Question **59**

Complete

Mark 1.00 out of 1.00

☐ Flag question

With one of the following LAs should not be used in epidural anesthesia (because of high volume of anesthesia requirement) due to its cardio toxicity

- ☐ a. Levobupivacaine
- ☒ b. Bupivacaine
- ☐ c. Prilocaine
- ☐ d. Lidocaine
- ☐ e. Cocaine

Question **60**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The wrong association regarding lymphatic drainage in the head is

- ☐ a. Lateral part of face, scalp & eyelids → superficial parotid lymph nodes
- ☐ b. Upper lip & lateral parts of lower lip → submandibular lymph nodes
- ☐ c. Chin & central part of lower lip → submental lymph nodes
- ☒ d. Scalp & eyelids → deep parotid lymph nodes
- ☐ e. Deep parotid nodes → deep cervical lymph nodes

Question **61**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Regarding to the bone:

- ☐ a. Spongy bone contains more Haversian system than the compact bone
- ☒ b. Volkmann's canal run perpendicular to the longitudinal axis of the bone
- ☐ c. Compact bone has outer and inner circumferential laminae known as the Haversian system
- ☐ d. Cell bodies of the osteocytes are found lining the surfaces of developing bone
- ☐ e. Canalicullicontain the cell bodies of the osteoblasts

Question **62**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The contractile protein of skeletal muscle involving ATPase activity is:

- ☐ a. Tropomyosin
- ☐ b. Troponin
- ☐ c. Actin
- ☐ d. Dystrophin
- ☒ e. Myosin

Question **63**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which one of the following statements is correct regarding the development of the muscular system?

- ☐ a. Cardiac muscle develops from the lateral splanchnic mesoderm
- ☒ b. Stylopharyngeus muscle developed in the 2nd pharyngeal arch
- ☐ c. Smooth muscle develops from the paraxial mesoderm.
- ☐ d. Quadratuslumborum develop from the epimeres.
- ☐ e. Spina bifida occurs more frequently in boys than girls.

Question **64**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which of the following statement is true about the contractile response of skeletal muscle

- ☐ a. During isometric contraction, the tension goes up and the muscle shortens
- ☒ b. Decreased concentration of Ca^{2+} in the ECF highly affects the contractile response of the skeletal muscle.
- ☐ c. Contractile response can vary by different hormones
- ☐ d. Excitation of the Dihydropyridine receptor results in the influx of Ca^{2+} from the ECF
- ☐ e. Skeletal muscle cells are normally held at a muscle length that maximizes their ability to generate greater force

Question **65**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Frontal bone can make articulation with all the following bones except one;

- ☐ a. Sphenoid
- ☒ b. Maxilla
- ☐ c. Temporal
- ☐ d. Palatine
- ☐ e. Zygomatic

Question **66**
Complete
Mark 0.00 out of 1.00
☐ Flag question

Which of the following finding make you favor the diagnosis of allergic contact dermatitis (ACD) over irritant contact dermatitis (ICD)?

- ☐ a. Is a non-immunologic reaction.
- ☐ b. Occurs only in sensitized individual.
- ☒ c. Is a Type I (Ig E mediated) hypersensitivity reaction.
- ☐ d. Acute symptom starts as stinging and smarting followed by itching
- ☐ e. Depends on the concentration of the agent.

Question **67**
Complete
Mark 1.00 out of 1.00
☐ Flag question

Child present with maculopapular rash start from the hair line and go down. What is the likely diagnosis?

- ☐ a. Chickenpox and shingles.
- ☒ b. Measles.
- ☐ c. Pityriasis Versicolor (PV).
- ☐ d. Verruca Vulgaris.
- ☐ e. Leishmaniasis.

Question **68**
Complete
Mark 0.00 out of 1.00
☐ Flag question

Which one is against the principle of Lactophenol cotton blue mounting/staining?

- ☐ a. Phenol kills the organism and prevents drying
- ☒ b. Generally imparts blue color to cell wall of fungi
- ☐ c. Lactic acid preserves fungal morphology
- ☐ d. Glycerol prevents drying

Question **69**
Complete
Mark 1.00 out of 1.00
☐ Flag question

Not Correct concerning neuronal factor with local anesthetics

- ☐ a. LAs favor activated and inactivated channels
- ☐ b. Neurons with smaller diameter are immediately affected
- ☒ c. Myelinated fibers are less affected
- ☐ d. All nerves do have a potential to be blocked by Las
- ☐ e. Peripherally located fibers are first to be affected

Question **70**
Complete
Mark 1.00 out of 1.00
☐ Flag question

With regard to the muscle tissue, which statement is false?

- ☐ a. Skeletal and cardiac muscle cells possess sarcomeres
- ☒ b. Smooth muscles do not have myofibrils
- ☐ c. Sarcolemma is the plasma membrane of a muscle cell
- ☐ d. Intercalated discs of cardiac muscle correspond to some of the Z lines
- ☐ e. Smooth muscle cells have centrally placed nuclei

Question **71**
Complete
Mark 1.00 out of 1.00
☐ Flag question

Which of the following cervical vertebrae is typical cervical vertebra?

- ☐ a. First
- ☐ b. Second
- ☒ c. Fifth
- ☐ d. Seventh
- ☐ e. A and B

Question **72**
Complete
Mark 0.00 out of 1.00
☐ Flag question

Which of the following cervical muscles is invested by the spinal accessory nerve?

- ☐ a. Trapezius
- ☒ b. Scalinus anterior
- ☐ c. Levator scapula
- ☐ d. Longus coli
- ☐ e. Longus capitis

Question **73**
Complete
Mark 1.00 out of 1.00
☐ Flag question

Incorrect about communications of pterygopalatine fossa:

- ☐ a. Posteriosuperiorly with the middle cranial fossa through the foramen rotundum
- ☒ b. Superiorly with the temporal fossa

- ☐ c. Laterally with the intratemporal fossa through the pterygomaxillary fissure.
- ☐ d. Medially with the nasal cavity through the sphenopalatine foramen.
- ☐ e. Anterosuperiorly with the orbit through the inferior orbital fissure.

Question **74**

Complete

Mark 1.00 out of 1.00

☐ Flag question

False about Atopic dermatitis?

- ☐ a. Associated with a personal or family history of AD, allergic rhinitis, and asthma.
- ☒ b. Is a Type IV cell-mediated hypersensitivity reaction.
- ☐ c. Moves to the flexor creases as the child grows older.
- ☐ d. Mutations in the filaggrin gene (FLG) is seen in 50% of severe AD.
- ☐ e. In neonates affect the cheeks, trunk and extensor surfaces.

Question **75**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which of the following muscles depresses medial end of eyebrow?

- ☐ a. Procerus
- ☐ b. Transverse part of nasalis
- ☐ c. Fronto-occipitalis
- ☐ d. Levator labii superioris alaeque nasi
- ☒ e. Corrugator supercilii

Question **76**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Ringworm of the groin and associated areas is referred to as:

- ☐ a. Tinea cruris
- ☐ b. Tinea corporis
- ☒ c. Tinea barbae
- ☐ d. Tinea pedis
- ☐ e. Tinea capitis

Question **77**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which one of the following branch of maxillary artery is wrongly matched with the area that it supplies?

- ☐ a. Artery of pterygoid canal----- mucosa of pharyngotympanic tube
- ☐ b. Deep auricular artery ----- external acoustic meatus
- ☐ c. Anterior tympanic artery ----- temporomandibular joint
- ☒ d. Infraorbital artery----- upper molar teeth
- ☐ e. Sphenopalatine artery----- sphenoidal sinus

Question **78**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Genus Staphylococcus are all, but not

- ☐ a. Capsulated, non-motile and non-spore forming organism
- ☐ b. Metabolically active
- ☒ c. Halophiles grow best aerobically
- ☐ d. All of the members are equipped with an enzyme that can degrade hydrogen peroxide
- ☐ e. Detection of DNase production could be used as alternative laboratory test to differentiate the species of the genus

Question **79**

Complete

Mark 1.00 out of 1.00

☐ Flag question

All of the following are found in the second layer of foot EXCEPT?

- ☐ a. Quadratus plantae muscle
- ☐ b. Tendon of flexor hallucis longus
- ☒ c. Adductor hallucis muscle
- ☐ d. Tendon of flexor digitorum longus
- ☐ e. Lumbrical muscles

Question **80**

Complete

Mark 1.00 out of 1.00

☐ Flag question

A 23-year-old man presents to the emergency department with knife lacerations to the face. One laceration is a deep wound to the superior aspect of the chin. Identify the artery most likely damaged by this lesion.

- ☐ a. Superior labial artery
- ☒ b. Mental artery
- ☐ c. Angular artery
- ☐ d. Transverse facial artery
- ☐ e. Buccal artery

Question **81**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which one of the following culture media is best for performing antimicrobial susceptibility testing for gram positive streptococci species

- ☐ a. Muller Hinton agar with 5% sheep blood
- ☐ b. Blood agar plate
- ☒ c. Mannitol Salt agar
- ☐ d. Tryptic Soya agar with 5% sheep blood
- ☐ e. Muller Hinton agar

Question **82**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Advantage of adding a vasoconstrictor to LAs

- ☐ a. Potentiate the neurotoxicity of LAs
- ☒ b. Prolong anesthetic action of the more lipid soluble LAs
- ☐ c. Systemic absorption is promoted
- ☐ d. Increases total anesthesia requirement
- ☐ e. Enhance localized neuronal uptake

Question **83**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which type of cells act as antigen presenting cells in the epidermis?

- ☐ a. Merkel's cells
- ☐ b. Macrophages
- ☐ c. Melanocytes
- ☐ d. Keratinocytes
- ☒ e. Langerhan's cells

Question **84**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which one of the following pharyngeal arches mismatched with its muscle derivatives?

- ☐ a. Third arch → Stylopharyngus muscle
- ☐ b. Sixth arch → Posterior cricoarytenoid muscle
- ☒ c. First arch → Anterior belly of the digastric muscle
- ☐ d. Fifth arch → Cricothyroid muscle
- ☐ e. Second arch → Posterior belly of the digastric muscle

Question **85**

Complete

Mark 1.00 out of 1.00

☐ Flag question

If a patient presents with a cough, conjunctivitis, coryza and photophobia along with Koplik spots on his buccal mucosa, what illness do you suspect?

- ☐ a. Erythema Infectiosum
- ☐ b. Herpes simplex
- ☒ c. Measles
- ☐ d. Varicella-Zoster
- ☐ e. Rubella

Question **86**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Rhabdomyoblasts are positive for which immunohistochemical stain?

- ☐ a. S100
- ☐ b. Cytokeratin
- ☐ c. Vimentin
- ☐ d. Neuron-specific enolase
- ☒ e. Desmin

Question **87**

Complete

Mark 0.00 out of 1.00

☐ Flag question

The three beta blockers which have proved to be beneficial in heart failure are

- ☒ a. Esmolol, Propranolol and Metoprolol
- ☐ b. Atenolol, Acebutolol and Esmolol
- ☐ c. Bisoprolol, Carvedilol and Metoprolol
- ☐ d. Nadolol, Timolol and Pindolol
- ☐ e. Celiprolol, Nebivolol and Labetalol

Question **88**

Complete

Mark 1.00 out of 1.00

Concerning the development of the integumentary system, which statement is not correct?

☐ Flag question

- ☐ a. Dermis is derived from the lateral mesoderm
- ☐ b. Castoff cells from the epidermis mix with secretions of sebaceous glands to form the vernixcaseosa
- ☒ c. Toenails and fingernails begin to develop at the tips of the digits postnatally
- ☐ d. Hair follicles begin to proliferate from the stratum corneum.
- ☐ e. The epidermis is derived from surface ectoderm

Question **89**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Against which of the following viral infections is giving vaccination to women in their first trimester ill-advised?

- ☐ a. Roseola Infantum (sixth Disease)
- ☐ b. Influenza Virus
- ☒ c. Human parvovirus B19
- ☐ d. Hepatitis B Virus
- ☐ e. German measles

Question **90**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which of the following bony features could not be seen in norma basalis of the skull?

- ☐ a. Maxillary arches
- ☒ b. Groove for internal carotid artery
- ☐ c. Pharyngeal tubercle
- ☐ d. Scaphoid fossa
- ☐ e. Zygomatic arches

Question **91**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Epinephrine reversal is when epinephrine is given with

- ☐ a. Beta 1-AR agonists
- ☐ b. Alpha 1-AR agonists
- ☒ c. Beta 1-AR antagonists
- ☐ d. Alpha 1-AR antagonists
- ☐ e. Non selective alpha and beta agonists

Question **92**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which of the following bacterial metabolic product is responsible in causing Staphylococcal scalded skin syndrome (SSSS)?

- ☐ a. Toxic shock syndrome toxin-1
- ☒ b. Exfoliatin toxin
- ☐ c. Leucocidin
- ☐ d. Coagulase
- ☐ e. Alpha toxin

Question **93**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Clonidine may increase blood pressure in

- ☐ a. Patients with pure autonomic failure
- ☒ b. Patients with severe hypertension
- ☐ c. Patients consuming tyramine containing foods
- ☐ d. Patients with moderate hypertension
- ☐ e. Patients taking non selective MAOIs

Question **94**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Incorrectly associated?

- ☐ a. Pemphigus vulgaris: Anti desmoglein 3 IgG, Superficial soft blisters, row of tomb stones, mucosal involvement and high mortality.
- ☐ b. Dermatitis herpetiformis: celiac sprue, extensor surfaces and eosinophils in dermal papilla.
- ☒ c. Bullous pemphigoid: Elderly, deep tense bullae, and linear immunofluorescence.
- ☐ d. Psoriasis: HLA-Cw6, Auspitz sign, Koebner phenomena and Munro micro abscess.
- ☐ e. Lichen planus: 6 P's, pointed rete (sawtoothing), hepatitis C and Wickham striae.

Question **95**

Complete

Mark 0.00 out of 1.00

☐ Flag question

All of the following thigh muscles are proximally attached to the medial surface of tibia of pes anserinus EXCEPT?

- ☐ a. Gracilis
- ☐ b. Sartorius
- ☐ c. Semimembranosus
- ☐ d. Semitendinosus
- ☐ e. Vastus medialis

- ☒ e. None of the above

Question **96**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Structures within the parotid gland arranged from superficial to deep are

- ☐ a. External carotid artery --- facial nerve ---- retromandibular vein
☒ b. Facial nerve ---- retromandibular vein ----- external carotid artery
☐ c. Retromandibular vein ----- external carotid artery ----- facial nerve
☐ d. Facial nerve ---- external carotid artery ---- retromandibular vein
☐ e. Facial vein ---- facial nerve ----- retromandibular vein

Question **97**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Granulomatous (non pyogenic) osteomyelitis may be caused by all except

- ☒ a. Staphylococcus aureus
☐ b. Parasites (hydatid's disease)
☐ c. Syphilis
☐ d. Mycobacterium tuberculosis
☐ e. Fungal agents

Question **98**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The wrong statement about innervations of the parotid gland is

- ☐ a. Auriculotemporal nerve carries its postganglionic parasympathetic fibers.
☐ b. Its sympathetic nerve is derived from plexus around the external carotid artery.
☐ c. Its preganglionic parasympathetic fibers originate from glossopharyngeal nerve.
☒ d. Maxillary artery carries a plexus of its preganglionic sympathetic fibers.
☐ e. Otic ganglion is a site of synapsis for its parasympathetic fibers.

Question **99**

Complete

Mark 1.00 out of 1.00

☐ Flag question

CAMP test is positive used to differentiate _____ from other beta-hemolytic spp showing the classical "arrow-shaped hemolysis" near the staphylococcus streak

- ☐ a. Viridans streptococci
☐ b. Streptococcus pneumoniae
☒ c. Streptococcus agalactiae
☐ d. Enterococcus faecalis
☐ e. Streptococcus pyogenes

Question **100**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which of the following arteries is the first anterior branch of external carotid artery?

- ☐ a. Facial artery
☐ b. Occipital artery
☒ c. Ascending pharyngeal artery
☐ d. Lingual artery
☐ e. Superior thyroid artery

Question **101**

Complete

Mark 0.00 out of 1.00

☐ Flag question

True statement regarding the adductor canal and hiatus:

- ☐ a. The medial border of adductor canal is formed by vastus medialis muscle
☐ b. The lateral border of adductor canal is formed by sartorius muscle
☐ c. The adductor hiatus is a space within adductor longus muscle
☐ d. The posterior border of adductor canal is formed by adductor longus and magnus
☒ e. Saphenous nerve exit through the adductor hiatus

Question **102**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Describe a brodie's Abscess

- ☐ a. It is a septic joint infection
☒ b. sub-acute form of osteomyelitis, presenting as a collection of pus in bone, often with an insidious onset
☐ c. Is kidney infection
☐ d. It is skin abscess
☐ e. Is acute abscess of the skin

Question **103**
Complete
Mark 1.00 out of 1.00
☐ Flag question

What serious complications can a measles virus infection lead to?

- ☐ a. Permanent skin scar
- ☐ b. A fetal mortality rate between 2-6.5% due to hydrops fetalis
- ☐ c. multiple congenital defects
- ☒ d. Subacute sclerosing panencephalitis (SSPE)
- ☐ e. Testicular pain

Question **104**
Complete
Mark 0.00 out of 1.00
☐ Flag question

The most common skin cancer which occurs in the face involving upper lip and above. Grossly appears as pearly papule with telangiectasia and with time develops a rodent ulcer is?

- ☒ a. Merkel cell carcinoma (MCC)
- ☐ b. Basal cell carcinoma (BCC)
- ☐ c. Squamous cell carcinoma (SCC)
- ☐ d. Seborrheic Keratosis
- ☐ e. Melanoma

Question **105**
Complete
Mark 0.00 out of 1.00
☐ Flag question

Excitation–contraction coupling in skeletal muscle involves all of the following events, EXCEPT

- ☐ a. Conformational change in Dihydropyridine receptor
- ☐ b. ATP hydrolysis by myosin ATPase
- ☐ c. Increased conductance of sarcolemma to Na⁺
- ☐ d. Depolarization of the T-tubule of the muscle membrane
- ☒ e. Binding of Ca²⁺ to Calmodulin

Question **106**
Complete
Mark 0.00 out of 1.00
☐ Flag question

Which of the following statements about cartilage is correct?

- ☐ a. Same chondrogenic cells could give rise to cartilage as well as bone-forming cells
- ☐ b. Hyaline cartilage matrix stains more eosinophilic than those of fibrous cartilage
- ☒ c. Interstitial growth of cartilage involves mitotic divisions of the chondroblasts
- ☐ d. Differentiation of cartilage cells from mesenchyme occurs from outer to central
- ☐ e. Appositional growth of cartilage brings growth in length

Question **107**
Complete
Mark 0.00 out of 1.00
☐ Flag question

All of the following statements about Acute hematogenous osteomyelitis are correct except

- ☒ a. Usually seen in children
- ☐ b. Infection generally involves the metaphyses of rapidly growing long bones
- ☐ c. Is more common in females than males
- ☐ d. Staphylococcus aureus is the commonest cause of infection
- ☐ e. Is the most common type of bone infection

Question **108**
Complete
Mark 1.00 out of 1.00
☐ Flag question

Mr. KK, a known epileptic patient who has been taking phenytoin, was diagnosed with hypertension and was put on propranolol. What is the possible drug-drug interaction?

- ☐ a. Phenytoin decreases the absorption of propranolol
- ☐ b. Phenytoin competes with propranolol at receptor site
- ☐ c. Phenytoin decreases the excretion of propranolol
- ☐ d. Phenytoin displaces propranolol from plasma protein binding
- ☒ e. Phenytoin increases the metabolism of propranolol

Question **109**
Complete
Mark 1.00 out of 1.00
☐ Flag question

The purpose of the Cori cycle is to shift the metabolic burden in which of the following directions?

- ☐ a. cardiac to skeletal muscle
- ☐ b. liver to skeletal muscle
- ☒ c. skeletal muscle to liver
- ☐ d. liver to brain
- ☐ e. brain to liver

Question **110**
Complete
Mark 1.00 out of 1.00

The sarcoplasmic reticulum of skeletal muscle cells is made by:

☐ Flag question

- ☒ a. Smooth endoplasmic reticulum
- ☐ b. Golgi apparatus
- ☐ c. Polyribosomes
- ☐ d. Rough endoplasmic reticulum
- ☐ e. Mitochondria

Question **111**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Anterior thigh muscles are mainly-----of leg at the knee joint.

- ☐ a. Rotators
- ☐ b. Flexors
- ☐ c. Abductors
- ☒ d. Extensors
- ☐ e. Adductors

Question **112**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The latch-bridge mechanism in smooth muscle is responsible for

- ☐ a. Rhythmic contraction
- ☐ b. Fast muscle twitch
- ☐ c. Unstable membrane potential
- ☐ d. Excitation-contraction coupling
- ☒ e. Sustained muscle contraction

Question **113**

Complete

Mark 1.00 out of 1.00

☐ Flag question

All of the following statements are correct, EXCEPT

- ☐ a. Damage to lower motor neurons results in flaccid paralysis
- ☐ b. The strength of cardiac muscle contraction depends to a great extent on the concentration of Ca^{2+} in the ECF
- ☐ c. Skeletal muscle contraction is caused almost entirely by Ca^{2+} released from the sarcoplasmic reticulum inside the skeletal muscle fiber itself
- ☐ d. Damage to upper motor neurons results in flaccid paralysis followed by spastic paralysis in a few weeks
- ☒ e. Myasthenia gravis is caused by an autoimmune destruction of voltage gated Ca^{2+} channels on the presynaptic motor nerve.

Question **114**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Let's assume we prepared a wet mount preparation from contaminated food like "Injera", which of the following will be incorrect while examining the preparation under the microscope?

- ☒ a. It is possible to visualize spores
- ☐ b. *Aspergillus* is the well known medically important mould to be expected
- ☐ c. We can see yeast cells
- ☐ d. Mycelium can be seen from the mold growth

Question **115**

Complete

Mark 1.00 out of 1.00

☐ Flag question

All of the following are true regarding soft tissue tumors, Except:

- ☐ a. Classification of tumors is according to their differentiation lines
- ☐ b. All originate from primitive mesenchymal stem cells
- ☒ c. Intermediate grade tumors are aggressive and have metastatic potential
- ☐ d. Lipoma The most common benign soft tissue tumor of adulthood
- ☐ e. None

Question **116**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The zygomatic bones form all of the following parts of the bony orbit except,

- ☐ a. Floor
- ☒ b. Supraorbital margins
- ☐ c. Anterolateral rims
- ☐ d. Infraorbital margins
- ☐ e. Lateral walls

Question **117**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Type I fibers have which of the following properties?

- ☐ a. slow twitch, glycolytic, myoglobin rich
- ☐ b. fast twitch, glycolytic, myoglobin poor
- ☐ c. fast twitch, oxidative, myoglobin poor
- ☐ d. fast twitch, oxidative, myoglobin rich
- ☒ e. slow twitch, oxidative, myoglobin rich

- ☒ e. slow twitch, oxidative, myoglobin rich

Question **118**

Complete

Mark 1.00 out of 1.00

☐ Flag question

The maxillary and lateral nasal prominences, during the development of the face, are separated by a deep furrow which will develop into _____

- ☐ a. Nasal cavity
- ☐ b. Stomodeum
- ☐ c. Crest and the tip of the nose
- ☒ d. Nasolacrimal duct
- ☐ e. Cheeks and maxillae

Question **119**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Regarding gas gangrene one of the following is correct

- ☐ a. It is due to Clostridium Botulinum infection
- ☐ b. It involves widespread necrosis of the muscles but avoids soft-tissues
- ☐ c. The clinical features are due to the release of endotoxin
- ☒ d. Gas is invariably present in the muscle compartments
- ☐ e. Clostridial species are gram—negative spore forming anaerobes

Question **120**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Which one of the following skin and its accessory structure is derived from a different source?

- ☐ a. Mammary gland
- ☒ b. Sweat gland
- ☐ c. Dermis of the skin
- ☐ d. Sebaceous gland
- ☐ e. Epidermis of the skin

Question **121**

Complete

Mark 0.00 out of 1.00

☐ Flag question

Beta 2 agonist of choice for nocturnal asthma

- ☒ a. Albuterol
- ☐ b. Salmeterol
- ☐ c. Metoprolol
- ☐ d. Metaproterenol
- ☐ e. Terbutaline

Question **122**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which of the following condition is false for tissue invasion by C.perfringens?

- ☐ a. release of toxins
- ☐ b. production of large amounts of hydrogen gas
- ☐ c. extremely painful tissue swelling at the site of infection
- ☐ d. anaerobic condition of the wound
- ☒ e. production of small amounts of hydrogen gas

Question **123**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Mechanism of action of atomoxetine ,which is usually used in management of attention deficit disorders

- ☒ a. Inhibits NET (norepineprine transporter)
- ☐ b. Increases the release of catechoamines from storage vesicle
- ☐ c. Inhibits MAO (monoamine oxidase) enzyme
- ☐ d. Inhibits vesiclizatoin of catecholamines
- ☐ e. Inhibits the synthesis of catecholamines

Question **124**

Complete

Mark 0.00 out of 1.00

☐ Flag question

A1A selective antagonist used for treatment of BPH (benign prostatic hyperplasia) with little effect on blood pressure

- ☒ a. Doxazosin
- ☐ b. Prazosin
- ☐ c. Terazosin
- ☐ d. Tamsulosine
- ☐ e. Alfuzosin

Question **125**

Complete

Mark 1.00 out of 1.00

☐ Flag question

True concerning local anesthetics

- ☐ a. Inflamed tissue is highly susceptible for the action of local anesthetics
- ☐ b. Urine acidification increases their reabsorption hence reduce their excretion
- ☐ c. Their anionic form is important for the rapid penetration of axonal membrane
- ☐ d. Epinephrine enhances their systemic bioavailability
- ☒ e. Their cationic form is the active form at the receptor site

Question **126**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Oral thrush in immunocompromised people is mainly caused by:

- ☒ a. C.albicans
- ☐ b. A.fumigatus
- ☐ c. C. neoformans
- ☐ d. Pneumocystis jiroveci
- ☐ e. Mucorales

Question **127**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Scalded skin syndrome is caused by exotoxin (exfoliatins) produced by

- ☒ a. Staphylococcus aureus
- ☐ b. Pseudomonas aeruginosa
- ☐ c. Streptococcus pneumoniae
- ☐ d. Streptococcus pyogenes
- ☐ e. Staphylococcus epidermidis

Question **128**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which Whitish tongue lesion in immunodeficient patient is easily scraped by spatula?

- ☐ a. Erythroplakia
- ☐ b. Irritation fibroma
- ☐ c. Leukoplakia
- ☒ d. Candidiasis
- ☐ e. Hairy leukoplakia

Question **129**

Complete

Mark 1.00 out of 1.00

☐ Flag question

Which one of the following neck muscles is not a derivative of hypaxial divisions of myotomes?

- ☐ a. Prevertebral muscles
- ☐ b. Geniohyoid muscles
- ☐ c. Infrahyoid muscles
- ☒ d. None of the above
- ☐ e. Scalene muscle

Question **130**

Complete

Mark 0.00 out of 1.00

☐ Flag question

During examination of clinical specimens from wound site one of the following group of contaminants are commonly isolated

- ☒ a. anaerobic gram positive rods
- ☐ b. Beta-hemolytic gram negative cocci
- ☐ c. CoNS
- ☐ d. enteric bacteria
- ☐ e. S. pneumoniae