

1. A patient is hit by a fast moving ball on the middle of the right inferior orbital margin and radiological examination indicates injury and fracture of the orbital floor. The most likely bone to be fractured is?
 - A. Maxilla
 - ☒ B. Orbital surface of Zygomatic bone
 - C. Lacrimal fossa
 - D. Orbital plate ethmoid bone
 - E. Greater wing of sphenoid
2. Which of the following is not seen in the normal basis of the skull?
 - A. Pharyngeal tubercle
 - ☒ B. Groove for internal carotid artery
 - C. Spine of sphenoid
 - D. Mandibular fossa
 - E. Ala of vomer
3. Except one, all the following nerves receive sensory innervations both from the scalp and the face
 - A. Auriculotemporal nerve
 - B. Zygomaticotemporal nerve
 - ☒ C. Infraorbital nerve
 - D. Greater auricular nerve
 - E. Supratrochlear nerve
4. Kiesselbach's area of the nasal septum is an arterial plexus involving branches from the following arteries except one
 - A. Posterior ethmoidal artery.
 - ☒ B. Lesser palatine artery
 - C. Sphenopalatine artery.
 - D. Greater palatine artery.
 - E. Facial artery.
5. The incorrect association of gingivae (gum) and their innervations is
 - A. Lingual maxillary gingiva ----- nasopalatine and greater palatine nerves
 - ☒ B. Buccal mandibular gingiva ----- posterior superior alveolar nerve
 - C. Labial maxillary gingiva ----- anterior superior alveolar nerve
 - D. Lingual mandibular gingiva ----- lingual nerve
 - E. Labial mandibular gingiva ----- inferior alveolar nerve
6. Concerning the Pterygoid venous plexus, one of the following is incorrect
 - A. Inferior ophthalmic vein connects it with veins of the orbit.
 - B. It is connected superiorly with the cavernous sinus via emissary veins.
 - ☒ C. The maxillary vein connects the plexus directly with internal jugular vein.
 - D. It is located deep to temporalis muscle and superficial to lateral pterygoid plate.
 - E. The Inferior alveolar vein is one of its direct tributaries.

7. The wrong statement about the actions of muscles of the tongue is
 - A. Superior & inferior longitudinal muscles together make the tongue short & thick
 - B. Inferior Longitudinal fibers alone depress apex of the tongue
 - C. Transverse & vertical muscles together make the tongue long & narrow
 - ☒ D. Transverse fibers alone flattens the tongue
 - E. Posterior fibers of Genioglossus protrude the tongue
8. Which of the following is not part of the parotid gland bed ?
 - ☒ A. Body of mandible
 - B. Stylomandibular ligament
 - C. Ramus of mandible
 - D. Styloid process
 - E. Mastoid process
9. Preganglionic parasympathetic fibers to all the following glands originate in the Facial nerve except
 - A. Lacrimal glands
 - B. Palatine glands
 - C. Submandibular glands
 - ☒ D. Parotid gland
 - E. Sublingual glands
10. Direct branches from the third part of maxillary artery does not include
 - A. Sphenopalatine artery
 - B. Pharyngeal artery
 - ☒ C. Middle superior alveolar artery
 - D. Descending palatine artery
 - E. Infraorbital artery
11. SCALP anterior to the auricle is supplied by all the following nerves including their origin except one
 - A. Supratrochlear nerve from Ophthalmic nerve
 - B. Auriculotemporal nerve from Mandibular nerve
 - ☒ C. Greater auricular nerve from cervical plexus
 - D. Zygomaticotemporal nerve from Maxillary nerve
 - E. Supraorbital nerve from Ophthalmic nerve
12. Which of the following is a branch of the maxillary division of the trigeminal nerve?
 - A. Nasociliary n.
 - B. Mental n.
 - C. Lacrimal n.
 - ☒ D. Infraorbital n.
 - E. Chorda tympani.
13. Pain from the anterior 2/3 of the tongue is conducted to the brain by
 - ☒ A. Lingual n.
 - B. Hypoglossal n.

- C. Glossopharyngeal n.
 - D. Chorda tympani nerve.
 - E. Facial n.
14. One of the following descriptions about the facial vein is wrong
- A. Originates from angular v.
 - ☒ B. Is deep to submandibular gland.
 - C. Directly drains in to IJV
 - D. Communicates with the cavernous sinus
 - E. Communicates with the lingual vein
15. Concerning the infratemporal fossa, one is false
- A. The lateral wall of the lateral pterygoid forms its medial wall
 - B. The ramus of the mandible forms its lateral wall
 - C. It communicates with the middle cranial fossa through foramen ovale
 - ☒ D. The infratemporal crest of the lesser wing of sphenoid forms its roof.
 - E. It communicates with the prezygomatic fossa through pterygomaxillary fissure.
16. The preganglionic secretomotor fibers to the parotid gland are carried through
- A. Deep petrosal nerve
 - ☒ B. Lesser petrosal nerve
 - C. Auriculotemporal nerve
 - D. Greater petrosal nerve
 - E. Facial nerve
17. The postganglionic sympathetic fibers to the lacrimal gland are carried through
- ☒ A. Deep petrosal nerve
 - B. Lesser petrosal nerve
 - C. Auriculotemporal nerve
 - D. Greater petrosal nerve
 - E. Facial nerve
18. Which structure which does not pass through the substance of the parotid gland ?
- A. Superficial temporal artery
 - B. External carotid artery
 - C. Retromandibular vein
 - ☒ D. Greater auricular nerve
 - E. Auriculotemporal nerve
19. All of the following are branches from the anterior division of mandibular nerve except one
- A. Deep temporal nerves
 - ☒ B. Nerve to medial pterygoid muscle
 - C. Buccal nerve
 - D. Masseteric nerve
 - E. Nerve to lateral pterygoid muscle

20. Which nerve carries preganglionic parasympathetic fibers to glands located on anterior part of tongue?
- A. Lingual nerve
 - B. Glossopharyngeal nerve
 - ☒ C. Chorda tympani nerve
 - D. Vagus nerve
 - E. Hypoglossal nerve
21. All the following Para nasal sinuses open into the middle nasal meatus except one
- A. Frontal sinus
 - B. Middle ethmoidal sinuses
 - C. Maxillary sinus
 - ☒ D. Sphenoidal sinus
 - E. Anterior ethmoidal sinuses
22. The incorrect statement about the Infraorbital nerve is
- A. Its terminal branches supply the lateral nose and the upper lip.
 - B. It branches from maxillary nerve in the pterygopalatine fossa.
 - C. Passes through the inferior orbital fissure to the orbit and ends up in the face.
 - D. Innervates all the maxillary teeth and vestibular part of buccal maxillary gingivae
 - ☒ E. It communicates with nasopalatine nerve in the incisive canal.
23. The wrong association of important structures in the head and the land mark used to locate them is
- A. Parotid duct----- second maxillary molar tooth
 - B. Incisive fossa----- central maxillary incisors
 - C. Lingual nerve----- third mandibular molar tooth
 - ☒ D. Mental nerve ----- first mandibular molar tooth
 - E. Nerve to masseter----- mandibular notch
24. A tumor growing in the posterior part of the hiatus semilunaris on the lateral wall of the nasal cavity would block the opening of which paranasal sinus?
- A. Frontal sinus
 - ☒ B. Maxillary sinus
 - C. Sphenoidal sinus
 - D. Ethmoidalsinsus
 - E. Nasolacrimal duct
25. The Sphenoid bone makes articulation with all the following bones except one,
- A. Vomer
 - ☒ B. Inferior Nasal choncha
 - C. Zygomatic
 - D. Frontal
 - E. Maxilla

26. The zygomatic bone form all of the following parts of the bony orbit except,
 A. Infraorbital margin
 B. Anterolateral rim
 C. Lateral wall
☒ D. Supraorbital margin
 E. Floor
27. Which of the following bony features is not found in the posterior cranial cavity?
☒ A. Hiatus for greater petrosal nerve
 B. Groove for greater petrosal sinus
 C. External opening of endolymphatic duct
 D. Groove for inferior petrosal sinus
 E. Opening for condylar emissary veins
28. The fauces (throat) is bounded by all the following structures, except
 A. Soft palate
 B. Root of the tongue
 C. Palatoglossal arches
☒ D. Body of the tongue
 E. Palatopharyngeal arches
29. One of the following nerves is not a branch from the maxillary nerve?
 A. Infraorbital nerve
 B. Zygomaticofacial nerve
 C. Zygomaticotemporal nerve
☒ D. Auriculotemporal nerve
 E. Zygomatic nerve
30. The incorrect match between a muscle(s) and their action at the Temporomandibular joint is
 A. Temporalis----- elevation of mandible and closing of the mouth
☒ B. Suprahyoids----- elevation of mandible and closing of the mouth
 C. Masseter----- elevation of mandible and closing of the mouth
 D. Lateral Pterygoids----- depression of mandible and opening of the mouth
 E. Medial Pterygoids----- elevation of mandible and closing of the mouth

Neck

31. Which one of the following prevertebral muscle receives innervation from primary posterior rami of spinal nerve?
☒ A. Speniuscapitis
 B. Levator scapulae
 C. Longuscapitus
 D. Longuscolli
 E. Anterior scalen

32. Which one of the following is **correct** regarding the middle cervical ganglia?
- ☒ A. Located at the level of the cricoid cartilage
 - B. Gives gray rami communicants to the lower two cervical spinal nerves
 - C. Gives cranial nerve branch to CNIX, X & XII
 - D. Contribute in the formation of pharyngeal plexus
 - E. Forms the stellate ganglion
33. All of the following structures pass inferior to the superior constrictive muscle of the pharynx **EXCEPT**:
- ☒ A. Ascending palatine artery
 - B. Stylopharyngeus
 - C. Glossopharyngeal nerve
 - D. Stylohyoid ligament
 - E. None of the above
34. A person coming to an emergency room severely injured at midway of the anterolateral aspect of his neck. It was investigated that the SCM is affected at its midbelly. All of the following nerves are affected by the injury **EXCEPT**:
- A. Supraclavicular nerves
 - B. Lesser occipital nerve
 - C. Great auricular nerve
 - D. Transverse cervical nerve
 - ☒ E. Great occipital nerve
35. All of the following muscles make up the floor of the posterior triangle **EXCEPT**:
- A. Anterior scalen muscle
 - B. Middle scalenmucle
 - C. Levator scapulae
 - D. Splenius capitis
 - ☒ E. Longuscolli
36. Which of the following statements about the cervical plexus is true?
- A. It comprises spinal segments C1-C5
 - B. It consists solely of cutaneous nerves
 - ☒ C. It consists solely of ventral rami of C1 – C4 spinal nerves
 - D. It gives motor innervation to all infrahyoid muscles
 - E. Fibers from C2 – C4 form ansacervicalis
37. Which one of the following muscles is innervated by fibers from the ventral ramus of C1 that travel with the hypoglossal?
- ☒ A. Geniohyoid and thyrohyoid
 - B. Superior and inferior bellies of omohyoid
 - C. Sternohyoid and sternothyroid
 - D. Superior belly of omohyoid
 - E. Inferior belly of omohyoid

38. Which fascial layer is NOT correctly matched with the structures it encloses?
- A. Superficial cervical fascia → platysma
 - B. Investing layer of deep cervical fascia → trapezius and sternocleidomastoid
 - ☒ C. Pretracheal layer of deep cervical fascia → suprahyoid muscles
 - D. Prevertebral layer of deep cervical fascia → longuscolli, longuscapitis
 - E. carotid sheath → common carotid artery, internal jugular vein, vagus
39. Which of the following receives nerve supply from mandibular division of trigeminal nerve?
- ☒ A. Mylohyoid
 - B. Geniohyoid
 - C. Stylohyoid
 - D. Posterior belly of the digastric
 - E. Thyrohyoid
40. Which one of the following is false about thyroid gland?
- A. Composed of two lobes connected by an isthmus.
 - B. In 50% of population additional median pyramidal lobe exists
 - C. Has a dense irregular collagenous connective tissue capsule
 - D. Subdivided by capsular septa into lobules containing follicles.
 - ☒ E. Its isthmus extends across the 3rd – 4th tracheal rings
41. Which one of the following is not belongs to nerves of the posterior triangle?
- A. Spinal accessory nerve (CN XI)
 - B. Trunks of the brachial of plexus
 - C. Suprascapular nerve
 - D. Cutaneous branches of the cervical plexus
 - ☒ E. Ansacervicalis
42. Which one of the following nerve accompanies the inferior thyroid artery and at risk during thyroectomy?
- A. Internal laryngeal nerve
 - B. Superior laryngeal nerve
 - C. External laryngeal nerve
 - ☒ D. Recurrent laryngeal nerve
 - E. Glossopharyngeal nerve
43. Incorrect regarding the contents of carotid sheath and their location in the sheath:
- A. Common carotid artery → medial
 - B. Internal jugular vein → lateral
 - C. Vagus nerve in betwee and posterior
 - D. Carotid sinus at the base of internal carotid artery
 - ☒ E. External carotid artery and its branched
44. All of the following structures pass through submandibular triangle EXCEPT:
- A. Lingual nerve
 - B. Hypoglossal nerve
 - ☒ C. Glosopharngeal nerve

Good Luck!

- D. Facial artery
 - E. Submental artery
45. One of the following artery differs from the rest in terms of its origin. Which one is it?
- A. Vertebral artery
 - B. Thyrocervical trunk
 - C. Internal thoracic artery
 - ☒ D. Costocervical trunk
 - E. Transverse cervical artery
46. Which of the following contains **PAIRED** laryngeal cartilages?
- ☒ A. Arytenoid, corniculate, cuneiform
 - B. Arytenoid, cricoid, epiglottic
 - C. Thyroid, cricoid, epiglottic
 - D. Corniculate, cricoid, cuneiform
 - E. Cuneiform, corniculate, epiglottic
47. Which of the following intrinsic laryngeal muscle remains unaffected in case of injury to the recurrent laryngeal nerve?
- A. Transverse arytenoids
 - B. Oblique arytenoids
 - ☒ C. Cricothyroid
 - D. Posterior cricoarytenoid
 - E. Lateral cricoarytenoid
48. Which of the following intrinsic muscle of the larynx abducts the vocal fold?
- A. Vocalis
 - B. Transverse arytenoids
 - C. Oblique arytenoids
 - D. Thyroarytenoid
 - ☒ E. Posterior cricoarytenoid
49. Which of the following muscle of the pharynx doesn't innervated by pharyngeal plexus?
- A. Middle constrictor
 - B. Inferior constrictor
 - C. Palatopharyngeus
 - D. Salpingopharyngeus
 - ☒ E. Stylopharyngeus
50. A patient is brought into the Emergency Room in respiratory distress. It is quickly decided to create an emergency airway to restore respiration. At what level could you rapidly create an airway below the vocal cords with a minimum danger of hemorrhage?
- A. Just above the hyoid bone
 - B. Just above the thyroid cartilage
 - C. Just below the cricoid cartilage
 - ☒ D. Just below the thyroid cartilage
 - E. Through the 2nd- 4th tracheal ring