

CENTER FOR MEDICAL ETHICS AND PRIORITY SETTING End Attachment Exam

Started on Wednesday, 21 July 2021, 1:52 PM

State Finished

Completed on Wednesday, 21 July 2021, 2:42 PM

Time taken 49 mins 11 secs

Grade **37.00** out of 50.00 (**74%**)

Question 1

Complete

Mark 1.00 out of 1.00

Flag question

Question text

What are the different and basic definitions of death?

a.

It Is a gate of exit from one life and entry into the other everlasting one in Islam

b.

Physical death is the separation of body and soul in Christian

c.

Irreversible cessation of circulatory and respiratory functions

d.

Irreversible cessation all functions of the brain stem.

e.

All of the above

Question 2

Complete
Mark 0.00 out of 1.00
Flag question

Question text

"Confidentiality" is all of the following except:

a.

Describes the patient's right to sufficient physical and auditory isolation so that they cannot be seen or heard by others during interactions with medical personnel.

b.

Imposes a duty on health care workers.

c.

May conflict with the law, especially public health statutes.

d.

Presumes that what the patient tells the physician will not be revealed to any other person or institution without the patient's permission.

Question 3

Complete
Mark 1.00 out of 1.00
Flag question

Question text

Autonomy is

a.

The right to be selfish

b.

Self-governance

c.

Self-awareness

d.
Selfishness

e.
Self-promotion

Question 4

Complete
Mark 0.00 out of 1.00
Flag question

Question text

Which of the following is NOT appropriate action in respect to autonomy?

a.
Informing the client and respecting his/her choice

b.
Respecting privacy

c.

Informing the client and becoming surrogate decision maker on behalf of him/her

d.
Telling the truth for clients

Question 5

Complete
Mark 0.00 out of 1.00
Flag question

Question text

What is/are the essential components of the refusal of medical care process?

a.

Determining competence

b.
Not involving others

c.
Documenting the communication appropriately

d.
Ensuring an informed decision

Question 6

Complete
Mark 1.00 out of 1.00
Flag question

Question text

Which of the following is the initial step in the seven steps of ethical analysis method?

a.
To know what the ethical dilemma is

b.
To know about the outcome of the alternatives

c.
To identify laws, rules or guidelines that regulate the decision

d.
To know the involved stakeholders

Question 7

Complete
Mark 1.00 out of 1.00
Flag question

Question text

Health professionals in Ethiopia are regulated by tort law/criminal law and administrative law in this regard if a professional is sued legally which of the following element is not an intentional tort?

- a.
Assault
- b.
Rape by health professional
- c.
Negligence
- d.
None

Question 8

Complete
Mark 1.00 out of 1.00
Flag question

Question text

The information sheet should contain all of the following Except

- a.
Expected risks
- b.
Expected benefits
- c.
Voluntary participation
- d.
Technical terms of the procedure

Question 9

Complete
Mark 1.00 out of 1.00

Flag question

Question text

Which one of the following is not an essential characteristic of compassionate, respectful and caring (CRC) health professionals?

- a.
Taking pride in his or her profession.
- b.
Effective communication.
- c.
Respect for patient and families.
- d.
Considering patients as cases.

Question 10

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Information should be paced according to the child's capacity and provided using appropriate resources such as

- a.
Books, stories and play.
- b.
Movies and theaters
- c.
It should be discussed during bed side rounds
- d.
The nurses has the obligation to do the counseling

- e.
- None of the above

Question 11

Complete
Mark 0.00 out of 1.00
Flag question

Question text

A 12-year-old boy admitted to hospital with diagnosis of CRVHD. The doctor wanted to continue treatment. The client accepted the decision of the physician. The father wanted to take him home for financial reason against medical advice. Whose decision should be respected after making the seven-step ethical analysis.

- a.
The physician decision
- b.
The decision of the father
- c.
The client's decision for he is matured minor
- d.
The decision of team of physicians

Question 12

Complete
Mark 1.00 out of 1.00
Flag question

Question text

Which of the following is FALSE about informed consent?

- a.
Giving limited information to the client and making decision

- b.
Informing the unwanted effects of the intervention/alternatives
- c.
Explaining the natural course of the problem
- d.
Telling alternative options of the intervention

Question 13

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Once the client gives an informed consent, which of the following is CORRECT in the client's management?

a.

The physician should consider the possible deficits after the intervention

b.
The physician can do whatever he/she want

c.
The physician should not communicate to the client again

d.
The physician should not consider the goal of the treatment

Question 14

Complete

Mark 1.00 out of 1.00

Flag question

Question text

The medical student instructor is teaching medical students about principles of ethics in health care, and he tells them that the utmost important principle to observe while taking care of patient is doing no harm. The principle of Ethics she described here:

a.

Justice

b.

Nonmaleficence

c.

Respect for autonomy

d.

Veracity

e.

Beneficence

Question 15

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Assent is obtained from

a.

Children of assenting age

b.

All vulnerable participants

c.

All children regardless of their age

d.

All mentally ill participants

Question 16

Complete
Mark 1.00 out of 1.00
Flag question

Question text

Informed consent is useful

- a.
only to study participants
- b.
only to investigators
- c.
both to participants and investigators
- d.
neither to participants nor investigators

Question 17

Complete
Mark 1.00 out of 1.00
Flag question

Question text

Which of the following is the main purpose of counseling?

- a.
To make the patient compliant for treatment
- b.
To enhance physician's trust
- c.
To empower the patient
- d.
To make a patient adhere to a recommended treatment

Question 18

Complete

Mark 1.00 out of 1.00

Flag question

Question text

In the context of respectful care :

a.

All persons are entitled with the same degree of dignity.

b.

Healthy persons are entitled to more dignity.

c.

Sick individuals are entitled to more dignity.

d.

Not all persons are entitled with the same degree of dignity.

Question 19

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Withholding and withdrawing of life-sustaining therapy includes all except

a.

The need for large or escalating doses of opioids or sedatives

b.

Withdrawal of artificial nutrition , hydration and feeding tube

c.

life-sustaining treatment such as dialysis and ventilation

d.

Communication and counseling

e.

Avoidance of CPR in a life-threatening situation

Question 20

Complete

Mark 0.00 out of 1.00

Flag question

Question text

The principle of consent is one of the cornerstones of medical ethics which is the principle of autonomy upholds the right of the individual to make their own decisions Consent is also enshrined in international human rights law. It is a complex issue with the law offering a considerable amount of information and guidance so which of the following is the threshold element of informed consent?

a.

Disclosure

b.

Authorization

c.

Explanation

d.

Understanding

e.

Competence

Question 21

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Which one of the following 17 years old is NOT an emancipated minor

- a.
Married
- b.
University student**
- c.
Pregnant
- d.
Employed
- e.
All of the above

Question 22

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Five years old child presented with history of low grade fever and swelling over the mandible of a month duration. The swelling was small but increased in size within a month to attain the current size. The mother took him to the nearby hospital. During evaluation the child found to have malignancy. The uncle of the child who accompanied the mother during the hospital visit, requests the physician not to tell about the exact diagnosis and treatment to the mother because he thinks she might refuse the treatment. Which of the following do you think is the most appropriate step/s the physician has to take to solve the Ethical dilemma?

- a.
The physician has to respect the right of the mother to know about the diagnosis of her child and inform her right away about the diagnosis
- b.
He has to find out about the capacity of the mother to make the relevant decision about her child before he accept the wish of the uncle.

c.

The physician has an obligation to give sufficient information to the mother about the disease, complication, treatment outcome and let her make the decision voluntarily.

d.

The physician has to respect the request of the uncle because the mothers' decision might harm the child

e.

B and C are correct actions

Question 23

Complete

Mark 0.00 out of 1.00

Flag question

Question text

Which of the following statement is true regarding in decision making process of ethical dilemma?

a.

Country law or guideline has minimal role in analyzing ethical dilemmas

b.

Looking into how similar ethical dilemma resolved is not beneficial for decision making

c.

patient autonomy has to be respected irrespective of its mental capacity and legally competency

d.

Not necessary to look into the burden of other stakeholders except the individual

e.

Social and the cultural value of the individual has to be looked into decision process

Question 24

Complete

Mark 0.00 out of 1.00

Flag question

Question text

An 18 years old healthy male dies in a fatal road traffic accident; he has advance directives about his organ donations. Health care rationing of organs take multiple factors into account for deciding of who will be recipient of organ. Social utility, equity, equality, distributive justice, beneficence and expected life expectancy after organ transplantation, all perspectives play roles in allocating of scarce organs to recipients, as waiting lists are lengthy and decision is tough. The most likely recipient of organ will be: 14 years with irreversible liver failure.

a.

10 years old female downs syndrome with extreme form of developmental delay and end stage renal failure.

b.

13 years old female with heart failure and HIV positive.

c.

15 years' boy with acute renal failure.

d.

16 years old male with multi organ failure and brain death.

Question 25

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Which one of the following patients requires a palliative care?

a.

A patient with hospital acquired sepsis with meningitis and have poorly controlled seizure

b.

A patient who stayed on mechanical ventilator and inotropes for a week without any improvement.

c.

A baby with Down's syndrome who have imperforated anal orifice.

d.

A patient with advanced inoperable brain tumor who completed chemotherapy and radiation.

e.

An asphyxiated newborn with no urine output and have multifocal Clonic seizure

Question 26

Complete

Mark 0.00 out of 1.00

Flag question

Question text

A 49 year old client with appendicitis on whom the surgeon decided to operate refused the procedure. Which ethical principle is at stake?

a.

Autonomy

b.

Justice

c.

Non-maleficence

d.

Beneficence

Question 27

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Ato Ephrem has a heart attack and is admitted to ICU with a very poor prognosis. He asks the attending physician not to tell the prognosis to his family specially of his wife w/o Kebebush, because he does not think she will be able to take it. Next day w/o kebebush after the round she follows the attending to his office and asks him about the prognosis of her husband. Which of the following do you think is the most appropriate action of the physician?

a.

The physician should go back and encourage Ato Kebede to discuss about his condition and prognosis to his wife.

b.

The physician should call 20 yr old (eldest) son of Ato Kebede and inform him about the prognosis of Ato Kebede

c.

The physician should write a note to the nurse responsible for Ato Kebede care and instruct her to tell about the prognosis to w/o Kebebush

d.

The Physician should inform W/O kebebush about the prognosis right away because he believe that she, as the first of kin, has the right to know .

e.

The physician should not encourage Ato Kebede to talk with his wife

Question 28

Complete

Mark 1.00 out of 1.00

Flag question

Question text

W/O Almaz is 65 years old referred from the rural hospital with a complaint of breast mass. The daughter, a nurse by profession, brought her to the hospital where she is working for a better evaluation and treatment. After investigation, W/o Almaz found to have breast cancer. The daughter begs the physician not to tell her mother about

her disease because she will refuse the treatment if she knows it is a cancer. What is the best way for the doctor to handle the situation?

a.

The doctor should ask the daughter how she wants to handle the information in front of the rest of the family and allow for some family discussion time for this matter.

b.

The doctor should tell the daughter that withholding information is not permitted under any circumstance.

c.

The Physician has to refer the case to the ethics counsel for discussion.

d.

The daughter should withhold the information from her siblings about breast cancer because she is afraid her mother will find out and refused treatment.

e.

The doctor should honor the request of the Nurse who is protecting her mother from the bad news.

Question 29

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Informed consent could be obtained from all except

a.

Community

b.

Investigator

c.

Spouse

d.
Study participant

Question 30

Complete
Mark 1.00 out of 1.00
Flag question

Question text

The purpose of medical ethical analysis guidelines includes all except.

- a.
Offering a framework to identify difficult issues
- b.
Facilitate dialogue and cooperation among all stakeholders
- c.
To Provide checklist to ensure completeness
- d.
To give final solutions to all types of ethical dilemmas
- e.
Encourage teamwork to solve dilemma without bias and significant influence of individual belief

Question 31

Complete
Mark 1.00 out of 1.00
Flag question

Question text

A 2 days old baby girl is admitted in neonatal intensive care unit; she is suffering from early onset neonatal sepsis accompanied with multi organ failure. She has to put on mechanical ventilator support; her respiratory status is moderately working, pupils are fixed dilated, motor and sensory responses are absent and her heart is

having regular sinus rhythm. Physician counsels' parents, about brain death; and explains that it is of no use to keep the baby alive with evident brain death and asks for parents' permission to off the artificial mechanical support. But Parents are stubborn to continue life support. Social and ethical principles come in conflict with health care system are:

- a.
Religious and cultural beliefs to not to end life.
- b.
Virtue ethics and ideal beneficence versus medical realities.
- c.
Cost related to futile treatment and medical concerns.
- d.
Respect for autonomy of surrogate decision maker.
- e.
Parents' wishes and futile medical treatment

Question 32

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Which of the following statements is correct?

- a.
Informed consent is a risk management tool for an investigator
- b.
Informed consent is a onetime act
- c.
Informed consent acknowledges respect for persons
- d.
Verbal informed consent suffices for clinical trial

Question 33

Complete

Mark 0.00 out of 1.00

Flag question

Question text

Medical practioners are liable to be sued legally when medical Doctor who has been sued for malpractice suit is attending court proceedings as required he or she is expected to

- a.
Speak loudly and fast in front of the court
- b.
Bring required documents to court and present them when requested
- c.
Answer all questions
- d.
Assigning someone to attend court proceedings
- e.
Testifying without preparation.

Question 34

Complete

Mark 1.00 out of 1.00

Flag question

Question text

A newborn with Patau syndrome (Trisomy 13) became critical on the 5th day of his life; echocardiography confirmed the presence of complex congenital heart disease. He was on potent antibiotics for suspected sepsis. What will be the plan of your management?

- a.

Do counseling and continue with palliative care

- b.
Change antibiotics
- c.
Communicate with cardiac surgeons and treat infection aggressively
- d.
Do septic work up and council parents
- e.
Do genetic tests and reassure parents

Question 35

Complete

Mark 1.00 out of 1.00

Flag question

Question text

To have adequate decision-making capacity in any particular circumstance, a person must understand all of the following except:

- a.
The costs and benefits of consequences in relation to a relatively stable framework of personal values and priorities
- b.
The available options
- c.
The court's decision about their competency
- d.
The consequences of acting on those options

Question 36

Complete

Mark 0.00 out of 1.00

Flag question

Question text

A 30 years old pregnant woman with 37 weeks of gestation admits in maternity ward with complaints of starting labor pains, she is human immunodeficiency virus (HIV) positive. Her previous two children are HIV positive. She delivers healthy baby boy weighing 3.5Kg. She is not willing to test her baby for HIV screening and left the ward against medical advice. To save public from preventable HIV transmission, policies developed by health care policy makers must address the policy:

- a.
Voluntary selective screening for HIV, indulge in unsafe sexual practices.
- b.
Mandatory screening of all pregnant women for HIV.
- c.
Mandatory screening for HIV for all irrespective of low and high-risk groups.
- d.
Compulsory and voluntary screening for HIV for all.
- e.
Mandatory HIV screening of all newborns.

Question 37

Complete

Mark 1.00 out of 1.00

Flag question

Question text

A 15-year-old female a mother of three months old infant came to a hospital to get family planning service. Which of the following is CORRECT response to her request?

- a.
Her family should give consent for she is a minor.
- b.

She should not be given the service for she is underage

c.

She should get the service for she has a child

d.

Her doctor can decide for her

Question 38

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Which of the following statement is true regarding in decision making process of ethical dilemma?

a.

Country law or guideline has minimal role in analyzing ethical dilemmas

b.

Looking into how similar ethical dilemma resolved is not beneficial for decision making

c.

patient autonomy has to be respected irrespective of its mental capacity and legally competency

d.

Not necessary to look into the burden of other stakeholders except the individual

e.

Social and the cultural value of the individual has to be looked into decision process

Question 39

Complete

Mark 1.00 out of 1.00

Flag question

Question text

The purpose of medical ethical analysis guidelines includes all except?

- a.
To Provide checklist to ensure completeness
- b.
To gives final solutions to all types of ethical dilemmas
- c.
Offering a frame work to identify difficult issues
- d.
Facilitate dialogue and cooperation among all stakeholders
- e.
Encourage teamwork to solve dilemma without bias and significant influence of individual belief

Question 40

Complete

Mark 0.00 out of 1.00

Flag question

Question text

Dr Demeke believes that he has a duty to give cardiac clients detailed information during preoperative assessment on the pathology involved in their condition the expected complications even though the client has indicated that they are not ready or may be terrified to hear the information causing the client distress Which of the following ethical theories best explains Dr Demekes decision?

- a.
Veracity
- b.
Fidelity

c.



Deontology

d.
Virtue ethics

e.
Consequentialism

Question 41

Complete
Mark 1.00 out of 1.00
Flag question

Question text

Which of the following statement is /are NOT correct?

- a.
Quality of life for individual patient is best defined by the treating physician
- b.
Patients' preference of treatment mainly related to ethical concept of respect for patient autonomy.
- c.
contextual features closely related to loyalty and fairness and may consider patients religious and / or cultural values
- d.
Ethical concept of beneficence and non-maleficence best addressed as physician discussing the medical indication of an intervention

Question 42

Complete
Mark 1.00 out of 1.00
Flag question

Question text

When using the "rapid approach to ethical problems in the emergency department to decide on a course of action:

a.

Assume that each ethical problem in the ED requires a unique solution.

b.

When practicable and safe for the patient, buy time to consult on possible options.

c.

Test your chosen action against your religious values.

d.

Always consult with the Bioethics Committee/ Consultant before acting.

Question 43

Complete

Mark 0.00 out of 1.00

Flag question

Question text

Communication with a child is dependent on a number of factors:-

a.

cultural and spiritual status of the community

b.

Understanding of their illness and level of maturity

c.

previous experience of death and parents decision

d.

Age, and willingness of the child

e.

Presence of the family member during the counseling session

Question 44

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Which of the following ethical principles mainly deals with strict observance of promises or duties?

a.

Beneficence

b.

Justice

c.

Autonomy

d.

Veracity

Question 45

Complete

Mark 0.00 out of 1.00

Flag question

Question text

Specific challenges in end-of-life care regarding withholding and withdrawing treatment are except?

a.

If an action requires the doctor to act against a professional code or law.

b.

Difficulty in providing an accurate prognosis

c.

Disclosure of bad news

- d.
Clinician reluctance to consider a palliative approach, for fear it signals a loss of hope.

e.

If the patient can't stay in the hospital for a longer time due to financial problem

Question 46

Complete

Mark 1.00 out of 1.00

Flag question

Question text

When a physician makes decision based on the seven steps ethical analysis, he/she should consider all of the following EXCEPT:

- a.
Clarifying client wishes
- b.
Considering resources/fairness issues
- c.
Considering treatment team uncertainty

d.

Giving less attention to relatives

Question 47

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Which of the following best describes compassionate care?

- a.
Care provided with principle of provider-centered care.

- b.
Care provided by not humiliating another person.
- c.
Care provided by the quality of how one treats others.
- d.
Care provided with sensitivity to suffering of others.

Question 48

Complete
Mark 1.00 out of 1.00
Flag question

Question text

After road traffic accident, 45 years old married man a father of two came to emergency room in an unconscious mental state by his families. The surgeon wanted to do emergency surgery. According to Ethiopian law who is the first next of kin to give surrogate decision/consent for the procedure?

- a.
His wife
- b.
His children
- c.
His parents
- d.
His brothers/sisters

Question 49

Complete
Mark 1.00 out of 1.00
Flag question

Question text

HIV positive individual is going to continue to have unprotected sexual intercourse with his wife and other partners. Which one of the following is the best immediate ethical decision in the management of the condition?

a.

Communicating with the client for voluntary disclosure

b.

Informing to the hospital social worker

c.

Notifying to police

d.

Disclosure to his wife and partners by the physician

Question 50

Complete

Mark 1.00 out of 1.00

Flag question

Question text

Information should be paced according to the child and provided using appropriate resources such as

a.

Books, stories and play.

b.

Movies and theaters

c.

It should be discussed during bed side rounds

d.

The nurses have the obligation to do the counseling

e.

None of the above