

MQC

1. The following diseases are associated with Epstein - Barr virus infection, except:
a) Infectious mononucleosis
b) Epidermodysplasia veruciformis
c) Nasopharyngeal carcinoma
d) B-Cell lymphomas
2. Acute form of chicken pox is:
a) Zoster
b) Varicella
c) Cow pox
d) Shingles
3. Varicella are classified under:
a) Enterovirus
b) Retrovirus
c) Poxvirus
d) Herpes virus
4. EB virus belongs to which group:
a) Retrovirus
b) Herpes virus
c) RNA virus
d) Pox viru
5. Parvovirus B19 does not cause:
a. Roseola infantum
b. Aplastic anemia in sickle cell
c. Fetal hydrops
d. Erythema infectiosum
6. A neonate develops encephalitis without any skin lesions most probable causative organism is :
a) HSV I
b) HSV II
c) Meningococci
d) Streptococci
7. Glycoprotien which are specific for Herpes Simplex Virus -1:
a) Glycoprotein G1
b) Glycoprotein G2
c) Glycoprotein G4
d) Glycoprotein G
8. A helper virus for defective Parvovirus is ____:
a. Adeno virus
b. Herpes virus
c. Hepatitis B Virus
d. Hepatitis D Virus
9. In parvovirus infection what is common in adult:
a. Artheritis
b. PRCA
c. Erythema infectiosum
d. Arthropathy
10. Which of the following pair is correct?
a) RSV – Brochiolitis
b) HHV5 – Infectious mononucleosis
c) Parvovirus Exanthem subitum
d) HHV - 6 - Kaposi sarcoma
e) VZV – Chicken pox
11. Renal involvement is seen in which of the following infections:
a) Cytomegalovirus
b) Polyoma virus
c) Human papilloma virus
d) HIV
e) HBV
12. Oropharyngeal involvement of Herpes Virus is common in:
a) HSV-2
b) HSV-1
c) Herpes Virus-3
d) Herpes Virus -6
13. Vaccine preparation requires which virus as vector:
a) Rhinovirus
b) Vaccinia
c) Adenovirus
d) Ebola
e) Hepatitis B
14. A virus that spreads via transplants are:

- a) HSV
b) CMV
- c) Epstein-Barr virus
d) Polio virus
15. Herpes simplex virus is:
a) Single stranded DNA
b) Double stranded DNA
c) Single stranded RNA
d) Double stranded RNA
16. Large Cell Virus:
a) Poxvirus
b) HSV
c) CMV
d) Polio virus
17. Which virus remains dormant but reactivate is:
a) Herpes simplex
b) varicella zoster
c) EB virus
d) CMV
18. The causative organism for infectious mononucleosis is:
a) EB virus
b) Coxsackie virus
c) Varicella virus
d) Parvo virus
19. African burkitts lymphoma is caused by:
a. Cytomegala virus
b. EB virus
c. Herpes zoster
d. Infectious mononucleosis
20. Erythema infectiosum is caused by:
a. Human parvovirus B19
b. Papova virus
c. Human herpes virus type 8
d. Measles virus
21. Which of the following is not true about measles?
a) High secondary attack
b) Only one strain causes infection
c) Not infectious in prodromal period
d) Infections confer life long immunity
22. The most common etiological agent for acute bronchiolitis in infancy is:
a) Influenza virus
b) Parainfluenza virus
c) Rhinovirus
d) Respiratory syncytial virus
23. With reference to mumps which of the following is true:
a) Meningoencephalitis can precede parotitis
b) Initially cause malaise and anorexia
c) It is characterized by nonsuppurative enlargement of parotid glands
d) Immunity is permanent after a single infection
24. All of the viruses cause pneumonia except:
a) Cytomegalovirus
b) Mumps
c) Measles
d) Retrovirus
25. Segmented double stranded RNA virus is seen in:
a) Reovirus
b) Myxovirus
c) Rabies
d) Parvo virus
26. Conjunctivitis is caused by all except:
a) CMV
b) Enterovirus 70
c) Coxsackie A 24
d) Adenovirus
27. All are cultivable virus except:
a) Rota virus
b) Enterovirus
c) ECHO virus
d) Coxsackie virus

28. Segmented RNA is found in:
- a) Influenza virus
 - b) Rabies virus
 - c) Herpes virus
 - d) Molluscum contagiosum virus
29. Vaccines prepared by embryonated Hen's egg are:
- a) Measles
 - b) Rabies
 - c) Rubella
 - d) Varicella
30. All are included in picorna group of viruses except:
- a) Encephalo myocarditis
 - b) HEV
 - c) Foot and mouth virus
 - d) Polio virus
31. Micro-Organism used as weapon in biological terrorism:
- a) Small pox Virus
 - b) Rabies Virus
 - c) Ebola Virus
 - d) Influenza C Virus
32. Organism (s) causing, bronchiolitis in infant:
- a) RSV
 - b) Rhino virus
 - c) Parainfluenza
 - d) Influenza
33. Lipid envelope is found in which virus:
- a) Reo
 - b) Herpes
 - c) Picorna
 - d) All of the above
34. Negri bodies are characteristic of viral infection by:
- a) Rabies
 - b) Toxoplasmosis
 - c) Polio
 - d) Herpes simplex infection
35. Which of the following statement is/are true of all paramyxoviruses:
- a) They contain a single-stranded RNA genome of negative polarity
 - b) Envelopes are derived from the host cell's plasma membrane
 - c) They have a cytoplasmic site of replication
 - d) They enter the body by the respiratory route
36. Latent infection is seen in:
- a) Small pox
 - b) Adeno virus
 - c) Chicken pox
 - d) Measles
37. Subacute sclerosing panencephalitis is associated with:
- a) Chicken pox
 - b) Rabies
 - c) Measles virus
 - d) Polio virus
38. Which viral infection always causes clinical disease in human beings:
- a) Rubella
 - b) Poliomyelitis
 - c) Measles
 - d) Chicken pox
 - e) Rabies
39. RSV causes:
- a) Bronchiolitis
 - b) Mumps
 - c) Croup
 - d) Bronchitis
40. All enveloped helical RNA viruses belong to one large group, which includes all of the following except:
- a) Influenza
 - b) Parainfluenza
 - c) Mumps
 - d) Herpes
41. Epidemic hemorrhagic conjunctivitis is caused:
- a) HSV
 - b) HZV

- c) HIV d) Picorna virus
42. Which of the following is true regarding influenza:
- a) It is caused by an enveloped DNA virus
 - b) Laboratory studies may show neutropenia early in the course of disease
 - c) Primary infectious pneumonia is less common than secondary bacteria pneumonia
 - d) Antiviral agents is given early prevents complications
43. Virus lacking hemagglutinin and neuraminidase but have membrane fusion protein is :
- a) RSV c) HSV
 - b) CMV d) Ebstein Barr virus
44. Coxsackie group A commonly causes:
- a) Conjunctivitis c) Hepatitis
 - b) Aseptic meningitis d) Myocarditis
45. Which of the following hepatitis virus have significant perinatal transmission:
- a) HEV c) HBV
 - b) HCV d) HAV
46. Non - parenteral hepatitis is:
- a) Hepatitis A c) Hepatitis C
 - b) Hepatitis B d) Hepatitis D
47. A blood donor is not considered for safe transfusion, if he has:
- a) Anti HBS Ab+ve
 - b) Anti HBS Ab and HBc Ag+ve
 - c) HbS Ag +ve and IgM anti HBC+ve
 - d) Anti HBe+ve
48. Which of the following Hepatitis virus is cultivable:
- a) Hepatitis A c) Hepatitis D
 - b) Hepatitis B d) Hepatitis E
49. Hepatitis C virus is a:
- a) Togavirus c) Filovirus
 - b) Flavi virus d) Retrovirus
50. Commonest hepatotropic virus causing increased chronic carrier state is:
- a) HEV c) HBV
 - b) HAV d) HCV
51. Which hepatitis virus is notorious for causing a chronic hepatitis evolving cirrhosis?
- a) Hepatitis C virus c) Hepatitis E virus
 - b) Hepatitis B virus d) Cytomegalo virus
52. Hepatitis A is transmitted by:
- a) blood route c) Feco-oral route
 - b) Inhalation d) All
53. Anti HBs Ab indicates:
- a) Resistance to Hepatitis B c) Good prognosis
 - b) Acute infections d) Hepatocellular Carcinoma
54. Most common route of spread of Hepatitis E is:
- a) Sex c) Blood transfusion
 - b) Feco-oral d) IV injections
55. Hepatitis B is not transmitted by:
- a) Blood transfusion b) Pasteurised albumin

- c) Cryoprecipitate
d) Sexual contact
56. Which of the following hepatitis has poor prognosis:
a) Hepatitis A
b) Hepatitis B
c) Non-A Non-B type
d) Hepatitis C
57. Carrier state does not exist for:
a) Hepatitis B virus
b) Hepatitis A virus
c) Non A non B Hepatitis
d) Delta agent
58. HBV is associated with all of the following except:
a) Hepatic cancer
b) Chronic hepatitis
c) Hepatic adenoma
d) Cirrhosis
59. Serological markers of infectivity of Hepatitis B:
a) HBsAg
b) HBeAg
c) IgM anti Hbc
d) HbcAg
60. Which hepatitis virus had been called as enterovirus:
a) Hepatitis A
b) Hepatitis B
c) Hepatitis C
d) Hepatitis E

T/F

- 1. Papovavirus are RNA viruses (T).
- 2. Recurrent genital involvement of Herpes Simplex Virus is seen in HSV-2 (T)
- 3. Cytomegalovirus is a DNA virus that can cause congenital viral infections (T)
- 4. Hemagglutinin and neuraminidase of Influenza A virus are strain specific (T)
- 5. RNA of rabies virus has a negative polarity (T)
- 6. Measles virus has a hemagglutinin activity and neuraminidase activity (F)
- 7. Hepatitis B vaccination can protect from Hepatitis D infection (T)
- 8. Vaccinia virus was used for small pox vaccination (T)
- 9. Latency is a special property of Herpes Virus (T)
- 10. Pathogenicity of 0-139 vibrio is due to H antigen

MATCHING

A

- 1. Hepatitis E virus (C)

- 2. Virus that causes Chronic liver disease (A)
- 3. The only Hepatitis virus which is DNA virus (B)
- 4. Complete virus particle or the entire infectious unit: (E)
- 5. Virus infected cells can be identified by development of: (D)
- 6. HSV-1 latency is acquired in:(G)
- 7. common cold viruses (F)

B

- A. Hepatitis C virus
- B. Hepatitis B virus
- C. Hepatitis E virus
- D. cytopathic effect
- E. Virion
- F. Rhinovirus
- G. Trigeminal Ganglia
- H. Sacral Ganglia

FILL-IN THE SPACE

1. _____ is a virus that are used as gene-delivery vehicles for gene therapy (adenovirus)
2. _____ is a virus that lacks one or more functional genes required for viral replication and needed helper virus activity (Defective viruses)
3. _____ is a virus that infect bacteria (Bacteriophage)
4. _____ is a virus that causes Multinucleate giant cells with intranuclear inclusions in lymphoid tissue (Measles Virus)
5. _____ virus have double shelled layers of Dane particle (Hepatitis B virus)

6. _____ is Virus that cause kissing disease in young adult is called
(Epstein-Barr virus (EBV))

SHORT ANSWER

1. List Viruses that are associated with tumor or cancer (2pts)
(**Human Papillomavirus, Polyomaviruses, adenovirus type 12, Epstein – Barr virus, Hepatitis B Virus and Kaposi’s sarcoma-associated herpesvirus**)
2. Briefly explain how flaccid paralysis occur in poliovirus infections? (3pts)
Causes the destruction of motor neurons in spinal cord and can result in flaccid paralysis
3. **List main criteria used for classification of viruses**
 - Type of nucleic acid (DNA or RNA)
 - Number of strands of nucleic acid
 - Physical construction (single / double stranded / linear / circular / segmented)
 - Polarity of viral genome (positive sense / negative sense)
 - Symmetry of nucleocapsid
 - Presence / absence of a lipid envelope
4. Six phases in virus replication
 1. Adsorption or Attachment
 2. Penetration
 3. Uncoating
 4. Biosynthesis
 5. Maturation
 6. Release
4. One questions will also come on your exam from your assignment