

Question 6
Not yet answered
Marked out of 1.00

Flag question

Question text

The REM sleep state of the brain functions using

- a.
Alpha wave with Kapa complex and spindles
- b.
Delta max
- c.
Alpha wave
- d.
Beta wave

e.
Delta wave
Clear my choice

Question 7
Not yet answered
Marked out of 1.00

Flag question

Question text

Which of the following is NOT true of the corticospinal tract:

- a.
damage to it at the internal capsule results in contralateral spastic paralysis of muscles
- b.
it is a two neuron pathway
- c.
injury to it at the lateral column of spinal cord results in ipsilateral spastic paralysis of muscles
- d.
it passes through the genu of the internal capsule
- e.
its fibers cross over to the opposite side at the level of inferior medulla oblongata

Clear my choice

Question 8
Not yet answered
Marked out of 1.00

Flag question

Question text

Heparin

- a.
is oral anticoagulant

- b.
causes skin necrosis
- c.
effect is reduced by hypothyroidism
- d.
effect is monitored by INR

e.
follows saturation kinetics
Clear my choice

Question 9
Not yet answered
Marked out of 1.00

Flag question

Question text

A pathological condition that fail testis to descent to the scrotum is called ____?

- a.
Menarch
- b.
Cryptorchidism
- c.
Menopause
- d.
Andropause

e.
Climacteric
Clear my choice
Question 10
Not yet answered
Marked out of 1.00

Flag question

Question text

During hematopoiesis, select the CORRECT statement.

- a.
Polyploidmetamyelocytes specific granules increase in number to form monocytes.
- b.
The first recognizable cell in agranulopoiesis is the reticulocyte.
- c.
Large numbers of band cells in blood usually indicate bacterial infection.
- d.
Myeloblasts do not possess azurophilic granules.

e.

Megakaryocytes are the first recognizable cells in the erythroid series.

Question 11

Not yet answered

Marked out of 1.00

Flag question

Question text

Which of the following is the location of the progress zone of the limb development?

a.

Hand plates

b.

Apical ectodermal ridge

c.

Inter-zone

d.

Constriction sites

e.

Cell death at ridges

Clear my choice

Question 12

Not yet answered

Marked out of 1.00

Flag question

Question text

Endurance training in a glycogen-depleted state results in:

a.

Reduced mitochondrial oxidative enzyme activity

b.

Improved capacity to use fat as fuel during exercise

c.

Reduced stress hormone responses to submaximal exercise

d.

Reduced appetite after physical exercise

e.

Improved high intensity exercise performance

Clear my choice

Question 13

Not yet answered

Marked out of 1.00

Flag question

Question text

Opsonization refers to:

- a.
Presenting of antigens
- b.
Antibody mediated viral inactivation.
- c.
Parasitic lysosomal degranulation
- d.
Coating of microorganisms by antibody and/or complement.
- e.
Adherence to mucosal epithelial cells.

Clear my choice

Question 14

Not yet answered

Marked out of 1.00

Flag question

Question text

If a boxing fighter tries to make a fist, but his digits 4 and 5 remain partially extended, (unable to flex the MCP joints of digits 4 and 5) what nerve is most likely injured?

- a.
Radial nerve
- b.
Median nerve
- c.
Ulnar nerve
- d.
Axillary nerve
- e.
Musculocutaneous nerve

Clear my choice

Question 15

Not yet answered

Marked out of 1.00

Flag question

Question text

Major O₂ and CO₂ transport in the blood involves

- a.
Bicarbonate, and Hemoglobin, respectively
- b.

Dissolved forms in the plasma for both

c.

Hemoglobin, and dissolved form, respectively

d.

Myoglobin, and bicarbonate , respectively

e.

Hemoglobin, and bicarbonate , respectively

Question 16

Not yet answered

Marked out of 1.00

Flag question

Question text

All of the following veins are tributaries of the inferior vena cava, EXCEPT:

a.

Right ovarian

b.

Right testicular

c.

Left renal

d.

Left suprarenal

e.

Right inferior phrenic

Clear my choice

Question 17

Not yet answered

Marked out of 1.00

Flag question

Question text

Piperazine antagonizes the anthelmintic action of which of the following drug?

a.

Mebendazole

b.

Pyrantel pamoate

c.

Albendazole

d.

Niclosamide

e.

Praziquantel

Clear my choice
Question 18
Not yet answered
Marked out of 1.00

Flag question
Question text
The ventricular systolic phase begins with

- a.
Opening of AV valve
- b.
Isovolumic contraction
- c.
Isovolumic relaxation
- d.
Rapid filling
- e.
Rapid ejection

Clear my choice
Question 19
Not yet answered
Marked out of 1.00

Flag question
Question text
Which of the following is an example of pathologic hypertrophy?

- a.
Increase in liver cell mass after partial resection of the liver
- b.
Endometrial hypertrophy during pregnancy
- c.
Myocardial hypertrophy during hypertension
- d.
Breast hypertrophy during puberty
- e.
Muscular hypertrophy during exercise

Clear my choice
Question 20
Not yet answered
Marked out of 1.00

Flag question
Question text
Which condition might inhibit milk secretion from the mammary gland during breast feeding?

- a.

FSH and LH secretion

b.

Oxytocin

c.

Prolactin releasing hormone

d.

Hypothalamic dopamine

e.

Foundling of the baby

Question 26

Not yet answered

Marked out of 1.00

Flag question

Question text

Which ONE of the following molecules is used as a biomarker for myocardial infarction?

a.

Bilirubin

b.

Troponin

c.

C-reactive protein

d.

HbA1c

e.

ALT

Clear my choice

Question 27

Not yet answered

Marked out of 1.00

Flag question

Question text

Superior parathyroid gland is derived from

a.

Endoderm of 4th pharyngeal pouch

b.

Ectoderm of 6th pharyngeal pouch

c.

Endoderm of 6th pharyngeal pouch

d.

Endoderm of 5th pharyngeal pouch

e.
Endoderm of 3rd pharyngeal pouch
Clear my choice
Question 28
Not yet answered
Marked out of 1.00

Flag question
Question text
A partial fracture in which one side of the bone is broken and the other side bends is:

- a.
Greenstick fracture
- b.
Comminuted fracture
- c.
Capillary fracture
- d.
Impacted fracture

e.
Pott's fracture
Clear my choice
Question 29
Not yet answered
Marked out of 1.00

Flag question
Question text
Which one of the following protein can identify termination signal for the process of prokaryotic transcription?

- a.
Epsilon factor
- b.
Rho factor
- c.
Psi factor
- d.
Alpha factor

e.
Sigma factor
Clear my choice
Question 30
Not yet answered
Marked out of 1.00

Flag question

Question text

The most common type of bladder cancer associated with Schistosomiasis?

- a.
Rhabdomyosarcoma
- b.
Transitional cell Carcinoma
- c.
Adenocarcinoma
- d.
Squamous cell carcinoma
- e.
Leiomyosarcoma

Question 36

Not yet answered

Marked out of 1.00

Flag question

Question text

Which one of the following clinical manifestations is NOT consistent with Anthrax infection?

- a.
Inhalation
- b.
Pulmonary
- c.
Gastrointestinal
- d.
Neurologic
- e.
Cutaneous

Clear my choice

Question 37

Not yet answered

Marked out of 1.00

Flag question

Question text

Cinchonism is associated with which antiarrhythmic drug

- a.
adenosine
- b.
Quinidine
- c.

flecainide

d.

verapamil

e.

procainamide

Clear my choice

Question 38

Not yet answered

Marked out of 1.00

Flag question

Question text

Beta- 2 receptor mediates the functions of

a.

Airway muscles

b.

Heart muscles

c.

Sphincters of the gut

d.

Sweat glands

e.

Circular muscle of the iris

Clear my choice

Question 39

Not yet answered

Marked out of 1.00

Flag question

Question text

Which hormone/local factor is NOT synthesized by the kidney?

a.

ADH

b.

Vit. D3

c.

Prostaglandin

d.

Erythropoietin

e.

Renin

Clear my choice

Question 40

Not yet answered

Marked out of 1.00

Flag question

Question text

A person who is standing in the anatomical position is:

- a.
Has the upper limbs by the sides of the trunk
- b.
Facing laterally
- c.
Has the palms of the hands directed medially
- d.
The mouth is opened and eyes are closed
- e.
Is standing on his/her toes

Question 41

Not yet answered

Marked out of 1.00

Flag question

Question text

The main site of inflammation/infection by rickettsiae is:

- a.
Skin tissue
- b.
Endothelial cells
- c.
Neurologic cells
- d.
Lymphatic system
- e.
Bone and joints

Clear my choice

Question 42

Not yet answered

Marked out of 1.00

Flag question

Question text

Where is the commonest site of foreign body aspiration in the respiratory tract

- a.
Larynx
- b.

Right lung

c.

Left lung

d.

Bilateral lungs

e.

Carina

Clear my choice

Question 43

Not yet answered

Marked out of 1.00

Flag question

Question text

Which of the following statements is CORRECT regarding the respiratory system?

a.

The paranasal sinuses are lined with nonkeratinized stratified squamous epithelium.

b.

The middle and inferior conchae are covered with a specialized olfactory epithelium.

c.

The seromucous glands and venous plexuses in the alveoli are important for gas exchange.

d.

The pleural cavity is lined by alveolar type I cells which clean the alveolar surface.

e.

Smooth muscle is present in the entire bronchiolar tree, including the respiratory bronchiole.

Clear my choice

Question 44

Not yet answered

Marked out of 1.00

Flag question

Question text

Which of the following statements is NOT correct with regard to cell morphology?

a.

Mitochondria proliferate by fission from pre-existing mitochondria.

b.

Ribosomes as non-membranous organelles are constructed in the nucleoli.

c.

Hemosiderin is a membrane-bounded vesicle containing oxidative enzymes.

d.

Muscle contraction and relaxation is one of the functions of a smooth endoplasmic reticulum.

e.

Clathrin-coated vesicles are associated with regulated signal-directed transport of proteins.

Clear my choice
Question 45
Not yet answered
Marked out of 1.00

Flag question
Question text
Atherosclerosis: mark the cell which is the target of injury

- a.
Intimal matrix
- b.
Endothelial cell
- c.
Intimal fibroblast
- d.
Intimal macrophage
- e.
Medial smooth muscle cell

Question 46
Not yet answered
Marked out of 1.00

Flag question
Question text
Virchow node

- a.
Metastatic adenocarcinoma from stomach to ovaries
- b.
Periumbilical metastatic adenocarcinoma deposits from gastric primary
- c.
Linitis plastica
- d.
Metastatic adenocarcinoma in cervical lymph nodes
- e.
Left supraclavicular metastasis in a patient with gastric carcinoma

Clear my choice
Question 47
Not yet answered
Marked out of 1.00

Flag question
Question text
The end product of cytosolic fatty acid synthesis in humans is

- a.

Arachidonic acid

b.

Linoleic acid

c.

Palmitic acid

d.

Oleic acid

e.

Palmitoleic acid

Clear my choice

Question 48

Not yet answered

Marked out of 1.00

Flag question

Question text

Toxicities with antimuscarinic drugs (e.g. atropine) is managed by cholinergic agonists (e.g. Physostigmine). What type of interaction is there between these two drugs ?

a.

Enhancement of excretion

b.

Competitive antagonism

c.

Delaying of absorption

d.

Chemical chelation

e.

Physiologic antagonism

Clear my choice

Question 49

Not yet answered

Marked out of 1.00

Flag question

Question text

Which of the following is TRUE about the tonicity and osmotic pressure of the body fluid?

a.

ICF tonicity will be greater than extracellular in a cell within isotonic solution

b.

Cells placed in the hypotonic solution become smaller volume and size

c.

Hydrostatic pressure amplifies osmotic pressure

d.

The higher the concentration of osmolyte the less the osmotic pressure

e.

The more the osmotically active particles is the more the tonicity of solution

Clear my choice

Question 50

Not yet answered

Marked out of 1.00

Flag question

Question text

One of the following structures does NOT pass through aortic opening?

a.

Thoracic duct

b.

Azygous vein

c.

Hemiazygous vein

d.

Aorta

e.

Vagus nerve