

Module II

Test I

Anatomy and Histology exam questions

✓ **Characteristics of**

- I. **Cilia,**
- II. **Simple columnar,**
- III. **Simple cuboidal,**
- IV. **Simple squamous**

✓ **Contents of basal laminae**

✓ **Reticular fibers are found EXCEPT:**

✓ **Epithelial surfaces**

- I. **(Finger like projections that interlock adjacent epithelial cells)..... Lateral surface**

✓ **Functional ^ Morphological - classification of epithelium**

1. **Surface epithelium**
2. **Glandular epithelium**
3. **Sensory epithelium (neurothelium E.g. cells of taste buds)**
4. **Contractile epithelium (myoepithelium E.g. acini of mammary, sweat & salivary glands).**
5. **Special structures on the surface**

✓ **Cell junction**

- II. **Macula adherens : Characterized by dense sign of intercellular attachment of proteins.**

- ✓ alveoli epithelium:(type)
- ✓ abductor and adductor normally doesn't function....damaged nerve:
- ✓ cuboital fossa content medial to lateral...:
- ✓ Found in proximal end of humerus:
- ✓ radiographic left clavicle and metacarpal:
- ✓ absent in walls of terminal bronchioles:
- ✓ ligament inion to C7 :
- ✓ glycosaminoglycan
- ✓ characteristics of GAG
- ✓ elastic cartilage :epiglottis
- ✓ characteristics of fibro blast
- ✓ type I cartilage distribution in the body:tendon...

- ✓ origins of specialized sensory function: taste buds
- ✓ surgical neck of humerus fracture : axillary nerve (damaged)
- ✓ Contents of carpal tunnel

- ✓ contents of quadrangular space: axillary nerve and posterior circumflex artery

✓ meningioma : last yr. exam

- ✓ branches of thoracoacromial

1. A..
2. P..
3. C..
4. D..

- ✓ cord and branch of brachial plexus: axilla

- ✓ All about brachial plexus

- ✓ anatomical snuff box border and contents

- ✓ Innervation of levator scapula
- ✓ upper trunk
- ✓ Common boundary muscle for auscultation triangle ^ lumbar triangle: latissimus dorsi
- ✓ scapular anastomosis
- ✓ flexor digitorum profundus
- ✓ does not cross elbow joint
- ✓ “claw hand”
- ✓ most medial erector spinae
- ✓ no IVD.... atlanto axial (Appleton)
- ✓ not factor for posterolateral herniation of nucleus pulposus : ligament flavum
- ✓ Borders of vertebral foramina :
- ✓ transverse ligament :anterior arch of atlas and odontoid of C2
- ✓ vein on the ulnar side : basilic vein

[REDACTED]