

GASTROINTESTINAL SYSTEM

TEST 1

1. The largest lymphatic duct (thoracic duct) begins

- ☐ a.
Infront of L4 vertabrae
- ☐ b.
Infront of T12 vertabrae
- ☒ c.
At left venous angle
- ☐ d.
Infront of L2 vertabrae
- ☐ e.
Infront of T10 vertabrae

ANSWER: D

2. All of the following features can be seen on inspection of abdominal wall except

- ☒ a.
Umbilical folds
- ☐ b.
Caput medusae
- ☐ c.
Striae gravidarum:
- ☐

- d.
Linea nigra
☐
- e.
None

ANSWER: A

3. Abeba, a 25-year-old 4th year medical student was studying in the library until lunch hour. As she was going home for lunch, she felt a smell of delicious 'dorro wot' from the nearby restaurant. She then entered into the Hotel and ate the 'doro wot' following which her gastric juice secretion increased tremendously. This phase of gastric juice secretion is most likely:

- ☐
- a.
Gastric phase of salivary juice secretion
☐
- b.
Intestinal phase of gastric juice secretion
☒
- c.
Gastric phase of gastric juice secretion
☐
- d.
Cephalic phase of pancreatic juice secretion
☐
- e.
Cephalic phase of gastric juice secretion

ANSWER: C

4. Correct about salivary secretion

- ☐
- a.
At highest flow rate it is most dissimilar with plasma
☒
- b.
Halitosis in sjogren syndrome
☐
- c.

The secretion is increased profusely by sympathetic action

☐

d.

Saliva is hypertonic than plasma

☐

e.

Contains mucin for amylase action

ANSWER: B

5. The nutrient type absorbed into the lymphatic system is

☐

a.

Vitamin A

☐

b.

Short chain fatty acid

☐

c.

Triglyceride

☐

d.

Amino acid

☒

e.

A and C are correct

ANSWER: E

6. A persistence of the vitelline duct may result in all except:

☐

a.

umbilical fistula

☐

b.

Meckel's diverticulum

☒

c.

urachus (allantoic duct)

☐

- d.
ileal diverticulum
☐
- e.
vitelline cyst

ANSWER: C

7. The cloacal membrane is derived from:
- ☐ a.
ectoderm
 - ☐ b.
mesoderm
 - ☒ c.
endoderm
 - ☐ d.
both endoderm and ectoderm
 - ☐ e.
yolk sac membrane

ANSWER: D

8. Select the false statement about CHPS?
- ☒ A, Caused by closure of gastric inlet by cardiac sphincters muscle
 - ☐ b. More common in males than females
 - ☐ c. Presents with projectile vomiting
 - ☐ d. Visible abdominal peristalsis

ANSWER: A

9. Patients with portal hypertension can present with all of the following signs and symptoms except

- ☐ a. Esophageal varices
- ☐ b. Caput medusa
- ☐ c. Hemorrhoid
- ☒ d. None

ANSWER: D

10. Which of the following cells of the gastric glands are large and acidophilic?

- ☐ a. Basket cells.
- ☐ b. Zymogenic cells.
- ☐ c. Paneth cells.
- ☐ d. Mucous neck cells.
- ☒ e. oxyntic cell

ANSWER: E

11. In infants, defecation often follows a meal. The cause of colonic contraction in this situation is

- a. The gastroileal reflex
- b. The enterogastric reflex

- c.The gastrocolic reflex
- d.Increased circulating levels of CCK
- e.Increased circulating levels of somatostatin

ANSWER: C

12. Which component of GIT is least adapted for protection of GIT mucosa from assault?

- a.Somatostatinergic secretion
- b.Histaminergic secretion
- c.Serous layer of the GIT
- d.Secretion of Brunner's gland
- e.Electrolyte secretion

ANSWER: B

13. The caudal limb of the primary intestinal loop forms many intestine structures except:

- a.proximal 2/3 rd of transverse colon
- b.cecum
- c.distal ileum
- d.ascending colon
- e.vitelline duct

ANSWER: E

14. Brunner's glands are distinguishing glands of which region of the GIT?

- a. Jejunum
- b. Appendix
- c. Ileum
- d. Large intestine
- e. Duodenum

ANSWER: E

15. Which of the following is NOT true about defecation reflex

- a. Reflex centers are located in the sacral spinal cord
- b. Initiated by accumulation of feces in the rectum by mass movement
- c. Involves relaxation of distal colon
- d. The external sphincter relaxes
- e. ENS has minimal role as compared to ANS

ANSWER: C

16. If the IVC is compressed by the large fetus or by any other pathology at L4 vertebrae, by which of the following vein can the blood reach in to the heart?

- a. Paraumbilical veins
- b. Azygos vein
- c. Inferior epigastric veins
- d. All

ANSWER: C

17. Which region of stomach has relatively short gastric glands, but long and branching pits?

- a. Pylorus
- b. Fundus
- c. Cardia
- d. Body and fundus
- e. Cardiac and fundus

ANSWER: A

18. A patient deficient in trypsin inhibitor has a primary abnormality that involves the:

- a. Small intestine epithelium
- b. Salivary glands
- c. Pancreas
- d. Liver
- e. Oxyntic cells of the stomach

ANSWER: C

19. The bare areas of the liver is found on

- a. Anterior surface
- b. Posterior surface

c.Superior surface

d.Inferior surface

ANSWER: B

20. Which of the following statements is not correct regarding the histology of the oral cavity?

a. Enamel has no collagen fibers.

b. The collagen bundles present in the periodontal ligaments of the teeth have high turnover.

c. The extrinsic muscles of the tongue are skeletal, while the intrinsic muscles are smooth in type.

d. The transitional border of the lip has no gland, unlike the outer or inner surfaces.

e. Circumvallate papillae of the tongue are located in front of the sulcus terminalis in a single row.

ANSWER: A

21. The superior mesenteric and splenic veins unite to form the portal vein posterior to which of the following structure?

a. right kidney

b. neck of the pancreas

c. pylorus of stomach

d. Spleen

e. 2nd portion of the duodenum

ANSWER: B

22. Muscularis mucosae of the esophagus is:

- a. Contains myenteric plexus
- b. Well-formed than the muscularis externa
- c. Found as outer longitudinal and inner circular layers
- d. Found as longitudinal layer with no circular layer
- e. Made by both skeletal and smooth muscles

ANSWER: D

23. Select the true statement about stomach

- a. Lesser curvature gives attachment to gastrophrenic ligaments
- b. Anteriorly it relates to the diaphragm
- c. Lesser curvature is shorter and forms left border of stomach
- d. None

ANSWER: CORRECTION, B

24. Long-chain fatty acids absorbed by the intestinal mucosa cells reach the blood in the form of:

- a. micelles
- b. free fatty acids
- c. monoglycerides

d.chylomicrons

e.diglycerides

ANSWER: D

25. Which of the following regions of the digestive tract does not contain submucosal glands?

a.Stomach

b.Duodenum

c.Anal canal

d.Oral cavity

e.Esophagus

ANSWER: A

26. Identify the correctly matched gastric cell with its secretions

a.Enterochromaffin cells..... Histamine

b.Chief cells..... HCl

c.D cells Intrinsic factor

d.G-cells Secretin

e.Parietal cells Pepsinogen

ANSWER: A

27. Glands in the large intestine are:

- a. Simple straight tubular
- b. Compound tubular
- c. Simple coiled tubular
- d. Simple branched tubular
- e. Simple acinar

ANSWER: A

28. During development of the gut which one is wrong?

- a. the urorectal septum may fail to divide the cloaca, causing a rectovaginal fistula in the female
- b. failure of the intestinal loops to return into the abdominal cavity leads to omphalocele
- c. the stomach rotates, causing the left vagal trunk to innervate its anterior wall
- d. gut rotation and fusion of mesentery to the dorsal body wall makes the spleen retroperitoneal
- e. umbilical fistula derived from retention of the urachus

ANSWER: E,.....ALSO D

29. The transport of glucose through basolateral membrane of intestine into blood capillary is by:

- a. GLUT2 transporter
- b. Primary active transport

c.H⁺ - glucose symport

d.GLUT5 transporter

e.Na⁺ - glucose symport

ANSWER:A

30. Which of the following is correct for distinguishing between parotid and exocrine portion of pancreas?

a. Pancreas has a few mucous producing glandular cells, while parotid is purely serous.

b. Parotid has centroacinar cells, while pancreas has many striated ducts.

c. Pancreas has centroacinar cells and many striated ducts, while parotid has none of these.

d. Parotid has centroacinar cells and many striated ducts, while pancreas has none of these.

e. Pancreas has centroacinar cells, while parotid has many striated ducts.

ANSWER: E

31. The portal lobule of the liver is demarcated by:

a. Portal triad at the center and central veins of 6 classic liver lobules at the corners.

b. Sides of two adjacent classic lobules at the center, and alternate corners by central veins and portal canals of two adjacent classic lobules.

c. Central vein at the center and portal triads of 3 classic liver lobules at the corners.

d. Central vein at the center and portal triads of 6 classic liver lobules at the corners.

e. Portal triad at the center and central veins of 3 classic liver lobules at the corners.

ANSWER:E

32. One of the following is true about ascending colon.

- a. Narrower than caecum
- b. Crosses right lateral cutaneous nerve of thigh
- c. It gets blood supply from right colic artery
- d. All

ANSWER: D

33. One of the following is incorrectly matched item

- a. Short gastric artery – celiac trunk
- b. Left gastroepiploic artery – splenic artery
- c. Right gastroepiploic artery – gastroduodenal artery
- d. Right gastric artery—common hepatic artery

ANSWER: A

34. Bile canaliculi are lined by:

- a. Simple columnar epithelium
- b. Hepatocytes
- c. Cholangiocytes
- d. Simple squamous epithelium
- e. Partly by hepatocytes and partly by cholangiocytes

ANSWER: B

35.If large portion of small intestine is removed due to medical reason, a person will develop a short bowel syndrome. As a result he may suffer from all of the following EXCEPT;

- a.Muscle wasting
- b.Constipation
- c.Steatorrhea
- d.Megaloblastic anemia
- e.Osteomalacia

ANSWER: B

36.Identify the INCORRECT statement about large intestine

- a.Provides enzymatic digestion of organic nutrients
- b.Site of diverticulosis and diverticulitis
- c.Provides microbial digestion and vitamin synthesis
- d.Site for haustral contractions that decrease transit time of ingesta
- e.Provides absorption of water and electrolytes

ANSWER: A

37.The type of epithelium lining the surface of stomach where digestion is taking place in an acidic environment is:

- a.Simple columnar
- b.Stratified squamous keratinized

- c.Stratified squamous nonkeratinized
- d.Simple cuboidal
- e.Transitional

ANSWER: A

38. One of the following is false about liver H

- a. Posterior of right limb is formed by fissure of IVC
- b. Anterior part of right limb is formed by fossa of gallbladder
- c. Posterior part of left limb is formed by fissure of falciform ligament
- d. Anterior part of left limb is formed by fissure of ligamentum teres

ANSWER: C

39. The major lipolytic enzyme in the man

- a. Are mainly found in gastric juice
- b. are mainly the Enteric lipases
- c. Are potentiated by bile salt
- d. Are activated by enterokinase
- e. Require a PH greater than 10 for optimal activity

ANSWER: C

40. After secretion into the duodenum, the enzyme trypsinogen is converted into its active form, trypsin, by:

- a. Procarboxypeptidase
- b. Enterokinase
- c. Co-lipase
- d. Trypsin inhibitor
- e. HCL and trypsin already found in the duodenum

ANSWER: B

41. One of the following is the 2nd most common presentation of appendix.

- a. Pre-ileal
- b. Retrocaecal
- c. Subcaecal
- d. Pelvic

ANSWER: D

TEST 2

Question 1

Each of the following statements concerning cholera toxin is correct EXCEPT:

- a. Cholera toxin acts by adding ADP-ribose to a G protein.
- b. Cholera toxin activates the enzyme adenylate cyclase in the enterocyte.
- c. Binding of cholera toxin to the mucosal epithelium occurs via interaction of the B subunit of the toxin with a ganglioside in the cell membrane.
- d. Cholera toxin inhibits elongation factor-2 in the mucosal epithelium.

Question 2

Which of the following statement is not correct regarding *Ascariasis lumbricoides*?

- a. Haemorrhagic infarction of the bowel and perforation is mainly associated with larval migration
- b. The main approach to infection control in endemic area is large- scale provision of anthelminthic treatment (Mass de-worming programs)
- c. Lung tissue damage by migratory larvae causes pneumonitis

d. Infection is usually diagnosed by finding ova in stool

e. Humans acquire infection through ingestion of infective eggs

Question 3

Under physiological conditions, the LPS of Gram-negative bacteria that may induce inflammation mainly

binds to and is cleared from the circulation by:

a. Free plasma fatty acids

b. HDL

c. Albumin

d. Free cholesterol

e. Lipoprotein lipase

Question 4

This disease of humans occurs when raw or undercooked beef/pork meat containing encysted larvae is

eaten:

a. Cysticercosis

b. Strongyloidiasis

c. Taeniasis

d. Ascariasis

e. Bilharziasis

Question 5

A 13-year-old boy was brought to the emergency room with a prolapsed rectum. Examination of the rectum reveals small worms that resemble whips attached to the mucosa. A stool sample reveals eggs that are barrel shaped, with bipolar plugs. Which of the following is the most likely cause?

a. *Ascaris lumbricoides*

b. *Necator americanus*

c. *Trichuris trichiura*

d. *Strongyloides stercoralis*

e. *Ancylostoma duodenale*

Question 6

Hepatocellular carcinoma is strongly associated with infection of the liver by one of the following pair of viruses. Identify the correct pair.

a. Hepatitis A and E viruses

b. Hepatitis B and C viruses

c.Hepatitis A and C viruses

d.Hepatitis D and E viruses

e.Hepatitis B and E viruses

Question 7

Enterobius eggs are rarely found in stool of infected patients due to worm lays eggs on peri-anal skin.

Which one is NOT the clinical presentation in E. vermicularis infection?

a.Appendicitis

b.Irritation

c.Iron deficiency Anaemia

d.Vulvovaginitis

e.Nocturnal anal pruritis

Question 8

Which dietary sources are relatively rich in vitamin E?

a.Chicken

b.Vegetable oils

c.Meat and poultry

d.Milk and dairy products

e.Grains

Question 9

All of the following are the effect of ethanol consumption except?

a.Reactive oxygen species generation

b.Increased activity of liver macrophages

c.Decreased activity of Ito cells

d.Increase in synthesis of TNF-I

e.Its derivative form adducts with macromolecules

Question 10

Most important initiative factor for periodontitis is

a.Dental plaque

b.Food debris layer

c.Calculus

d.Trauma from occlusion

Question 11

The deficiency of Niacin leads to:

- a.Cretinism
- b.Hartnup disease
- c.Pellagra
- d.Xerophthalmia
- e.Rickets

Question 12

The following statements best characterize the current status of H. pylori testing and treating except

- a.symptomatic patients with an active peptic ulcer should be tested for H. pylori, and if positive, should receive eradication therapy.
- b.symptomatic patients with uninvestigated dyspepsia should be tested for H. pylori, and if positive, should receive eradication therapy.
- c.asymptomatic patients who do not have an active ulcer or a documented history of an ulcer but who were tested for H. pylori and found to be positive should be offered eradication therapy.
- d.asymptomatic patients with a documented history of PUD should be tested for H. pylori, and if positive, should receive eradication therapy.

Question 13

All of the following features are correct about hepatitis viruses EXCEPT:

- a.They are heterogenous group belonging to different families with RNA or DNA as a genome.
- b.Chronic infection is an important characteristic feature of hepatitis A, B, C, and D viruses.
- c. Vertical and parenteral transmissions are exhibited by hepatitis B, C and D but not by Hepatitis A and E viruses.
- d.Whereas Hepatitis A and E are naked viruses, hepatitis B and C have enveloped coat
- e.Both active and passive Immunization are available against Hepatitis A and B and bot not against D and E.

Question 14

The genetic material of rotavirus is

- a.Double strand RNA virus in segments
- b.RNA virus with Reverse Transcriptase
- c.Naked double strand DNA virus
- d.Circular DNA with spikes
- e.Double strand RNA virus

Question 15

Excess calcium excretion due to excessive consumption of protein in your daily meal is due to:

- a. Increased sensitivity of pancreas
- b. Dehydration of hepatocytes
- c. Increased expression of calcium channel in the collecting duct of kidney
- d. Increased activity of nitric oxide synthase in the macula densa
- e. Decreased blood flow to glomerulus

Question 16

Except one, all true about Cryptosporidiosis

- a. Its transmission is restricted to a single host species
- b. Infection transmission might be due to anthroponotic, autoinfection and zoonotic
- c. Its oocyst is resistant to chlorine used in water treatment
- d. Crypt cell hyperplasia is common among immunocompetent
- e. Impaired absorption is common among immunocompromised patients due to an inflammation of intestinal lamina propria

Question 17

The correct order development in Fasciolopsis buski life cycle is_____.

- a.Egg---Miracidium---Metacercaria---Cercaria---Sporocyst---Rediae---Adult
- b.Egg---Rediae---Metacercaria---Cercaria---Miracidium---Rediae---Adult
- c.Egg---Sporocyst---Metacercaria---Cercaria---Rediae---Miracidium ---Adult
- d.Egg---Miracidium---Sporocyst---Rediae---Cercaria---Metacercaria---Adult
- e.Egg---Sporocyst---Metacercaria---Cercaria---Miracidium--- Sporocyst---Adult

Question 18

One of the following diets is not pro-inflammatory: -

- a.High amount of Omega-3 but low amount of long chain saturated fatty acids
- b.Higher amount of saturated fatty acids and high amount of Omega-6 fatty acids
- c.High amount of Omega-3 fatty acids
- d.Higher amount of carbohydrates having high glycemic index
- e.Industrially produced Trans fatty acids

Question 19

Which one of the following is true regarding vitamin C?

- a.Can be recycled to active form by replacement of its electron

- b. Not highly susceptible for heat
- c. Metabolized in liver for excretion
- d. Vitamin C is an oxidant
- e. Usually found at the surface of outer plasma membrane

Question 20

Which one is not true about Amoebiasis?

- a. The diagnosis of extra-intestinal Amoebiasis is mainly due to stool examination
- b. *E. histolytica* is the only pathogenic species among *Entamoeba* spp
- c. Extra colonic infection most commonly occurs in the liver
- d. Intestinal Amoebiasis is one sort of strain differentiation between *E. histolytica* to other species
- e. Intestinal Amoebiasis occurs due to the metastasis property of trophozoite stages

Question 21

All are the general characteristics of *Shigella* Species, EXCEPT?

- a. Non lactose fermenters
- b. Non encapsulated
- c. Nitrate negative

d.Non-spore forming

e.Non motile

Question 22

Which parasite is ciliated among the following?

a.Isospora belli

b.E. histolytica

c.G. lamblia

d.Balantidium coli

e.C. parvum

Question 23

Vitamin B12 deficiency mainly arises from:-

a.Difficulty in dissociation from complex

b.Lack of hydroxylation of the vitamin

c.Lack of dietary source

d.Lack of protein binder in stomach

e.Lack of intrinsic factor for absorption

Question 24

Your patient is a 20-year-old woman with severe watery diarrhea (non-bloody), perhaps 20 bowel movements a day, and is feeling quite weak and dizzy. A Gram stain of the stool reveals curved gram-negative rods. Which one of the following bacteria is the most likely cause of this infection?

- a. *Proteus mirabilis*
- b. *Pseudomonas aeruginosa*
- c. *Escherichia coli*
- d. *Helicobacter pylori*
- e. *Vibrio cholera*

Question 25

The highest incidence of anemia in the tropics is due to:

- a. *Enterobius vermicularis*
- b. *Strongyloides stercoralis*
- c. *Ancylostoma duodenale*
- d. *Ascaris lumbricoides*
- e. *Taenia solium*

Question 26

False fascioliasis in *Fasciola hepatica* may occur due to one of the following?

- a. Ingestion of water plant containing *Fasciola hepatica* metacercaria, with the passage of eggs in stool
- b. Ingestion of animal liver containing *Fasciola hepatica* egg, with the passage of eggs in stool
- c. Penetration of cercaria through skin, with the passage of eggs in stool
- d. Ingestion of raw fish meat containing *Fasciola hepatica* metacercaria, with the passage of eggs in stool
- e. B and D

Question 27

A public health epidemiologist who is called to investigate an outbreak of bloody diarrhea in 16 people

found that the diarrhea is associated with eating hamburgers in a particular fast-food restaurant. A

culture of the remaining uncooked hamburger grows a gram-negative rod that ferments lactose. Which

one of the following bacteria is the most likely cause of this outbreak?

- a. *Escherichia coli*
- b. *Shigella dysenteriae*
- c. *Vibrio cholera*
- d. *Salmonella typhi*
- e. *Salmonella enterica*

Question 28

Which of the following event does not occurs during visual cycle?

- a.Dissociation of the protein from the retinaldehyde
- b.Exchange of GDP by GTP
- c.Isomerization of thiorodopsin
- d.Hyperpolarization of the retinal epithelial cell
- e.Opening of K⁺ channel

Question 29

Why are short chain fatty acids more preferable in your diet as compared to longer chains?

- a.Can easily esterify cholesterol in blood to stabilize it
- b.They are stored in liver than adipose
- c.Rapidly utilized and hence decreased chance of storage
- d.Because they rapidly bind with albumin and stable in serum
- e.They can't be utilized by the body and excreted via urine

Question 30

Which one is true about morphologic characteristics of adult stage of *Hymneolopis nana*?

- a.Has no hook and rostellum on scolex
- b.Has two rows of hooks on rostellum
- c.Has a retractile rostellum with a single crown of hooks
- d.Has no rostellum on the scolex
- e.All

Question 31

Identify the incorrect statement about cryptosporidiosis among the following

- a.Waterborne cryptosporidiosis is usually acquired by waterborne and fecal-oral route
- b.Usually asymptomatic and self-limiting among immunocompetent individuals
- c.Severe chronic diarrhea may last for months among immunocompromised patients with AIDS
- d.Damaging enterocytes and crypt cell hyperplasia are the primary pathogenesis of cryptosporidiosis
- e.None of the above

Question 32

The primary replication site of ENTEROVIRUSES is

- a.Muscles
- b.Meninges

c.Skin

d.Oro-pharynx

e.Brain

Question 33

Identify the correct statement regarding Zinc.

a.It has a nuclear receptor and inhibits gene expression

b.Increased intake is associated with lipid peroxidation

c.Bone is the major storage site

d.Its extracellular increment causes elevation of cytosolic calcium

e.Mainly excreted by kidney

Question 34

What is the value of daily glyceimic load that is considered to be low for healthy individuals?

a.Less than 120

b.Less than 10

c.Less than 80

d.Less than 20

e.Greater than 120

Question 35

Which of the following statement regarding *Campylobacter* is not correct?

- a.It is commonly cultured in antibiotic containing media
- b.It is cultured in an atmosphere containing 5% O₂ and 10%CO₂
- c.Most of the species is mobile and is characterized by a spiral movement
- d.Incubation temperature is 42°C
- e.It is a normal flora of intestine

Question 36

Which one of the following cestode parasite does NOT need an intermediate host to complete its life cycle?

- a.*Taenia saginata*
- b.*Taenia solium*
- c.None of them
- d.*Hymenolopis nana*
- e.*Hymenolopis diminuta*

Question 37

All of the following statements describe the properties of soluble fibers except.

- a.They are able to lower absorption of some lipids
- b.They are found in grains and vegetables
- c.They increase peristalsis and quick excretion of food from GIT
- d.They can be used as source of energy by intestinal bacteria
- e.They form gel-like substance in the GIT

Question 38

Which of the following is most abundant in Teff composition?

- a.Starch
- b.Glutamine
- c.Polyunsaturated fatty acid
- d.Insoluble fiber
- e.Soluble fiber

Question 39

In the area where folic acid supplement is scarce, which food item would you advice for a pregnant

woman to take?

a.Red meat

b.Green vegetables

c.Chicken

d.Egg

e.Milk and yogurt

Question 40

Each of the following parasites passes through the lung during human infection EXCEPT?

a.Necator americanus

b.Strongyloides stercoralis

c.Trichuris trichiura

d.Ascaris lumbricoides

e.Ancylostoma duodenale

Question 41

Why are complex types of carbohydrates considered to be healthy?

A They are easily digested and absorbed from small intestine

- b.They are not utilized by intestinal bacteria
- c.They contain small amount of glucose
- d.They are usually found in foods with polynutrients
- e.They have more influence on insulin secretion

Question 42

Which of the following bacteria has the lowest 50% infective dose (ID50)?

- a.Clostridium defficile
- b.Vibrio cholera
- c.Campylobacter jejuni
- d.Salmonella typhi
- e.Shigella sonnei

Question 43

The cestode parasite that involve primary and secondary intermediate host in its life cycle is:

- a.H. nana (Dwarf tapeworm)
- b.H. diminuta (Rat tapeworm)
- c.T. solium (Pork tapeworm)

d.D. latum (Broad fish tapeworm)

e.T. saginata (Beef tapeworm)

Question 44

Identify the Incorrect statement regarding exogenous alcohol metabolism in human body.

a.Mainly absorbed in small intestine

b.Can be metabolized by cytochromes P450

c.Converted to acetaldehyde mainly by cytoplasmic enzymes

d.Can be excreted in urine to some level

e.Leads to decrease level of NADH

Question 45

At the resting state in the human body, the least amount of energy is utilized by: -

a.Adipose

b.Kidney

c.Skeletal muscle

d.Brain

e.Heart

Question 46

All of the following are acceptable specimens for the isolation of enteroviruses, EXCEPT;

a. Throat secretion

b. Skin lesion

c. Feces

d. CSF

e. Urine

Question 47

The preferred non-invasive test to confirm *H. pylori* eradication is

a. a whole-blood antibody-detection test.

b. a urea breath test.

c. a stool antigen test.

d. a serologic antibody detection test.

Question 48

Salmonella enterica serovar Typhi is

a. A gram-negative, coccus-shaped bacteria

b.A gram-positive, coccus-shaped bacteria

c.A gram-negative, comma-shaped bacteria

d.A gram-negative, rod-shaped bacteria

e.A gram-positive, rod-shaped bacteria

Question 49

C. difficile is

a.Gram-positive, non-spore-forming bacillus

b.Anaerobic, gram-positive, spore-forming bacillus

c.Gram-negative, non-spore-forming bacillus

d.Aerobic, gram-negative, spore-forming bacillus

e.Anaerobic, gram-negative, spore-forming bacillus

Question 50

What is the infective stage of hook worm and *Enterobius vermicularis*, respectively?

a.Embryonated eggs, Embryonated eggs

b.Filariform larva (L3), Filariform larva (L3)

c.Embryonated eggs, Rhabditiform larva (L1)

d.Rhabditiform larva (L1), Filariform larva (L3)

e.Filariform larva (L3), Embryonated eggs

Question 51

Rotavirus is an important cause of

a.Respiratory tract infection in adults

b.Diarrhea and vomiting in adults

c.Gastroenteritis in adults

d.Gastroenteritis in children

e.Liver Cancer

Question 52

Which of the following statements about Delta hepatitis virus (HDV) is correct,

a.Feco-oral transmission is one of more important means of HDV transmission compared to parenteral transmission.

b.Virion coat is composed of hepatitis B surface antigen.

c.Co infection with HBV increases the risk of severe fulminant disease as compared to superinfection.

d.HDV contains a partially double stranded RNA genome, that makes helps to use HBV replication

machinery.

e.Vaccine prepared by recombination of mixed hepatitis B surface antigen and genetic re-assortment of

HBV and HDV is a highly potent means for preventing HDV infection.

Question 53

Among the following choices, one is true about stool diagnosis:

a.In zinc-sulphate concentration technique, ova and cysts are concentrated down/ at the bottom of the test tube

b.As a disadvantage in formol-ether concentration technique, cysts and ova are deformed morphologically

c.Direct wet mount has an advantage over concentration techniques to deal with the effectiveness of treatment

d.The purpose of the di-ethyl ether in formol-ether concentration technique is to emulsify fatty substances

e.Concentration techniques are best fit to identify motile parasitic stages like trophozoites

Question 54

Which metabolite is directly changed to active form of vitamin D when hydroxylated at at C-1 in the

kidney?

a.25-hydroxycholesterol

b.1, 25-Calcitriol

c.24-hydroxycholesterol

d.25-hydroxycholecalciferol

e.7-hydroxycholesterol

Question 55

Which food item has the highest glycemic index?

a.Peanut

b.Wheat

c.Watermelon

d.Spaghetti

e.Banana

Question 56

Absorption of Iron from intestinal lumen decreases when iron-containing food is ingested with food

items rich in:

- a. Calcium
- b. B-Carotene
- c. Retinoids
- d. Vitamin C
- e. Fructose

Question 57

Shigellosis is caused by *Shigella dysenteriae* in humans causing fever, abdominal cramps, diarrhea sometimes with blood. Which activity of the Shiga toxin increases the severity by tissue invasion of the large intestine?

- a. Neurotoxic
- b. Cytotoxic
- c. Enterotoxic
- d. Exotoxic
- e. Endotoxic

Question 58

In which of the following conditions is the role of microbial plaque most obscure?

- a. Juvenile Periodontitis
- b. Desquamative gingivitis
- c. Necrotizing ulcerative gingivitis
- d. Periodontitis

ANSWERS

1D

2A

3B

4C

5C

6B

7C

8B

9C

10A

11C

12B

13B

14A

15D

16D

17D

18A

19C?...A?

20A

21C

22D

23E

24E

25C

26B

27A

28E????

29C

30C

31E

32D

33D

34C

35E

36D

37C

38A

39B

40C

41D

42E

43D

44E

45A

46E

47B

48D

49B

50E

51D

52B

53D

54D

55C

56A

57C

58B

FINAL EXAM

Question 1

One of the following is an attribute of virulence in parasitism

- a.Ability to decrease antagonism between parasites and hosts
- b.The ability to evade the immune system
- c.Induction of chronicity of parasitic infections
- d.Induction of sterile immunity in hosts invaded by virulent parasites
- e.Ability to induce parasite death

Question 2

Growth of a parasitic organism in or on the host is referred to as

- a.virulence
- b.mutualism
- c.infection
- d.colonization
- e.pathogenism

Question 3

Virchow node indicates

- a.Metastatic gastric carcinoma to ovaries
- b.Metastatic gastric carcinoma to the umbilicus

- c. Metastatic esophageal carcinoma to the lung
- d. Metastatic esophageal carcinoma to the pleura
- e. None of the above.

Question 4

Identify the correct statement regarding trans-fatty acids

- a. Mainly obtained from exogenous sources of hydrogenated oils
- b. Enhance metabolism of essential fatty acids
- c. Decrease the transfer of cholesterol ester from HDL to LDL
- d. Increase level of plasma HDL
- e. Decrease plasma level of LDL

Question 5

All the following are capable of causing diarrheal diseases in humans. Which of the following does not cause diarrhea via intoxication?

- a. *Clostridium botulinum*
- b. *Campylobacter jejuni*
- c. *Clostridium perfringens*
- d. *Bacillus cereus*
- e. *Staphylococcus aureus*

Question 6

Staphylococcus aureus food poisoning causes vomiting in 6–8 hours. The mechanism of action is:

- a. Vagal stimulation
- b. Stimulation of cAMP
- c. Stimulation of cGMP

- d. Inhibits protein synthesis
- e. Acts through ganglioside GM receptor

Question 7

Which of the following purgative increases the fecal bulk due to their water absorbing and retaining capacity:

- a. Lactulose
- b. Aloe
- c. Liquid paraffin
- d. Dioctyl sodium sulfosuccinate
- e. Methyl cellulose

Question 8

The brain is highly susceptible to damage due to lack of vitamin E. Because:

- a. It contains special enzymes requiring vitamin E as cofactor
- b. A. It contains special type of complex proteins
- c. It is rich with special vitamin E-bound glycoproteins at nerve endings
- d. It is rich with very long chain fatty acids susceptible for oxidation
- e. Neurotransmitter release require vitamin E-signaling

Question 9

A 64-year-old female presented with a 3-day history of a painful reddish rash over the left leg. There was a history of similar eruption over the right leg, which healed spontaneously 2 months before. She gave history of weight loss and back pain of three months duration. The most likely diagnosis in this case is

- a. Adenocarcinoma of the gallbladder
- b. Pancreatic intraepithelial neoplasia
- c. chronic pancreatitis

- d. ductal adenocarcinoma of the pancreas
- e. chronic cholecystitis

Question 10

Excess consumption of dietary protein may cause strain mainly on

- a. Skeletal muscle
- b. Stomach
- c. Heart
- d. Kidney
- e. Smooth muscle

Question 11

majority of cases of squamous cell carcinomas of the esophagus occur in

- a. upper third
- b. middle third
- c. lower third
- d. A and B
- e. All

Question 12

One of the following organ does not form impression over the spleen?

- a. Left kidney
- b. Stomach
- c. Pancrease
- d. Transverse colon

Question 13

Identify the wrong statement.

- a. A serological test where only anti-HBsAg antibody is detected without HBV surface antigen and HBV core antigen is an indication that the person was vaccinated against HBV.
- b. Case mortality rate is higher among pregnant women infected with HEV than with HAV.
- c. Viral Hepatocellular carcinoma is a result of chronic hepatitis virus infections.
- d. Chronic infection is characteristic feature of Hepatitis B and C but not A and E
- e. One of the salient features of all hepatitis viruses is that their genomes are made of RNA.

Question 14

A 45 year old woman comes to the clinic because she has been having difficulty of swallowing for both solid and liquid diet in the past one year. She explains that the symptoms have been getting worse, and now she also vomits up undigested food. Manometric evaluation increased resting pressure of the lower esophageal sphincter with no receptive relaxation. What is the diagnosis in this patient?

- a. Achalasia
- b. Gastroesophageal reflux disease
- c. Peptic ulcer involving gastric fundus
- d. Gastric outlet obstruction
- e. Barrett esophagus

Question 15

Constipation is unlikely to occur with the use of

- a. Loperamide
- b. Docusate
- c. calcium carbonate antacid

d.Aluminum hydroxide antacid

e.Scopolamine

Question 16

The major storage site of dietary vitamin D is

a.Heart

b.Skeletal muscle

c.Adipose tissue

d.Kidney

e.Liver

Question 17

All are contents of inguinal canal except:

a.Round ligaments of uterus

b.Cremasters muscle

c.Spermatic cord in male

d.Dartos muscle

e.Gental branch of gentofemoral nerve

Question 18

krukenberg tumor indicates

a.Metastatic gastric carcinoma to ovaries

b.Metastatic gastric carcinoma to the umbilicus

c.Metastatic esophageal carcinoma to the lung

d.Metastatic esophageal carcinoma to the pleura

e.None of the above

Question 19

Incorrect about pancreatitis

- a. Alcohol is the common cause
- b. Pancreatitis decreases serum amylase level
- c. Can cause Diabetes mellitus
- d. cholelithiasis is the common cause
- e. Autodigestion by the pancreatic proteases is the basic pathogenesis

Question 20

A disease in which human is normally the host, but also occurs in animal

- a. zoonotic disease
- b. opportunistic disease
- c. anthroponotic disease
- d. vector-borne disease
- e. parasitic disease

Question 21

What typical cellular feature distinguishes *Entamoeba histolytica* from *Entamoeba dispar*?

- a. Size of nucleus
- b. The number of nuclei in the cyst
- c. Presence/absence of pseudopods
- d. Presence/absence of intracytoplasmic erythrocytes
- e. Pattern of nuclear chromatin

Question 22

Bisacodyl is:

- a. Bulk forming laxative
- b. Antacid
- c. Stool softener
- d. Osmotic purgative
- e. Stimulant purgative

Question 23

Which of the following parasite/s is associated with childhood psychosis?

- a. *T. trichiura*
- b. *Lumbricoides*
- c. *vermicularis*
- d. *Duodenalae*
- e. *S. stercoralis*

Question 24

Diarrhea is associated with the following viral infections Except:

- a. Rotavirus
- b. HEV
- c. Astrovirus
- d. Enteric adenovirus
- e. Norovirus

Question 25

Which of the following is accurate regarding complications associated with cholelithiasis?

- a. Bacterial infection precedes chemical irritation in pathogenesis of acute calculous cholecystitis
- b. It may be associated with bacterial superinfection with inflammation of the bile ducts & may lead to a hepatic pyogenic abscess
- c. Gallstone ileus typically involves an obstruction of the large intestine produced by a cholecystenteric fistula
- d. Stones impact distally in the ampulla of Vater and causes carcinoma of the gallbladder
- e. Stone impaction in the distal common bile duct causes empyema of gallbladder

Question 26

All of the following conditions occur during insulin resistance except

- a. Increase in β -oxidation
- b. Synthesis of glucose by the liver
- c. Increase in adipogenesis
- d. Increase in serum fatty acid
- e. Increase in VLDL synthesis

Question 27

Commonest type of salivary gland tumor

- a. mucoepidermoid carcinoma
- b. pleomorphic adenoma ex carcinoma
- c. pleomorphic adenoma
- d. leiomyoma
- e. acinic cell carcinoma

Question 28

The deficiency of essential fatty acids is not associated with: -

- a. Growth retardation
- b. Decreased level of lipid soluble vitamin absorption
- c. Reproductive abnormalities
- d. Mitochondrial membrane abnormalities
- e. Decreased level of plasma VLDL

Question 29

The bioactive form of vitamin B6 is

- a. Pyridoxine
- b. Pyridoxal pyrophosphate
- c. Pyridoxalphosphate
- d. Pyridoxine pyrophosphate
- e. Pyridoxamine

Question 30

The conversion of acetyl CoA to malonyl CoA during fatty acid synthesis mainly requires

- a. Riboflavin
- b. Biotin
- c. Niacin
- d. Vitamin E
- e. Folic acid

Question 31

Which of the following embryonic GI structure do not undergo rotation during its development?

- a.Stomach
- b.Duodenum
- c.Hind gut
- d.Intestinal loop
- e.Ventral pancreas

Question 32

Dryness of the conjunctiva is mainly associated with the deficiency of

- a.Vitamin D
- b.Vitamin E
- c.Vitamin C
- d.Vitamin K
- e.Vitamin A

Question 33

Which of the groups of parasites have tegumental/placental digestion?

- a.cestodes
- b.nematodes
- c.Patyhelminthes
- d.Schistosomes
- e.trematodes

Question 34

Epithelial linings of respiratory and digestive tracts, as well as the pancreas are derivatives of which germ layer?

- a.

Mesoderm

b.

Endoderm

c.

Ectoderm

d.

Mesenchyme

Question 35

One of the following is the most common presentation of appendix.

a.

Pelvic

b.

Retrocaecal

c.

Subcaecal

d.

Pre-ileal

Question 36

Hepatobilliary spread of trophic stages is known feature of chronic infection by:

a.

Balantidium coli

b.

Cyclospora cayetanensis

c.

Isospora belli

d.

Entamoeba histolytica

e.

Cryptosporidium parvum

Question 37

One of the following is not a feature of chronic non-dysenteric amoebiasis.

a.

Fever

b.

Positive serology

c.

Ulcerations

d.

Intermittent diarrhea

e.

Weight loss

Question 38

Which of the following is correct about Enterohepatic circulation of bile

a.

Low cholesterol in the bile causes bile stone

b.

most of the bile salt re-absorption is in the distal jejunum

c.

colon has no role in re-absorption of bile

d.

is circulation of bile salt between intestine and gall bladder

e.

Most of the bile salt re-absorption is by active transport

f.

Stercobilin is a metabolite excreted in the urine

Question 39

Acquired pyloric stenosis : which statement is false

a.

Peristalsis is visible on abdominal examination

b.

can be seen during infancy

c.

PUD is the most common cause

d.

gastric outlet obstruction is commonest mode of presentation

Question 40

Which of the following is among the endocrine secretions of pancreas

a.

Somatostatin

b.

Cholecystokinin

c.

Secretin

d.

Gastrin

e.

Trypsin

Question 41

Which of the following region of the wall of GIT shows myenteric nerve plexus?

a.

Submucosa

b.

Lamina propria

c.

Adventitia

d.

Muscularis externa

e.

Serosa

Question 42

One of the following artery is unpaired and parietal branches of abdominal aorta

a.

Inferior phrenic arteries

b.

Median sacral arteries

c.

Lumbar arteries

d.

Superior mesenteric arteries

Question 43

What is the effect of omega-3-fatty acid consumption on the level of lipoproteins in the blood?

a.

Decrease plasma LDL level

b.

Increase plasma Chylomicron

c.

Decrease plasma VLDL level

d.

Increase plasma VLDL level

e.

Decrease plasma HDL level

Question 44

The most common intestinal disease caused by *Escherichia coli* is

a.

Septicemia

b.

Meningitis

c.

Urinary tract infection

d.

Pneumonia

e.

Gastroenteritis

Question 45

Glycemic load is best described by:

a.

A measure of total glycemic response to a particular meal

b.

The amount of glucose found in a particular type of food

c.

The glycemic response of 50 grams of a particular carbohydrate as compared with an equal amount of glucose

d.

The time required to digest and absorb certain types of food

e.

A measure of how quickly a glucose ingestion raises blood glucose

Question 46

For better accessibility of the gall bladder during cholecystectomy the incision made should be?

a.

Suprapubic incision

b.

Midline incision

c.

Semilunar line incision

d.

Subcostal incision

e.

All

Question 47

Which one is incorrect regarding the external oblique abdominis muscle

a.

Its aponeurosis forms the inguinal ligament between ASIS and Pubic tubercle

b.

Takes origin from the outer surface of the lower seven ribs

c.

Its aponeurosis splits to enclose the rectus abdominis muscle

d.

Forms the entire anterior wall of the inguinal canal

e.

Interdigitate with the lower fibers of the serratus anterior muscle

Question 48

When the primary intestinal loop undergoes rotation between weeks 6 and 11, which of the following blood vessels lies along the axis around which it rotates ?

a.

left umbilical vein

b.

celiac artery

c.

abdominal aorta

d.

inferior mesenteric artery

e.

superior mesenteric artery

Question 49

All of the following increase gastric acid secretion EXCEPT

a.

Increased somatostatin production

b.

Increased gastrin production

c.

Zollinger-Ellison syndrome

d.

Increased histamine production

e.

Increased vagal stimulation

Question 50

One of the following statement is false about umbilicus?

a.

Is a communicative channel between the mother and the baby during intrauterine development

b.

Anatomically located midway b/n xiphoid process & symphysis pubis

c.

Is connected with apex of the bladder by a ligament

d.

It should be everted in normal adult individuals

e.

None

Question 51

incorrect about antacids

a.

unlike abdominal distention and flatulence , alkalosis is common with aluminum and magnesium salts

b.

rebound acidity is common with sodium bicarbonate

c.

combination of magnesium and aluminum containing antacid is preferred

d.

sodium bicarbonate is not recommended for patients with history hypertension and edema

e.

sodium bicarbonate can be considered as systemic antacid

Question 52

Which one of the following is an important inflammatory signaling pathway?

a.

PI3K pathway

b.

MAPK pathway

c.

PKC pathway

d.

NFkB pathway

e.

Calcium-mediated signaling

Question 53

One of the following structure is most important to locate appendix during appendectomy

a.

Haustra

b.

Teniae coli

c.

Villi

d.

Epiploic Appendages

Question 54

Which of the following regions of stomach have similar histology?

a.

Cardiac & Fundus

b.

Fundus and body

c.

Pylorus and cardiac

d.

Body and pylorus

e.

Cardiac & body

Question 55

Majority of cases of adeno carcinomas of the esophagus occur in

a.

upper third

b.

middle third

c.

lower third

d.

A and B

e.

All

Question 56

A 40 year old female presents with right upper quadrant abdominal pain that worsens after fatty meals. An abdominal ultrasound is done and a diagnosis of cholelithiasis is made. Which cells of the GI tract are responsible for secreting the hormone that stimulates the gallbladder contractions that cause pain in cholelithiasis?

a.

S cells secreting secretin

b.

M cells secreting Motilin

c.

G cells secreting gastrin

d.

I cells secreting CCK

e.

D cells secrete somatostatin

Question 57

If large portion of small intestine is removed due to medical reason, a person will develop a short bowel syndrome. As a result he may suffer from all of the following EXCEPT;

a.

Steatorrhea

b.

Osteomalacia

c.

Megaloblastic anemia

d.

Constipation

e.

Diarrhea

Question 58??

Which type of the following glands are present in the mucous membrane of the oral aspect of the lip and drains into the vestibule:

a.

Sweat glands

b.

Sebaceous glands

c.

Sweat, sebaceous and mucous glands

d.

Sweat and sebaceous glands

e.

Mucous glands

Question 59

Commonest cause of esophagitis in healthy (immunocompetent) individuals is

a.

Reflux esophagitis

b.

Infectious esophagitis

c.

Chemical esophagitis

d.

None

e.

All

Question 60

Transamination process requires a coenzyme derived from:

a.

Pyridoxine

b.

Thyroxine

c.

Riboflavin

d.

Niacin

e.

A-tochopherol

Question 61

A 37-year-old man complains of chest pain after meals. He says this pain has gone on for a few months and gets only minimal relief from antacid tablets. The physician prescribes a drug that will decrease the amount of acid secreted by binding to and inhibiting an H^+/K^+ ATPase on the luminal surface of parietal cells. Which of the following drugs works by this mechanism?

a.

Octreotide

b.

Misoprostol

c.

Atropine

d.

Cimetidine

e.

Omeprazole

Question 62

The cells of endocrine portion of pancreas could easily be distinguished from those of the exocrine portion under the light microscope in the H & E stained section as:

a.

Large pyramidal cells with a centrally located round nucleus surrounded by dense cytoplasm

b.

Small eosinophilic flattened cells with a centrally located flattened nucleus surrounded by dense cytoplasm

c.

Large pyramidal cells with a centrally located round nucleus surrounded by pale cytoplasm

d.

Large eosinophilic pyramidal cells with a centrally located round nucleus surrounded by pale cytoplasm

e.

Small flattened cells with a centrally located flattened nucleus surrounded by pale cytoplasm

Question 63

Emptying gastric contents into the small intestine is strictly controlled. Which of the following is most accurately represents this concept?

a.

Liquid and solid meals empty at the same rate

b.

Large volume of food in the stomach decreases gastric emptying

c.

High caloric meals empty faster

d.

Higher acidity in the stomach results in a slower rate of emptying

e.

Tonicity of the gastric solution doesn't affect the rate of emptying

Question 64

One of the following is not true of *Giardia intestinalis* and *Balantidium coli*

a.

The cyst is the infective stage in both species

b.

Both species can have a zoonotic source of infection for man

c.

Sexual reproduction is unknown in *Giardia intestinalis*, whereas it is well described in *Balantidium coli*

d.

Both species inhabit the large intestine

e.

Both species undergo asexual reproduction

Question 65

A 62-year-old man experienced severe epigastric & penetrating back pain after attending a wedding ceremony. He was brought to the emergency department. Plain x-ray of the abdomen showed innumerable calcifications in the region of the pancreas. This patient can develop or have the following except

a.

Cyst without epithelial lining

b.

pancreatic endocrine tumor

c.

blood sugar level 180 mg/dL

d.

bulky pale oily foul-smelling & difficult to flush stool

e.

night blindness

Question 66

Which of the following bacterial species is not responsible for food poisoning?

a.

Clostridium perfringens

b.

Bacillus cereus

c.

Clostridium botulinum

d.

Clostridium tetanus

e.

Staphylococcus aureus

Question 67

At which level that the rectus sheath is deficient posteriorly?

a.

Above the costal margin

b.

Between the costal margin and the level of the anterior superior iliac spine

c.

Below the level of the anterior superior iliac spine and above the pubis

d.

Distal to the midpoint of the line connecting umbilicus and the pubis

e.

All except B

Question 68

Vitamin B12 deficiency results in the following except

a.

Impairment of erythropoiesis

b.

Lack of functional folic acid

c.

Impaired redox reaction

d.

Megaloblastic anemia

e.

Failure of RBC maturation

Question 69

Among the following individuals, which one does not require extra amount of protein diet?

a.

Seriously infected person

b.

A pregnant mother

c.

Type II diabetic patient

d.

An athlete practicing strenuous exercises

e.

A child

Question 70

A 51 year old woman presents with right upper abdominal pain of two days duration. The pain typically radiates to her right shoulder. She is febrile & her white blood cell count is 17,000 per mm³. The most likely diagnosis is acute _____.

a.

pyelonephritis

b.

hepatitis

c.

gastritis

d.

pancreatitis

e.

cholecystitis

Question 71

Excessive intake of one of the following minerals is associated with osteoporosis.

a.

Sodium

b.

Iron

c.

Calcium

d.

Phosphorous

e.

Magnesium

Question 72

Hematopoietic cells, Kupffer cells, and connective tissue cells of the liver are derived from

a.

the vitelline veins

b.

Gastrointestinal mesoderm

c.

the placental veins

d.

the septum transversum

e.

the gastrointestinal endoderm

Question 73

Congenital hypertrophic pyloric stenosis : which statement is false

a.

Affects female infants more than male infants

b.

Projectile vomiting is mode of presentation

c.

Peristalsis is visible on abdominal examination

d.

Ovoid palpable mass at pylorus region is present

e.

All are true

Question 74

The major component of thyroid hormone among the following minerals is

a.

Calcium

b.

Manganase

c.

Sodium

d.

Iodine

e.

Zinc

Question 75

For which pair of the following hepatitis virus infections is prophylactic vaccination available?

a.

Hepatitis B and C

b.

Hepatitis A and B

c.

Hepatitis B and D

d.

Hepatitis B and E

e.

Hepatitis A and E

Question 76

Inadequate amount of tryptophan may result in deficiency of:-

a.

Niacin

b.

Folic a

c.

Thiamin

d.

Riboflavin

e.

Cobalamin

Question 77

What is the importance of UV in the biosynthesis of vitamin D?

a. Hydroxylation

b.

Oxidation

c.

Protein synthesis for vitamin D absorption

d.

Synthesis of 7-hydroxycholesterol

e.

Breaking of sterol ring

Question 78

Ondansetron acts by:

a.

5-HT₃ agonism

b.

D₁ and D₂ receptor antagonism

c.

Blocking cholinergic receptors

d.

Acting on CTZ

e.

Increasing GIT motility

Question 79

55 year old male who is known alcoholic presents with sudden onset of severe abdominal pain that radiates to the upper back. On examination the abdomen is tender, guarded, and rigid. Laboratory test reveals elevated serum amylase. Which of the following is most likely diagnosis?

a.

Acute hepatitis

b.

Dissecting aortic aneurysm

c.

Acute pancreatitis

d.

Acute pyelonephritis

e.

Acute cholecystitis

Question 80

The villi of small intestine are made by:

a.

All the layers of the wall of small intestine except the serosa or adventitia

b.

Lamina propria and epithelium

c.

Mucosa, submucosa and inner circular muscle layer of muscularis externa

d.

Muscularis mucosae, lamina propria and epithelium

e.

Submucosa and mucosa

Question 81

A 60years old known alcoholic for the last 30years developed progressive body swelling of 5months duration which started from the abdomen. One week back he was admitted to Tikur Anbessa hospital after he had significant bloody vomiting. Endoscopy showed many dilated tortuous vessels in the lower esophagus extending to the lesser curvature of the stomach. What is the likely cause of bloody vomiting?

a.

Gastroesophageal varices

b.

Alcoholic irritation of esophagus and stomach

c.

Peptic ulcer disease

d.

Gastric adenocarcinoma

e.

Mallory weiss tear

Question 82

Which of the following species of microbe is associated with being a good indicator of fecal contamination and an extremely versatile opportunistic pathogen?

a.

Campylobacter jejuni

b.

Salmonella typhi

c.

Yersinia enterocolitica

d.

Shigella dysenteriae

e.

Escherichia coli

Question 83

The antiulcer drug that act by nether reducing the secretion of nor neutralizing gastric acid:

a.

pirenzepine

b.

Misoprostol

c.

Sucralfate

d.

antacids

e.

Omeprazole

Question 84

A 54-year-old man with a 75-pack/year history of tobacco abuse and alcohol abuse has developed carcinoma of the larynx. His treatment includes concurrent high-dose cisplatin and radiation therapy. He has developed significant nausea and vomiting. Which would be the best agent to treat these side effects?

a.

Loperamide

b.

Metoclopramide

c.

Promethazine

d.

Ondansetron

e.

Meclizine

Question 85

Massive rectal bleeding was observed in an infant. The color of the blood ranged from bright to dark red. The child appeared to be free of any pain. A diagnosis of Meckel's diverticulum was made. This condition is associated with which of the following?

a.

Nonrotation of the midgut.

b.

Herniation of the intestines.

c.

Duplication of the intestine.

d.

Subhepatic cecum and appendix

e.

Remnant of the yolk stalk.

Question 86

A 74-year-old man went on a cruise to celebrate his 50th wedding anniversary. Concerned about a history of motion sickness, the patient saw his primary care physician about a medication to take. He is now seen by the onboard physician with complaints of blurred vision, confusion, constipation, and urinary retention. Which of the following did the primary care physician likely prescribe?

a.

Ondansetron

b.

Dronabinol

c.

Haloperidol

d.

Scopolamine

e.

Metoclopramide

Question 87

Long-term carriage and shedding is most likely to occur after gastrointestinal infection with which of the following species?

a.

Vibrio cholerae

b.

Campylobacter jejuni

c.

Salmonella typhi

d.

Escherichia coli O157:H7

e.

Shigella dysenteriae

Question 88

Tooth decay is caused by?

a.

Dissolution of hydroxyapatite from the enamel

b.

Increased pH of oral cavity

c.

Re-mineralization of enamel with fluoroapatite

d.

Accumulation of organic salt on top of enamel

e.

Drinking fluorinated water

Question 89

Inflammation of tongue is

a.

esophagitis

b.

glossitis

c.

gastritis

d.

stomatitis

Question 90

The commonest route of transmission for *Ascaris lumbricoides* infection is?

a. Blood transfusion

b.

Oro-fecal

c.

Inhalation

d.

Sexual

e.

Skin penetration

Question 91

ineffective against chemotherapy drug induced emesis:

a.

Ondansetron

b.

Dronabinol

c. Metoclopramide

d. Hyoscine

e.

Granisetron

Question 92

One of the following statements best describes the relationship between parasite and host

a.

Parasites have a higher reproductive potential than hosts

b.

Parasites induce humoral immune responses, but not cell mediated immunity

c.

Facultative parasites are opportunistic in their hosts

d.

The association between parasites and hosts is a symbiotic mode of life

e.

The most successful parasites are those that can kill their hosts

Question 93

A patient with a 30-yr history of type 1 diabetes comes to you with a complaint of bloating and sour belching after meals. On several occasions, vomiting has occurred after a meal. Evaluation reveals delayed emptying of the stomach, and you diagnose diabetic gastroparesis. Which drug would be most useful in this patient?

a.

Ondansetron

b.

Misoprostol

c.

Metoclopramide

d.

Famotidine

e.

Ondansetron

Question 94

Which of the following is accurate about the etiology and epidemiology of cholelithiasis and related conditions?

a.

Most cholesterol stones are radiolucent because they contain plenty calcium carbonate

b.

A 45 year old female with body mass index 22 is at higher risk to develop cholelithiasis than similar aged woman with BMI 33

c.

Black pigment gallstones are more common in individuals with chronic intravascular hemolysis

d.

More than 70% of individuals with gallstones are symptomatic

e. Men are more likely to develop gallstones than women

Question 95

Neurovascular structure of the abdominal wall are found in between

a. External oblique Ms and internal oblique muscles

b. internal oblique Ms and transverse muscles

c. transverse Ms and rectus sheath

d.External oblique and rectus sheath

Question 96

Which of the following mark(s) best ileum from the rest of small intestinal region?

a.Plecae semilunaris

b.Presence of long and broad leaf like villi

c.Plecae circularis

d.Absence of tanea coli

e.Pyer's patches

Question 97

The left Renal vein can be compressed between SMA and aorta resulting in a syndrome known as

a.Wilkie syndrome

b.Nutcracker syndrome

c.Can't be compressed

d.Cast syndrome

Question 98

Endoscopic examination revealed tortuous dilated submucosal veins of distal esophagus. This is typical for

a.Barret esophagus

b.esophageal varices

c.caput medusa

d.adenocarcinoma

e.none of the above

Question 99

Which of the following sphincter does NOT prevent reflux of materials?

- a. Lower esophageal sphincter
- b. Pyloric sphincter
- c. Ileocolonic sphincter
- d. Sphincter of Oddi
- e. None of the above

Question 100

A 55 year old female with past history of acute pancreatitis presents with abdominal pain & distention. Ultrasound examination of the abdomen shows a fluid filled cavity in the pancreas. What is the most likely diagnosis?

- a. Serous cystadenoma
- b. Ductal adenocarcinoma of the pancreas
- c. Pancreatic pseudocyst
- d. Pancreatic intraepithelial neoplasia
- e. Mucinous cystic pancreatic neoplasms

ANSWERS

1B 2D 3E 4A 5B 6B 7E 8D 9D 10D 11B 12? 13E 14A 15B 16C 17D 18A
19B 20C 21D? 22E 23C 24B 25B 26C 27C 28E 29C 30B 31C 32E 33A? 34B
35B 36B&E 37A? 38E 39B 40A 41D 42B 43A 44E 45A 46D 47C.....D? 48E
49A 50D 51A 52D 53B 54B 55C 56D 57D 58E 59A 60A 61E 62E 63D 64D
65B 66D 67E 68C 69C 70E 71A 72D 73A 74D 75B 76A 77E 78D 79C 80B 81A
82E 83C 84D 85E 86D 87C 88A 89B 90B 91D 92A 93C 94C 95B 96E 97B 98B
99E 100C

