

Pathology questions

1, Incorrect abt myasthenia gravis?

A, auto Abs against acetylcholine receptors

B, More occurrence in females than males

C, Thymoctemy can act as treatment agent because of the tumor aggressiveness

D, Diplopia and ptosis is its clinical symptoms as it has extraocular muscle involvement

E, physical exercise worsens its clinical symptoms

2, The third most common metastatic tumor?

A, bone B, Lung C, liver D, Brain

3, A tumor which occurs in children and adolescents with osteoid matrix production?

A, osteosarcoma B, osteochondroma C, chondrosarcoma D, Ewing sarcoma

4, A tumor which has no matrix production?

A, osteosarcoma, **B Ewing sarcoma** C, Melanoma D, osteochondroma

5, A toxic myopathy which causes type 2- fiber atrophy?

A, statin induced toxicity B, thyrotoxicity **C, steroid induced myopathy** D, coichinine

6, The most common malignant tumor in an adult population?

A, metastatic tumor B, osteosarcoma C, osteoid osteoma D, chondrosarcoma

7, Rhabdomyoblasts are positive for which in immunohistological test?

A, desmin B, S 100 C, vemintin D, cytokeratin

8, Which tumor has spindle shaped cells with numerous mitosis?

A, fibrosarcoma **B, nodular fasciitis** C, neurofibroma D, fibromatosis

9, The biopsy was taken from an old man and histopathology shows nests of basaloid cells with peripheral palisading invading the dermis. Which diagnosis is correct?

A, Basal cell carcinoma B, SCC C, MCL D, Melanoma E, Lymphoma

10, The most common benign soft tissue tumor in adulthood?

A, Lipoma B, Fibromatosis C, Nodular fasciitis D, Neurofibroma E, rhabdomyoma

11, Case abt the patient comes to clinic who do have lump in right flank, and histopathology shows lipoma. What advice would you gonna give to this patient?

A, The tumor will rapidly metastasize

B, the tumor is benign and not recur

C, Examination to all his family

12, Osteoblastoma distinguished from osteoid osteoma by?

A, woven bone **B, size > 2cm** C, rim of sclerotic bone D, round to oval masses of hemorrhagic tan tissue

13, Not true abt achondroplasia?

A, prevents endochondral growth B, Autosomal dominant C, relatively normal trunk length **D, smaller than head circumference** E, shortened extremities

14, Ricket is associated with?

A, decrease phosphate renal excretion

B, impaired activity of renal alpha 1- hydroxylase enzyme

C, increase calcium level in serum

D, increase phosphate level in serum

15, The commonest route of bacterial entry in pyogenic infection?

A, hematogenous B, penetrating trauma C, direct inoculation

16, true abt enchondroma?

A, commonly involves the hyaline cartilage

17, Abnormalities in the hyaline cartilage is caused by which of the ff disease of joint?

A, osteoarthritis B, RA C, SA

18, Autoimmune disease with T cells and citrullination?

A, RA B, OA C, SA D, gouty arthrits

19, A myopathy with poor prognosis and higher tendency to form underlying malignancy?

A, Adult form DM B, Juvenile DM C, PM D, IBM

20, A tumor arises from epiphysis of appendicular skeleton?

A, clear cell chondrosarcoma

B, mesenchymal chondrosarcoma

C, de differentiated chondrosarcoma

Pharmacology questions

21, Succinylcholine causes prolonged apnea due to paralysis of the diaphragm. It occurs in patients with?

A, Atypical acetylcholinesterase B, congenitive heart disease C, taking digoxin D, liver failure

22, Not true concerning Las?

A, urine alkalinization decreases Las excretion

B, Anionic form is the most active form in receptor site

C, Repeated injection can result in tachyphylaxis

D, Receptor is at the inner vestibule of sodium channels.

23, Long acting La compared to others?

A, lidocaine **B, ropivacaine** C, prilocaine D, Mepivacaine

24, Not correct concerning neuronal factor with Las?

A, neurons with smaller diameter rapidly get affected

B, Las favor activated and inactivated channels

C, myelinated fibers are the last to be affected

D, peripherally located fibers get rapidly affected

25, Long acting anti muscarinic for asthma and COPD?

A, ipratropium **B, Tiotropium** C, Tielenzipine D, Scopolamine

26, Transient neurologic symptoms are expected from?

A, procaine **B, lidocaine** C, pirlocaine d, bupivacaine

27, anti motion sickness drug?

A, atropine **B, Scopolamine** C, ipratropium D, tropicamide

28, direct cholinergic agonist for the diagnosis of asthma?

A, bethanichol B, Carbachol **C, methacoline** D, Acetylcholine

29, cholinomimetic drug for post-operative urinary retention?

A, Methacholine **B, Bethanichol** C, Acetylcholine D, carbachol

30, a drug indicated for patients with renal failure?

A, Tubocurarine B, doxacurium **C, Mivacurium** D, rocuroinum

31, A fall in BP, flushing and bronchoconstriction would expected from which drug?

A, Tubocurarine B, Vecuronium C, Doxacurium D, rocuronium

32, A muscarinic agonist used for treatment of dry mouth in sjogren's syndrome?

A, Vareniciline B, Carbachol C, Lobeline **D, cevimiline**

33, A direct acting cholinergic natural alkaloid?

A, pilocarpine B, bethanichol C, carbachol D, Methacholine

34, Irreversible acetylcholinesterase inhibitor?

A, physostigmine B, Neostigmine **C, Echothiophate** D, Pyridostigmine

35, CNS adverse effect is expected from one of the following carbamate esters?

A, Neostigmine **B, Physostigmine** C, pyridostigmine D, rivastigmine

36, Applied for the diagnosis/ monitoring effectiveness of treatment of myasthenia gravis?

A, ambenonium B, pyridostigmine C, neostigmine **D, Edrophonium**

37, Pharmacological effect of direct acting cholinomimetics?

A, increase HR and contraction **B, increase peristaltic activity** C, decrease in salivation D, relaxation of bronchial smooth muscles

38, Organophosphate poisoning is best managed by?

A, Atropine + oximes if before aging B, atropine + ambenonium C, ipratropium + oximes D, depolarizing neuromuscular blocker

39, Antimuscarinics can be used in all of the following cases, except?

A, motion sickness B, preoperative medication **C, to improve cognitive effect in Alzheimer's disease** D, in management of asthma

40, Administration of lipid will decrease Las toxicity because?

A, extract lipid soluble Las from plasma and tissues B, it increases metabolism of Las C, facilitates the excretion of Las

41, Antiacids are contraindicated in nicotine poisoning because?

A, increasing metabolism of nicotine **B, increase systemic absorption of nicotine** C, decrease its excretion

42, one of the following drugs reverse the effect of non depolarizing neuromuscular blockers?

A, AChEIs B, aminoglycosides C, calcium channel blockers D, halogenated hydrocarbon anesthetics

43, Anaphylaxis is expected from which of the following drug?

A, those with antimuscarinic activity

B, those with histamine releasing activity

C, those with cholinomimetic activity

D, those with depolarizing neuromuscular blocking activity

44, causes methemoglobinemia?

A, prilocaine B, procaine C, lidocaine D, bupivacaine

45, Cardio-toxic local anesthetic?

A, pilocarpine B, ropivacaine **C, bupivacaine** D, procaine

46, incorrect abt non depolarizing NM blockers?

A, all NM blockers are injected IV

B, poor membrane penetration

C, they are adjuvant drugs in anesthesia during surgery

D, they do have great CNS disturbances

47, Direct acting cholinomimetics would probably cause?

A, increase accumulation of aqueous humor

B, increase outflow of aqueous humor

C, decrease outflow of aqueous humor

D, increase intraocular pressure

48, a drug which antagonizes the effect of non depolarizing NM blockers by forming an inactive complex?

A, pyridostigmine B, edrophonium C, neostigmine **D, sugammadex**

Prepared by: Abdella Ynwa Ethiopia
Mohammed Jemal and
Mohammekazim Hassen